

# Joachim Kron

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/744900/joachim-kron-publications-by-year.pdf>

**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

14 papers	163 citations	8 h-index	12 g-index
17 ext. papers	213 ext. citations	2.6 avg, IF	2.57 L-index

#	Paper	IF	Citations
14	An improved method to estimate absolute blood volume based on dialysate dilution. <i>Artificial Organs</i> , <b>2021</b> , 45, E359-E363	2.6	0
13	Feedback control of absolute blood volume: A new technical approach in hemodialysis. <i>Hemodialysis International</i> , <b>2020</b> , 24, 344-350	1.7	7
12	Blutvolumenmonitoring bei H�dialysepatienten. <i>Dialyse Aktuell</i> , <b>2020</b> , 24, 22-26	0.1	
11	Adjustment of target weight based on absolute blood volume reduces the frequency of intradialytic morbid events. <i>Hemodialysis International</i> , <b>2018</b> , 22, 254-260	1.7	12
10	Vascular Refilling Is Not Reduced in Dialysis Sessions with Morbid Events. <i>Blood Purification</i> , <b>2017</b> , 43, 309-314	3.1	7
9	Comorbidities, Hospitalization, and Living Status of Dialysis Patients Over 80 Years. <i>Blood Purification</i> , <b>2016</b> , 42, 282-286	3.1	1
8	Vascular refilling is independent of volume overload in hemodialysis with moderate ultrafiltration requirements. <i>Hemodialysis International</i> , <b>2016</b> , 20, 484-91	1.7	17
7	Determination of the critical absolute blood volume for intradialytic morbid events. <i>Hemodialysis International</i> , <b>2016</b> , 20, 321-6	1.7	20
6	Relative Blood Volume Monitoring during Renal Replacement Therapy in Critically Ill Patients with Septic Shock: A Preliminary Report. <i>Blood Purification</i> , <b>2015</b> , 40, 133-8	3.1	4
5	Hemodialysis in patients over 80 years. <i>Nephron</i> , <b>2015</b> , 129, 214-8	3.3	4
4	A simple and feasible method to determine absolute blood volume in hemodialysis patients in clinical practice. <i>Blood Purification</i> , <b>2014</b> , 38, 180-7	3.1	25
3	On-line dialysate infusion to estimate absolute blood volume in dialysis patients. <i>ASAIO Journal</i> , <b>2014</b> , 60, 436-42	3.6	15
2	Effects of sodium on measuring relative blood volume during hemodialysis differ by techniques. <i>ASAIO Journal</i> , <b>2013</b> , 59, 612-6	3.6	9
1	Extended daily on-line high-volume haemodiafiltration in septic multiple organ failure: a well-tolerated and feasible procedure. <i>Nephrology Dialysis Transplantation</i> , <b>2012</b> , 27, 146-52	4.3	33