

Vibeke Rasch

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/744957/vibeke-rasch-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

111
papers

2,217
citations

25
h-index

42
g-index

115
ext. papers

2,687
ext. citations

3.4
avg, IF

5.13
L-index

#	Paper	IF	Citations
111	The role of telepathology in diagnosis of pre-malignant and malignant cervical lesions: Implementation at a tertiary hospital in Northern Tanzania.. <i>PLoS ONE</i> , 2022 , 17, e0266649	3.7	0
110	Landscaping the evidence of intimate partner violence and postpartum depression: a systematic review.. <i>BMJ Open</i> , 2022 , 12, e051426	3	0
109	Acceptability and feasibility of self-sampling and follow-up attendance after text message delivery of human papillomavirus results: A cross-sectional study nested in a cohort in rural Tanzania. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2021 , 100, 802-810	3.8	1
108	Medical management of induced and incomplete first-trimester abortion by non-physicians in low- and middle-income countries: A systematic review and meta-analysis of randomized controlled trials. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2021 , 100, 718-726	3.8	1
107	Training of healthcare providers and use of long-acting reversible contraception in low- and middle-income countries: A systematic review. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2021 , 100, 619-628	3.8	1
106	Quality of life after maternal near miss: A systematic review. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2021 , 100, 704-714	3.8	1
105	HPV types, cervical high-grade lesions and risk factors for oncogenic human papillomavirus infection among 3416 Tanzanian women. <i>Sexually Transmitted Infections</i> , 2021 , 97, 56-62	2.8	7
104	Intimate partner violence during pregnancy in Vietnam: role of husbands. <i>Archives of Women's Mental Health</i> , 2021 , 24, 271-279	5	0
103	"I just wear it and I become normal": a qualitative study of Tanzanian women's experiences with long-term vaginal pessary use for stress urinary incontinence. <i>BMJ Open</i> , 2021 , 11, e040009	3	0
102	Does resilience moderate the effect of intimate partner violence on signs of depression among Tanzanian pregnant women: A cross-sectional study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2021 , 100, 768-774	3.8	0
101	Agreement between careHPV and hybrid capture 2 in detecting high-risk HPV in women in Tanzania. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2021 , 100, 786-793	3.8	0
100	The association between human papillomavirus and cervical high-grade cytology among HIV-positive and HIV-negative Tanzanian women: A cross-sectional study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2021 , 100, 775-785	3.8	0
99	Concordance in HPV Detection Between Self-Collected and Health Provider-Collected Cervicovaginal Samples Using careHPV in Tanzanian Women. <i>JCO Global Oncology</i> , 2021 , 7, 985-991	3.7	2
98	Incident detection of human papillomavirus - a prospective follow-up study among Tanzanian women with a focus on HIV status. <i>International Journal of Infectious Diseases</i> , 2021 , 110, 165-170	10.5	1
97	Intimate partner violence and breastfeeding: a systematic review. <i>BMJ Open</i> , 2020 , 10, e034153	3	8
96	"The best thing is that you are doing it for yourself" - perspectives on acceptability and feasibility of HPV self-sampling among cervical cancer screening clients in Tanzania: a qualitative pilot study. <i>BMC Women's Health</i> , 2020 , 20, 65	2.9	8
95	Effectiveness of One-Way Text Messaging on Attendance to Follow-Up Cervical Cancer Screening Among Human Papillomavirus-Positive Tanzanian Women (Connected2Care): Parallel-Group Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2020 , 22, e15863	7.6	8

94	Intimate Partner Violence and Electronic Health Interventions: Systematic Review and Meta-Analysis of Randomized Trials. <i>Journal of Medical Internet Research</i> , 2020 , 22, e22361	7.6	8
93	Comprehensive Cervical Cancer Prevention in Tanzania (CONCEPT) study: Cohort profile. <i>BMJ Open</i> , 2020 , 10, e038531	3	3
92	The Association Between Intimate Partner Violence and Signs of Depression During Pregnancy in Kilimanjaro Region, Northern Tanzania. <i>Journal of Interpersonal Violence</i> , 2020 , 35, 5797-5811	2.2	17
91	Postnatal depressive symptoms display marked similarities across continents. <i>Journal of Affective Disorders</i> , 2020 , 261, 58-66	6.6	6
90	Obstetric perineal ruptures-risk of anal incontinence among primiparous women 12 months postpartum: a prospective cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2020 , 222, 165.e1-165.e11	6.4	13
89	Management of stress urinary incontinence using vaginal incontinence pessaries in rural Kilimanjaro, Tanzania. <i>International Urogynecology Journal</i> , 2020 , 31, 1091-1097	2	2
88	Urinary incontinence and its relation to delivery circumstances: A population-based study from rural Kilimanjaro, Tanzania. <i>PLoS ONE</i> , 2019 , 14, e0208733	3.7	7
87	Performance of careHPV, hybrid capture 2 and visual inspection with acetic acid for detection of high-grade cervical lesion in Tanzania: A cross-sectional study. <i>PLoS ONE</i> , 2019 , 14, e0218559	3.7	16
86	One-way SMS and healthcare outcomes in Africa: Systematic review of randomised trials with meta-analysis. <i>PLoS ONE</i> , 2019 , 14, e0217485	3.7	17
85	Intimate Partner Violence among Pregnant Women and Postpartum Depression in Vietnam: A Longitudinal Study. <i>BioMed Research International</i> , 2019 , 2019, 4717485	3	14
84	Obstetric perineal tears: risk factors, wound infection and dehiscence: a prospective cohort study. <i>Archives of Gynecology and Obstetrics</i> , 2019 , 300, 67-77	2.5	16
83	Competing needs: a qualitative study of cervical cancer screening attendance among HPV-positive women in Tanzania. <i>BMJ Open</i> , 2019 , 9, e024011	3	9
82	Vaginal pessaries in the management of symptomatic pelvic organ prolapse in rural Kilimanjaro, Tanzania: a pre-post interventional study. <i>International Urogynecology Journal</i> , 2019 , 30, 1313-1321	2	0
81	Intimate partner violence and subsequent premature termination of exclusive breastfeeding: A cohort study. <i>PLoS ONE</i> , 2019 , 14, e0217479	3.7	4
80	Male circumcision and the risk of gonorrhoea, syphilis, HIV and human papillomavirus among men in Tanzania. <i>International Journal of STD and AIDS</i> , 2019 , 30, 1408-1416	1.4	3
79	Factors associated with a cervical high-grade lesion on cytology or a positive visual inspection with acetic acid among more than 3300 Tanzanian women. <i>Tropical Medicine and International Health</i> , 2019 , 24, 229-237	2.3	7
78	Postpartum depression and child growth in Tanzania: a cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019 , 126, 590-598	3.7	6
77	Prevalence and risk factors for pelvic organ prolapse in Kilimanjaro, Tanzania: A population based study in Tanzanian rural community. <i>PLoS ONE</i> , 2018 , 13, e0195910	3.7	29

76	Intimate partner violence (IPV): The validity of an IPV screening instrument utilized among pregnant women in Tanzania and Vietnam. <i>PLoS ONE</i> , 2018 , 13, e0190856	3.7	9
75	Intimate partner violence during pregnancy in Vietnam: prevalence, risk factors and the role of social support. <i>Global Health Action</i> , 2018 , 11, 1638052	3	15
74	Emotional violence exerted by intimate partners and postnatal depressive symptoms among women in Vietnam: A prospective cohort study. <i>PLoS ONE</i> , 2018 , 13, e0207108	3.7	13
73	Antenatal depressive symptoms and adverse birth outcomes in Hanoi, Vietnam. <i>PLoS ONE</i> , 2018 , 13, e0206650	3.7	13
72	Postpartum depression among women who have experienced intimate partner violence: A prospective cohort study at Moshi, Tanzania. <i>Journal of Affective Disorders</i> , 2017 , 218, 238-245	6.6	44
71	Risk factors for HIV positivity among more than 3,400 Tanzanian women. <i>Women and Health</i> , 2017 , 57, 650-664	1.7	3
70	Text messages to increase attendance to follow-up cervical cancer screening appointments among HPV-positive Tanzanian women (Connected2Care): study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 555	2.8	18
69	Social support and intimate partner violence during pregnancy among women attending antenatal care in Moshi Municipality, Northern Tanzania. <i>BMC Public Health</i> , 2017 , 17, 240	4.1	19
68	Risk factors for genital human papillomavirus among men in Tanzania. <i>Journal of Medical Virology</i> , 2017 , 89, 345-351	19.7	4
67	Intimate partner violence during pregnancy and its association with preterm birth and low birth weight in Tanzania: A prospective cohort study. <i>PLoS ONE</i> , 2017 , 12, e0172540	3.7	46
66	Antenatal care strengthening for improved health behaviours in Jimma, Ethiopia, 2009-2011: An effectiveness study. <i>Midwifery</i> , 2016 , 40, 87-94	2.8	3
65	Association between Intimate Partner Violence during Pregnancy and Adverse Pregnancy Outcomes in Vietnam: A Prospective Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0162844	3.7	25
64	Antenatal care strengthening for improved quality of care in Jimma, Ethiopia: an effectiveness study. <i>BMC Public Health</i> , 2015 , 15, 360	4.1	8
63	Mobile phones improve antenatal care attendance in Zanzibar: a cluster randomized controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 29	3.2	140
62	Performance of visual inspection with acetic acid and human papillomavirus testing for detection of high-grade cervical lesions in HIV positive and HIV negative Tanzanian women. <i>International Journal of Cancer</i> , 2014 , 135, 896-904	7.5	31
61	Determinants of first and second trimester induced abortion - results from a cross-sectional study taken place 7 years after abortion law revisions in Ethiopia. <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 416	3.2	16
60	Unsafe abortion in rural Tanzania - the use of traditional medicine from a patient and a provider perspective. <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 419	3.2	16
59	Antenatal care strengthening in Jimma, Ethiopia: a mixed-method needs assessment. <i>Journal of Environmental and Public Health</i> , 2014 , 2014, 945164	2.6	12

58	Mobile phone intervention reduces perinatal mortality in zanzibar: secondary outcomes of a cluster randomized controlled trial. <i>JMIR MHealth and UHealth</i> , 2014 , 2, e15	5.5	59
57	Vietnamese women's struggle to access antiretroviral drugs in a context of free treatment. <i>Health Care for Women International</i> , 2013 , 34, 209-26	1.5	
56	Risk factors for high-risk human papillomavirus detection among HIV-negative and HIV-positive women from Tanzania. <i>Sexually Transmitted Diseases</i> , 2013 , 40, 737-43	2.4	19
55	Prevalence and type distribution of human papillomavirus among 1813 men in Tanzania and the relationship to HIV status. <i>Sexually Transmitted Diseases</i> , 2013 , 40, 592-8	2.4	11
54	Malaria and fetal growth alterations in the 3(rd) trimester of pregnancy: a longitudinal ultrasound study. <i>PLoS ONE</i> , 2013 , 8, e53794	3.7	30
53	Contraceptive use among HIV-positive women in Quang Ninh province, Vietnam. <i>Tropical Medicine and International Health</i> , 2012 , 17, 1227-34	2.3	2
52	Factors associated with and causes of perinatal mortality in northeastern Tanzania. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012 , 91, 1061-8	3.8	43
51	Mobile phones as a health communication tool to improve skilled attendance at delivery in Zanzibar: a cluster-randomised controlled trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012 , 119, 1256-64	3.7	132
50	Pursuing treatment and moral worth: HIV-infected women in a northern province of Vietnam living with antiretroviral therapy. <i>Journal of the Association of Nurses in AIDS Care</i> , 2012 , 23, 339-49	1.6	3
49	Risk factors for VIA positivity and determinants of screening attendances in Dar es Salaam, Tanzania. <i>BMC Public Health</i> , 2012 , 12, 1055	4.1	13
48	Determinants of acceptance of cervical cancer screening in Dar es Salaam, Tanzania. <i>BMC Public Health</i> , 2012 , 12, 1093	4.1	37
47	Prevention of mother-to-child transmission--precarious hopes and childbearing choices among HIV-infected women in a northern province of Vietnam. <i>Women and Health</i> , 2012 , 52, 485-502	1.7	
46	Cervical cancer screening in primary health care setting in Sudan: a comparative study of visual inspection with acetic acid and Pap smear. <i>International Journal of Women's Health</i> , 2012 , 4, 67-73	2.8	17
45	Human papillomavirus prevalence and type distribution in 3603 HIV-positive and HIV-negative women in the general population of Tanzania: the PROTECT study. <i>Sexually Transmitted Diseases</i> , 2012 , 39, 201-8	2.4	52
44	Development of a fetal weight chart using serial trans-abdominal ultrasound in an East African population: a longitudinal observational study. <i>PLoS ONE</i> , 2012 , 7, e44773	3.7	30
43	Uterine contraction induced by Tanzanian plants used to induce abortion. <i>Journal of Ethnopharmacology</i> , 2011 , 137, 921-5	5	22
42	Predictors of cervical cancer being at an advanced stage at diagnosis in Sudan. <i>International Journal of Women's Health</i> , 2011 , 3, 385-9	2.8	30
41	Cervical cancer risk factors and feasibility of visual inspection with acetic acid screening in Sudan. <i>International Journal of Women's Health</i> , 2011 , 3, 117-22	2.8	14

40	Advanced life support in obstetrics (ALSO) and post-partum hemorrhage: a prospective intervention study in Tanzania. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011 , 90, 609-14	3.8	44
39	Unsafe abortion and postabortion care - an overview. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011 , 90, 692-700	3.8	41
38	Number and timing of antenatal HIV testing: evidence from a community-based study in Northern Vietnam. <i>BMC Public Health</i> , 2011 , 11, 183	4.1	20
37	Early uptake of HIV counseling and testing among pregnant women at different levels of health facilities--experiences from a community-based study in Northern Vietnam. <i>BMC Health Services Research</i> , 2011 , 11, 29	2.9	5
36	Antiretroviral therapy: unmet need and associated socio-demographic characteristics among HIV-positive women in Haiphong, Vietnam. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2011 , 23, 1-9	2.2	4
35	Pregnancy decision-making among HIV positive women in Northern Vietnam: reconsidering reproductive choice. <i>Anthropology and Medicine</i> , 2011 , 18, 315-26	1.1	8
34	Substandard emergency obstetric care - a confidential enquiry into maternal deaths at a regional hospital in Tanzania. <i>Tropical Medicine and International Health</i> , 2010 , 15, 894-900	2.3	37
33	Induced abortion among HIV-positive women in Quang Ninh and Hai Phong, Vietnam. <i>Tropical Medicine and International Health</i> , 2010 , 15, 1172-8	2.3	9
32	Factors associated with the failure to seek HIV care and treatment among HIV-positive women in a northern province of Vietnam. <i>AIDS Patient Care and STDs</i> , 2010 , 24, 325-32	5.8	8
31	Induced abortion among HIV-positive women in Northern Vietnam: exploring reproductive dilemmas. <i>Culture, Health and Sexuality</i> , 2010 , 12 Suppl 1, S41-54	2.5	16
30	Uptake of prenatal HIV testing in Hai Phong Province, Vietnam. <i>Asia-Pacific Journal of Public Health</i> , 2010 , 22, 451-9	2	10
29	Impact of ALSO training on the management of prolonged labor and neonatal care at Kagera Regional Hospital, Tanzania. <i>International Journal of Gynecology and Obstetrics</i> , 2010 , 111, 8-12	4	16
28	Reproductive tract infections in women seeking abortion in Vietnam. <i>BMC Women's Health</i> , 2009 , 9, 1	2.9	26
27	Unsafe abortion in urban and rural Tanzania: method, provider and consequences. <i>Tropical Medicine and International Health</i> , 2009 , 14, 1128-33	2.3	26
26	Posttest counseling and social support from health staff caring for HIV-infected pregnant women in Vietnam. <i>Journal of the Association of Nurses in AIDS Care</i> , 2009 , 20, 193-202	1.6	13
25	Reproductive tract infections in northern Vietnam: health providers' diagnostic dilemmas. <i>Women and Health</i> , 2009 , 49, 229-45	1.7	5
24	Medium and long-term adherence to postabortion contraception among women having experienced unsafe abortion in Dar es Salaam, Tanzania. <i>BMC Pregnancy and Childbirth</i> , 2008 , 8, 32	3.2	22
23	A survey of midwives' views on providing aspects of antenatal care in Estonia. <i>Midwifery</i> , 2008 , 24, 399-408	1.8	2

22	Strategies for the prevention and treatment of reproductive tract infections among women in Vietnam. <i>Culture, Health and Sexuality</i> , 2008 , 10 Suppl, S111-21	2.5	3
21	Induced abortion in Denmark: effect of socio-economic situation and country of birth. <i>European Journal of Public Health</i> , 2008 , 18, 144-9	2.1	58
20	Contraceptive attitudes and contraceptive failure among women requesting induced abortion in Denmark. <i>Human Reproduction</i> , 2007 , 22, 1320-6	5.7	22
19	Acceptance and use of the female condom among women with incomplete abortion in rural Tanzania. <i>Contraception</i> , 2007 , 75, 66-70	2.5	10
18	Situation analysis of quality of abortion care in the main maternity hospital in Hai Phōg, Viet Nam. <i>Reproductive Health Matters</i> , 2007 , 15, 172-82		18
17	Maternal death and the Millennium Development Goals. <i>Danish Medical Bulletin</i> , 2007 , 54, 167-9		5
16	Post-abortion care and voluntary HIV counselling and testing--an example of integrating HIV prevention into reproductive health services. <i>Tropical Medicine and International Health</i> , 2006 , 11, 697-704	2.3	20
15	Scaling up postabortion contraceptive service--results from a study conducted among women having unwanted pregnancies in urban and rural Tanzania. <i>Contraception</i> , 2005 , 72, 377-82	2.5	21
14	Unsafe abortion in Tanzania and the need for involving men in postabortion contraceptive counseling. <i>Studies in Family Planning</i> , 2005 , 36, 301-10	3.4	22
13	Midwifery at the crossroads in Estonia: attitudes of midwives and other key stakeholders. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2005 , 84, 339-48	3.8	4
12	Midwifery at the crossroads in Estonia: attitudes of midwives and other key stakeholders 2005 , 84, 339		2
11	Acceptance of contraceptives among women who had an unsafe abortion in Dar es Salaam. <i>Tropical Medicine and International Health</i> , 2004 , 9, 399-405	2.3	29
10	A longitudinal study on different models of postabortion care in Tanzania. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2004 , 83, 570-5	3.8	14
9	Cigarette, alcohol, and caffeine consumption: risk factors for spontaneous abortion. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2003 , 82, 182-8	3.8	190
8	Cigarette, alcohol, and caffeine consumption: risk factors for spontaneous abortion 2003 , 82, 182		2
7	Living conditions, contraceptive use and the choice of induced abortion among pregnant women in Denmark. <i>Scandinavian Journal of Public Health</i> , 2002 , 30, 293-9	3	13
6	Contraceptive failure--results from a study conducted among women with accepted and unaccepted pregnancies in Denmark. <i>Contraception</i> , 2002 , 66, 109-16	2.5	14
5	Pregnancy planning and acceptance among Danish pregnant women. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2001 , 80, 1030-5	3.8	12

4	Adolescent girls, illegal abortions and "sugar-daddies" in Dar es Salaam: vulnerable victims and active social agents. <i>Social Science and Medicine</i> , 2001 , 52, 1815-26	5.1	197
3	Self-reports of induced abortion: an empathetic setting can improve the quality of data. <i>American Journal of Public Health</i> , 2000 , 90, 1141-4	5.1	32
2	The problem of illegally induced abortion: results from a hospital-based study conducted at district level in Dar es Salaam. <i>Tropical Medicine and International Health</i> , 2000 , 5, 495-502	2.3	17
1	Adolescent girls with illegally induced abortion in Dar es Salaam: the discrepancy between sexual behaviour and lack of access to contraception. <i>Reproductive Health Matters</i> , 2000 , 8, 52-62		36