

# Andrzej Pawlik

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/744965/publications.pdf>

Version: 2024-02-01

209  
papers

3,112  
citations

201385

27  
h-index

301761

39  
g-index

209  
all docs

209  
docs citations

209  
times ranked

4166  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | The Role of the Gut Microbiota in the Pathogenesis of Diabetes. <i>International Journal of Molecular Sciences</i> , 2022, 23, 480.  | 1.8 | 55        |
| 2  | PECAM1, COL4A2, PHACTR1, and LMOD1 Gene Polymorphisms in Patients with Unstable Angina. <i>Journal of Clinical Medicine</i> , 2022, 11, 373.   | 1.0 | 2         |
| 3  | The Effects of EMMPRIN/CD147 on Late Function and Histopathological Lesions of the Renal Graft. <i>Biology</i> , 2022, 11, 232.  | 1.3 | 1         |
| 4  | PPARG, TMEM163, UBE2E2, and WFS1 Gene Polymorphisms Are Not Significant Risk Factors for Gestational Diabetes in the Polish Population. <i>Journal of Personalized Medicine</i> , 2022, 12, 243.                                   | 1.1 | 3         |
| 5  | Association Study of SLCO1B3 and ABCC3 Genetic Variants in Gallstone Disease. <i>Genes</i> , 2022, 13, 512.  | 1.0 | 3         |
| 6  | Effect of bovine colostrum on the cytokine profile in periodontal diseases.. <i>Farmacja Polska</i> , 2022, 78, 74-80.   | 0.1 | 0         |
| 7  | Adiponectin Is a Component of the Inflammatory Cascade in Rheumatoid Arthritis. <i>Journal of Clinical Medicine</i> , 2022, 11, 2740.  | 1.0 | 6         |
| 8  | How to Restore Oxidative Balance That Was Disrupted by SARS-CoV-2 Infection. <i>International Journal of Molecular Sciences</i> , 2022, 23, 6377.  | 1.8 | 7         |
| 9  | Hypertension and Type 2 Diabetes – The Novel Treatment Possibilities. <i>International Journal of Molecular Sciences</i> , 2022, 23, 6500.   | 1.8 | 13        |
| 10 | Favipiravir in Therapy of Viral Infections. <i>Journal of Clinical Medicine</i> , 2021, 10, 273.   | 1.0 | 39        |
| 11 | IL-17F Gene rs763780 and IL-17A rs2275913 Polymorphisms in Patients with Periodontitis. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1081.   | 1.2 | 10        |
| 12 | Renalase in Haemodialysis Patients with Chronic Kidney Disease. <i>Journal of Clinical Medicine</i> , 2021, 10, 680.   | 1.0 | 8         |
| 13 | The Role of CTLA4 and Its Polymorphisms in Solid Organ and Haematopoietic Stem Cell Transplantation. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3081.  | 1.8 | 3         |
| 14 | Lack of association between CYB5A gene rs1790834 polymorphism and the response to leflunomide in women with rheumatoid arthritis. <i>European Journal of Clinical Pharmacology</i> , 2021, 77, 1673-1678.                          | 0.8 | 2         |
| 15 | The Effect of Bilateral Nephrectomy on Renalase and Catecholamines in Hemodialysis Patients. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 6282.  | 1.2 | 0         |
| 16 | VAV1 Gene Polymorphism is Associated With Kidney Allograft Rejection. <i>Transplantation Proceedings</i> , 2021, 53, 1528-1531.  | 0.3 | 1         |
| 17 | Therapy of Type 2 Diabetes in Patients with SARS-CoV-2 Infection. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7605.   | 1.8 | 17        |
| 18 | Protein Arginine Methyltransferase (PRMT) Inhibitors – AMI-1 and SAH Are Effective in Attenuating Rhabdomyosarcoma Growth and Proliferation in Cell Cultures. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8023. | 1.8 | 15        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Estimation of Bone Trace Elements Following Prolonged Every-other Day Feeding in C57BL/6 Male and Female Mice. <i>Biological Trace Element Research</i> , 2021, , 1.                            | 1.9 | 0         |
| 20 | ADCY5, CAPN10 and JAZF1 Gene Polymorphisms and Placental Expression in Women with Gestational Diabetes. <i>Life</i> , 2021, 11, 806.  | 1.1 | 8         |
| 21 | Role of Janus Kinase Inhibitors in Therapy of Psoriasis. <i>Journal of Clinical Medicine</i> , 2021, 10, 4307.  | 1.0 | 25        |
| 22 | The Effects of Sex and Body Weight on Renal Graft Functionâ€”The Role of CCL2. <i>Journal of Clinical Medicine</i> , 2021, 10, 4951.  | 1.0 | 0         |
| 23 | Pentoxifylline as a Potential Adjuvant Therapy for COVID-19: Impeding the Burden of the Cytokine Storm. <i>Journal of Clinical Medicine</i> , 2021, 10, 5305.                                   | 1.0 | 7         |
| 24 | Incretins in the Therapy of Diabetic Kidney Disease. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12312.  | 1.8 | 4         |
| 25 | Role of Endothelial Glucocorticoid Receptor in the Pathogenesis of Kidney Diseases. <i>International Journal of Molecular Sciences</i> , 2021, 22, 13295.                                       | 1.8 | 5         |
| 26 | Analysis of Bone Mineral Profile After Prolonged Every-Other-Day Feeding in C57BL/6J Male and Female Mice. <i>Biological Trace Element Research</i> , 2020, 194, 177-183.                       | 1.9 | 4         |
| 27 | The evolution in our understanding of the genetics of rheumatoid arthritis and the impact on novel drug discovery. <i>Expert Opinion on Drug Discovery</i> , 2020, 15, 85-99.                   | 2.5 | 8         |
| 28 | The role of genetics and epigenetics in the pathogenesis of gestational diabetes mellitus. <i>Annals of Human Genetics</i> , 2020, 84, 114-124.   | 0.3 | 42        |
| 29 | Role of allograft inflammatory factor-1 in pathogenesis of diseases. <i>Immunology Letters</i> , 2020, 218, 1-4.  | 1.1 | 22        |
| 30 | The Interplay between Transcriptional Factors and MicroRNAs as an Important Factor for Th17/Treg Balance in RA Patients. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7169.   | 1.8 | 22        |
| 31 | Connexinsâ€”Therapeutic Targets in Cancers. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9119.  | 1.8 | 16        |
| 32 | Role of Adiponectin in the Pathogenesis of Rheumatoid Arthritis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8265.   | 1.8 | 25        |
| 33 | Over-Expression of Allograft Inflammatory Factor-1 (AIF-1) in Patients with Rheumatoid Arthritis. <i>Biomolecules</i> , 2020, 10, 1064.   | 1.8 | 7         |
| 34 | Polymorphisms in GP6, PEAR1A, MRV11, PIK3CG, JMJD1C, and SHH Genes in Patients with Unstable Angina. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7506. | 1.2 | 5         |
| 35 | The Role of Endocan in Selected Kidney Diseases. <i>International Journal of Molecular Sciences</i> , 2020, 21, 6119.   | 1.8 | 9         |
| 36 | Cytokines and Their Genetic Polymorphisms Related to Periodontal Disease. <i>Journal of Clinical Medicine</i> , 2020, 9, 4045.  | 1.0 | 20        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Th17/Treg-Related Transcriptional Factor Expression and Cytokine Profile in Patients With Rheumatoid Arthritis. <i>Frontiers in Immunology</i> , 2020, 11, 572858.                                     | 2.2 | 65        |
| 38 | Adiponectin in Chronic Kidney Disease. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9375.  | 1.8 | 23        |
| 39 | VAV1 Gene Polymorphisms in Patients with Rheumatoid Arthritis. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3214.  | 1.2 | 5         |
| 40 | Using pharmacogenetics to predict methotrexate response in rheumatoid arthritis patients. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2020, 16, 617-626.                                 | 1.5 | 17        |
| 41 | Differential effect of adenosine on rhabdomyosarcoma migration and proliferation. <i>Archives of Medical Science</i> , 2020, 16, 414-427.  | 0.4 | 5         |
| 42 | The Role of MECP2 and CCR5 Polymorphisms on the Development and Course of Systemic Lupus Erythematosus. <i>Biomolecules</i> , 2020, 10, 494.   | 1.8 | 7         |
| 43 | &lt;b&gt;&lt;i&gt;NOS3&lt;/i&gt;&lt;/b&gt; Gene rs1799983 and rs2070744 Polymorphisms in Patients with Unstable Angina. <i>Journal of Vascular Research</i> , 2020, 57, 136-142.                       | 0.6 | 10        |
| 44 | Association of FGF19, FGF21 and FGF23 with carbohydrate metabolism parameters and insulin resistance in patients with chronic kidney disease. <i>Journal of Applied Biomedicine</i> , 2020, 18, 61-69. | 0.6 | 1         |
| 45 | Renalase in chronic kidney disease: the evolving story. Authors' reply. <i>Polish Archives of Internal Medicine</i> , 2020, 130, 90-90.  | 0.3 | 0         |
| 46 | Poly-ADP-ribose polymerases (PARPs) as a therapeutic target in the treatment of selected cancers. <i>Expert Opinion on Therapeutic Targets</i> , 2019, 23, 773-785.                                    | 1.5 | 22        |
| 47 | KDR (VEGFR2) Genetic Variants and Serum Levels in Patients with Rheumatoid Arthritis. <i>Biomolecules</i> , 2019, 9, 355.  | 1.8 | 13        |
| 48 | Common Type 2 Diabetes Genetic Risk Variants Improve the Prediction of Gestational Diabetes. <i>Hormone and Metabolic Research</i> , 2019, 51, 655-660.  | 0.7 | 4         |
| 49 | PPARA, PPARD and PPARG gene polymorphisms in patients with unstable angina. <i>Gene</i> , 2019, 711, 143947.   | 1.0 | 9         |
| 50 | Chronic Kidney Disease Is Associated with Increased Plasma Levels of Fibroblast Growth Factors 19 and 21. <i>Kidney and Blood Pressure Research</i> , 2019, 44, 1207-1218.                             | 0.9 | 12        |
| 51 | Umbilical cord blood transplantation and the impact of the CTLA4 genotype on outcomes. <i>Expert Review of Hematology</i> , 2019, 12, 1089-1094.   | 1.0 | 1         |
| 52 | The Role of MicroRNAs in Selected Forms of Glomerulonephritis. <i>International Journal of Molecular Sciences</i> , 2019, 20, 5050.  | 1.8 | 20        |
| 53 | IL-1 $\beta$ and IL-10 gene polymorphisms in women with gestational diabetes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019, 34, 1-6.  | 0.7 | 7         |
| 54 | IL17A and IL17F genes polymorphisms are associated with histopathological changes in transplanted kidney. <i>BMC Nephrology</i> , 2019, 20, 124.   | 0.8 | 3         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | SLC22A5 polymorphism associated with risk of extra-articular manifestations in rheumatoid arthritis patients. <i>Reumatologia</i> , 2019, 57, 3-7.   | 0.5 | 2         |
| 56 | Mannose binding lectin 2 gene polymorphisms in patients after renal transplantation with acute graft rejection. <i>Transplant Immunology</i> , 2019, 54, 29-37.  | 0.6 | 7         |
| 57 | &lt;p&gt;New therapies for the treatment of heart failure: a summary of recent accomplishments&lt;/p&gt;. <i>Therapeutics and Clinical Risk Management</i> , 2019, Volume 15, 147-155.                                     | 0.9 | 29        |
| 58 | CTLA4 antagonists in phase I and phase II clinical trials, current status & future perspectives for cancer therapy. <i>Expert Opinion on Investigational Drugs</i> , 2019, 28, 149-159.                                    | 1.9 | 21        |
| 59 | IL-1&rs1143634 and rs16944 polymorphisms in patients with periodontal disease. <i>Archives of Oral Biology</i> , 2019, 98, 47-51.  | 0.8 | 5         |
| 60 | Effect of <i>FTO</i> and <i>IGF2BP2</i> gene polymorphisms on duration of pregnancy and Apgar scores in women with gestational diabetes. <i>Journal of Obstetrics and Gynaecology</i> , 2019, 39, 151-156.                 | 0.4 | 16        |
| 61 | Chronic kidney disease is associated with increased levels of renalase in serum and decreased in erythrocytes. <i>Polish Archives of Internal Medicine</i> , 2019, 129, 790-797.   | 0.3 | 5         |
| 62 | Evaluation of a clinical pharmacogenetics model to predict methotrexate response in patients with rheumatoid arthritis. <i>Pharmacogenomics Journal</i> , 2018, 18, 539-545.   | 0.9 | 14        |
| 63 | Plasma concentration of urokinase plasminogen activator receptor is a marker of kidney allograft function. <i>Irish Journal of Medical Science</i> , 2018, 187, 1083-1087.   | 0.8 | 2         |
| 64 | Lack of association between rheumatoid arthritis and genetic variants rs10889677, rs11209026 and rs2201841 of IL-23R gene. <i>Medicina Clínica</i> , 2018, 151, 191-195.   | 0.3 | 6         |
| 65 | HIF-1A gene polymorphisms and its protein level in patients with rheumatoid arthritis: a case&control study. <i>Inflammation Research</i> , 2018, 67, 423-433.   | 1.6 | 7         |
| 66 | Caveolin-1 rs4730751 gene polymorphism in kidney allograft recipients. <i>Journal of Applied Biomedicine</i> , 2018, 16, 133-137.  | 0.6 | 1         |
| 67 | <i>HNF1B</i>, <i>TSPAN8</i> and <i>NOTCH2</i> gene polymorphisms in women with gestational diabetes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018, 31, 837-842.   | 0.7 | 9         |
| 68 | Ficolin-2 Gene rs7851696 Polymorphism is Associated with Delayed Graft Function and Acute Rejection in Kidney Allograft Recipients. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2018, 66, 65-72.            | 1.0 | 9         |
| 69 | Association Between Plasma Concentration of Klotho Protein, Osteocalcin, Leptin, Adiponectin, and Bone Mineral Density in Patients with Chronic Kidney Disease. <i>Hormone and Metabolic Research</i> , 2018, 50, 816-821. | 0.7 | 15        |
| 70 | Lack of significant association between selected STAT3 polymorphisms and rheumatoid arthritis in the Polish population. <i>Reumatologia</i> , 2018, 56, 73-79.   | 0.5 | 1         |
| 71 | Replication study of polymorphisms associated with response to methotrexate in patients with rheumatoid arthritis. <i>Scientific Reports</i> , 2018, 8, 7342.  | 1.6 | 18        |
| 72 | Potential targets of gene therapy in the treatment of heart failure. <i>Expert Opinion on Therapeutic Targets</i> , 2018, 22, 811-816.   | 1.5 | 13        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | <i>MTNR1A</i> and <i>MTNR1B</i> gene polymorphisms in women with gestational diabetes. <i>Gynecological Endocrinology</i> , 2017, 33, 395-398.   | 0.7 | 35        |
| 74 | GCK , GCKR , FADS1 , DGKB/TMEM195 and CDKAL1 Gene Polymorphisms in Women with Gestational Diabetes. <i>Canadian Journal of Diabetes</i> , 2017, 41, 372-379.                                       | 0.4 | 30        |
| 75 | Urinary IL-8 is a marker of early and long-term graft function after renal transplantation. <i>Renal Failure</i> , 2017, 39, 484-490.  | 0.8 | 6         |
| 76 | <i>COX2</i> and <i>NOS3</i> gene polymorphisms in women with gestational diabetes. <i>Journal of Gene Medicine</i> , 2017, 19, e2959.  | 1.4 | 5         |
| 77 | Adiponectin and leptin gene polymorphisms in women with gestational diabetes mellitus. <i>Journal of Assisted Reproduction and Genetics</i> , 2017, 34, 511-516.                                   | 1.2 | 39        |
| 78 | CD28, CTLA-4 and CCL5 gene polymorphisms in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2017, 36, 1129-1135.  | 1.0 | 34        |
| 79 | <i>MMP1</i> and <i>MMP3</i> gene polymorphisms in patients with acute coronary syndromes. <i>IUBMB Life</i> , 2017, 69, 850-855.   | 1.5 | 4         |
| 80 | CCL2, CCL5, IL4 and IL15 Gene Polymorphisms in Women with Gestational Diabetes Mellitus. <i>Hormone and Metabolic Research</i> , 2017, 49, 10-15.  | 0.7 | 27        |
| 81 | Hematopoietically expressed homeobox (<i>HHEX</i>) gene polymorphism (rs5015480) is associated with increased risk of gestational diabetes mellitus. <i>Clinical Genetics</i> , 2017, 91, 843-848. | 1.0 | 10        |
| 82 | Picropodophyllin (PPP) is a potent rhabdomyosarcoma growth inhibitor both in vitro and in vivo. <i>BMC Cancer</i> , 2017, 17, 532.   | 1.1 | 13        |
| 83 | Influence of half marathon race on aortic stiffness in amateur runners. <i>Archives of Medical Science</i> , 2017, 4, 962-964.   | 0.4 | 1         |
| 84 | Genetic factors in pathogenesis of diabetes mellitus after kidney transplantation. <i>Therapeutics and Clinical Risk Management</i> , 2017, Volume 13, 439-446.                                    | 0.9 | 10        |
| 85 | Haplotype dependent association of rs7927894 (11q13.5) with atopic dermatitis and chronic allergic rhinitis: A study in ECAP cohort. <i>PLoS ONE</i> , 2017, 12, e0183922.                         | 1.1 | 10        |
| 86 | Interleukin 21 gene polymorphism rs2221903 is associated with disease activity in patients with rheumatoid arthritis. <i>Archives of Medical Science</i> , 2017, 5, 1142-1147.                     | 0.4 | 9         |
| 87 | The influence of KIR gene presence/absence polymorphisms on the development of periodontal disease in smokers and non-smokers. <i>Central-European Journal of Immunology</i> , 2017, 42, 347-353.  | 0.4 | 5         |
| 88 | FLT-1 gene polymorphisms and protein expression profile in rheumatoid arthritis. <i>PLoS ONE</i> , 2017, 12, e0172018.   | 1.1 | 6         |
| 89 | IL16 and IL18 gene polymorphisms in women with gestational diabetes. <i>Ginekologia Polska</i> , 2017, 88, 249-254.  | 0.3 | 9         |
| 90 | Activity of urine arylsulfatase A in brainâ€œdead graft donors is a predictor of early and late graft function. <i>Postepy Higieny I Medycyny Doswiadczalnej</i> , 2017, 71, 1-4.                  | 0.1 | 1         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Activity of urine arylsulfatase A in brain-dead graft donors is a predictor of early and late graft function. <i>Postepy Higieny I Medycyny Doswiadczalnej</i> , 2017, 71, 1-4.  | 0.1 | 3         |
| 92  | Clinical and Biochemical Characteristics of Brain-Dead Donors as Predictors of Early- and Long-Term Renal Function After Transplant. <i>Experimental and Clinical Transplantation</i> , 2017, 15, 387-393.               | 0.2 | 1         |
| 93  | STAT4 gene polymorphism in patients after renal allograft transplantation. <i>Central-European Journal of Immunology</i> , 2016, 3, 255-259.   | 0.4 | 4         |
| 94  | RORC2 Genetic Variants and Serum Levels in Patients with Rheumatoid Arthritis. <i>International Journal of Molecular Sciences</i> , 2016, 17, 488.   | 1.8 | 3         |
| 95  | Gender Differences in Response to Prolonged Every-Other-Day Feeding on the Proliferation and Apoptosis of Hepatocytes in Mice. <i>Nutrients</i> , 2016, 8, 176.  | 1.7 | 17        |
| 96  | <i>ATIC</i> missense variant affects response to methotrexate treatment in rheumatoid arthritis patients. <i>Pharmacogenomics</i> , 2016, 17, 1971-1978.   | 0.6 | 14        |
| 97  | Urinary Metalloproteinases-9 and -2 and Their Inhibitors TIMP-1 and TIMP-2 are Markers of Early and Long-Term Graft Function After Renal Transplantation. <i>Kidney and Blood Pressure Research</i> , 2016, 41, 288-297. | 0.9 | 24        |
| 98  | IL17A and IL17F gene polymorphisms in patients with rheumatoid arthritis. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 208.  | 0.8 | 31        |
| 99  | TNF- $\alpha$ and IL10 gene polymorphisms in women with postmenopausal osteoporosis. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 199, 92-95.                                      | 0.5 | 22        |
| 100 | CCL2 gene polymorphism is associated with post-transplant diabetes mellitus. <i>International Immunopharmacology</i> , 2016, 32, 62-65.  | 1.7 | 11        |
| 101 | The effect of gene polymorphisms on patient responses to rheumatoid arthritis therapy. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2016, 12, 41-55.  | 1.5 | 22        |
| 102 | Expression of allograft inflammatory factor-1 in peripheral blood monocytes and synovial membranes in patients with rheumatoid arthritis. <i>Human Immunology</i> , 2016, 77, 131-136.                                   | 1.2 | 11        |
| 103 | Relationship between VEGF Gene Polymorphisms and Serum VEGF Protein Levels in Patients with Rheumatoid Arthritis. <i>PLoS ONE</i> , 2016, 11, e0160769.  | 1.1 | 32        |
| 104 | Inflammation markers are associated with metabolic syndrome and ventricular arrhythmia in patients with coronary artery disease. <i>Postepy Higieny I Medycyny Doswiadczalnej</i> , 2016, 70, 56-66.                     | 0.1 | 19        |
| 105 | Role of prometastatic factors in gastric cancer development. <i>Postepy Higieny I Medycyny Doswiadczalnej</i> , 2016, 70, 1367-1377.   | 0.1 | 3         |
| 106 | Influence of the <i>IL17A</i> and <i>IL17F</i> gene polymorphisms on the long-term kidney allograft function and return to dialysis after kidney transplantation. <i>Clinical Transplantation</i> , 2015, 29, 1187-1194. | 0.8 | 5         |
| 107 | AIF1 Gene RS2269475:C>T Polymorphism is Associated With Rheumatoid Arthritis Development but not With Disease Activity. <i>Archives of Rheumatology</i> , 2015, 30, 91-95.   | 0.3 | 0         |
| 108 | CXCL9 and CXCL10 gene polymorphisms in patients with rheumatoid arthritis. <i>Rheumatology International</i> , 2015, 35, 1319-1323.  | 1.5 | 16        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | <b><i>hTERT, BICD1</i> and Chromosome 18 Polymorphisms Associated with Telomere Length Affect Kidney Allograft Function After Transplantation. Kidney and Blood Pressure Research, 2015, 40, 111-120.       | 0.9 | 9         |
| 110 | Adiponectin and leptin gene polymorphisms in patients with post-transplant diabetes mellitus. Pharmacogenomics, 2015, 16, 1243-1252.  | 0.6 | 28        |
| 111 | Association between the CX3CR1 gene V249I polymorphism and delayed kidney allograft function. Transplant Immunology, 2015, 32, 172-174.   | 0.6 | 9         |
| 112 | Glomerulocystic Kidney Disease in a Transplanted Kidney: Case Report. Transplantation Proceedings, 2015, 47, 2251-2253.   | 0.3 | 0         |
| 113 | Influence of AIF1 Gene Polymorphisms on Long-Term Kidney Allograft Function. Annals of Transplantation, 2015, 20, 506-511.  | 0.5 | 2         |
| 114 | IL2-IL21 gene cluster polymorphism is not associated with allograft function after kidney transplantation. International Urology and Nephrology, 2014, 46, 2415-2420.                                       | 0.6 | 6         |
| 115 | Highlights from the latest articles in pharmacogenomics of solid organ transplantation. Pharmacogenomics, 2014, 15, 905-907.  | 0.6 | 0         |
| 116 | Renalase Gene Polymorphism in Patients After Renal Allograft Transplantation. Kidney and Blood Pressure Research, 2014, 39, 58-64.  | 0.9 | 4         |
| 117 | Presence of the full-length KIR2DS4 gene reduces the chance of rheumatoid arthritis patients to respond to methotrexate treatment. BMC Musculoskeletal Disorders, 2014, 15, 256.                            | 0.8 | 13        |
| 118 | Association between IVS3 +17T/C CD28 gene polymorphism and the acute kidney allograft rejection. Transplant Immunology, 2014, 30, 84-87.  | 0.6 | 14        |
| 119 | Gamma-Glutamyl Transpeptidase as the Marker of Kidney Graft Function. Advances in Clinical and Experimental Medicine, 2014, 23, 947-952.  | 0.6 | 6         |
| 120 | N-acetyl-beta-glucosaminidase urine activity as a marker of early proximal tubule damage and a predictor of the long-term function of the transplanted kidneys.. Acta Biochimica Polonica, 2014, 61, .      | 0.3 | 13        |
| 121 | Association between single nucleotide polymorphism rs342286 near the PIK3CG gene and acute coronary syndromes. Polish Archives of Internal Medicine, 2014, 124, 210-212.                                    | 0.3 | 5         |
| 122 | Are KIR genes associated with clinical parameters in the course of periodontitis?. Postepy Higieny I Medycyny Doswiadczalnej, 2014, 68, 1145-1151.  | 0.1 | 3         |
| 123 | N-acetyl-beta-glucosaminidase urine activity as a marker of early proximal tubule damage and a predictor of the long-term function of the transplanted kidneys. Acta Biochimica Polonica, 2014, 61, 275-80. | 0.3 | 3         |
| 124 | The impact of <i>CTLA4</i> and <i>PTPN22</i> genes polymorphisms on long-term renal allograft function and transplant outcomes. Renal Failure, 2013, 35, 1223-1227.   | 0.8 | 10        |
| 125 | Correlation between ICAM1 and VCAM1 gene polymorphisms and histopathological changes in kidney allograft biopsies. Archives of Medical Science, 2013, 2, 276-282.   | 0.4 | 13        |
| 126 | The impact of ICAM1 and VCAM1 gene polymorphisms on long-term renal transplant function and recipient outcomes. Annals of Transplantation, 2013, 18, 231-237.   | 0.5 | 11        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Effect of allograft inflammatory factor-1 gene polymorphisms on rheumatoid arthritis treatment with methotrexate. <i>Postepy Higieny I Medycyny Doswiadczalnej</i> , 2013, 67, 637-642.                                     | 0.1 | 7         |
| 128 | Allograft Inflammatory Factor-1 Gene Polymorphisms in Patients with Rheumatoid Arthritis. <i>Genetic Testing and Molecular Biomarkers</i> , 2012, 16, 341-345.  | 0.3 | 11        |
| 129 | Association Between IL18 Gene Polymorphisms and the Release of Interleukin-18 from Stimulated Peripheral Blood Mononuclear Cells. <i>Biotechnology and Biotechnological Equipment</i> , 2012, 26, 2987-2990.                | 0.5 | 0         |
| 130 | Effect of ESR1 and ESR2 gene polymorphisms on rheumatoid arthritis treatment with methotrexate. <i>Pharmacological Reports</i> , 2012, 64, 185-190.   | 1.5 | 9         |
| 131 | CAG Repeat Polymorphism in the Androgen Receptor Gene in Women with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2012, 39, 10-17.   | 1.0 | 12        |
| 132 | Lack of association between CAG repeat polymorphism in the androgen receptor gene and the outcome of rheumatoid arthritis treatment with leflunomide. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 371-377. | 0.8 | 5         |
| 133 | The impact of rs231775 (+49AG) CTLA4 gene polymorphism on transplanted kidney function. <i>Annals of Transplantation</i> , 2012, 17, 29-35.   | 0.5 | 23        |
| 134 | Killer Immunoglobulin-like Receptor (KIR) and HLA Genotypes Affect the Outcome of Allogeneic Kidney Transplantation. <i>PLoS ONE</i> , 2012, 7, e44718.   | 1.1 | 24        |
| 135 | The impact of IL18 gene polymorphisms on mRNA levels and interleukin-18 release by peripheral blood mononuclear cells. <i>Postepy Higieny I Medycyny Doswiadczalnej</i> , 2012, 66, 409-414.                                | 0.1 | 25        |
| 136 | The effect of ESR1 and ESR2 gene polymorphisms on the outcome of rheumatoid arthritis treatment with leflunomide. <i>Pharmacogenomics</i> , 2011, 12, 41-47.  | 0.6 | 30        |
| 137 | The effect of retinoic acid receptor agonist acitretin on the production of bile and concentrations of some serum components in ovariectomized rats. <i>Menopause</i> , 2011, 18, 213-218.                                  | 0.8 | 2         |
| 138 | Oestrogen receptor polymorphisms in female patients with rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2011, 40, 329-333.   | 0.6 | 13        |
| 139 | The effect of preservation solutions UW and EC on the expression of renin I, angiotensinogen and angiotensin I-converting enzyme genes in rat kidney. <i>Annals of Transplantation</i> , 2011, 16, 108-113.                 | 0.5 | 6         |
| 140 | Lack of association of the rs2476601 PTPN22 gene polymorphism with transplanted kidney function. <i>Annals of Transplantation</i> , 2011, 16, 63-68.  | 0.5 | 17        |
| 141 | The association of C262C/T polymorphism in the catalase gene and delayed graft function of kidney allografts. <i>Nephrology</i> , 2010, 15, 587-591.  | 0.7 | 4         |
| 142 | Involvement of P-glycoprotein in the release of cytokines from peripheral blood mononuclear cells treated with methotrexate and dexamethasone. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 57, 1421-1425.           | 1.2 | 31        |
| 143 | Microelements in Stones, Urine, and Hair of Stone Formers: A New Key to the Puzzle of Lithogenesis?. <i>Biological Trace Element Research</i> , 2010, 137, 301-316.   | 1.9 | 25        |
| 144 | Polymorphisms of Superoxide Dismutase, Glutathione Peroxidase and Catalase Genes in Patients with Post-transplant Diabetes Mellitus. <i>Archives of Medical Research</i> , 2010, 41, 350-355.                               | 1.5 | 23        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | The association between <i>eNOS</i> intron 4 VNTR polymorphism and delayed graft function of kidney allografts. <i>Clinical Transplantation</i> , 2010, 24, E130-6.   | 0.8 | 4         |
| 146 | Does the KIR2DS5 Gene Protect from Some Human Diseases?. <i>PLoS ONE</i> , 2010, 5, e12381.   | 1.1 | 45        |
| 147 | PTPN22 1858C>T polymorphism is strongly associated with rheumatoid arthritis but not with a response to methotrexate therapy. <i>International Immunopharmacology</i> , 2010, 10, 1626-1629.  | 1.7 | 15        |
| 148 | The association of IL-1 $\beta$ , IL-2, and IL-6 gene polymorphisms with bone mineral density and osteoporosis in postmenopausal women. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2010, 149, 82-85.            | 0.5 | 31        |
| 149 | Effect of the ICAM1 and VCAM1 gene polymorphisms on delayed graft function and acute kidney allograft rejection. <i>Annals of Transplantation</i> , 2010, 15, 15-20.  | 0.5 | 6         |
| 150 | The effect of 677C>T and 1298A>C MTHFR polymorphisms on sulfasalazine treatment outcome in rheumatoid arthritis. <i>Brazilian Journal of Medical and Biological Research</i> , 2009, 42, 660-664.   | 0.7 | 2         |
| 151 | Interleukin-18 gene (IL18) promoter polymorphisms in patients with rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2009, 38, 159-165.   | 0.6 | 22        |
| 152 | The effect of exon (19C>A) dihydroorotate dehydrogenase gene polymorphism on rheumatoid arthritis treatment with leflunomide. <i>Pharmacogenomics</i> , 2009, 10, 303-309.  | 0.6 | 35        |
| 153 | N-Acetyltransferase 2 (NAT2) Polymorphism in Patients with Atopic Asthma. <i>Archives of Medical Research</i> , 2009, 40, 264-267.  | 1.5 | 8         |
| 154 | Does smoking have any effect on urinary stone composition and the distribution of trace elements in urine and stones?. <i>Urological Research</i> , 2009, 37, 317-322.  | 1.5 | 19        |
| 155 | Lack of Association of Polymorphisms 239+34A/C in the SOD1 Gene and 47C/T in the SOD2 Gene With Delayed Graft Function and Acute and Chronic Rejection of Kidney Allografts. <i>Transplantation Proceedings</i> , 2009, 41, 3701-3703.            | 0.3 | 5         |
| 156 | Polymorphism of the TGFB1 gene is not associated with bronchial allergic asthma in a Polish population. <i>Human Immunology</i> , 2009, 70, 134-138.  | 1.2 | 6         |
| 157 | IL-1 $\beta$ , IL-6, and TNF gene polymorphisms do not affect the treatment outcome of rheumatoid arthritis patients with leflunomide. <i>Pharmacological Reports</i> , 2009, 61, 281-287.  | 1.5 | 14        |
| 158 | The effect of artichoke ( <i>Cynara scolymus</i> L.) extract on ROS generation in HUVEC cells. <i>Phytotherapy Research</i> , 2008, 22, 1159-1161.  | 2.8 | 22        |
| 159 | Effect of artichoke extract ( <i>Cynara scolymus</i> L.) on palmitic-1-14C acid oxidation in rats. <i>Molecular Nutrition and Food Research</i> , 2008, 52, 589-594.  | 1.5 | 6         |
| 160 | Association of allograft inflammatory factor-1 gene polymorphism with rheumatoid arthritis. <i>Tissue Antigens</i> , 2008, 72, 171-175.   | 1.0 | 18        |
| 161 | Effect of Trimetazidine on Xanthine Oxidoreductase Expression in Rat Kidney with Ischemia~Reperfusion Injury. <i>Archives of Medical Research</i> , 2008, 39, 459-462.  | 1.5 | 14        |
| 162 | Low-density lipoprotein receptor-related protein-associated protein (LRPAP1) gene IVS5 insertion/deletion polymorphism is not a risk factor for gallstone disease in a Polish population. <i>Digestive and Liver Disease</i> , 2008, 40, 122-125. | 0.4 | 5         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Cholesterol 7Î±-Hydrolase (<i>CYP7A1</i>) c.âˆ²278A>C Promoter Polymorphism in Gallstone Disease Patients. <i>Genetic Testing and Molecular Biomarkers</i> , 2008, 12, 97-100.   | 1.7 | 9         |
| 164 | The association between cytokine gene polymorphisms and kidney allograft survival. <i>Annals of Transplantation</i> , 2008, 13, 54-8.  | 0.5 | 8         |
| 165 | 677C>T and 1298A>CMTHFRpolymorphisms affect methotrexate treatment outcome in rheumatoid arthritis. <i>Pharmacogenomics</i> , 2007, 8, 1551-1559.  | 0.6 | 57        |
| 166 | Oxypurine and nucleoside concentrations in renal veins during reperfusion are predictors of early graft function. <i>Scandinavian Journal of Urology and Nephrology</i> , 2007, 41, 161-167.                             | 1.4 | 2         |
| 167 | Reduced folate carrier-1 80G>A polymorphism affects methotrexate treatment outcome in rheumatoid arthritis. <i>Pharmacogenomics Journal</i> , 2007, 7, 404-407.  | 0.9 | 77        |
| 168 | Association of PTPN22 single nucleotide polymorphism with rheumatoid arthritis but not with allergic asthma. <i>European Journal of Human Genetics</i> , 2007, 15, 1043-1048.  | 1.4 | 25        |
| 169 | Interleukin-18 promoter polymorphism in patients with atopic asthma. <i>Tissue Antigens</i> , 2007, 70, 314-318.   | 1.0 | 20        |
| 170 | Oxypurine and Purine Nucleoside Concentrations in Renal Vein of Allograft Are Potential Markers of Energy Status of Renal Tissue. <i>Archives of Medical Research</i> , 2007, 38, 240-246.                               | 1.5 | 16        |
| 171 | Apolipoprotein B (APOB) Gene Polymorphism in Patients with Gallbladder Disease. <i>Archives of Medical Research</i> , 2007, 38, 360-363.   | 1.5 | 16        |
| 172 | NOD2 allele variants in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2007, 26, 868-871.  | 1.0 | 5         |
| 173 | 677C > T and 1298A > C MTHFR polymorphisms affect arechin treatment outcome in rheumatoid arthritis. <i>Pharmacological Reports</i> , 2007, 59, 721-6.   | 1.5 | 6         |
| 174 | Matrix Metalloproteinase-1 Gene Polymorphism in Renal Transplant Patients With and Without Gingival Enlargement. <i>Journal of Periodontology</i> , 2006, 77, 1498-1502.   | 1.7 | 8         |
| 175 | Association of cytokine gene polymorphisms and the release of cytokines from peripheral blood mononuclear cells treated with methotrexate and dexamethasone. <i>International Immunopharmacology</i> , 2006, 6, 351-357. | 1.7 | 12        |
| 176 | Interleukin-18 promoter polymorphism in patients with rheumatoid arthritis. <i>Tissue Antigens</i> , 2006, 67, 415-418.  | 1.0 | 30        |
| 177 | Early phase of reperfusion of human kidney allograft does not affect an erythrocyte anti-oxidative system. <i>Nephrology</i> , 2006, 11, 467-470.  | 0.7 | 8         |
| 178 | The effect of 3435C>T MDR1 gene polymorphism on rheumatoid arthritis treatment with disease-modifying antirheumatic drugs. <i>European Journal of Clinical Pharmacology</i> , 2006, 62, 933-937.                         | 0.8 | 66        |
| 179 | Effect of trimetazidine on the nucleotide profile in rat kidney with ischemiaâ€“reperfusion injury. <i>European Journal of Pharmaceutical Sciences</i> , 2006, 27, 320-327.  | 1.9 | 34        |
| 180 | Distribution of <i>CTLA-4</i> Polymorphisms in Allergic Asthma. <i>International Archives of Allergy and Immunology</i> , 2006, 141, 223-229.  | 0.9 | 13        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Frequency of common MDR1 gene variants in a Polish population. <i>Pharmacological Reports</i> , 2006, 58, 35-40.  | 1.5 | 43        |
| 182 | Effect of tibolone on turnover of cholesterol to bile acids in ovariectomized rats. <i>Menopause</i> , 2005, 12, 609-612.   | 0.8 | 7         |
| 183 | The effect of methotrexate and glucocorticosteroids on apoptosis of phythemaglutinin-stimulated mononuclear cells from peripheral blood. <i>Fundamental and Clinical Pharmacology</i> , 2005, 19, 81-85.  | 1.0 | 6         |
| 184 | Interleukin-6 gene polymorphism in renal transplant patients with and without gingival overgrowth. <i>Journal of Clinical Periodontology</i> , 2005, 32, 955-958.   | 2.3 | 10        |
| 185 | Involvement of C3435T and G2677T multidrug resistance gene polymorphisms in release of cytokines from peripheral blood mononuclear cells treated with methotrexate and dexamethasone. <i>European Journal of Pharmacology</i> , 2005, 528, 27-36. | 1.7 | 49        |
| 186 | Effect of CYP2C19 and MDR1 polymorphisms on cure rate in patients with acid-related disorders with <i>Helicobacter pylori</i> infection. <i>European Journal of Clinical Pharmacology</i> , 2005, 61, 375-379.                                    | 0.8 | 40        |
| 187 | The $\hat{\sim}$ 590 IL-4 promoter polymorphism in patients with rheumatoid arthritis. <i>Rheumatology International</i> , 2005, 26, 48-51.   | 1.5 | 41        |
| 188 | Interleukin-10 promoter polymorphism in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2005, 24, 480-484.   | 1.0 | 29        |
| 189 | Effect of tamoxifen and raloxifene on cholesterol transformation to bile acids in ovariectomized rats. <i>Gynecological Endocrinology</i> , 2005, 20, 313-316.  | 0.7 | 2         |
| 190 | IL-6 promoter polymorphism in patients with rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2005, 34, 109-113.  | 0.6 | 63        |
| 191 | Involvement of P-gp in the process of apoptosis in peripheral blood mononuclear cells. <i>International Immunopharmacology</i> , 2005, 5, 821-828.  | 1.7 | 6         |
| 192 | Effect of tamoxifen, raloxifen and tibolon on bile components in ovariectomized rats. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2005, 119, 194-197.  | 0.5 | 1         |
| 193 | IL-2 and TNF- $\hat{\pm}$ Promoter Polymorphisms in Patients With Acute Kidney Graft Rejection. <i>Transplantation Proceedings</i> , 2005, 37, 2041-2043.   | 0.3 | 31        |
| 194 | Cyclosporine and Sirolimus Interaction in a Kidney Transplant Patient. <i>Transplantation Proceedings</i> , 2005, 37, 2317-2319.  | 0.3 | 6         |
| 195 | The cytokine gene polymorphisms in patients with chronic kidney graft rejection. <i>Transplant Immunology</i> , 2005, 14, 49-52.  | 0.6 | 20        |
| 196 | The Effect of Tamoxifen and Fluoride on Bone Mineral Density, Biomechanical Properties and Blood Lipids in Ovariectomized Rats. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2004, 95, 162-165.  | 0.0 | 7         |
| 197 | The urinary excretion of pyridinoline and deoxypyridinoline during rheumatoid arthritis therapy with infliximab. <i>Clinical Rheumatology</i> , 2004, 23, 214-217.  | 1.0 | 13        |
| 198 | Therapy with infliximab decreases the CD4+CD28 $\hat{?}$ T cell compartment in peripheral blood in patients with rheumatoid arthritis. <i>Rheumatology International</i> , 2004, 24, 351-354.   | 1.5 | 21        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | The MDR1 3435 polymorphism in patients with rheumatoid arthritis. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2004, 42, 496-503.  | 0.3 | 85        |
| 200 | Comparative pharmacokinetics and pharmacodynamics of propranolol and atenolol in normolipaemic and hyperlipidaemic obese subjects. <i>Biopharmaceutics and Drug Disposition</i> , 2003, 24, 211-218. | 1.1 | 30        |
| 201 | The expansion of CD4+CD28 <sup>hi</sup> t cells in patients with chronic kidney graft rejection. <i>Transplantation Proceedings</i> , 2003, 35, 2902-2904.   | 0.3 | 21        |
| 202 | The expansion of CD4+CD28- T cells in patients with rheumatoid arthritis. <i>Arthritis Research</i> , 2003, 5, R210.   | 2.0 | 95        |
| 203 | The increased number of CD4+CD28- T cells in patients after liver transplantation. <i>Annals of Transplantation</i> , 2003, 8, 54-6.   | 0.5 | 3         |
| 204 | Effect of tamoxifen on bone mineral density and blood lipids in ovariectomized rats. <i>Polish Journal of Pharmacology</i> , 2003, 55, 1137-42.  | 0.3 | 4         |
| 205 | The correlation between Fc $\gamma$ RIIA polymorphism and renal allograft survival. <i>Transplantation Proceedings</i> , 2002, 34, 3138-3139.  | 0.3 | 9         |
| 206 | Increased genotype frequency of N-acetyltransferase 2 slow acetylation in patients with rheumatoid arthritis. <i>Clinical Pharmacology and Therapeutics</i> , 2002, 72, 319-325.                     | 2.3 | 20        |
| 207 | Genotype of N-acetyltransferase 2 (NAT2) polymorphism in children with immunoglobulin E $\epsilon$ mediated food allergy. <i>Clinical Pharmacology and Therapeutics</i> , 2001, 69, 372-378.         | 2.3 | 16        |
| 208 | Pharmacokinetics of propranolol and atenolol in patients after partial gastric resection: a comparative study. <i>European Journal of Clinical Pharmacology</i> , 2000, 56, 75-79.                   | 0.8 | 14        |
| 209 | Comparative Pharmacokinetics of Theophylline in Rabbits and in Humans with Hyperlipidemia. <i>Pulmonary Pharmacology</i> , 1996, 9, 175-178.   | 0.5 | 5         |