Jakub Gawor

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7451891/publications.pdf

Version: 2024-02-01

713332 840585 26 435 11 21 h-index citations g-index papers 29 29 29 532 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Occurrence of <i>Echinococcus</i> spp. in red foxes and wolves in the protected area of the Tatra National Park in southern Poland – a threat to human health. Annals of Agricultural and Environmental Medicine, 2021, 28, 579-584.	0.5	3
2	Analysis of nad2 and nad5 enables reliable identification of genotypes G6 and G7 within the species complex Echinococcus granulosus sensu lato. Infection, Genetics and Evolution, 2019, 74, 103941.	1.0	16
3	Parasitic fauna of Polish konik horses (<i>Equus caballus gmelini</i> hi> Antonius) and their impact on breeding: a review. Animal Health Research Reviews, 2018, 19, 162-165.	1.4	1
4	The benefits of analysing complete mitochondrial genomes: Deep insights into the phylogeny and population structure of Echinococcus granulosus sensu lato genotypes G6 and G7. Infection, Genetics and Evolution, 2018, 64, 85-94.	1.0	52
5	Cystic echinococcosis in Poland: genetic variability and the first record of Echinococcus granulosus sensu stricto (G1 genotype) in the country. Parasitology Research, 2017, 116, 3077-3085.	0.6	9
6	A modified method for molecular identification of Baylisascaris transfuga in European brown bears (Ursus arctos). Parasitology Research, 2017, 116, 3447-3452.	0.6	6
7	Quantifying the risk of zoonotic geohelminth infections for rural household inhabitants inÂCentral Poland. Annals of Agricultural and Environmental Medicine, 2017, 24, 44-48.	0.5	4
8	Parasitological survey of Polish primitive horses <i>(Equus caballus gmelini</i> Ant.): influence of age, sex and management strategies on the parasite community. Helminthologia, 2016, 53, 233-242.	0.3	11
9	Gastrointestinal parasites of the Polish primitive horses from the Biebrza National Park. Helminthologia, 2016, 53, 39-46.	0.3	5
10	Cystic echinococcosis in humans and animals: Current epidemiological situation in Poland. Medycyna Weterynaryjna, 2016, 72, 666-670.	0.0	2
11	Risk of soil-transmitted helminth infections on agritourism farms in central and eastern Poland. Acta Parasitologica, 2015, 60, 716-20.	0.4	2
12	Risk of human toxocarosis in Poland due to Toxocara infection of dogs and cats. Acta Parasitologica, 2014, 60, 99-104.	0.4	13
13	First report of Trichinella pseudospiralis in Poland, in red foxes (Vulpes vulpes). Acta Parasitologica, 2013, 58, 149-54.	0.4	22
14	OCCURRENCE OF GASTRO-ITESTINAL PARASITES IN POLISH PRIMITIVE HORSES FROM THE ROZTOCZE NATIONAL PARK, POLAND. Vestnik Zoologii, 2013, 47, 53-61.	0.7	5
15	Morphometric identification of equid cyathostome (Nematoda: Cyathostominae) infective larvae. Veterinary Parasitology, 2009, 162, 290-294.	0.7	17
16	Gastro-intestinal parasites in yearlings of wild Polish primitive horses from the Popielno Forest Reserve, Poland. Helminthologia, 2009, 46, 9-13.	0.3	21
17	Infection of red foxes (Vulpes vulpes) with Echinococcus multilocularis during the years 2001–2004 in Poland. Parasitology Research, 2008, 103, 501-505.	0.6	28
18	Environmental and personal risk factors for toxocariasis in children with diagnosed disease in urban and rural areas of central Poland. Veterinary Parasitology, 2008, 155, 217-222.	0.7	37

#	Article	IF	CITATIONS
19	Occurence of Echinococcus multilocularis in red foxes (Vulpes vulpes) in southern Poland. Helminthologia, 2008, 45, 24-27.	0.3	20
20	Detection of Toxocara canis larvae by PCR in the liver of experimentally infected Mongolian gerbils (Meriones unguiculatus). Helminthologia, 2008, 45, 147-149.	0.3	11
21	A serological and epidemiological evaluation of risk factors for toxocariasis in children in central Poland. Journal of Helminthology, 2008, 82, 123-127.	0.4	20
22	Modification of gDNA extraction from soil for PCR designed for the routine examination of soil samples contaminated with Toxocara spp. eggs. Journal of Helminthology, 2008, 82, 119-122.	0.4	40
23	New Method for Simultaneous Species-Specific Identification of Equine Strongyles (Nematoda,) Tj ETQq1 1 0.78-	4314 rgBT 1.8	/Qyerlock 10
24	Echinococcus multilocularis in the red fox Vulpes vulpes from the East Carpathian region of Poland and the Slovak Republic. Journal of Helminthology, 2006, 80, 243-7.	0.4	11
25	The contamination of the environment with Toxocara eggs in Mazowieckie voivodship as a risk of toxocarosis in children. Annals of Parasitology, 2004, 50, 237-41.	0.1	7
26	Occurrence of Strongylidae (Nematoda: Strongyloidea) in Polish horses "tarpans" from Popielne Reserve. Annals of Parasitology, 2000, 46, 87-92.	0.1	4