

# Hean Yee Ong

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7452080/publications.pdf>

Version: 2024-02-01

28  
papers

819  
citations

687363

13  
h-index

552781

26  
g-index

28  
all docs

28  
docs citations

28  
times ranked

1660  
citing authors

#	ARTICLE	IF	CITATIONS
1	Right ventricular dysfunction in left-sided heart failure with preserved versus reduced ejection fraction. <i>European Journal of Heart Failure</i> , 2017, 19, 1664-1671.	7.1	224
2	Mortality associated with heart failure with preserved vs. reduced ejection fraction in a prospective international multi-ethnic cohort study. <i>European Heart Journal</i> , 2018, 39, 1770-1780.	2.2	194
3	The prognostic value of highly sensitive cardiac troponin assays for adverse events in men and women with stable heart failure and a preserved vs. reduced ejection fraction. <i>European Journal of Heart Failure</i> , 2017, 19, 1638-1647.	7.1	74
4	Prevalence and Clinical Significance of Diabetes in Asian Versus White Patients With Heart Failure. <i>JACC: Heart Failure</i> , 2017, 5, 14-24.	4.1	57
5	Circulating levels and prognostic value of soluble ST2 in heart failure are less influenced by age than N-terminal pro-B-type natriuretic peptide and high-sensitivity troponin T. <i>European Journal of Heart Failure</i> , 2020, 22, 2078-2088.	7.1	26
6	Spectrum of mutations in index patients with familial hypercholesterolemia in Singapore: Single center study. <i>Atherosclerosis</i> , 2018, 269, 106-116.	0.8	22
7	Ethnic differences in atrial fibrillation in patients with heart failure from Asia-Pacific. <i>Heart</i> , 2019, 105, 842-847.	2.9	22
8	Impact of change in iron status over time on clinical outcomes in heart failure according to ejection fraction phenotype. <i>ESC Heart Failure</i> , 2021, 8, 4572-4583.	3.1	21
9	NT-proBNP for Risk Prediction in Heart Failure. <i>JACC: Heart Failure</i> , 2021, 9, 653-663.	4.1	20
10	Long-Term Prognosis and Risk Heterogeneity of Heart Failure Complicating Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2015, 115, 872-878.	1.6	19
11	Echocardiographic Global Longitudinal Strain Is Associated With Myocardial Fibrosis and Predicts Outcomes in Aortic Stenosis. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 750016.	2.4	19
12	Cognitive impairment in Asian patients with heart failure: prevalence, biomarkers, clinical correlates, and outcomes. <i>European Journal of Heart Failure</i> , 2019, 21, 688-690.	7.1	16
13	Ethnic differences in the association of QRS duration with ejection fraction and outcome in heart failure. <i>Heart</i> , 2016, 102, 1464-1471.	2.9	15
14	Circulating levels and prognostic cutoffs of sST2, hs-cTnT, and NT-proBNP in women vs. men with chronic heart failure. <i>ESC Heart Failure</i> , 2022, 9, 2084-2095.	3.1	15
15	Heart failure with preserved ejection fraction diagnostic scores in an Asian population. <i>European Journal of Heart Failure</i> , 2020, 22, 1737-1739.	7.1	14
16	Impact of the joint association between sex, age and diabetes on long-term mortality after acute myocardial infarction. <i>BMC Public Health</i> , 2015, 15, 308.	2.9	9
17	Influence of Ethnicity, Age, and Time on Sex Disparities in Long-Term Cause-Specific Mortality After Acute Myocardial Infarction. <i>Journal of the American Heart Association</i> , 2016, 5, .	3.7	9
18	Cornell product is an ECG marker of heart failure with preserved ejection fraction. <i>Heart Asia</i> , 2019, 11, e011108.	1.1	9

#	ARTICLE	IF	CITATIONS
19	Comparative analysis of recurrent events after presentation with an index myocardial infarction or ischaemic stroke. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , 2017, 3, 234-242.	4.0	8
20	NT-pro-BNP type natriuretic peptide and prognosis in <sc>Caucasian</sc> vs. <sc>Asian</sc> patients with heart failure. <i>ESC Heart Failure</i> , 2018, 5, 279-287.	3.1	8
21	Novel predictive role for mid-regional proadrenomedullin in moderate to severe aortic stenosis. <i>Heart</i> , 2022, 108, 1319-1327.	2.9	6
22	Asian study of clopidogrel (ASCLOP) responsiveness: The contributions of genetic and non-genetic factors. <i>International Journal of Cardiology</i> , 2014, 171, e21-e23.	1.7	5
23	Elderly Asian Patients Have Lower Revascularisation Rates and Poorer Outcomes for ST-Elevation Myocardial Infarction Compared to Younger Patients. <i>Annals of the Academy of Medicine, Singapore</i> , 2020, 49, 3-14.	0.4	3
24	Systematic assessment of procedural parameters, influence on downstream testing and 12-month outcomes of a CT-myocardial perfusion service. <i>Journal of Cardiovascular Computed Tomography</i> , 2019, 13, 11-20.	1.3	2
25	Cardiac biomarkers retain prognostic significance in patients with heart failure and chronic obstructive pulmonary disease. <i>Journal of Cardiovascular Medicine</i> , 2021, Publish Ahead of Print, 28-36.	1.5	1
26	41&fCirculating levels and prognostic cut-offs of sST2, high-sensitivity troponin T, and NT-proBNP in women vs. men with chronic heart failure. <i>European Heart Journal Supplements</i> , 2021, 23, .	0.1	1
27	Acute myocardial infarction with cardiogenic shock from a left coronary cusp thrombus. <i>European Heart Journal</i> , 2016, 37, 1737-1737.	2.2	0
28	Swinging through Life: A Case of a Pendulum Heart. <i>Case</i> , 2017, 1, 23-27.	0.3	0