

# Markku Kaste

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/745210/markku-kaste-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

268  
papers

31,985  
citations

77  
h-index

176  
g-index

293  
ext. papers

35,960  
ext. citations

7.5  
avg, IF

6.43  
L-index

#	Paper	IF	Citations
268	Thrombolysis with alteplase 3 to 4.5 hours after acute ischemic stroke. <i>New England Journal of Medicine</i> , <b>2008</b> , 359, 1317-29	59.2	4601
267	Randomised double-blind placebo-controlled trial of thrombolytic therapy with intravenous alteplase in acute ischaemic stroke (ECASS II). Second European-Australasian Acute Stroke Study Investigators. <i>Lancet, The</i> , <b>1998</b> , 352, 1245-51	40	2634
266	Thrombolysis with alteplase for acute ischaemic stroke in the Safe Implementation of Thrombolysis in Stroke-Monitoring Study (SITS-MOST): an observational study. <i>Lancet, The</i> , <b>2007</b> , 369, 275-82	40	2158
265	Aspirin and clopidogrel compared with clopidogrel alone after recent ischaemic stroke or transient ischaemic attack in high-risk patients (MATCH): randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , <b>2004</b> , 364, 331-7	40	1728
264	Time to treatment with intravenous alteplase and outcome in stroke: an updated pooled analysis of ECASS, ATLANTIS, NINDS, and EPITHET trials. <i>Lancet, The</i> , <b>2010</b> , 375, 1695-703	40	1542
263	Effect of treatment delay, age, and stroke severity on the effects of intravenous thrombolysis with alteplase for acute ischaemic stroke: a meta-analysis of individual patient data from randomised trials. <i>Lancet, The</i> , <b>2014</b> , 384, 1929-35	40	1415
262	The Desmoteplase in Acute Ischemic Stroke Trial (DIAS): a phase II MRI-based 9-hour window acute stroke thrombolysis trial with intravenous desmoteplase. <i>Stroke</i> , <b>2005</b> , 36, 66-73	6.7	859
261	Aspirin and extended-release dipyridamole versus clopidogrel for recurrent stroke. <i>New England Journal of Medicine</i> , <b>2008</b> , 359, 1238-51	59.2	717
260	Telmisartan to prevent recurrent stroke and cardiovascular events. <i>New England Journal of Medicine</i> , <b>2008</b> , 359, 1225-37	59.2	606
259	Analysis of 1008 consecutive patients aged 15 to 49 with first-ever ischemic stroke: the Helsinki young stroke registry. <i>Stroke</i> , <b>2009</b> , 40, 1195-203	6.7	487
258	Intravenous desmoteplase in patients with acute ischaemic stroke selected by MRI perfusion-diffusion weighted imaging or perfusion CT (DIAS-2): a prospective, randomised, double-blind, placebo-controlled study. <i>Lancet Neurology, The</i> , <b>2009</b> , 8, 141-50	24.1	469
257	Reducing in-hospital delay to 20 minutes in stroke thrombolysis. <i>Neurology</i> , <b>2012</b> , 79, 306-13	6.5	402
256	Multivariable analysis of outcome predictors and adjustment of main outcome results to baseline data profile in randomized controlled trials: Safe Implementation of Thrombolysis in Stroke-MONitoring STudy (SITS-MOST). <i>Stroke</i> , <b>2008</b> , 39, 3316-22	6.7	349
255	Recommendations for the management of intracranial haemorrhage - part I: spontaneous intracerebral haemorrhage. The European Stroke Initiative Writing Committee and the Writing Committee for the EUSI Executive Committee. <i>Cerebrovascular Diseases</i> , <b>2006</b> , 22, 294-316	3.2	345
254	Poststroke depression: an 18-month follow-up. <i>Stroke</i> , <b>2003</b> , 34, 138-43	6.7	341
253	Pneumonia and urinary tract infection after acute ischaemic stroke: a tertiary analysis of the GAIN International trial. <i>European Journal of Neurology</i> , <b>2004</b> , 11, 49-53	6	257
252	Relationship of blood pressure, antihypertensive therapy, and outcome in ischemic stroke treated with intravenous thrombolysis: retrospective analysis from Safe Implementation of Thrombolysis in Stroke-International Stroke Thrombolysis Register (SITS-ISTR). <i>Stroke</i> , <b>2009</b> , 40, 2442-9	6.7	254

251	Effects of aspirin plus extended-release dipyridamole versus clopidogrel and telmisartan on disability and cognitive function after recurrent stroke in patients with ischaemic stroke in the Prevention Regimen for Effectively Avoiding Second Strokes (PRoFESS) trial: a double-blind, active and placebo-controlled study. <i>Lancet Neurology</i> , <b>2008</b> , 7, 875-84	24.1	247
250	Depression is an independent predictor of poor long-term functional outcome post-stroke. <i>European Journal of Neurology</i> , <b>2001</b> , 8, 315-9	6	245
249	Recommendations for the implementation of telemedicine within stroke systems of care: a policy statement from the American Heart Association. <i>Stroke</i> , <b>2009</b> , 40, 2635-60	6.7	233
248	Frequency and clinical determinants of poststroke depression. <i>Stroke</i> , <b>1998</b> , 29, 2311-7	6.7	226
247	SMASH-U: a proposal for etiologic classification of intracerebral hemorrhage. <i>Stroke</i> , <b>2012</b> , 43, 2592-7	6.7	200
246	Stroke thrombolysis: save a minute, save a day. <i>Stroke</i> , <b>2014</b> , 45, 1053-8	6.7	195
245	Post-stroke cognitive impairment is common even after successful clinical recovery. <i>European Journal of Neurology</i> , <b>2015</b> , 22, 1288-94	6	193
244	Dementia three months after stroke. Baseline frequency and effect of different definitions of dementia in the Helsinki Stroke Aging Memory Study (SAM) cohort. <i>Stroke</i> , <b>1997</b> , 28, 785-92	6.7	190
243	Symptomatic intracranial hemorrhage after stroke thrombolysis: the SEDAN score. <i>Annals of Neurology</i> , <b>2012</b> , 71, 634-41	9.4	181
242	Assessment of depression after stroke: a comparison of different screening instruments. <i>Stroke</i> , <b>2009</b> , 40, 523-9	6.7	181
241	Predicting outcome of IV thrombolysis-treated ischemic stroke patients: the DRAGON score. <i>Neurology</i> , <b>2012</b> , 78, 427-32	6.5	178
240	Off-label thrombolysis is not associated with poor outcome in patients with stroke. <i>Stroke</i> , <b>2010</b> , 41, 1450-8	6.7	178
239	Insomnia in ischemic stroke patients. <i>Cerebrovascular Diseases</i> , <b>2002</b> , 14, 90-7	3.2	166
238	Depression among caregivers of stroke survivors. <i>Stroke</i> , <b>2005</b> , 36, 639-43	6.7	158
237	A randomized, double-blind, placebo-controlled trial of nimodipine in acute ischemic hemispheric stroke. <i>Stroke</i> , <b>1994</b> , 25, 1348-53	6.7	158
236	Dynamic of hyperglycemia as a predictor of stroke outcome in the ECASS-II trial. <i>Stroke</i> , <b>2008</b> , 39, 2749-55	6.7	152
235	Clopidogrel plus aspirin versus warfarin in patients with stroke and aortic arch plaques. <i>Stroke</i> , <b>2014</b> , 45, 1248-57	6.7	143
234	Patient outcomes from symptomatic intracerebral hemorrhage after stroke thrombolysis. <i>Neurology</i> , <b>2011</b> , 77, 341-8	6.5	141

233	Cyclooxygenase-2 is induced globally in infarcted human brain. <i>Annals of Neurology</i> , <b>1998</b> , 43, 738-47	9.4	139
232	Long-term outcome after intravenous thrombolysis of basilar artery occlusion. <i>JAMA - Journal of the American Medical Association</i> , <b>2004</b> , 292, 1862-6	27.4	139
231	Stanniocalcin: A molecular guard of neurons during cerebral ischemia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2000</b> , 97, 3637-3642	11.5	139
230	Post-stroke depression, executive dysfunction and functional outcome. <i>European Journal of Neurology</i> , <b>2002</b> , 9, 269-75	6	138
229	Door to thrombolysis: ER reorganization and reduced delays to acute stroke treatment. <i>Neurology</i> , <b>2006</b> , 67, 334-6	6.5	129
228	Thromboembolism in patients with atrial fibrillation. <i>Archives of Neurology</i> , <b>1984</b> , 41, 708-10		125
227	Facilities available in European hospitals treating stroke patients. <i>Stroke</i> , <b>2007</b> , 38, 2985-91	6.7	124
226	Prognosis and safety of anticoagulation in intracranial artery dissections in adults. <i>Stroke</i> , <b>2007</b> , 38, 1837-42	6.4	122
225	Effectiveness of primary and comprehensive stroke centers: PERFECT stroke: a nationwide observational study from Finland. <i>Stroke</i> , <b>2010</b> , 41, 1102-7	6.7	120
224	Risk of intracerebral haemorrhage with alteplase after acute ischaemic stroke: a secondary analysis of an individual patient data meta-analysis. <i>Lancet Neurology</i> , <b>2016</b> , 15, 925-933	24.1	118
223	Stroke unit care benefits patients with intracerebral hemorrhage: systematic review and meta-analysis. <i>Stroke</i> , <b>2013</b> , 44, 3044-9	6.7	116
222	Fiblast (trafermin) in acute stroke: results of the European-Australian phase II/III safety and efficacy trial. <i>Cerebrovascular Diseases</i> , <b>2002</b> , 14, 239-51	3.2	116
221	Neurological outcome after out-of-hospital cardiac arrest. Prediction by cerebrospinal fluid enzyme analysis. <i>Archives of Neurology</i> , <b>1989</b> , 46, 753-6		115
220	The ECASS 3-hour cohort. Secondary analysis of ECASS data by time stratification. ECASS Study Group. European Cooperative Acute Stroke Study. <i>Cerebrovascular Diseases</i> , <b>1998</b> , 8, 198-203	3.2	113
219	Does ethanol intoxication promote brain infarction in young adults?. <i>Lancet</i> , <b>1978</b> , 2, 1181-3	40	112
218	Association of characteristics of blood pressure profiles and stroke outcomes in the ECASS-II trial. <i>Stroke</i> , <b>2008</b> , 39, 366-72	6.7	111
217	Causes of death and predictors of 5-year mortality in young adults after first-ever ischemic stroke: the Helsinki Young Stroke Registry. <i>Stroke</i> , <b>2009</b> , 40, 2698-703	6.7	110
216	Complement activation in the central nervous system following blood-brain barrier damage in man. <i>Annals of Neurology</i> , <b>1996</b> , 40, 587-96	9.4	108

215	Predicting late outcome for patients with traumatic brain injury referred to a rehabilitation programme: a study of 508 Finnish patients 5 years or more after injury. <i>Brain Injury</i> , <b>1998</b> , 12, 95-107	2.1	105
214	Arg506Gln Factor V Mutation (Factor V Leiden) in Patients with Ischaemic Cerebrovascular Disease and Survivors of Myocardial Infarction. <i>Thrombosis and Haemostasis</i> , <b>1995</b> , 73, 558-560	7	105
213	European Stroke Organisation recommendations to establish a stroke unit and stroke center. <i>Stroke</i> , <b>2013</b> , 44, 828-40	6.7	103
212	Association of admission blood glucose and outcome in patients treated with intravenous thrombolysis: results from the Safe Implementation of Treatments in Stroke International Stroke Thrombolysis Register (SITS-ISTR). <i>Archives of Neurology</i> , <b>2010</b> , 67, 1123-30		103
211	Cognitive profile of subcortical ischaemic vascular disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>2006</b> , 77, 28-33	5.5	102
210	Thrombolysis of basilar artery occlusion: impact of baseline ischemia and time. <i>Annals of Neurology</i> , <b>2013</b> , 73, 688-94	9.4	101
209	Two years of Finnish Telestroke: thrombolysis at spokes equal to that at the hub. <i>Neurology</i> , <b>2011</b> , 76, 1145-52	6.5	100
208	Characteristics of blood pressure profiles as predictors of long-term outcome after acute ischemic stroke. <i>Stroke</i> , <b>2005</b> , 36, 2619-25	6.7	99
207	Stroke: working toward a prioritized world agenda. <i>Stroke</i> , <b>2010</b> , 41, 1084-99	6.7	98
206	The Virtual International Stroke Trials Archive. <i>Stroke</i> , <b>2007</b> , 38, 1905-10	6.7	97
205	Recurrent ischemic events in young adults after first-ever ischemic stroke. <i>Annals of Neurology</i> , <b>2010</b> , 68, 661-71	9.4	94
204	Enoxaparin vs heparin for prevention of deep-vein thrombosis in acute ischaemic stroke: a randomized, double-blind study. <i>Acta Neurologica Scandinavica</i> , <b>2002</b> , 106, 84-92	3.8	92
203	Is chronic brain damage in boxing a hazard of the past?. <i>Lancet, The</i> , <b>1982</b> , 2, 1186-8	4.0	92
202	Mild hypothermia after intravenous thrombolysis in patients with acute stroke: a randomized controlled trial. <i>Stroke</i> , <b>2014</b> , 45, 486-91	6.7	90
201	White matter hyperintensities as a predictor of neuropsychological deficits post-stroke. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>2005</b> , 76, 1229-33	5.5	89
200	The CAVE score for predicting late seizures after intracerebral hemorrhage. <i>Stroke</i> , <b>2014</b> , 45, 1971-6	6.7	88
199	Cognitive impairment predicts poststroke death in long-term follow-up. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>2009</b> , 80, 1230-5	5.5	88
198	Complaints of poststroke insomnia and its treatment with mianserin. <i>Cerebrovascular Diseases</i> , <b>2003</b> , 15, 56-62	3.2	86

197	Cerebral hemodynamics in asymptomatic and symptomatic patients with high-grade carotid stenosis undergoing carotid endarterectomy. <i>Stroke</i> , <b>2003</b> , 34, 1655-61	6.7	84
196	Poststroke depression in acute phase after stroke. <i>Cerebrovascular Diseases</i> , <b>2001</b> , 12, 14-20	3.2	82
195	Long-term mortality after first-ever and recurrent stroke in young adults. <i>Stroke</i> , <b>2014</b> , 45, 2670-6	6.7	81
194	Outcome by stroke etiology in patients receiving thrombolytic treatment: descriptive subtype analysis. <i>Stroke</i> , <b>2011</b> , 42, 102-6	6.7	81
193	Safety and efficacy of desmoteplase given 3-9 h after ischaemic stroke in patients with occlusion or high-grade stenosis in major cerebral arteries (DIAS-3): a double-blind, randomised, placebo-controlled phase 3 trial. <i>Lancet Neurology</i> , <b>2015</b> , 14, 575-84	24.1	79
192	Ancred in acute ischemic stroke: results of 500 subjects beginning treatment within 6 hours of stroke onset in the ancred stroke program. <i>Stroke</i> , <b>2009</b> , 40, 3796-803	6.7	75
191	Intravenous thrombolysis of basilar artery occlusion: predictors of recanalization and outcome. <i>Stroke</i> , <b>2011</b> , 42, 2175-9	6.7	73
190	Stanniocalcin: A molecular guard of neurons during cerebral ischemia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2000</b> , 97, 3637-42	11.5	73
189	MRI correlates of executive dysfunction in patients with ischaemic stroke. <i>European Journal of Neurology</i> , <b>2003</b> , 10, 625-31	6	72
188	Acute surgery for intracerebral haematomas caused by rupture of an intracranial arterial aneurysm. A prospective randomized study. <i>Acta Neurochirurgica</i> , <b>1988</b> , 90, 81-3	3	72
187	Leukoaraiosis, ischemic stroke, and normal white matter on diffusion-weighted MRI. <i>Stroke</i> , <b>2002</b> , 33, 45-50	6.7	71
186	Visual and spectral EEG analysis in the evaluation of the outcome in patients with ischemic brain infarction. <i>Electroencephalography and Clinical Neurophysiology</i> , <b>1983</b> , 56, 117-24		70
185	Brain-type creatine kinase isoenzyme. Occurrence in serum in acute cerebral disorders. <i>Archives of Neurology</i> , <b>1977</b> , 34, 142-4		70
184	Hyperfibrinogenemia and functional outcome from acute ischemic stroke. <i>Stroke</i> , <b>2009</b> , 40, 1687-91	6.7	68
183	Diabetes mellitus and ischemic stroke in the young: clinical features and long-term prognosis. <i>Neurology</i> , <b>2011</b> , 76, 1831-7	6.5	68
182	Community-based thrombolytic therapy of acute ischemic stroke in Helsinki. <i>Stroke</i> , <b>2003</b> , 34, 1443-9	6.7	67
181	Prevention of alcohol withdrawal seizures with carbamazepine and valproic acid. <i>Alcohol</i> , <b>1989</b> , 6, 223-6	2.7	67
180	European Stroke Initiative (EUSI) recommendations for stroke management. The European Stroke Initiative Writing Committee. <i>European Journal of Neurology</i> , <b>2000</b> , 7, 607-23	6	65

179	Acute treatment of ischemic stroke. European Stroke Initiative (EUSI). <i>Cerebrovascular Diseases</i> , <b>2000</b> , 10 Suppl 3, 22-33	3.2	64
178	The main components of stroke unit care: results of a European expert survey. <i>Cerebrovascular Diseases</i> , <b>2007</b> , 23, 344-52	3.2	63
177	Generalized anxiety disorders three to four months after ischemic stroke. <i>Cerebrovascular Diseases</i> , <b>2003</b> , 16, 257-64	3.2	63
176	AMPA antagonist ZK200775 in patients with acute ischemic stroke: possible glial cell toxicity detected by monitoring of S-100B serum levels. <i>Stroke</i> , <b>2002</b> , 33, 2813-8	6.7	61
175	Fibrinogen gene promoter -455 A allele as a risk factor for lacunar stroke. <i>Stroke</i> , <b>2003</b> , 34, 886-91	6.7	60
174	Silent brain infarcts and leukoaraiosis in young adults with first-ever ischemic stroke. <i>Neurology</i> , <b>2009</b> , 72, 1823-9	6.5	58
173	Auditory discrimination after left-hemisphere stroke: a mismatch negativity follow-up study. <i>Stroke</i> , <b>2003</b> , 34, 1746-51	6.7	56
172	How does number of risk factors affect prognosis in young patients with ischemic stroke?. <i>Stroke</i> , <b>2012</b> , 43, 356-61	6.7	55
171	Management of atherothrombosis with clopidogrel in high-risk patients with recent transient ischaemic attack or ischaemic stroke (MATCH): study design and baseline data. <i>Cerebrovascular Diseases</i> , <b>2004</b> , 17, 253-61	3.2	53
170	Acute treatment of ischaemic stroke. European Stroke Initiative. <i>Cerebrovascular Diseases</i> , <b>2004</b> , 17 Suppl 2, 30-46	3.2	53
169	Cerebral hemodynamics in a healthy population measured by dynamic susceptibility contrast MR imaging. <i>Acta Radiologica</i> , <b>2003</b> , 44, 538-46	2	51
168	Suicidal ideas in stroke patients 3 and 15 months after stroke. <i>Cerebrovascular Diseases</i> , <b>2001</b> , 12, 21-6	3.2	51
167	Ultraearly thrombolysis in acute ischemic stroke is associated with better outcome and lower mortality. <i>Stroke</i> , <b>2010</b> , 41, 712-6	6.7	50
166	Silent brain infarcts, leukoaraiosis, and long-term prognosis in young ischemic stroke patients. <i>Neurology</i> , <b>2011</b> , 76, 1742-9	6.5	50
165	Heart type creatine kinase isoenzyme (CK MB) in acute cerebral disorders. <i>Heart</i> , <b>1978</b> , 40, 802-5	5.1	50
164	Post-stroke depression and depression-executive dysfunction syndrome are associated with recurrence of ischaemic stroke. <i>Cerebrovascular Diseases</i> , <b>2013</b> , 36, 336-43	3.2	48
163	Effect of afferent input on motor cortex excitability during stroke recovery. <i>Clinical Neurophysiology</i> , <b>2012</b> , 123, 2429-36	4.3	47
162	Safety, tolerability and pharmacokinetics of MCI-186 in patients with acute ischemic stroke: new formulation and dosing regimen. <i>Cerebrovascular Diseases</i> , <b>2013</b> , 36, 196-204	3.2	47

161	Stroke monitoring on a national level: PERFECT Stroke, a comprehensive, registry-linkage stroke database in Finland. <i>Stroke</i> , <b>2010</b> , 41, 2239-46	6.7	46
160	Clinical features of MRI-defined subcortical vascular disease. <i>Alzheimer Disease and Associated Disorders</i> , <b>2003</b> , 17, 236-42	2.5	46
159	Microarray analysis reveals overexpression of CD163 and HO-1 in symptomatic carotid plaques. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2007</b> , 27, 154-60	9.4	45
158	Effect of the Glycine Antagonist Gavestinel on cerebral infarcts in acute stroke patients, a randomized placebo-controlled trial: The GAIN MRI Substudy. <i>Cerebrovascular Diseases</i> , <b>2006</b> , 21, 106-11 <sup>3,2</sup>		45
157	Do-not-resuscitate (DNR) orders in patients with intracerebral hemorrhage. <i>International Journal of Stroke</i> , <b>2014</b> , 9, 53-8	6.3	44
156	Young adult ischaemic stroke related acute symptomatic and late seizures: risk factors. <i>European Journal of Neurology</i> , <b>2013</b> , 20, 1247-55	6	43
155	Prevention. European Stroke Initiative. <i>Cerebrovascular Diseases</i> , <b>2004</b> , 17 Suppl 2, 15-29	3.2	42
154	The AMPA antagonist ZK 200775 in patients with acute ischaemic stroke: a double-blind, multicentre, placebo-controlled safety and tolerability study. <i>Cerebrovascular Diseases</i> , <b>2005</b> , 20, 304-9	3.2	42
153	Post-thrombolytic hyperglycemia and 3-month outcome in acute ischemic stroke. <i>Cerebrovascular Diseases</i> , <b>2011</b> , 31, 83-92	3.2	41
152	Serial measurements of plasma homocysteine levels in early and late phases of ischemic stroke. <i>European Journal of Neurology</i> , <b>2007</b> , 14, 12-7	6	41
151	Risk of brain infarction in familial hypercholesterolemia. <i>Stroke</i> , <b>1988</b> , 19, 1097-100	6.7	41
150	Comparison of outcomes following thrombolytic therapy among patients with prior stroke and diabetes in the Virtual International Stroke Trials Archive (VISTA). <i>Diabetes Care</i> , <b>2010</b> , 33, 2531-7	14.6	40
149	Thrombolysis in young adults with ischemic stroke. <i>Stroke</i> , <b>2009</b> , 40, 2085-91	6.7	40
148	Correlates of dependent living 3 months after ischemic stroke. <i>Cerebrovascular Diseases</i> , <b>1998</b> , 8, 259-66 <sup>3,2</sup>		40
147	Regional cerebral blood flow after human cardiac arrest. A hexamethylpropyleneamine oxime single photon emission computed tomographic study. <i>Archives of Neurology</i> , <b>1991</b> , 48, 625-9		40
146	Poststroke dementia predicts poor survival in long-term follow-up: influence of prestroke cognitive decline and previous stroke. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>2009</b> , 80, 865-70	5.5	39
145	An update on thrombolytic therapy for acute stroke. <i>Current Opinion in Neurology</i> , <b>2004</b> , 17, 69-77	7.1	39
144	Association of prestroke statin use and lipid levels with outcome of intracerebral hemorrhage. <i>Stroke</i> , <b>2013</b> , 44, 2330-2	6.7	38



143	Cognitive functions and depression as predictors of poor outcome 15 months after stroke. <i>Cerebrovascular Diseases</i> , <b>2002</b> , 14, 228-33	3.2	38
142	Cerebral edema in acute ischemic stroke patients treated with intravenous thrombolysis. <i>International Journal of Stroke</i> , <b>2013</b> , 8, 529-34	6.3	37
141	Comparison of all 19 published prognostic scores for intracerebral hemorrhage. <i>Journal of the Neurological Sciences</i> , <b>2017</b> , 379, 103-108	3.2	37
140	Adult cervicocerebral artery dissection: a single-center study of 301 Finnish patients. <i>European Journal of Neurology</i> , <b>2009</b> , 16, 656-61	6	37
139	Trends in treatment and outcome of stroke patients in Finland from 1999 to 2007. PERFECT Stroke, a nationwide register study. <i>Annals of Medicine</i> , <b>2011</b> , 43 Suppl 1, S22-30	1.5	36
138	Does time of day or physician experience affect outcome of acute ischemic stroke patients treated with thrombolysis? A study from Finland. <i>International Journal of Stroke</i> , <b>2012</b> , 7, 511-6	6.3	35
137	Factors associated with impaired kidney function and its impact on long-term outcome in young ischemic stroke. <i>Stroke</i> , <b>2011</b> , 42, 2459-64	6.7	35
136	Age related white matter changes predict stroke death in long term follow-up. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>2009</b> , 80, 762-6	5.5	35
135	A randomized, double-blind, placebo-controlled trial to evaluate the efficacy, safety, tolerability, and pharmacokinetic/pharmacodynamic effects of a targeted exposure of intravenous repinotan in patients with acute ischemic stroke: modified Randomized Exposure Controlled Trial (mRECT). <i>Stroke</i> , <b>2009</b> , 40, 3518-25	6.7	35
134	Adipophilin expression is increased in symptomatic carotid atherosclerosis: correlation with red blood cells and cholesterol crystals. <i>Stroke</i> , <b>2007</b> , 38, 1791-8	6.7	35
133	MRI correlates of dementia after first clinical ischemic stroke. <i>Journal of the Neurological Sciences</i> , <b>2000</b> , 181, 111-7	3.2	35
132	Elevation of high-density lipoprotein in epileptic patients treated with phenytoin. <i>Acta Medica Scandinavica</i> , <b>1978</b> , 204, 517-20		33
131	Serial changes in fibrinolysis and coagulation activation markers in acute and convalescent phase of ischemic stroke. <i>Acta Neurologica Scandinavica</i> , <b>2004</b> , 110, 242-7	3.8	33
130	Marchiafava-Bignami disease: two cases with favourable outcome. <i>European Journal of Neurology</i> , <b>2001</b> , 8, 269-72	6	33
129	Intravenous thrombolysis in young stroke patients: results from the SITS-ISTR. <i>Neurology</i> , <b>2012</b> , 78, 880-6.5		32
128	Cerebral small vessel disease and kidney function predict long-term survival in patients with acute stroke. <i>Stroke</i> , <b>2010</b> , 41, 1914-20	6.7	32
127	Telestroke networking offers multiple benefits beyond thrombolysis. <i>Cerebrovascular Diseases</i> , <b>2009</b> , 27 Suppl 4, 21-7	3.2	32
126	Genetic risk factors and ischaemic cerebrovascular disease: role of common variation of the genes encoding apolipoproteins and angiotensin-converting enzyme. <i>Annals of Medicine</i> , <b>1998</b> , 30, 224-33	1.5	32

125	Smoking and the platelet fibrinogen receptor glycoprotein IIb/IIIa P1A1/A2 polymorphism interact in the risk of lacunar stroke and midterm survival. <i>Stroke</i> , <b>2007</b> , 38, 50-5	6.7	32
124	Effects of Ethanol Intoxication and Hangover on Plasma Levels of Thromboxane B2 and 6-Keto-Prostaglandin F1 $\beta$ and on Thromboxane B2 Formation by Platelets in Man. <i>Thrombosis and Haemostasis</i> , <b>1982</b> , 48, 232-234	7	32
123	Alterations in spontaneous brain oscillations during stroke recovery. <i>PLoS ONE</i> , <b>2013</b> , 8, e61146	3.7	31
122	Post-stroke delirium in relation to dementia and long-term mortality. <i>International Journal of Geriatric Psychiatry</i> , <b>2012</b> , 27, 401-8	3.9	31
121	Direct costs of patients with stroke can be continuously monitored on a national level: performance, effectiveness, and Costs of Treatment episodes in Stroke (PERFECT Stroke) Database in Finland. <i>Stroke</i> , <b>2011</b> , 42, 2007-12	6.7	31
120	Genetic polymorphism of platelet glycoprotein IIIa in patients with acute myocardial infarction and acute ischaemic stroke. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , <b>1999</b> , 6, 13-7		31
119	Diagnosis and management of ischemic stroke. Part I.--Threatened stroke and its management. <i>Current Problems in Cardiology</i> , <b>1983</b> , 8, 1-76	17.1	31
118	Cancer in young adults with ischemic stroke. <i>Stroke</i> , <b>2015</b> , 46, 1601-6	6.7	30
117	Haptoglobin 2 allele associates with unstable carotid plaque and major cardiovascular events. <i>Atherosclerosis</i> , <b>2013</b> , 230, 228-34	3.1	30
116	Poststroke dementia is associated with recurrent ischaemic stroke. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>2013</b> , 84, 722-6	5.5	30
115	Reorganization of the primary somatosensory cortex during stroke recovery. <i>Clinical Neurophysiology</i> , <b>2011</b> , 122, 339-45	4.3	30
114	Recanalization and its correlation to outcome after cerebral venous thrombosis. <i>Journal of the Neurological Sciences</i> , <b>2010</b> , 292, 11-5	3.2	30
113	In-hospital cardiac complications after intracerebral hemorrhage. <i>International Journal of Stroke</i> , <b>2014</b> , 9, 741-6	6.3	29
112	Small-vessel disease relates to poor poststroke survival in a 12-year follow-up. <i>Neurology</i> , <b>2011</b> , 76, 734-8.5		29
111	White matter lesions are related to impaired instrumental activities of daily living poststroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2007</b> , 16, 251-8	2.8	29
110	Effects of ethanol on platelet function. <i>Alcohol</i> , <b>1985</b> , 2, 429-32	2.7	29
109	Use of animal models has not contributed to development of acute stroke therapies: pro. <i>Stroke</i> , <b>2005</b> , 36, 2323-4	6.7	28
108	Pre- and in-hospital intersection of stroke care. <i>Annals of the New York Academy of Sciences</i> , <b>2012</b> , 1268, 145-51	6.5	26

107	Extensive white matter changes predict stroke recurrence up to 5 years after a first-ever ischemic stroke. <i>Cerebrovascular Diseases</i> , <b>2012</b> , 34, 191-8	3.2	26
106	European Stroke Facilities Survey: the German and Austrian perspective. <i>Cerebrovascular Diseases</i> , <b>2009</b> , 27, 138-45	3.2	26
105	Intravenous thrombolysis for acute ischemic stroke patients presenting with mild symptoms. <i>International Journal of Stroke</i> , <b>2013</b> , 8, 293-9	6.3	25
104	Gene expression differences between stroke-associated and asymptomatic carotid plaques. <i>Journal of Molecular Medicine</i> , <b>2011</b> , 89, 1015-26	5.5	25
103	Serum calcium as prognosticator in ischemic stroke. <i>Stroke</i> , <b>2008</b> , 39, 2231-6	6.7	25
102	Thrombolysis in ischaemic stroke -- present and future: role of combined therapy. <i>Cerebrovascular Diseases</i> , <b>2001</b> , 11 Suppl 1, 55-9	3.2	25
101	National institutes of health stroke scale item profiles as predictor of patient outcome: external validation on independent trial data. <i>Stroke</i> , <b>2015</b> , 46, 395-400	6.7	24
100	Extent of secondary intraventricular hemorrhage is an independent predictor of outcomes in intracerebral hemorrhage: data from the Helsinki ICH Study. <i>International Journal of Stroke</i> , <b>2015</b> , 10, 576-81	6.3	24
99	Targeting neuroprotection clinical trials to ischemic stroke patients with potential to benefit from therapy. <i>Stroke</i> , <b>2004</b> , 35, 2111-6	6.7	24
98	Effect of nimodipine on final infarct volume after acute ischemic stroke. <i>Cerebrovascular Diseases</i> , <b>2000</b> , 10, 189-93	3.2	24
97	Abnormal intravoxel cerebral blood flow heterogeneity in human ischemic stroke determined by dynamic susceptibility contrast magnetic resonance imaging. <i>Stroke</i> , <b>2005</b> , 36, 44-9	6.7	23
96	Medial temporal lobe atrophy and memory deficits in elderly stroke patients. <i>European Journal of Neurology</i> , <b>2004</b> , 11, 825-32	6	23
95	Low-expression variant of fatty acid-binding protein 4 favors reduced manifestations of atherosclerotic disease and increased plaque stability. <i>Circulation: Cardiovascular Genetics</i> , <b>2014</b> , 7, 588-98		22
94	Preceding and poststroke infections in young adults with first-ever ischemic stroke: effect on short-term and long-term outcomes. <i>Stroke</i> , <b>2013</b> , 44, 3331-7	6.7	22
93	Carotid plaque mast cells associate with atherogenic serum lipids, high grade carotid stenosis and symptomatic carotid artery disease. Results from the helsinki carotid endarterectomy study. <i>Cerebrovascular Diseases</i> , <b>2005</b> , 19, 291-301	3.2	22
92	Thrombolysis for acute ischemic stroke: a consensus statement of the 3rd Karolinska Stroke Update, October 30-31, 2000. <i>Stroke</i> , <b>2001</b> , 32, 2717-8	6.7	22
91	Risk Factors for Early-Onset Ischemic Stroke: A Case-Control Study. <i>Journal of the American Heart Association</i> , <b>2018</b> , 7, e009774	6	22
90	Higher baseline international normalized ratio value correlates with higher mortality in intracerebral hemorrhage during warfarin use. <i>European Journal of Neurology</i> , <b>2014</b> , 21, 616-22	6	21

89	Depression-executive dysfunction syndrome relates to poor poststroke survival. <i>American Journal of Geriatric Psychiatry</i> , <b>2010</b> , 18, 1007-16	6.5	21
88	Approval of alteplase in Europe: will it change stroke management?. <i>Lancet Neurology</i> , <b>2003</b> , 2, 207-8	4.1	21
87	Stroke: advances in thrombolysis. <i>Lancet Neurology</i> , <b>2013</b> , 12, 2-4	24.1	19
86	Current treatment of basilar artery occlusion. <i>Annals of the New York Academy of Sciences</i> , <b>2012</b> , 1268, 35-44	6.5	19
85	Non-cholesterol sterols in serum and endarterectomized carotid arteries after a short-term plant stanol and sterol ester challenge. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2011</b> , 21, 182-8	4.5	19
84	Stroke: working toward a prioritized world agenda. <i>Cerebrovascular Diseases</i> , <b>2010</b> , 30, 127-47	3.2	19
83	Statins after ischemic stroke of undetermined etiology in young adults. <i>Neurology</i> , <b>2011</b> , 77, 426-30	6.5	19
82	Alcohol abuse and brain infarction. <i>Annals of Medicine</i> , <b>1990</b> , 22, 347-52	1.5	19
81	Use of Statins After Ischemic Stroke in Young Adults and Its Association With Long-Term Outcome. <i>Stroke</i> , <b>2019</b> , 50, 3385-3392	6.7	18
80	Activation in parietal operculum parallels motor recovery in stroke. <i>Human Brain Mapping</i> , <b>2012</b> , 33, 534-41	4.0	18
79	The effect of severe carotid occlusive disease and its surgical treatment on cognitive functions of the brain. <i>Brain and Cognition</i> , <b>2009</b> , 69, 353-9	2.7	18
78	Thrombolysis for acute stroke. <i>Current Opinion in Neurology</i> , <b>2003</b> , 16, 73-80	7.1	17
77	Administration of nonionic iodinated contrast medium does not influence the outcome of patients with ischemic brain infarction. <i>Cerebrovascular Diseases</i> , <b>2003</b> , 15, 45-50	3.2	17
76	Intravenous thrombolysis in ischemic stroke patients with isolated homonymous hemianopia: analysis of Safe Implementation of Thrombolysis in Stroke-International Stroke Thrombolysis Register (SITS-ISTR). <i>Stroke</i> , <b>2012</b> , 43, 2695-8	6.7	16
75	Early-Morning Increase in the Onset of Ischemic Stroke. <i>Cerebrovascular Diseases</i> , <b>1992</b> , 2, 282-286	3.2	16
74	Blood pressure, nimodipine, and outcome of ischemic stroke. <i>Acta Neurologica Scandinavica</i> , <b>2004</b> , 109, 200-4	3.8	15
73	Resting 12-lead electrocardiogram reveals high-risk sources of cardioembolism in young adult ischemic stroke. <i>International Journal of Cardiology</i> , <b>2015</b> , 198, 196-200	3.2	14
72	An imbalance between CD36 and ABCA1 protein expression favors lipid accumulation in stroke-prone ulcerated carotid plaques. <i>Stroke</i> , <b>2010</b> , 41, 389-93	6.7	14

71	Nuclear magnetic resonance imaging in reversible cerebral ischaemia. <i>Lancet, The</i> , <b>1983</b> , 1, 294-5	4.0	14
70	Chronic bilateral subdural haematoma in adults. <i>Acta Neurochirurgica</i> , <b>1979</b> , 48, 231-6	3	14
69	White matter lesions are associated with hospital admissions because of hip-fractures and trauma after ischemic stroke. <i>Stroke</i> , <b>2014</b> , 45, 2948-51	6.7	13
68	Natural anticoagulants (antithrombin III, protein C, and protein S) in patients with mild to moderate ischemic stroke. <i>Acta Neurologica Scandinavica</i> , <b>2002</b> , 105, 107-14	3.8	13
67	Cardiovascular events after ischemic stroke in young adults: A prospective follow-up study. <i>Neurology</i> , <b>2016</b> , 86, 1872-9	6.5	13
66	Executive function subdomains are associated with post-stroke functional outcome and permanent institutionalization. <i>European Journal of Neurology</i> , <b>2019</b> , 26, 546-552	6	13
65	Cortical Excitability Measured with nTMS and MEG during Stroke Recovery. <i>Neural Plasticity</i> , <b>2015</b> , 2015, 309546	3.3	12
64	Association of the fibrinolytic system and hemorheology with symptoms in patients with carotid occlusive disease. <i>Cerebrovascular Diseases</i> , <b>2005</b> , 20, 172-9	3.2	12
63	Familial hypercholesterolaemia and COVID-19: A two-hit scenario for endothelial dysfunction amenable to treatment. <i>Atherosclerosis</i> , <b>2021</b> , 320, 53-60	3.1	12
62	Haptoglobin Hp2 Variant Promotes Premature Cardiovascular Death in Stroke Survivors. <i>Stroke</i> , <b>2017</b> , 48, 1463-1469	6.7	11
61	Ischaemic stroke patients with heterozygous factor V Leiden present with multiple brain infarctions and widespread atherothrombotic disease. <i>Thrombosis and Haemostasis</i> , <b>2009</b> , 101, 145-150	7	11
60	Facilities available in French hospitals treating acute stroke patients: comparison with 24 other European countries. <i>Journal of Neurology</i> , <b>2009</b> , 256, 867-73	5.5	11
59	Functional outcome in young adult ischemic stroke: impact of lipoproteins. <i>Acta Neurologica Scandinavica</i> , <b>2013</b> , 127, 61-9	3.8	10
58	Brain Metabolic Alterations in Patients With Type 1 Diabetes-Hyperglycemia-Induced Injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , <b>2004</b> , 24, 1393-1399	7.3	10
57	Use of antihypertensive medication after ischemic stroke in young adults and its association with long-term outcome. <i>Annals of Medicine</i> , <b>2019</b> , 51, 68-77	1.5	10
56	Multiple brain infarcts in young adults: clues for etiologic diagnosis and prognostic impact. <i>European Journal of Neurology</i> , <b>2013</b> , 20, 216-22	6	9
55	Life-threatening coronary disease is prevalent in patients with stenosing carotid artery disease. <i>International Journal of Stroke</i> , <b>2015</b> , 10, 1217-23	6.3	9
54	βta-fibrinogen gene promoter A -455 allele associated with poor longterm survival among 55-71 years old Caucasian women in Finnish stroke cohort. <i>BMC Neurology</i> , <b>2014</b> , 14, 137	3.1	9

53	Is the door open again for neuroprotection trials in stroke?. <i>Lancet Neurology, The</i> , <b>2012</b> , 11, 930-1	24.1	9
52	Depression/Executive Dysfunction Syndrome in Stroke Patients. <i>American Journal of Geriatric Psychiatry</i> , <b>2005</b> , 13, 99-107	6.5	9
51	Recommendations for the relationship between sponsors and investigators in the design and conduct of clinical stroke trials. <i>Stroke</i> , <b>2003</b> , 34, 1041-5	6.7	9
50	Bromocriptine treatment of spasmodic torticollis. A double-blind crossover study. <i>Archives of Neurology</i> , <b>1979</b> , 36, 449-50		9
49	Probing modifications of cortical excitability during stroke recovery with navigated transcranial magnetic stimulation. <i>Topics in Stroke Rehabilitation</i> , <b>2012</b> , 19, 182-92	2.6	8
48	Hypertension in acute stroke: what to do?. <i>Stroke</i> , <b>2001</b> , 32, 1697-8	6.7	8
47	Treatment of intracerebellar haemorrhage: Poor outcome and high long-term mortality. <i>Surgical Neurology International</i> , <b>2017</b> , 8, 272	1	8
46	ECG markers associated with ischemic stroke at young age - a case-control study. <i>Annals of Medicine</i> , <b>2017</b> , 49, 562-568	1.5	7
45	Detection of intracranial atherosclerosis: which imaging techniques are available in European hospitals?. <i>Stroke</i> , <b>2009</b> , 40, 726-9	6.7	7
44	Long-term survival after ischemic stroke in postmenopausal women is affected by an interaction between smoking and genetic variation in nitric oxide synthases. <i>Cerebrovascular Diseases</i> , <b>2008</b> , 26, 250-8	3.2	7
43	Thrombolysis: what more does it take?. <i>Stroke</i> , <b>2005</b> , 36, 200-2	6.7	7
42	Lost potential of kidney and liver donors amongst deceased intracerebral hemorrhage patients. <i>European Journal of Neurology</i> , <b>2014</b> , 21, 153-9	6	6
41	Oral glucose tolerance test should be performed after stroke and transient ischemic attack. <i>International Journal of Stroke</i> , <b>2011</b> , 6, 317-20	6.3	6
40	Current therapeutic options for brain ischemia. <i>Neurology</i> , <b>1997</b> , 49, S56-9	6.5	6
39	Long-term outcome as function of blood pressure in acute ischemic stroke and effects of thrombolysis. <i>Cerebrovascular Diseases</i> , <b>2007</b> , 24, 349-54	3.2	6
38	Cerebral convulsion after enfluran anaesthesia and occupational exposure to tetrahydrofuran. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>1984</b> , 47, 1258	5.5	6
37	Selection for delayed intravenous alteplase treatment based on a prognostic score. <i>International Journal of Stroke</i> , <b>2015</b> , 10, 90-4	6.3	5
36	Endothelial apoptosis does not determine symptom status in carotid artery disease. <i>Cerebrovascular Diseases</i> , <b>2007</b> , 23, 27-34	3.2	5

35	Intravenous thrombolysis in ischemic stroke patients with isolated homonymous hemianopia. <i>Acta Neurologica Scandinavica</i> , <b>2012</b> , 126, e17-9	3.8	4
34	Hemiplegia and thrombolysis. <i>European Journal of Neurology</i> , <b>2012</b> , 19, 1235-8	6	4
33	Outcome of ischemic stroke patients with serious post-thrombolysis neurological deficits. <i>Acta Neurologica Scandinavica</i> , <b>2013</b> , 127, 221-6	3.8	4
32	Evidence, education and practice. <i>Cerebrovascular Diseases</i> , <b>2006</b> , 22, 342-9	3.2	4
31	Leucocyte count in young adults with first-ever ischaemic stroke: associated factors and association on prognosis. <i>International Journal of Stroke</i> , <b>2015</b> , 10, 245-50	6.3	3
30	Intravenous alteplase versus rescue endovascular procedure in patients with proximal middle cerebral artery occlusion. <i>International Journal of Stroke</i> , <b>2015</b> , 10, 188-93	6.3	3
29	Haemorrhagic transformation of ischaemic stroke in young adults. <i>International Journal of Stroke</i> , <b>2014</b> , 9 Suppl A100, 85-92	6.3	3
28	Snake venom, vampire bat saliva, or rt-PA: time matters. <i>Lancet, The</i> , <b>2006</b> , 368, 1845-6	40	3
27	Alcohol misuse: a risk factor for putaminal damage by ischemic brain infarct?. <i>European Neurology</i> , <b>2003</b> , 50, 69-72	2.1	3
26	Effects of exercise and ethanol ingestion on platelet thromboxane release in healthy men. <i>Metabolism: Clinical and Experimental</i> , <b>1991</b> , 40, 695-701	12.7	3
25	Creatine kinase isoenzyme activities in marathon runners. <i>Lancet, The</i> , <b>1982</b> , 2, 327-8	40	3
24	Reply: To PMID 23536323. <i>Annals of Neurology</i> , <b>2014</b> , 75, 161-2	9.4	2
23	Combination of intracerebral haemorrhage and familial hypercholesterolemia in the acute hospital setting--a challenge for statin treatment?. <i>International Journal of Stroke</i> , <b>2015</b> , 10, 467-8	6.3	2
22	EFFECTS OF ETHANOL ON HEMOCOAGULATION IN HEALTHY MALE VOLUNTEERS. <i>Acta Neurologica Scandinavica</i> , <b>2009</b> , 65, 182-183	3.8	2
21	Evaluation of various methods of assessing symptoms of cognitive impairment and dementia. <i>Alzheimer Disease and Associated Disorders</i> , <b>2001</b> , 15, 184-93	2.5	2
20	Should Tenecteplase be Given in Clinical Practice for Acute Ischemic Stroke Thrombolysis?. <i>Stroke</i> , <b>2021</b> , 52, 3075-3080	6.7	2
19	Ischaemic Stroke and Transient Ischaemic Attack <b>2010</b> , 101-158		1
18	COMPLICATIONS AND RISKS IN SURGICAL TREATMENT OF TIA. <i>Acta Neurologica Scandinavica</i> , <b>2009</b> , 69, 313-314	3.8	1

17	Time matters for reducing risk of stroke. <i>Lancet Neurology, The</i> , <b>2010</b> , 9, 451-3	24.1	1
16	Stroke Prevention in Carotid Stenosis. <i>Cerebrovascular Diseases</i> , <b>2003</b> , 15, 57-61	3.2	1
15	Empfehlungen der Europäischen Schlaganfall-Initiative zur Versorgung und Behandlung des Schlaganfalls. <i>Intensivmedizin Und Notfallmedizin</i> , <b>2001</b> , 38, 454-470		1
14	Experimental cerebral venous oxygen tension under very high intracranial pressure. <i>Acta Neurochirurgica</i> , <b>1967</b> , 17, 24-31	3	1
13	General Stroke Management and Stroke Units <b>2004</b> , 971-985		1
12	General Stroke Management and Stroke Units <b>2011</b> , 992-1007		1
11	Post-stroke dementia and permanent institutionalization. <i>Journal of the Neurological Sciences</i> , <b>2021</b> , 421, 117307	3.2	1
10	Elevated Lipoprotein(a) and Cerebral Venous Sinus Thrombosis in COVID-19. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2021</b> , 30, 105865	2.8	0
9	Initiation of antidepressants in young adults after ischemic stroke: a registry-based follow-up study. <i>Journal of Neurology</i> , <b>2021</b> , 1	5.5	0
8	Post-Stroke Cognitive Impairment is Frequent After Infra-Tentorial Infarct. <i>Journal of Stroke and Cerebrovascular Diseases</i> , <b>2021</b> , 30, 106108	2.8	0
7	Reply: To PMID 23536323. <i>Annals of Neurology</i> , <b>2014</b> , 75, 457-8	9.4	
6	PRELIMINARY CLINICAL EXPERIENCE WITH NMR SCANNING IN PATIENTS WITH ISCHAEMIC BRAIN INFARCTION. <i>Acta Neurologica Scandinavica</i> , <b>2009</b> , 69, 24-25	3.8	
5	PLATELET REACTIVITY DURING ETHANOL INTOXICATION IN HEALTHY MEN. <i>Acta Neurologica Scandinavica</i> , <b>2009</b> , 69, 331-332	3.8	
4	Highlights of the 10th International Symposium on Thrombolysis and Acute Stroke Therapy, 21-23 September 2008, in Budapest. <i>International Journal of Stroke</i> , <b>2009</b> , 4, 415-416	6.3	
3	European stroke strategies: current status and problems to be solved. <i>Future Neurology</i> , <b>2007</b> , 2, 241-243.5		
2	Why asymptomatic carotid artery stenoses should not be screened. <i>Annales Chirurgiae Et Gynaecologiae</i> , <b>1992</b> , 81, 213-5		
1	Recommendations for the Diagnosis and Management of Spontaneous Intracerebral Haemorrhage 253-277		