

Atsushi Takahashi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7453130/publications.pdf>

Version: 2024-02-01

84
papers

1,530
citations

293460

24
h-index

406436

35
g-index

90
all docs

90
docs citations

90
times ranked

1531
citing authors

#	ARTICLE	IF	CITATIONS
1	Association Between Lifestyle Habits and the Prevalence of Abdominal Obesity After the Great East Japan Earthquake: The Fukushima Health Management Survey. <i>Journal of Epidemiology</i> , 2022, 32, 496-501.	1.1	4
2	Lifestyle Factors Associated with Undernutrition in Older People after the Great East Japan Earthquake: A Prospective Study in the Fukushima Health Management Survey. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3399.	1.2	1
3	Risk factors for relapse of autoimmune hepatitis in Japan: A nationwide survey. <i>Hepatology Research</i> , 2022, 52, 597-602.	1.8	3
4	Clinical practice guidelines for autoimmune hepatitis. <i>Hepatology Research</i> , 2022, 52, 571-585.	1.8	7
5	Differences in autoimmune hepatitis based on inflammation localization. <i>Medical Molecular Morphology</i> , 2021, 54, 8-13.	0.4	2
6	Dietary Patterns and Progression of Impaired Kidney Function in Japanese Adults: A Longitudinal Analysis for the Fukushima Health Management Survey, 2011â€“2015. <i>Nutrients</i> , 2021, 13, 168.	1.7	7
7	Relationship Between Risk of Hyper-Low-density Lipoprotein Cholesterolemia and Evacuation After the Great East Japan Earthquake. <i>Journal of Epidemiology</i> , 2021, , .	1.1	4
8	Relationship between physical activity/exercise habits and the frequency of new onset of lifestyle-related diseases after the Great East Japan Earthquake among residents in Fukushima: the Fukushima Health Management Survey. <i>Journal of Radiation Research</i> , 2021, 62, i129-i139.	0.8	5
9	High FIB4 index is an independent risk factor of diabetic kidney disease in type 2 diabetes. <i>Scientific Reports</i> , 2021, 11, 11753.	1.6	14
10	TAFRO syndrome complicated by porto-sinusoidal vascular liver disease with portal hypertension: a case report. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 1711-1717.	0.4	1
11	Association between post-traumatic stress disorder symptoms and bone fractures after the Great East Japan Earthquake in older adults: a prospective cohort study from the Fukushima Health Management Survey. <i>BMC Geriatrics</i> , 2021, 21, 18.	1.1	7
12	Association between Laughter and Lifestyle Diseases after the Great East Japan Earthquake: The Fukushima Health Management Survey. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12699.	1.2	1
13	The association between self-reported sleep dissatisfaction after the Great East Japan Earthquake, and a deteriorated socioeconomic status in the evacuation area: the Fukushima Health Management Survey. <i>Sleep Medicine</i> , 2020, 68, 63-70.	0.8	11
14	Associations between Dietary Patterns and Cardiometabolic Risks in Japan: A Cross-Sectional Study from the Fukushima Health Management Survey, 2011â€“2015. <i>Nutrients</i> , 2020, 12, 129.	1.7	13
15	Pembrolizumab-induced sclerosing cholangitis in a lung adenocarcinoma patient with a remarkable response to chemotherapy: a case report. <i>Clinical Journal of Gastroenterology</i> , 2020, 13, 1310-1314.	0.4	11
16	Effects of sleep quality on non-alcoholic fatty liver disease: a cross-sectional survey. <i>BMJ Open</i> , 2020, 10, e039947.	0.8	11
17	Quality of life among patients with autoimmune hepatitis in remission. <i>Medicine (United States)</i> , 2020, 99, e22764.	0.4	4
18	Influence of post-disaster evacuation on incidence of hyperuricemia in residents of Fukushima Prefecture: the Fukushima Health Management Survey. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 1025-1032.	0.7	7

#	ARTICLE	IF	CITATIONS
19	Serum Gas6 and Axl as non-invasive biomarkers of advanced histological stage in primary biliary cholangitis. <i>Hepatology Research</i> , 2020, 50, 1337-1346.	1.8	7
20	Increasing incidence of acute autoimmune hepatitis: a nationwide survey in Japan. <i>Scientific Reports</i> , 2020, 10, 14250.	1.6	14
21	Association between serum ficolin-1 level and disease progression in primary biliary cholangitis. <i>PLoS ONE</i> , 2020, 15, e0238300.	1.1	3
22	Association between Psychological Factors and Evacuation Status and the Incidence of Cardiovascular Diseases after the Great East Japan Earthquake: A Prospective Study of the Fukushima Health Management Survey. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7832.	1.2	6
23	Relationship between the prevalence of polycythemia and factors observed in the mental health and lifestyle survey after the Great East Japan Earthquake. <i>Medicine (United States)</i> , 2020, 99, e18486.	0.4	6
24	Influence of post-disaster evacuation on childhood obesity and hyperlipidemia. <i>Pediatrics International</i> , 2020, 62, 669-676.	0.2	12
25	A validation study of the Ursodeoxycholic Acid Response Score in Japanese patients with primary biliary cholangitis. <i>Liver International</i> , 2020, 40, 1926-1933.	1.9	14
26	Association of serum 25-hydroxyvitamin D levels with severe necroinflammatory activity and inflammatory cytokine production in type I autoimmune hepatitis. <i>PLoS ONE</i> , 2020, 15, e0239481.	1.1	8
27	Sigmoid Colon Varices due to Massive Thrombosis of a Noncirrhotic Extrahepatic Portosystemic Shunt. <i>Internal Medicine</i> , 2020, 59, 2705-2710.	0.3	2
28	Effects of Psychological and Lifestyle Factors on Metabolic Syndrome Following the Fukushima Daiichi Nuclear Power Plant Accident: The Fukushima Health Management Survey. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 1010-1018.	0.9	11
29	Title is missing!. , 2020, 15, e0239481.		0
30	Title is missing!. , 2020, 15, e0239481.		0
31	Title is missing!. , 2020, 15, e0239481.		0
32	Title is missing!. , 2020, 15, e0239481.		0
33	Autoimmune hepatitis, fatty liver, and Fukushima. <i>Fukushima Journal of Medical Sciences</i> , 2019, 65, 25-29.	0.1	0
34	Interleukin-33/ST2-Mediated Inflammation Plays a Critical Role in the Pathogenesis and Severity of Type I Autoimmune Hepatitis. <i>Hepatology Communications</i> , 2019, 3, 670-684.	2.0	11
35	Skeletal muscle volume loss during transarterial chemoembolization predicts poor prognosis in patients with hepatocellular carcinoma. <i>Hepatology Research</i> , 2019, 49, 778-786.	1.8	39
36	Liver Involvement in Rheumatic Diseases. , 2019, , 1-22.		0

#	ARTICLE	IF	CITATIONS
37	Bezafibrate Improves GLOBE and UKâ€PBC Scores and Longâ€Term Outcomes in Patients With Primary Biliary Cholangitis. <i>Hepatology</i> , 2019, 70, 2035-2046.	3.6	83
38	Galectin-9 in autoimmune hepatitis. <i>Medicine (United States)</i> , 2019, 98, e16924.	0.4	11
39	Clinical features of autoimmune hepatitis with acute presentation: a Japanese nationwide survey. <i>Journal of Gastroenterology</i> , 2018, 53, 1079-1088.	2.3	35
40	Is patient-reported outcome improved by nalfurafine hydrochloride in patients with primary biliary cholangitis and refractory pruritus? A post-marketing, single-arm, prospective study. <i>Journal of Gastroenterology</i> , 2018, 53, 1151-1158.	2.3	29
41	Evaluation of Brain Activity Using Near-infrared Spectroscopy in Inflammatory Bowel Disease Patients. <i>Scientific Reports</i> , 2018, 8, 402.	1.6	17
42	Nonâ€Alcoholic fatty liver disease in patients with autoimmune hepatitis. <i>JGH Open</i> , 2018, 2, 54-58.	0.7	33
43	Utility of magnetic resonance elastography for predicting ascites in patients with chronic liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 733-740.	1.4	6
44	Clinical features of pediatric autoimmune hepatitis in Japan: A nationwide survey. <i>Hepatology Research</i> , 2018, 48, 286-294.	1.8	8
45	Serum cytokine profiles and Mac-2 binding protein glycosylation isomer (M2BPGi) level in patients with autoimmune hepatitis. <i>Medicine (United States)</i> , 2018, 97, e13450.	0.4	13
46	Effects of lifestyle on hepatobiliary enzyme abnormalities following the Fukushima Daiichi nuclear power plant accident. <i>Medicine (United States)</i> , 2018, 97, e12890.	0.4	7
47	Health-related quality of life in patients with autoimmune hepatitis: A questionnaire survey. <i>PLoS ONE</i> , 2018, 13, e0204772.	1.1	19
48	Symptoms and health-related quality of life in Japanese patients with primary biliary cholangitis. <i>Scientific Reports</i> , 2018, 8, 12542.	1.6	17
49	Reduced frontal activation during verbal fluency task in chronic hepatitis C patients with interferonâ€based therapy as measured by nearâ€infrared spectroscopy. <i>Hepatology Research</i> , 2017, 47, E55-E63.	1.8	8
50	Effect of evacuation on liver function after the Fukushima Daiichi Nuclear Power Plant accident: The Fukushima Health Management Survey. <i>Journal of Epidemiology</i> , 2017, 27, 180-185.	1.1	25
51	Acute presentation of autoimmune hepatitis: a multicentre study with detailed histological evaluation in a large cohort of patients. <i>Journal of Clinical Pathology</i> , 2017, 70, 961-969.	1.0	58
52	The impact of evacuation on the incidence of chronic kidney disease after the Great East Japan Earthquake: The Fukushima Health Management Survey. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 995-1002.	0.7	26
53	Changes in Hepatobiliary Enzyme Abnormality After the Great East Japan Earthquake: The Fukushima Health Management Survey. <i>Scientific Reports</i> , 2017, 7, 710.	1.6	8
54	Autoimmune hepatitis in Japan: trends in a nationwide survey. <i>Journal of Gastroenterology</i> , 2017, 52, 631-640.	2.3	49

#	ARTICLE	IF	CITATIONS
55	Influence of Post-disaster Evacuation on Incidence of Metabolic Syndrome. <i>Journal of Atherosclerosis and Thrombosis</i> , 2017, 24, 327-337.	0.9	48
56	Reduced brain activity in female patients with non-alcoholic fatty liver disease as measured by near-infrared spectroscopy. <i>PLoS ONE</i> , 2017, 12, e0174169.	1.1	28
57	Prevalence of Renal Dysfunction among Evacuees and Non-evacuees after the Great East Earthquake: Results from the Fukushima Health Management Survey. <i>Internal Medicine</i> , 2016, 55, 2563-2569.	0.3	12
58	Hypo-high-density Lipoprotein Cholesterolemia Caused by Evacuation after the Fukushima Daiichi Nuclear Power Plant Accident: Results from the Fukushima Health Management Survey. <i>Internal Medicine</i> , 2016, 55, 1967-1976.	0.3	34
59	Evacuation and Risk of Hypertension After the Great East Japan Earthquake. <i>Hypertension</i> , 2016, 68, 558-564.	1.3	83
60	Role of intratumoral infiltrating macrophages after transarterial immunoembolization for hepatocellular carcinoma. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2016, 23, 298-304.	1.4	2
61	Effect of Evacuation on Body Weight After the Great East Japan Earthquake. <i>American Journal of Preventive Medicine</i> , 2016, 50, 553-560.	1.6	73
62	Rheumatic Diseases and the Liver. , 2016, , 271-291.		0
63	Autoimmune Hepatitis: Recent Advances in the Pathogenesis and New Diagnostic Guidelines in Japan. <i>Internal Medicine</i> , 2015, 54, 1323-1328.	0.3	27
64	Evacuation after the Fukushima Daiichi Nuclear Power Plant Accident Is a Cause of Diabetes: Results from the Fukushima Health Management Survey. <i>Journal of Diabetes Research</i> , 2015, 2015, 1-9.	1.0	63
65	The Association between Sleep Duration and Non-Alcoholic Fatty Liver Disease among Japanese Men and Women. <i>Obesity Facts</i> , 2015, 8, 234-242.	1.6	47
66	Increased prevalence of atrial fibrillation after the Great East Japan Earthquake: Results from the Fukushima Health Management Survey. <i>International Journal of Cardiology</i> , 2015, 198, 102-105.	0.8	44
67	Rapid corticosteroid tapering: Important risk factor for type 1 autoimmune hepatitis relapse in Japan. <i>Hepatology Research</i> , 2015, 45, 638-644.	1.8	9
68	Expression of microRNAs in peripheral blood mononuclear cells from primary biliary cirrhosis patients. <i>Hepatology Research</i> , 2014, 44, E189-97.	1.8	28
69	Life as an evacuee after the Fukushima Daiichi nuclear power plant accident is a cause of polycythemia: the Fukushima Health Management Survey. <i>BMC Public Health</i> , 2014, 14, 1318.	1.2	30
70	THE BASIC DATA FOR RESIDENTS AGED 16 YEARS OR OLDER WHO RECEIVED A COMPREHENSIVE HEALTH CHECK EXAMINATIONS IN 2011-2012 AS A PART OF THE FUKUSHIMA HEALTH MANAGEMENT SURVEY AFTER THE GREAT EAST JAPAN EARTHQUAKE. <i>Fukushima Journal of Medical Sciences</i> , 2014, 60, 159-169.	0.1	22
71	Clinical features of hepatocellular carcinoma in patients with autoimmune hepatitis in Japan. <i>Journal of Gastroenterology</i> , 2013, 48, 109-114.	2.3	31
72	Liver Dysfunction in Patients with Systemic Lupus Erythematosus. <i>Internal Medicine</i> , 2013, 52, 1461-1465.	0.3	72

#	ARTICLE	IF	CITATIONS
73	A case of peripheral T-cell lymphoma presenting with acute liver failure. <i>Clinical Journal of Gastroenterology</i> , 2012, 5, 31-34.	0.4	2
74	Centrilobular necrosis in acute presentation of Japanese patients with type 1 autoimmune hepatitis. <i>World Journal of Hepatology</i> , 2012, 4, 262.	0.8	28
75	Risk factors associated with relapse of type 1 autoimmune hepatitis in Japan. <i>Hepatology Research</i> , 2011, 41, 641-646.	1.8	20
76	Effect of Transarterial Immunoembolization as Preoperative Treatment for Hepatocellular Carcinoma. <i>Annals of Cancer Research and Therapy</i> , 2011, 19, 26-33.	0.1	6
77	Cyst-like extension of hepatic subcapsular bleeding caused by ruptured hepatocellular carcinoma into the bursa omentalis. <i>Hepatology Research</i> , 2009, 39, 1010-1014.	1.8	5
78	Development of autoimmune hepatitis type 1 after pulsed methylprednisolone therapy for multiple sclerosis: A case report. <i>World Journal of Gastroenterology</i> , 2008, 14, 5474.	1.4	26
79	Case of clear-cell hepatocellular carcinoma that developed in the normal liver of a middle-aged woman. <i>World Journal of Gastroenterology</i> , 2008, 14, 129.	1.4	27
80	Autoimmune hepatitis complicated by late-onset systemic lupus erythematosus. <i>Hepatology Research</i> , 2007, 37, 771-774.	1.8	9
81	Power Doppler and spectral Doppler measurements of knee-joint synovitis in rheumatoid arthritis patients with superficial pattern signals and in those with deep pattern signals. <i>Modern Rheumatology</i> , 2007, 17, 267-272.	0.9	3
82	Doppler sonographic evaluation of effect of treatment with infliximab (Remicade) for rheumatoid arthritis. <i>Modern Rheumatology</i> , 2005, 15, 37-40.	0.9	7
83	Achilles tendonitis in a patient with Behçet's disease. <i>Modern Rheumatology</i> , 2004, 14, 485-487.	0.9	0
84	Achilles tendonitis in a patient with Behçet's disease. <i>Modern Rheumatology</i> , 2004, 14, 485-487.	0.9	0