

Graham Leese

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7453979/graham-leese-publications-by-year.pdf>

Version: 2024-02-21

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67
papers

2,092
citations

25
h-index

45
g-index

70
ext. papers

2,554
ext. citations

6.4
avg, IF

4.56
L-index

#	Paper	IF	Citations
67	Flash monitor initiation is associated with improvements in HbA levels and DKA rates among people with type 1 diabetes in Scotland: a retrospective nationwide observational study. <i>Diabetologia</i> , 2022 , 65, 159-172	10.3	2
66	Foot Ulcer and Risk of Lower Limb Amputation or Death in People With Diabetes: A National Population-Based Retrospective Cohort Study. <i>Diabetes Care</i> , 2021 ,	14.6	6
65	Marked improvements in glycaemic outcomes following insulin pump therapy initiation in people with type 1 diabetes: a nationwide observational study in Scotland. <i>Diabetologia</i> , 2021 , 64, 1320-1331	10.3	9
64	Time to refresh thinking on the terminology and management of hypothyroidism?. <i>Clinical Endocrinology</i> , 2021 , 95, 574-575	3.4	
63	Polymorphism in Locus Modifies Risk of Atrial Fibrillation in Patients on Thyroid Hormone Replacement Therapy. <i>Frontiers in Genetics</i> , 2021 , 12, 652878	4.5	0
62	Rising Rates and Widening Socioeconomic Disparities in Diabetic Ketoacidosis in Type 1 Diabetes in Scotland: A Nationwide Retrospective Cohort Observational Study. <i>Diabetes Care</i> , 2021 , 44, 2010-2017	14.6	4
61	Independent Observational Analysis of Ulcer Outcomes for SINBAD and University of Texas Ulcer Scoring Systems. <i>Diabetes Care</i> , 2021 , 44, 326-331	14.6	2
60	The association of polypharmacy and high-risk drug classes with adverse health outcomes in the Scottish population with type 1 diabetes. <i>Diabetologia</i> , 2021 , 64, 1309-1319	10.3	1
59	Evidence of a Causal Relationship between Serum Thyroid-Stimulating Hormone and Osteoporotic Bone Fractures.. <i>European Thyroid Journal</i> , 2021 , 10, 439-446	4.2	0
58	Time trends in deaths before age 50 years in people with type 1 diabetes: a nationwide analysis from Scotland 2004-2017. <i>Diabetologia</i> , 2020 , 63, 1626-1636	10.3	4
57	Nice guideline on thyroid disease: where does it take us with liothyronine?. <i>Thyroid Research</i> , 2020 , 13, 7	2.4	3
56	Complication rate among people with diabetes at low risk of foot ulceration in Fife, UK: an analysis of routinely collected data. <i>Diabetic Medicine</i> , 2020 , 37, 2116-2123	3.5	1
55	Risk assessments and structured care interventions for prevention of foot ulceration in diabetes: development and validation of a prognostic model. <i>Health Technology Assessment</i> , 2020 , 24, 1-198	4.4	4
54	Preventing foot ulceration in diabetes: systematic review and meta-analyses of RCT data. <i>Diabetologia</i> , 2020 , 63, 49-64	10.3	17
53	Glycaemic control trends in people with type 1 diabetes in Scotland 2004-2016. <i>Diabetologia</i> , 2019 , 62, 1375-1384	10.3	25
52	Use of personalised risk-based screening schedules to optimise workload and sojourn time in screening programmes for diabetic retinopathy: A retrospective cohort study. <i>PLoS Medicine</i> , 2019 , 16, e1002945	11.6	7
51	The effect of dapagliflozin on glycaemic control and other cardiovascular disease risk factors in type 2 diabetes mellitus: a real-world observational study. <i>Diabetologia</i> , 2019 , 62, 621-632	10.3	21

50	Increased mortality and morbidity in patients with chronic hypoparathyroidism: A population-based study. <i>Clinical Endocrinology</i> , 2019 , 90, 285-292	3.4	31
49	Attitudes and perceptions of health professionals towards management of hypothyroidism in general practice: a qualitative interview study. <i>BMJ Open</i> , 2018 , 8, e019970	3	12
48	Multicenter, randomized controlled, observer-blinded study of a nitric oxide generating treatment in foot ulcers of patients with diabetes-ProNOx1 study. <i>Wound Repair and Regeneration</i> , 2018 , 26, 228-237	3.6	24
47	Interaction between variants in the CYP2C9 and POR genes and the risk of sulfonylurea-induced hypoglycaemia: A GoDARTS Study. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 211-214	6.7	18
46	Incident ischaemic stroke and Type 2 diabetes: trends in incidence and case fatality in Scotland 2004-2013. <i>Diabetic Medicine</i> , 2018 , 35, 99-106	3.5	11
45	A Population-Based Study of the Epidemiology of Chronic Hypoparathyroidism. <i>Journal of Bone and Mineral Research</i> , 2018 , 33, 478-485	6.3	17
44	Xanthomatous hypophysitis causing hypogonadotropic hypogonadism resulting in delayed presentation of slipped capital femoral epiphysis. <i>British Journal of Neurosurgery</i> , 2018 , 1-4	1	5
43	Amputation-free survival in 17,353 people at high risk for foot ulceration in diabetes: a national observational study. <i>Diabetologia</i> , 2018 , 61, 2590-2597	10.3	29
42	Risk of acute kidney injury and survival in patients treated with Metformin: an observational cohort study. <i>BMC Nephrology</i> , 2017 , 18, 163	2.7	43
41	Morbidity and mortality in patients with hyperprolactinaemia: the PROLEARS study. <i>Endocrine Connections</i> , 2017 , 6, 580-588	3.5	25
40	Diabetic foot infection: Antibiotic therapy and good practice recommendations. <i>International Journal of Clinical Practice</i> , 2017 , 71, e13006	2.9	37
39	The epidemiology of hyperprolactinaemia over 20 years in the Tayside region of Scotland: the Prolactin Epidemiology, Audit and Research Study (PROLEARS). <i>Clinical Endocrinology</i> , 2017 , 86, 60-67	3.4	28
38	Patients' attitudes and perceptions towards treatment of hypothyroidism in general practice: an in-depth qualitative interview study. <i>BJGP Open</i> , 2017 , 1, bjgpopen17X100977	3.1	8
37	CYP2C8 and SLCO1B1 Variants and Therapeutic Response to Thiazolidinediones in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2016 , 39, 1902-1908	14.6	40
36	Liothyronine use in a 17 year observational population-based study - the tears study. <i>Clinical Endocrinology</i> , 2016 , 85, 918-925	3.4	40
35	Altered metabolic parameters in association with antipsychotic medication use in diabetes: A population based case-control study. <i>Psychoneuroendocrinology</i> , 2016 , 66, 214-20	5	5
34	Management of primary hypothyroidism: statement by the British Thyroid Association Executive Committee. <i>Clinical Endocrinology</i> , 2016 , 84, 799-808	3.4	101
33	Thyroxine replacement: a clinical endocrinologist's viewpoint. <i>Annals of Clinical Biochemistry</i> , 2016 , 53, 421-33	2.2	25

32	Modelling the cost-effectiveness of adopting risk-stratified approaches to extended screening intervals in the national diabetic retinopathy screening programme in Scotland. <i>Diabetic Medicine</i> , 2016 , 33, 886-95	3.5	9
31	When and how to audit a diabetic foot service. <i>Diabetes/Metabolism Research and Reviews</i> , 2016 , 32 Suppl 1, 311-7	7.5	4
30	Association between retinal vasculature and muscle mass in older people. <i>Archives of Gerontology and Geriatrics</i> , 2015 , 61, 425-8	4	4
29	The Authors Reply: Statins and thyroid-stimulating hormone. <i>Clinical Endocrinology</i> , 2015 , 83, 747-8	3.4	
28	Estimated life expectancy in a Scottish cohort with type 1 diabetes, 2008-2010. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 313, 37-44	27.4	326
27	Progression of diabetes retinal status within community screening programs and potential implications for screening intervals. <i>Diabetes Care</i> , 2015 , 38, 488-94	14.6	28
26	Improving the cost-effectiveness of photographic screening for diabetic macular oedema: a prospective, multi-centre, UK study. <i>British Journal of Ophthalmology</i> , 2014 , 98, 1042-9	5.5	35
25	Impact of health-care accessibility and social deprivation on diabetes related foot disease. <i>Diabetic Medicine</i> , 2013 , 30, 484-90	3.5	30
24	Risk of cardiovascular disease and total mortality in adults with type 1 diabetes: Scottish registry linkage study. <i>PLoS Medicine</i> , 2012 , 9, e1001321	11.6	208
23	Reduced incidence of lower-extremity amputations in people with diabetes in Scotland: a nationwide study. <i>Diabetes Care</i> , 2012 , 35, 2588-90	14.6	80
22	Mild primary hyperparathyroidism: a misnomer?. <i>Expert Review of Endocrinology and Metabolism</i> , 2011 , 6, 747-749	4.1	
21	Measuring the accuracy of different ways to identify the high-risk foot in routine clinical practice. <i>Diabetic Medicine</i> , 2011 , 28, 747-54	3.5	15
20	Assessment of the under-reporting of diabetes in hospital admission data: a study from the Scottish Diabetes Research Network Epidemiology Group. <i>Diabetic Medicine</i> , 2011 , 28, 1514-9	3.5	38
19	Achieved levels of HbA1c and likelihood of hospital admission in people with type 1 diabetes in the Scottish population: a study from the Scottish Diabetes Research Network Epidemiology Group. <i>Diabetes Care</i> , 2011 , 34, 1992-7	14.6	27
18	The risk of foot ulceration in people with diabetes screened in community settings: findings from a cohort study. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2011 , 104, 403-10	2.7	32
17	A national approach to diabetes foot risk stratification and foot care. <i>Scottish Medical Journal</i> , 2011 , 56, 151-5	1.8	22
16	Morbidity and mortality in mild primary hyperparathyroidism. <i>Clinical Endocrinology</i> , 2010 , 73, 688-688	3.4	1
15	Serum thyroid-stimulating hormone concentration and morbidity from cardiovascular disease and fractures in patients on long-term thyroxine therapy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 186-93	5.6	242

14	Screening uptake in a well-established diabetic retinopathy screening program: the role of geographical access and deprivation. <i>Diabetes Care</i> , 2008 , 31, 2131-5	14.6	84
13	Increasing prevalence and incidence of thyroid disease in Tayside, Scotland: the Thyroid Epidemiology Audit and Research Study (TEARS). <i>Clinical Endocrinology</i> , 2008 , 68, 311-6	3.4	77
12	Scottish foot ulcer risk score predicts foot ulcer healing in a regional specialist foot clinic. <i>Diabetes Care</i> , 2007 , 30, 2064-9	14.6	37
11	Prediction of diabetic foot ulcer occurrence using commonly available clinical information: response to Boyko et al. <i>Diabetes Care</i> , 2006 , 29, 2562-3; author reply 2563	14.6	4
10	Stratification of foot ulcer risk in patients with diabetes: a population-based study. <i>International Journal of Clinical Practice</i> , 2006 , 60, 541-5	2.9	68
9	Implementation of national diabetes retinal screening programme is associated with a lower proportion of patients referred to ophthalmology. <i>Diabetic Medicine</i> , 2005 , 22, 1112-5	3.5	29
8	A national retinal screening programme for diabetes in Scotland. <i>Diabetic Medicine</i> , 2003 , 20, 962-4	3.5	19
7	Does direct ophthalmoscopy improve retinal screening for diabetic eye disease by retinal photography?. <i>Diabetic Medicine</i> , 2002 , 19, 867-9	3.5	16
6	Apo E phenotype and changes in serum lipids in adult patients during growth hormone replacement. <i>European Journal of Endocrinology</i> , 1999 , 140, 174-9	6.5	11
5	HDL-cholesterol reductions associated with adult growth hormone replacement. <i>Clinical Endocrinology</i> , 1998 , 49, 673-7	3.4	21
4	Detection of sight-threatening diabetic eye disease. <i>Diabetic Medicine</i> , 1996 , 13, 850-3	3.5	4
3	The diabetic patient with hypertension. <i>Postgraduate Medical Journal</i> , 1996 , 72, 263-8	2	11
2	Feasibility of reducing L-thyroxine dose in patients with a suppressed serum TSH. <i>Scottish Medical Journal</i> , 1995 , 40, 171-3	1.8	2
1	Long term follow-up of treated hyperthyroid and hypothyroid patients. <i>Health Bulletin</i> , 1993 , 51, 177-83		1