

Jun Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7454727/publications.pdf>

Version: 2024-02-01

50
papers

3,620
citations

109311

35
h-index

175241

52
g-index

56
all docs

56
docs citations

56
times ranked

5606
citing authors

#	ARTICLE	IF	CITATIONS
1	Epigenetically upregulated oncoprotein PLCE1 drives esophageal carcinoma angiogenesis and proliferation via activating the PI-3K/Akt-NF- κ B signaling pathway and VEGF-C/ Bcl-2 expression. <i>Molecular Cancer</i> , 2019, 18, 1.	19.2	408
2	Astrocyte Elevated Gene-1 is a Novel Prognostic Marker for Breast Cancer Progression and Overall Patient Survival. <i>Clinical Cancer Research</i> , 2008, 14, 3319-3326.	7.0	298
3	TGF- β 2 induces miR-182 to sustain NF- κ B activation in glioma subsets. <i>Journal of Clinical Investigation</i> , 2012, 122, 3563-3578.	8.2	169
4	miR-182 as a Prognostic Marker for Glioma Progression and Patient Survival. <i>American Journal of Pathology</i> , 2010, 177, 29-38.	3.8	148
5	Autophagy-associated circRNA circCDYL augments autophagy and promotes breast cancer progression. <i>Molecular Cancer</i> , 2020, 19, 65.	19.2	143
6	MicroRNA-30e* promotes human glioma cell invasiveness in an orthotopic xenotransplantation model by disrupting the NF- κ B/I κ B \pm negative feedback loop. <i>Journal of Clinical Investigation</i> , 2012, 122, 33-47.	8.2	143
7	Overexpression of GOLPH3 Promotes Proliferation and Tumorigenicity in Breast Cancer via Suppression of the FOXO1 Transcription Factor. <i>Clinical Cancer Research</i> , 2012, 18, 4059-4069.	7.0	129
8	Mir-136 promotes apoptosis of glioma cells by targeting AEG-1 and Bcl-2. <i>FEBS Letters</i> , 2012, 586, 3608-3612.	12.8	111
9	Knockdown of FLOT1 Impairs Cell Proliferation and Tumorigenicity in Breast Cancer through Upregulation of FOXO3a. <i>Clinical Cancer Research</i> , 2011, 17, 3089-3099.	7.0	106
10	Mir-454-3p-Mediated Wnt/ β -catenin Signaling Antagonists Suppression Promotes Breast Cancer Metastasis. <i>Theranostics</i> , 2019, 9, 449-465.	10.0	103
11	miR-486 sustains NF- κ B activity by disrupting multiple NF- κ B-negative feedback loops. <i>Cell Research</i> , 2013, 23, 274-289.	12.0	97
12	LINC00173.v1 promotes angiogenesis and progression of lung squamous cell carcinoma by sponging miR-511-5p to regulate VEGFA expression. <i>Molecular Cancer</i> , 2020, 19, 98.	19.2	95
13	MicroRNA-30e* Suppresses Dengue Virus Replication by Promoting NF- κ B-Dependent IFN Production. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e3088.	3.0	84
14	Downregulation of miR-138 Sustains NF- κ B Activation and Promotes Lipid Raft Formation in Esophageal Squamous Cell Carcinoma. <i>Clinical Cancer Research</i> , 2013, 19, 1083-1093.	7.0	81
15	Flotillin-1 Promotes Tumor Necrosis Factor- α Receptor Signaling and Activation of NF- κ B in Esophageal Squamous Cell Carcinoma Cells. <i>Gastroenterology</i> , 2012, 143, 995-1005.e12.	1.3	74
16	miR-892b Silencing Activates NF- κ B and Promotes Aggressiveness in Breast Cancer. <i>Cancer Research</i> , 2016, 76, 1101-1111.	0.9	70
17	Transcription factor AP-4 promotes tumorigenic capability and activates the Wnt/ β -catenin pathway in hepatocellular carcinoma. <i>Theranostics</i> , 2018, 8, 3571-3583.	10.0	70
18	Antagonizing miR-455-3p inhibits chemoresistance and aggressiveness in esophageal squamous cell carcinoma. <i>Molecular Cancer</i> , 2017, 16, 106.	19.2	69

#	ARTICLE	IF	CITATIONS
19	Upregulation of miR-572 transcriptionally suppresses SOCS1 and p21 and contributes to human ovarian cancer progression. <i>Oncotarget</i> , 2015, 6, 15180-15193.	1.8	62
20	The TGF- β signalling negative regulator PICK1 represses prostate cancer metastasis to bone. <i>British Journal of Cancer</i> , 2017, 117, 685-694.	6.4	58
21	miR-508 sustains phosphoinositide signalling and promotes aggressive phenotype of oesophageal squamous cell carcinoma. <i>Nature Communications</i> , 2014, 5, 4620.	12.8	57
22	Golgi phosphoprotein 3 (<scp>GOLPH3</scp>) promotes hepatocellular carcinoma cell aggressiveness by activating the <scp>NF</scp> κ B</scp> pathway. <i>Journal of Pathology</i> , 2015, 235, 490-501.	4.5	53
23	Bmi-1 promotes the aggressiveness of glioma via activating the NF-kappaB/MMP-9 signaling pathway. <i>BMC Cancer</i> , 2012, 12, 406.	2.6	52
24	TRIM14 promotes chemoresistance in gliomas by activating Wnt/ β -catenin signaling via stabilizing Dvl2. <i>Oncogene</i> , 2018, 37, 5403-5415.	5.9	52
25	Epigenetic silencing of <scp>SALL</scp> 2 confers tamoxifen resistance in breast cancer. <i>EMBO Molecular Medicine</i> , 2019, 11, e10638.	6.9	52
26	An ATM/TRIM37/NEMO Axis Counteracts Genotoxicity by Activating Nuclear-to-Cytoplasmic NF- κ B Signaling. <i>Cancer Research</i> , 2018, 78, 6399-6412.	0.9	49
27	Upregulation of flotillin-1 promotes invasion and metastasis by activating TGF- β signaling in nasopharyngeal carcinoma. <i>Oncotarget</i> , 2016, 7, 4252-4264.	1.8	48
28	Circular RNA circIKBKB promotes breast cancer bone metastasis through sustaining NF- κ B/bone remodeling factors signaling. <i>Molecular Cancer</i> , 2021, 20, 98.	19.2	47
29	MYBL2 disrupts the Hippo-YAP pathway and confers castration resistance and metastatic potential in prostate cancer. <i>Theranostics</i> , 2021, 11, 5794-5812.	10.0	47
30	MicroRNA in Human Glioma. <i>Cancers</i> , 2013, 5, 1306-1331.	3.7	45
31	Nkx2-8 Downregulation Promotes Angiogenesis and Activates NF- κ B in Esophageal Cancer. <i>Cancer Research</i> , 2013, 73, 3638-3648.	0.9	44
32	TIMELESS confers cisplatin resistance in nasopharyngeal carcinoma by activating the Wnt/ β -catenin signaling pathway and promoting the epithelial mesenchymal transition. <i>Cancer Letters</i> , 2017, 402, 117-130.	7.2	42
33	Metastatic Heterogeneity of Breast Cancer Cells Is Associated with Expression of a Heterogeneous TGF β -Activating miR424 ϵ 503 Gene Cluster. <i>Cancer Research</i> , 2014, 74, 6107-6118.	0.9	39
34	Overexpression of PIMREG promotes breast cancer aggressiveness via constitutive activation of NF- κ B signaling. <i>EBioMedicine</i> , 2019, 43, 188-200.	6.1	39
35	AKIP1 promotes early recurrence of hepatocellular carcinoma through activating the Wnt/ β -catenin/CBP signaling pathway. <i>Oncogene</i> , 2019, 38, 5516-5529.	5.9	37
36	The tumor-suppressor gene Nkx2.8 suppresses bladder cancer proliferation through upregulation of FOXO3a and inhibition of the MEK/ERK signaling pathway. <i>Carcinogenesis</i> , 2012, 33, 678-686.	2.8	36

#	ARTICLE	IF	CITATIONS
37	Loss of RBMS3 Confers Platinum Resistance in Epithelial Ovarian Cancer via Activation of miR-126-5p/ β -catenin/CBP signaling. <i>Clinical Cancer Research</i> , 2019, 25, 1022-1035.	7.0	36
38	NKX2-8 deletion-induced reprogramming of fatty acid metabolism confers chemoresistance in epithelial ovarian cancer. <i>EBioMedicine</i> , 2019, 43, 238-252.	6.1	34
39	Knockdown of stomatin-like protein 2 (STOML2) reduces the invasive ability of glioma cells through inhibition of the NF- κ B/MMP-9 pathway. <i>Journal of Pathology</i> , 2012, 226, 534-543.	4.5	33
40	Genotoxic stress-triggered β -catenin/JDP2/PRMT5 complex facilitates reestablishing glutathione homeostasis. <i>Nature Communications</i> , 2019, 10, 3761.	12.8	33
41	Epigenetic Induction of Mitochondrial Fission Is Required for Maintenance of Liver Cancer-Initiating Cells. <i>Cancer Research</i> , 2021, 81, 3835-3848.	0.9	33
42	AGK enhances angiogenesis and inhibits apoptosis via activation of the NF- κ B signaling pathway in hepatocellular carcinoma. <i>Oncotarget</i> , 2014, 5, 12057-12069.	1.8	31
43	circCDYL2 promotes trastuzumab resistance via sustaining HER2 downstream signaling in breast cancer. <i>Molecular Cancer</i> , 2022, 21, 8.	19.2	28
44	Using low-risk factors to generate non-integrated human induced pluripotent stem cells from urine-derived cells. <i>Stem Cell Research and Therapy</i> , 2017, 8, 245.	5.5	26
45	Targeting TRIM3 deletion-induced tumor-associated lymphangiogenesis prohibits lymphatic metastasis in esophageal squamous cell carcinoma. <i>Oncogene</i> , 2019, 38, 2736-2749.	5.9	24
46	Overexpression of SHCBP1 promotes migration and invasion in gliomas by activating the NF- κ B signaling pathway. <i>Molecular Carcinogenesis</i> , 2018, 57, 1181-1190.	2.7	23
47	RNF219/ β -catenin/LGALS3 Axis Promotes Hepatocellular Carcinoma Bone Metastasis and Associated Skeletal Complications. <i>Advanced Science</i> , 2021, 8, 2001961.	11.2	19
48	NR2F6 Expression Correlates with Pelvic Lymph Node Metastasis and Poor Prognosis in Early-Stage Cervical Cancer. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1694.	4.1	17
49	Specific Regulation of miR-606A by SRSF7 Promotes the Progression of Glioblastoma. <i>Genomics, Proteomics and Bioinformatics</i> , 2023, 21, 707-728.	6.9	16
50	NKX2-8/PTHrP Axis-Mediated Osteoclastogenesis and Bone Metastasis in Breast Cancer. <i>Frontiers in Oncology</i> , 0, 12, .	2.8	2