

Jun Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7454727/publications.pdf>

Version: 2024-02-01

50
papers

3,620
citations

125106

35
h-index

198040

52
g-index

56
all docs

56
docs citations

56
times ranked

5972
citing authors

#	ARTICLE	IF	CITATIONS
1	Specific Regulation of m6A by SRSF7 Promotes the Progression of Glioblastoma. Genomics, Proteomics and Bioinformatics, 2023, 21, 707-728.	3.0	16
2	circCDYL2 promotes trastuzumab resistance via sustaining HER2 downstream signaling in breast cancer. Molecular Cancer, 2022, 21, 8.	7.9	28
3	Epigenetic Induction of Mitochondrial Fission Is Required for Maintenance of Liver Cancerâ€™Initiating Cells. Cancer Research, 2021, 81, 3835-3848.	0.4	33
4	Circular RNA circKBKB promotes breast cancer bone metastasis through sustaining NF-Î²B/bone remodeling factors signaling. Molecular Cancer, 2021, 20, 98.	7.9	47
5	MYBL2 disrupts the Hippo-YAP pathway and confers castration resistance and metastatic potential in prostate cancer. Theranostics, 2021, 11, 5794-5812.	4.6	47
6	RNF219/Î±-Catenin/LGALS3 Axis Promotes Hepatocellular Carcinoma Bone Metastasis and Associated Skeletal Complications. Advanced Science, 2021, 8, 2001961.	5.6	19
7	LINC00173.v1 promotes angiogenesis and progression of lung squamous cell carcinoma by sponging miR-511-5p to regulate VEGFA expression. Molecular Cancer, 2020, 19, 98.	7.9	95
8	Autophagy-associated circRNA circCDYL augments autophagy and promotes breast cancer progression. Molecular Cancer, 2020, 19, 65.	7.9	143
9	Genotoxic stress-triggered Î²-catenin/JDP2/PRMT5 complex facilitates reestablishing glutathione homeostasis. Nature Communications, 2019, 10, 3761.	5.8	33
10	Epigenetic silencing of SALL2 confers tamoxifen resistance in breast cancer. EMBO Molecular Medicine, 2019, 11, e10638.	3.3	52
11	NKX2-8 deletion-induced reprogramming of fatty acid metabolism confers chemoresistance in epithelial ovarian cancer. EBioMedicine, 2019, 43, 238-252.	2.7	34
12	Overexpression of PIMREG promotes breast cancer aggressiveness via constitutive activation of NF-Î²B signaling. EBioMedicine, 2019, 43, 188-200.	2.7	39
13	AKIP1 promotes early recurrence of hepatocellular carcinoma through activating the Wnt/Î²-catenin/CBP signaling pathway. Oncogene, 2019, 38, 5516-5529.	2.6	37
14	Epigenetically upregulated oncoprotein PLCE1 drives esophageal carcinoma angiogenesis and proliferation via activating the PI-PLCÎ¼-NF-Î²B signaling pathway and VEGF-C/ Bcl-2 expression. Molecular Cancer, 2019, 18, 1.	7.9	408
15	MiR-454-3p-Mediated Wnt/Î²-catenin Signaling Antagonists Suppression Promotes Breast Cancer Metastasis. Theranostics, 2019, 9, 449-465.	4.6	103
16	Targeting TRIM3 deletion-induced tumor-associated lymphangiogenesis prohibits lymphatic metastasis in esophageal squamous cell carcinoma. Oncogene, 2019, 38, 2736-2749.	2.6	24
17	Loss of RBMS3 Confers Platinum Resistance in Epithelial Ovarian Cancer via Activation of miR-126-5p/Î²-catenin/CBP signaling. Clinical Cancer Research, 2019, 25, 1022-1035.	3.2	36
18	An ATM/TRIM37/NEMO Axis Counteracts Genotoxicity by Activating Nuclear-to-Cytoplasmic NF-Î²B Signaling. Cancer Research, 2018, 78, 6399-6412.	0.4	49

#	ARTICLE	IF	CITATIONS
19	Transcription factor AP-4 promotes tumorigenic capability and activates the Wnt/ β -catenin pathway in hepatocellular carcinoma. <i>Theranostics</i> , 2018, 8, 3571-3583.	4.6	70
20	Overexpression of SHCBP1 promotes migration and invasion in gliomas by activating the NF- κ B signaling pathway. <i>Molecular Carcinogenesis</i> , 2018, 57, 1181-1190.	1.3	23
21	TRIM14 promotes chemoresistance in gliomas by activating Wnt/ β -catenin signaling via stabilizing Dvl2. <i>Oncogene</i> , 2018, 37, 5403-5415.	2.6	52
22	TIMELESS confers cisplatin resistance in nasopharyngeal carcinoma by activating the Wnt/ β -catenin signaling pathway and promoting the epithelial mesenchymal transition. <i>Cancer Letters</i> , 2017, 402, 117-130.	3.2	42
23	The TGF- β signalling negative regulator PICK1 represses prostate cancer metastasis to bone. <i>British Journal of Cancer</i> , 2017, 117, 685-694.	2.9	58
24	Antagonizing miR-455-3p inhibits chemoresistance and aggressiveness in esophageal squamous cell carcinoma. <i>Molecular Cancer</i> , 2017, 16, 106.	7.9	69
25	Using low-risk factors to generate non-integrated human induced pluripotent stem cells from urine-derived cells. <i>Stem Cell Research and Therapy</i> , 2017, 8, 245.	2.4	26
26	NR2F6 Expression Correlates with Pelvic Lymph Node Metastasis and Poor Prognosis in Early-Stage Cervical Cancer. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1694.	1.8	17
27	miR-892b Silencing Activates NF- κ B and Promotes Aggressiveness in Breast Cancer. <i>Cancer Research</i> , 2016, 76, 1101-1111.	0.4	70
28	Upregulation of flotillin-1 promotes invasion and metastasis by activating TGF- β signaling in nasopharyngeal carcinoma. <i>Oncotarget</i> , 2016, 7, 4252-4264.	0.8	48
29	Upregulation of miR-572 transcriptionally suppresses SOCS1 and p21 and contributes to human ovarian cancer progression. <i>Oncotarget</i> , 2015, 6, 15180-15193.	0.8	62
30	Golgi phosphoprotein 3 (GOLPH3) promotes hepatocellular carcinoma cell aggressiveness by activating the NF- κ B pathway. <i>Journal of Pathology</i> , 2015, 235, 490-501.	2.1	53
31	AGK enhances angiogenesis and inhibits apoptosis via activation of the NF- κ B signaling pathway in hepatocellular carcinoma. <i>Oncotarget</i> , 2014, 5, 12057-12069.	0.8	31
32	MicroRNA-30e* Suppresses Dengue Virus Replication by Promoting NF- κ B-Dependent IFN Production. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e3088.	1.3	84
33	Metastatic Heterogeneity of Breast Cancer Cells Is Associated with Expression of a Heterogeneous TGF- β -Activating miR424-503 Gene Cluster. <i>Cancer Research</i> , 2014, 74, 6107-6118.	0.4	39
34	miR-508 sustains phosphoinositide signalling and promotes aggressive phenotype of oesophageal squamous cell carcinoma. <i>Nature Communications</i> , 2014, 5, 4620.	5.8	57
35	miR-486 sustains NF- κ B activity by disrupting multiple NF- κ B-negative feedback loops. <i>Cell Research</i> , 2013, 23, 274-289.	5.7	97
36	Downregulation of miR-138 Sustains NF- κ B Activation and Promotes Lipid Raft Formation in Esophageal Squamous Cell Carcinoma. <i>Clinical Cancer Research</i> , 2013, 19, 1083-1093.	3.2	81

#	ARTICLE	IF	CITATIONS
37	Nkx2-8 Downregulation Promotes Angiogenesis and Activates NF- κ B in Esophageal Cancer. <i>Cancer Research</i> , 2013, 73, 3638-3648.	0.4	44
38	MicroRNA in Human Glioma. <i>Cancers</i> , 2013, 5, 1306-1331.	1.7	45
39	The tumor-suppressor gene Nkx2.8 suppresses bladder cancer proliferation through upregulation of FOXO3a and inhibition of the MEK/ERK signaling pathway. <i>Carcinogenesis</i> , 2012, 33, 678-686.	1.3	36
40	Overexpression of GOLPH3 Promotes Proliferation and Tumorigenicity in Breast Cancer via Suppression of the FOXO1 Transcription Factor. <i>Clinical Cancer Research</i> , 2012, 18, 4059-4069.	3.2	129
41	Mir-136 promotes apoptosis of glioma cells by targeting AEG-1 and Bcl-2. <i>FEBS Letters</i> , 2012, 586, 3608-3612.	1.23	111
42	Bmi-1 promotes the aggressiveness of glioma via activating the NF-kappaB/MMP-9 signaling pathway. <i>BMC Cancer</i> , 2012, 12, 406.	1.1	52
43	Flotillin-1 Promotes Tumor Necrosis Factor- α Receptor Signaling and Activation of NF- κ B in Esophageal Squamous Cell Carcinoma Cells. <i>Gastroenterology</i> , 2012, 143, 995-1005.e12.	0.6	74
44	Knockdown of stomatin-like protein 2 (STOML2) reduces the invasive ability of glioma cells through inhibition of the NF- κ B/MMP-9 pathway. <i>Journal of Pathology</i> , 2012, 226, 534-543.	2.1	33
45	MicroRNA-30e* promotes human glioma cell invasiveness in an orthotopic xenotransplantation model by disrupting the NF- κ B/I κ B β negative feedback loop. <i>Journal of Clinical Investigation</i> , 2012, 122, 33-47.	3.9	143
46	TGF- β 2 induces miR-182 to sustain NF- κ B activation in glioma subsets. <i>Journal of Clinical Investigation</i> , 2012, 122, 3563-3578.	3.9	169
47	Knockdown of FLOT1 Impairs Cell Proliferation and Tumorigenicity in Breast Cancer through Upregulation of FOXO3a. <i>Clinical Cancer Research</i> , 2011, 17, 3089-3099.	3.2	106
48	miR-182 as a Prognostic Marker for Glioma Progression and Patient Survival. <i>American Journal of Pathology</i> , 2010, 177, 29-38.	1.9	148
49	Astrocyte Elevated Gene-1 is a Novel Prognostic Marker for Breast Cancer Progression and Overall Patient Survival. <i>Clinical Cancer Research</i> , 2008, 14, 3319-3326.	3.2	298
50	NKX2-8/PTHrP Axis-Mediated Osteoclastogenesis and Bone Metastasis in Breast Cancer. <i>Frontiers in Oncology</i> , 0, 12, .	1.3	2