

Lieve Dillen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7455616/lieve-dillen-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

9
papers

122
citations

7
h-index

10
g-index

10
ext. papers

155
ext. citations

2.8
avg, IF

2.15
L-index

#	Paper	IF	Citations
9	Blood microsampling using capillaries for drug-exposure determination in early preclinical studies: a beneficial strategy to reduce blood sample volumes. <i>Bioanalysis</i> , 2014 , 6, 293-306	2.1	28
8	The application of capillary microsampling in GLP toxicology studies. <i>Bioanalysis</i> , 2017 , 9, 531-540	2.1	17
7	Evaluation of the diagnostic potential of urinary N-Acetyltyramine-O-β-glucuronide (NATOG) as diagnostic biomarker for <i>Onchocerca volvulus</i> infection. <i>Parasites and Vectors</i> , 2016 , 9, 302	4	16
6	LC-MS quantification of oligonucleotides in biological matrices with SPE or hybridization extraction. <i>Bioanalysis</i> , 2019 , 11, 1941-1954	2.1	15
5	Quantitative analysis of imetelstat in plasma with LC-MS/MS using solid-phase or hybridization extraction. <i>Bioanalysis</i> , 2017 , 9, 1859-1872	2.1	10
4	2-Methyl-pentanoyl-carnitine (2-MPC): a urine biomarker for patent <i>Ascaris lumbricoides</i> infection. <i>Scientific Reports</i> , 2020 , 10, 15780	4.9	9
3	Comparison of toxicokinetic parameters of a drug and two metabolites following traditional and capillary microsampling in rat. <i>Bioanalysis</i> , 2019 , 11, 1233-1242	2.1	4
2	Multimodal biomarker discovery for active <i>Onchocerca volvulus</i> infection. <i>PLoS Neglected Tropical Diseases</i> , 2021 , 15, e0009999	4.8	1
1	Capillary microsampling in clinical studies: opportunities and challenges in two case studies. <i>Bioanalysis</i> , 2020 , 12, 905-918	2.1	