

# Kei Ikeda

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7456056/publications.pdf>

Version: 2024-02-01

94  
papers

4,124  
citations

159358

30  
h-index

118652

62  
g-index

97  
all docs

97  
docs citations

97  
times ranked

4705  
citing authors

#	ARTICLE	IF	CITATIONS
1	Visceral disseminated varicella zoster virus infection during non-intensive maintenance therapy in a patient with systemic lupus erythematosus. <i>Modern Rheumatology Case Reports</i> , 2023, 7, 57-59.	0.3	2
2	Prognosis and Treatment of <scp>Myositisâ€Associated</scp> Severe Interstitial Lung Disease: A Descriptive Study Using a Nationwide Inpatient Database in Japan. <i>Arthritis Care and Research</i> , 2022, 74, 478-483.	1.5	4
3	Ultrasound of shoulder and knee improves the accuracy of the 2012 EULAR/ACR provisional classification criteria for polymyalgia rheumatica. <i>Rheumatology</i> , 2022, 61, 1185-1194.	0.9	9
4	Latent class analysis of 216 patients with adult-onset Stillâ€™s disease. <i>Arthritis Research and Therapy</i> , 2022, 24, 7.	1.6	18
5	Immunological features that associate with the strength of antibody responses to BNT162b2 mRNA vaccine against SARS-CoV-2. <i>Vaccine</i> , 2022, 40, 2129-2133.	1.7	2
6	Current status of shared decision making for rheumatoid arthritis treatment in Japan: a web-based survey on physicians and patients. <i>Current Medical Research and Opinion</i> , 2022, 38, 853-861.	0.9	2
7	Influence of Concomitant Methotrexate use on the Clinical Effectiveness, Retention, and Safety of Abatacept in Biologic-Naïve Patients with Rheumatoid Arthritis: Post-hoc Subgroup Analysis of ORIGAMI Study. <i>Modern Rheumatology</i> , 2022, , .	0.9	0
8	Trend in prescription and treatment retention of molecular-targeted drugs in 121,131 Japanese patients with rheumatoid arthritis: A population-based real-world study. <i>Modern Rheumatology</i> , 2022, 32, 857-865.	0.9	7
9	Antiphospholipid antibody positivity and the thrombotic risk in Japanese patients with anti-neutrophil cytoplasmic antibody-associated vasculitis. <i>Modern Rheumatology</i> , 2022, , .	0.9	0
10	Successful Treatment for Refractory Interstitial Lung Disease and Pneumomediastinum With Multidisciplinary Therapy Including Tofacitinib in a Patient With Anti-MDA5 Antibody-Positive Dermatomyositis. <i>Journal of Clinical Rheumatology</i> , 2021, 27, S574-S577.	0.5	45
11	Conventional ultrasound and elastography as imaging outcome tools in autoimmune myositis: A systematic review by the OMERACT ultrasound group. <i>Seminars in Arthritis and Rheumatism</i> , 2021, 51, 661-676.	1.6	16
12	Risk Prediction Modeling Based on a Combination of Initial Serum Biomarker Levels in Polymyositis/Dermatomyositisâ€™Associated Interstitial Lung Disease. <i>Arthritis and Rheumatology</i> , 2021, 73, 677-686.	2.9	60
13	Associations of ultrasound-based inflammation patterns with peripheral innate lymphoid cell populations, serum cytokines/chemokines, and treatment response to methotrexate in rheumatoid arthritis and spondyloarthritis. <i>PLoS ONE</i> , 2021, 16, e0252116.	1.1	7
14	Effect of Reduced-Dose vs High-Dose Glucocorticoids Added to Rituximab on Remission Induction in ANCA-Associated Vasculitis. <i>JAMA - Journal of the American Medical Association</i> , 2021, 325, 2178.	3.8	103
15	Very low prevalence of ultrasound-detected tenosynovial abnormalities in healthy subjects throughout the age range: OMERACT ultrasound minimal disease study. <i>Annals of the Rheumatic Diseases</i> , 2021, , annrhumdis-2021-219931.	0.5	9
16	Intravenous cyclophosphamide in acute exacerbation of rheumatoid arthritis-related interstitial lung disease: A propensity-matched analysis using a nationwide inpatient database. <i>Seminars in Arthritis and Rheumatism</i> , 2021, 51, 977-982.	1.6	7
17	Reduced-Dose vs High-Dose Glucocorticoids Added to Rituximab and Remission Induction in ANCA-Associated Vasculitisâ€™Reply. <i>JAMA - Journal of the American Medical Association</i> , 2021, 326, 1536.	3.8	8
18	Clinical characteristics of cancer-associated myositis complicated by interstitial lung disease: a large-scale multicentre cohort study. <i>Rheumatology</i> , 2020, 59, 112-119.	0.9	9

#	ARTICLE	IF	CITATIONS
19	P236â€fBaricitinib provides better pain relief across all disease activity levels compared with placebo and adalimumab in RA. <i>Rheumatology</i> , 2020, 59, .	0.9	0
20	RNA-Binding Protein ZFP36L2 Downregulates Helios Expression and Suppresses the Function of Regulatory T Cells. <i>Frontiers in Immunology</i> , 2020, 11, 1291.	2.2	17
21	Response to: â€Some concerns from Turkeyâ€™ by Bilgin<i>et al</i>. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, e16-e16.	0.5	3
22	Experience of musculoskeletal ultrasound scanning improves physiciansâ€™ physical examination skills in assessment of synovitis. <i>Clinical Rheumatology</i> , 2020, 39, 1091-1099.	1.0	3
23	Development of semiquantitative ultrasound scoring system to assess cartilage in rheumatoid arthritis. <i>Rheumatology</i> , 2019, 58, 1802-1811.	0.9	16
24	Prognostic factors of Pneumocystis pneumonia in patients with systemic autoimmune diseases. <i>PLoS ONE</i> , 2019, 14, e0214324.	1.1	12
25	SAT0165â€...PERSPECTIVES OF WOMEN WITH CHRONIC RHEUMATIC DISEASES ON THEIR JOURNEY TO MOTHERHOOD: COMPARISON OF SURVEYS FROM ASIA-PACIFIC AND EUROPE. , 2019, , .		0
26	AB0287â€...BENEFITS OF PAIN RELIEF ON FATIGUE, FUNCTION, AND QUALITY OF LIFE WHEN JOINT INFLAMMATION IS CONTROLLED IN PATIENTS WITH RA. , 2019, , .		0
27	Response to: â€Tocilizumab in patients with adult-onset Stillâ€™s disease refractory to glucocorticoid treatmentâ€™ by Lee. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, e134-e134.	0.5	0
28	Disseminated toxoplasmosis with atypical symptoms which developed with exacerbation of systemic lupus erythematosus. <i>Lupus</i> , 2019, 28, 133-136.	0.8	8
29	Manifestations of systemic lupus erythematosus in female patients with polysomy X: Possible roles of chromosome X. <i>Modern Rheumatology</i> , 2019, 29, 192-194.	0.9	4
30	Transitional changes in the incidence of osteonecrosis in systemic lupus erythematosus patients: focus on immunosuppressant agents and glucocorticoids. <i>Rheumatology</i> , 2018, 57, 844-849.	0.9	8
31	Residual symptoms and disease burden among patients with rheumatoid arthritis in remission or low disease activity: a systematic literature review. <i>Modern Rheumatology</i> , 2018, 28, 789-799.	0.9	59
32	Initial predictors of poor survival in myositis-associated interstitial lung disease: a multicentre cohort of 497 patients. <i>Rheumatology</i> , 2018, 57, 1212-1221.	0.9	101
33	Tocilizumab in patients with adult-onset stillâ€™s disease refractory to glucocorticoid treatment: a randomised, double-blind, placebo-controlled phase III trial. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1720-1729.	0.5	129
34	Eosinophilic vasculitis affecting multiple middle-sized arteries in a patient with Kimura's disease: A case report and literature review. <i>Allergology International</i> , 2018, 67, S45-S47.	1.4	5
35	Longterm Outcomes of 188 Japanese Patients with Eosinophilic Granulomatosis with Polyangiitis. <i>Journal of Rheumatology</i> , 2018, 45, 1159-1166.	1.0	39
36	A long-term follow-up of Japanese mother and her daughter with Blau syndrome: Effective treatment of anti-TNF inhibitors and useful diagnostic tool of joint ultrasound examination. <i>Modern Rheumatology</i> , 2017, 27, 169-173.	0.9	18

#	ARTICLE	IF	CITATIONS
37	SAPHO syndrome-like presentation of disseminated nontuberculous mycobacterial infection in a case with neutralizing anti-IFN $\gamma$ autoantibody. <i>Rheumatology</i> , 2017, 56, 1241-1243.	0.9	5
38	Low-dose glucocorticoids plus rituximab versus high-dose glucocorticoids plus rituximab for remission induction in ANCA-associated vasculitis (LoVAS): protocol for a multicentre, open-label, randomised controlled trial. <i>BMJ Open</i> , 2017, 7, e018748.	0.8	16
39	Prevalence and Responsiveness to Treatment of Lung Abnormalities on Chest Computed Tomography in Patients With Microscopic Polyangiitis: A Multicenter, Longitudinal, Retrospective Study of One Hundred Fifty Consecutive Hospital-Based Japanese Patients. <i>Arthritis and Rheumatology</i> , 2016, 68, 713-723.	2.9	42
40	Consensus-based identification of factors related to false-positives in ultrasound scanning of synovitis and tenosynovitis. <i>Modern Rheumatology</i> , 2016, 26, 9-14.	0.9	2
41	Severity and Diurnal Improvement of Morning Stiffness Independently Associate with Tenosynovitis in Patients with Rheumatoid Arthritis. <i>PLoS ONE</i> , 2016, 11, e0166616.	1.1	10
42	Role of Bcl-2 in the Development of Follicular Helper T Cells and in the Pathogenesis of Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2015, 67, 2651-2660.	2.9	22
43	Helios Enhances Treg Cell Function in Cooperation With FoxP3. <i>Arthritis and Rheumatology</i> , 2015, 67, 1491-1502.	2.9	93
44	Sonographic measurements of low-echoic synovial area in the dorsal aspect of metatarsophalangeal joints in healthy subjects. <i>Modern Rheumatology</i> , 2015, 25, 386-392.	0.9	9
45	Corticosteroid-sparing effect of tacrolimus in the initial treatment of dermatomyositis and polymyositis. <i>Modern Rheumatology</i> , 2015, 25, 888-892.	0.9	18
46	Synovitis and osteitis in the left sternoclavicular joint in a 60-year-old woman. <i>Journal of Medical Ultrasonics (2001)</i> , 2015, 42, 133-134.	0.6	6
47	Analysis of the factors which influence the measurement of synovial power Doppler signals with semi-quantitative and quantitative measures – a pilot multicenter exercise in Japan. <i>Modern Rheumatology</i> , 2014, 24, 419-425.	0.9	7
48	Is the Glass Half Full or Half Empty? Comment on the Article by GÄrtner et al. <i>Arthritis and Rheumatology</i> , 2014, 66, 1055-1056.	2.9	1
49	Prediction of Relapse After Discontinuation of Biologic Agents by Ultrasonographic Assessment in Patients With Rheumatoid Arthritis in Clinical Remission: High Predictive Values of Total Gray Scale and Power Doppler Scores That Represent Residual Synovial Inflammation Before Discontinuation. <i>Arthritis Care and Research</i> , 2014, 66, 1576-1581.	1.5	97
50	Comparison of Phenotype and Outcome in Microscopic Polyangiitis Between Europe and Japan. <i>Journal of Rheumatology</i> , 2014, 41, 325-333.	1.0	83
51	AT-Rich Interactive Domain-Containing Protein 5A Functions as a Negative Regulator of Retinoic Acid Receptor-Related Orphan Nuclear Receptor $\gamma$ -Induced Th17 Cell Differentiation. <i>Arthritis and Rheumatology</i> , 2014, 66, 1185-1194.	2.9	40
52	Ultrasound Assessment of Synovial Pathologic Features in Rheumatoid Arthritis Using Comprehensive Multiplane Images of the Second Metacarpophalangeal Joint: Identification of the Components That Are Reliable and Influential on the Global Assessment of the Whole Joint. <i>Arthritis and Rheumatology</i> , 2014, 66, 523-532.	2.9	11
53	Ultrasonographic assessment reveals detailed distribution of synovial inflammation in Blau syndrome. <i>Arthritis Research and Therapy</i> , 2014, 16, R89.	1.6	17
54	Clinical characteristics and risk factors for <i>Pneumocystis jirovecii</i> pneumonia in patients with rheumatoid arthritis receiving adalimumab: a retrospective review and case-control study of 17 patients. <i>Modern Rheumatology</i> , 2013, 23, 1085-93.	0.9	18

#	ARTICLE	IF	CITATIONS
55	Bucillamine-induced yellow nail in Japanese patients with rheumatoid arthritis: two case reports and a review of 36 reported cases. <i>Rheumatology International</i> , 2013, 33, 793-797.	1.5	21
56	Pre-dinner administration increases the efficacy of proton pump inhibitors on refractory GERD symptoms in connective tissue disease patients. <i>Modern Rheumatology</i> , 2013, 23, 357-364.	0.9	2
57	Preferentially Inflamed Tendon Sheaths in the Swollen but Not Tender Joints in a 5-Year-Old Boy with Blau Syndrome. <i>Journal of Pediatrics</i> , 2013, 163, 1525-1525.e1.	0.9	10
58	Ultrasound Can Improve the Accuracy of the 2010 American College of Rheumatology/European League Against Rheumatism Classification Criteria for Rheumatoid Arthritis to Predict the Requirement for Methotrexate Treatment. <i>Arthritis and Rheumatism</i> , 2013, 65, 890-898.	6.7	96
59	Ultrasound and Magnetic Resonance Imaging in the Evaluation of Psoriatic Dactylitis: Status and Perspectives. <i>Journal of Rheumatology</i> , 2013, 40, 1951-1957.	1.0	66
60	Correlation of Radiographic Progression with the Cumulative Activity of Synovitis Estimated by Power Doppler Ultrasound in Rheumatoid Arthritis: Difference Between Patients Treated with Methotrexate and Those Treated with Biological Agents. <i>Journal of Rheumatology</i> , 2013, 40, 1967-1976.	1.0	43
61	Clinical characteristics and risk factors for <i>Pneumocystis jirovecii</i> pneumonia in patients with rheumatoid arthritis receiving adalimumab: a retrospective review and case-control study of 17 patients. <i>Modern Rheumatology</i> , 2013, 23, 1085-1093.	0.9	28
62	Interleukin-25 Induces Pulmonary Arterial Remodeling via Natural Killer T Cell-Dependent Mechanisms. <i>International Archives of Allergy and Immunology</i> , 2013, 161, 118-124.	0.9	9
63	Efficacy of Abatacept for Arthritis in Patients with an Overlap Syndrome between Rheumatoid Arthritis and Systemic Lupus Erythematosus. <i>Clinical and Developmental Immunology</i> , 2013, 2013, 1-10.	3.3	26
64	Pre-dinner administration increases the efficacy of proton pump inhibitors on refractory GERD symptoms in connective tissue disease patients. <i>Modern Rheumatology</i> , 2013, 23, 357-364.	0.9	1
65	After treat-to-target: can a targeted ultrasound initiative improve RA outcomes?: Table 1. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 799-803.	0.5	97
66	Roles of CRTH2+ CD4+ T Cells in Immunoglobulin G4-Related Lacrimal Gland Enlargement. <i>International Archives of Allergy and Immunology</i> , 2012, 158, 42-46.	0.9	17
67	Î²-Glucan Curdlan Induces IL-10-Producing CD4+ T Cells and Inhibits Allergic Airway Inflammation. <i>Journal of Immunology</i> , 2012, 189, 5713-5721.	0.4	28
68	A patient with neuromyelitis optica with positive anti-Ro (SS-A) antibody presenting with intractable hiccup and nausea. <i>Modern Rheumatology</i> , 2011, 21, 561-562.	0.9	5
69	Lack of B and T lymphocyte attenuator exacerbates autoimmune disorders and induces Fas-independent liver injury in MRL-lpr/lpr mice. <i>International Immunology</i> , 2011, 23, 335-344.	1.8	24
70	A Functional Polymorphism in B and T Lymphocyte Attenuator Is Associated with Susceptibility to Rheumatoid Arthritis. <i>Clinical and Developmental Immunology</i> , 2011, 2011, 1-8.	3.3	34
71	A patient with neuromyelitis optica with positive anti-Ro (SS-A) antibody presenting with intractable hiccup and nausea. <i>Modern Rheumatology</i> , 2011, 21, 561-562.	0.9	3
72	Protective Roles of B and T Lymphocyte Attenuator in NKT Cell-Mediated Experimental Hepatitis. <i>Journal of Immunology</i> , 2010, 184, 127-133.	0.4	28

#	ARTICLE	IF	CITATIONS
73	Role of Th2 Cells in IgG4-Related Lacrimal Gland Enlargement. <i>International Archives of Allergy and Immunology</i> , 2010, 152, 47-53.	0.9	65
74	B and T Lymphocyte Attenuator Suppresses IL-21 Production from Follicular Th Cells and Subsequent Humoral Immune Responses. <i>Journal of Immunology</i> , 2010, 185, 2730-2736.	0.4	69
75	Comparison of low-field dedicated extremity magnetic resonance imaging with articular ultrasonography in patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2010, 20, 556-560.	0.9	19
76	Comparison of low-field dedicated extremity magnetic resonance imaging with articular ultrasonography in patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2010, 20, 556-560.	0.9	13
77	Protein geranylgeranylation regulates the balance between Th17 cells and Foxp3+ regulatory T cells. <i>International Immunology</i> , 2009, 21, 679-689.	1.8	86
78	c-Maf activates the promoter and enhancer of the IL-21 gene, and TGF- $\beta$ 2 inhibits c-Maf-induced IL-21 production in CD4+ T cells. <i>Journal of Leukocyte Biology</i> , 2009, 87, 703-712.	1.5	125
79	An explanation for the apparent dissociation between clinical remission and continued structural deterioration in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2008, 58, 2958-2967.	6.7	712
80	GS143, an I $\kappa$ B ubiquitination inhibitor, inhibits allergic airway inflammation in mice. <i>Biochemical and Biophysical Research Communications</i> , 2008, 374, 507-511.	1.0	13
81	HMG-CoA Reductase Inhibitor Simvastatin Inhibits Proinflammatory Cytokine Production from Murine Mast Cells. <i>International Archives of Allergy and Immunology</i> , 2008, 146, 61-66.	0.9	24
82	Overlapping and Distinct Roles of STAT4 and T-bet in the Regulation of T Cell Differentiation and Allergic Airway Inflammation. <i>Journal of Immunology</i> , 2008, 180, 6656-6662.	0.4	22
83	Reduction of fatigue in Sjogren syndrome with rituximab: results of a randomised, double-blind, placebo-controlled pilot study. <i>Annals of the Rheumatic Diseases</i> , 2008, 67, 1541-1544.	0.5	381
84	Aspects of early arthritis. Biological therapy in early arthritis "overtreatment or the way to go?". <i>Arthritis Research and Therapy</i> , 2007, 9, 211.	1.6	33
85	IL-25 enhances allergic airway inflammation by amplifying a TH2 cell-dependent pathway in mice. <i>Journal of Allergy and Clinical Immunology</i> , 2006, 118, 606-614.	1.5	206
86	Interleukin 25 in Allergic Airway Inflammation. <i>International Archives of Allergy and Immunology</i> , 2006, 140, 59-62.	0.9	30
87	Involvement of TNF Receptor-Associated Factor 6 in IL-25 Receptor Signaling. <i>Journal of Immunology</i> , 2006, 176, 1013-1018.	0.4	101
88	Stat5a Is Essential for the Proliferation and Survival of Murine Mast Cells. <i>International Archives of Allergy and Immunology</i> , 2005, 137, 45-50.	0.9	30
89	Tyk2 Is Essential for IFN- $\gamma$ -Induced Gene Expression in Mast Cells. <i>International Archives of Allergy and Immunology</i> , 2004, 134, 25-29.	0.9	13
90	Stat6-protease but not Stat5-protease is inhibited by an elastase inhibitor ONO-5046. <i>Biochemical and Biophysical Research Communications</i> , 2003, 309, 768-773.	1.0	13

#	ARTICLE	IF	CITATIONS
91	IL-4 Stat6 Signaling Induces Tristetraprolin Expression and Inhibits TNF- $\alpha$ Production in Mast Cells. Journal of Experimental Medicine, 2003, 198, 1717-1727.	4.2	61
92	Mast cells produce interleukin-25 upon Fc $\epsilon$ RI-mediated activation. Blood, 2003, 101, 3594-3596.	0.6	221
93	Proteolytic Processing of Stat6 Signaling in Mast Cells as a Negative Regulatory Mechanism. Journal of Experimental Medicine, 2002, 196, 27-38.	4.2	44
94	CD4 <sup>+</sup> CD25 <sup>+</sup> T-cell development is regulated by at least 2 distinct mechanisms. Blood, 2002, 99, 555-560.	0.6	77