

# Jouko A Miettunen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7456203/publications.pdf>

Version: 2024-02-01

288  
papers

9,115  
citations

36303

51  
h-index

58581

82  
g-index

303  
all docs

303  
docs citations

303  
times ranked

11810  
citing authors

#	ARTICLE	IF	CITATIONS
1	A Systematic Review and Meta-Analysis of Recovery in Schizophrenia. Schizophrenia Bulletin, 2013, 39, 1296-1306.	4.3	674
2	Duration of untreated psychosis as predictor of long-term outcome in schizophrenia: systematic review and meta-analysis. British Journal of Psychiatry, 2014, 205, 88-94.	2.8	521
3	Rate of Cannabis Use Disorders in Clinical Samples of Patients With Schizophrenia: A Meta-analysis. Schizophrenia Bulletin, 2010, 36, 1115-1130.	4.3	275
4	5â€HTTLPR genotype and anxietyâ€related personality traits: A metaâ€analysis and new data. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 271-281.	1.7	229
5	Age at onset and the outcomes of schizophrenia: A systematic review and metaâ€analysis. Microbial Biotechnology, 2017, 11, 453-460.	1.7	192
6	Meta-analysis of Paternal Age and Schizophrenia Risk in Male Versus Female Offspring. Schizophrenia Bulletin, 2011, 37, 1039-1047.	4.3	167
7	MAINTENANCE OF GENETIC VARIATION IN HUMAN PERSONALITY: TESTING EVOLUTIONARY MODELS BY ESTIMATING HERITABILITY DUE TO COMMON CAUSAL VARIANTS AND INVESTIGATING THE EFFECT OF DISTANT INBREEDING. Evolution; International Journal of Organic Evolution, 2012, 66, 3238-3251.	2.3	166
8	Living environment and its relationship to depressive mood: A systematic review. International Journal of Social Psychiatry, 2018, 64, 92-103.	3.1	155
9	The clinical characterization of the patient with primary psychosis aimed at personalization of management. World Psychiatry, 2021, 20, 4-33.	10.4	153
10	Fronto-cerebellar systems are associated with infant motor and adult executive functions in healthy adults but not in schizophrenia. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 15651-15656.	7.1	135
11	Co-occurrence of Metabolic Syndrome With Depression and Anxiety in Young Adults: The Northern Finland 1966 Birth Cohort Study. Psychosomatic Medicine, 2006, 68, 213-216.	2.0	134
12	Sex differences in Cloninger's temperament dimensionsâ€a meta-analysis. Comprehensive Psychiatry, 2007, 48, 161-169.	3.1	130
13	The association of preceding traumatic brain injury with mental disorders, alcoholism and criminality: the Northern Finland 1966 Birth Cohort Study. Psychiatry Research, 2002, 113, 217-226.	3.3	129
14	Predictors of schizophreniaâ€a review. British Medical Bulletin, 2005, 73-74, 1-15.	6.9	128
15	Psychometric properties of the Finnish 20-item Toronto Alexithymia Scale. Nordic Journal of Psychiatry, 2001, 55, 123-127.	1.3	120
16	ADHD Symptoms and Subtypes: Relationship Between Childhood and Adolescent Symptoms. Journal of the American Academy of Child and Adolescent Psychiatry, 2007, 46, 1605-1613.	0.5	115
17	Problematic gaming behaviour and health-related outcomes: A systematic review and meta-analysis. Journal of Health Psychology, 2020, 25, 67-81.	2.3	115
18	Epidemiology of alexithymia among adolescents. Journal of Psychosomatic Research, 2007, 63, 373-376.	2.6	108

#	ARTICLE	IF	CITATIONS
19	Reasons for the diagnostic discordance between clinicians and researchers in schizophrenia in the Northern Finland 1966 Birth Cohort. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003, 38, 305-310.	3.1	106
20	Serum C-reactive protein in adolescence and risk of schizophrenia in adulthood: A prospective birth cohort study. <i>Brain, Behavior, and Immunity</i> , 2017, 59, 253-259.	4.1	100
21	A Meta-Analysis of Temperament in Eating Disorders. <i>European Eating Disorders Review</i> , 2015, 23, 89-99.	4.1	93
22	Cohort Profile: 46 years of follow-up of the Northern Finland Birth Cohort 1966 (NFBC1966). <i>International Journal of Epidemiology</i> , 2022, 50, 1786-1787j.	1.9	92
23	Longitudinal Changes in Total Brain Volume in Schizophrenia: Relation to Symptom Severity, Cognition and Antipsychotic Medication. <i>PLoS ONE</i> , 2014, 9, e101689.	2.5	92
24	Mobile Phone and Wearable Sensor-Based mHealth Approaches for Psychiatric Disorders and Symptoms: Systematic Review. <i>JMIR Mental Health</i> , 2019, 6, e9819.	3.3	90
25	Do inattention and hyperactivity symptoms equal scholastic impairment? evidence from three European cohorts. <i>BMC Public Health</i> , 2007, 7, 327.	2.9	86
26	ADHD and comorbid disorders in relation to family environment and symptom severity. <i>European Child and Adolescent Psychiatry</i> , 2007, 16, 362-369.	4.7	86
27	Non-participation in a field survey with respect to psychiatric disorders. <i>Scandinavian Journal of Public Health</i> , 2008, 36, 728-736.	2.3	83
28	Psychological Distress Is More Prevalent in Fertile Age and Premenopausal Women With PCOS Symptoms: 15-Year Follow-Up. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 1861-1869.	3.6	83
29	Association of cannabis use with prodromal symptoms of psychosis in adolescence. <i>British Journal of Psychiatry</i> , 2008, 192, 470-471.	2.8	78
30	Morphometric Brain Abnormalities in Schizophrenia in a Population-Based Sample: Relationship to Duration of Illness. <i>Schizophrenia Bulletin</i> , 2010, 36, 766-777.	4.3	78
31	How to use bibliometric methods in evaluation of scientific research? An example from Finnish schizophrenia research. <i>Nordic Journal of Psychiatry</i> , 2008, 62, 136-143.	1.3	75
32	Adolescent cannabis use, baseline prodromal symptoms and the risk of psychosis. <i>British Journal of Psychiatry</i> , 2018, 212, 227-233.	2.8	72
33	Interventions to improve nurses' job satisfaction: A systematic review and meta-analysis. <i>Journal of Advanced Nursing</i> , 2020, 76, 1498-1508.	3.3	72
34	Interaction of genetic risk and adoptive parent communication deviance: longitudinal prediction of adoptee psychiatric disorders. <i>Psychological Medicine</i> , 2004, 34, 1531-1541.	4.5	71
35	Statistically significant papers in psychiatry were cited more often than others. <i>Journal of Clinical Epidemiology</i> , 2007, 60, 939-946.	5.0	70
36	Long-term antipsychotic use and brain changes in schizophrenia - a systematic review and meta-analysis. <i>Human Psychopharmacology</i> , 2017, 32, e2574.	1.5	69

#	ARTICLE	IF	CITATIONS
37	Lifetime antipsychotic medication and cognitive performance in schizophrenia at age 43 years in a general population birth cohort. <i>Psychiatry Research</i> , 2017, 247, 130-138.	3.3	68
38	The brain structural disposition to social interaction. <i>European Journal of Neuroscience</i> , 2009, 29, 2247-2252.	2.6	66
39	Lifetime use of antipsychotic medication and its relation to change of verbal learning and memory in midlife schizophrenia – An observational 9-year follow-up study. <i>Schizophrenia Research</i> , 2014, 158, 134-141.	2.0	66
40	Educational interventions designed to develop nurses' cultural competence: A systematic review. <i>International Journal of Nursing Studies</i> , 2019, 98, 75-86.	5.6	65
41	Hippocampus and amygdala volumes in schizophrenia and other psychoses in the Northern Finland 1966 birth cohort. <i>Schizophrenia Research</i> , 2005, 75, 283-294.	2.0	63
42	A large population cohort provides normative data for investigation of temperament. <i>Acta Psychiatrica Scandinavica</i> , 2004, 110, 150-157.	4.5	62
43	Sex Differences in Wisconsin Schizotypy Scales—A Meta-analysis. <i>Schizophrenia Bulletin</i> , 2010, 36, 347-358.	4.3	61
44	A comparative assessment of the factor structures and psychometric properties of the GHQ-12 and the GHQ-20 based on data from a Finnish population-based sample. <i>Scandinavian Journal of Psychology</i> , 2006, 47, 431-440.	1.5	59
45	Testing and verifying nursing theory by confirmatory factor analysis. <i>Journal of Advanced Nursing</i> , 2011, 67, 1163-1172.	3.3	59
46	A meta-analysis of temperament in axis I psychiatric disorders. <i>Comprehensive Psychiatry</i> , 2012, 53, 152-166.	3.1	59
47	Non-participation may bias the results of a psychiatric survey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 403-409.	3.1	58
48	Schizophrenia in the Offspring of Antenatally Depressed Mothers in the Northern Finland 1966 Birth Cohort: Relationship to Family History of Psychosis. <i>American Journal of Psychiatry</i> , 2010, 167, 70-77.	7.2	58
49	Longitudinal regional brain volume loss in schizophrenia: Relationship to antipsychotic medication and change in social function. <i>Schizophrenia Research</i> , 2015, 168, 297-304.	2.0	56
50	Association of Variants in DISC1 With Psychosis-Related Traits in a Large Population Cohort. <i>Archives of General Psychiatry</i> , 2009, 66, 134.	12.3	55
51	Psychometric properties of the Multifactor Leadership Questionnaire among nurses. <i>Journal of Advanced Nursing</i> , 2007, 57, 201-212.	3.3	54
52	Factor structure of the Maslach Burnout Inventory among Finnish nursing staff. <i>Australian Journal of Cancer Nursing</i> , 2006, 8, 201-207.	1.6	51
53	Aberrant Functional Connectivity in the Default Mode and Central Executive Networks in Subjects with Schizophrenia – A Whole-Brain Resting-State ICA Study. <i>Frontiers in Psychiatry</i> , 2015, 6, 26.	2.6	51
54	Clinical learning environment and supervision of international nursing students: A cross-sectional study. <i>Nurse Education Today</i> , 2017, 52, 73-80.	3.3	50

#	ARTICLE	IF	CITATIONS
55	Cloninger's Temperament Dimensions, Socio-economic and Lifestyle Factors and Metabolic Syndrome Markers at Age 31 Years in the Northern Finland Birth Cohort 1966. <i>Journal of Health Psychology</i> , 2007, 12, 371-382.	2.3	48
56	The competence of nurse mentors in mentoring students in clinical practice – A cross-sectional study. <i>Nurse Education Today</i> , 2018, 71, 78-83.	3.3	47
57	Effect of renal impairment on the pharmacokinetics of bupropion and its metabolites. <i>British Journal of Clinical Pharmacology</i> , 2007, 64, 165-173.	2.4	46
58	International comparison of Cloninger's temperament dimensions. <i>Personality and Individual Differences</i> , 2006, 41, 1515-1526.	2.9	42
59	Agreement between self-reported and pharmacy data on medication use in the Northern Finland 1966 Birth Cohort. <i>International Journal of Methods in Psychiatric Research</i> , 2010, 19, 88-96.	2.1	42
60	Advanced paternal age and parental history of schizophrenia. <i>Schizophrenia Research</i> , 2011, 133, 125-132.	2.0	42
61	Early-life origins of schizotypal traits in adulthood. <i>British Journal of Psychiatry</i> , 2009, 195, 132-137.	2.8	41
62	Identifying Schizophrenia and Other Psychoses With Psychological Scales in the General Population. <i>Journal of Nervous and Mental Disease</i> , 2011, 199, 230-238.	1.0	41
63	Relationship between oral health-related knowledge, attitudes and behavior among 15-16-year-old adolescents – A structural equation modeling approach. <i>Acta Odontologica Scandinavica</i> , 2012, 70, 169-176.	1.6	41
64	Genome-Wide Association Study of Psychosis Proneness in the Finnish Population. <i>Schizophrenia Bulletin</i> , 2017, 43, 1304-1314.	4.3	41
65	Impact of temperament on depression and anxiety symptoms and depressive disorder in a population-based birth cohort. <i>Journal of Affective Disorders</i> , 2011, 131, 393-397.	4.1	39
66	Evidence of a Causal Relationship Between Smoking Tobacco and Schizophrenia Spectrum Disorders. <i>Frontiers in Psychiatry</i> , 2018, 9, 607.	2.6	39
67	Predictors of schizophrenia. <i>British Journal of Psychiatry</i> , 2005, 187, s4-s7.	2.8	38
68	How mentoring education affects nurse mentors' competence in mentoring students during clinical practice – A quasi-experimental study. <i>Scandinavian Journal of Caring Sciences</i> , 2020, 34, 230-238.	2.1	38
69	Attention and behavioural problems of Finnish adolescents may be related to the family environment. <i>European Child and Adolescent Psychiatry</i> , 2005, 14, 471-478.	4.7	37
70	Association between duration of untreated psychosis and brain morphology in schizophrenia within the Northern Finland 1966 Birth Cohort. <i>Schizophrenia Research</i> , 2010, 123, 145-152.	2.0	35
71	Recovery From Schizophrenic Psychoses Within the Northern Finland 1966 Birth Cohort. <i>Journal of Clinical Psychiatry</i> , 2005, 66, 375-383.	2.2	35
72	Suicide rate in schizophrenia in the Northern Finland 1966 Birth Cohort. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009, 44, 1107-1110.	3.1	32

#	ARTICLE	IF	CITATIONS
73	Twenty Years of Schizophrenia Research in the Northern Finland Birth Cohort 1966: A Systematic Review. Schizophrenia Research and Treatment, 2015, 2015, 1-12.	1.5	32
74	Inter-correlations between Cloninger's temperament dimensions – A meta-analysis. Psychiatry Research, 2008, 160, 106-114.	3.3	31
75	Neuregulin-1 genotype is associated with structural differences in the normal human brain. NeuroImage, 2012, 59, 2057-2061.	4.2	30
76	Brain structural deficits and working memory fMRI dysfunction in young adults who were diagnosed with ADHD in adolescence. European Child and Adolescent Psychiatry, 2016, 25, 529-538.	4.7	30
77	Accumulated exposure to unemployment is related to impaired glucose metabolism in middle-aged men: A follow-up of the Northern Finland Birth Cohort 1966. Primary Care Diabetes, 2017, 11, 365-372.	1.8	29
78	Data on schizotypy and affective scales are gender and education dependent – Study in the Northern Finland 1966 Birth Cohort. Psychiatry Research, 2010, 178, 408-413.	3.3	28
79	Maternal cigarette smoking during pregnancy predicts drug use via externalizing behavior in two community-based samples of adolescents. Addiction, 2014, 109, 1718-1729.	3.3	28
80	Parental socioeconomic status, adolescents' screen time and sports participation through externalizing and internalizing characteristics. Heliyon, 2020, 6, e03415.	3.2	28
81	The effects and safety of telerehabilitation in patients with lower-limb joint replacement: A systematic review and narrative synthesis. Journal of Telemedicine and Telecare, 2022, 28, 96-114.	2.7	28
82	Interaction of early environment, gender and genes of monoamine neurotransmission in the aetiology of depression in a large population-based Finnish birth cohort. BMJ Open, 2011, 1, e000087-e000087.	1.9	27
83	Young people at risk for psychosis: case finding and sample characteristics of the Oulu Brain and Mind Study. Microbial Biotechnology, 2013, 7, 146-154.	1.7	26
84	Coverage of the bibliographic databases in mental health research. Nordic Journal of Psychiatry, 2010, 64, 181-188.	1.3	25
85	Association between the duration of untreated psychosis and short- and long-term outcome in schizophrenia within the Northern Finland 1966 Birth Cohort. Schizophrenia Research, 2013, 143, 3-10.	2.0	25
86	Population-based Data at Ages 31 and 46 Show Decreased HRQoL and Life Satisfaction in Women with PCOS Symptoms. Journal of Clinical Endocrinology and Metabolism, 2020, 105, 1814-1826.	3.6	25
87	Socio-demographic and clinical predictors of occupational status in schizophrenic psychoses – follow-up within the Northern Finland 1966 Birth Cohort. Psychiatry Research, 2007, 150, 217-225.	3.3	24
88	One-Year Course and Predictors of Outcome of Adolescent Depression. Journal of Clinical Psychiatry, 2008, 69, 844-853.	2.2	24
89	Longitudinal Pathways from Cumulative Contextual Risk at Birth to School Functioning in Adolescence: Analysis of Mediation Effects and Gender Moderation. Journal of Youth and Adolescence, 2017, 46, 180-196.	3.5	23
90	The effectiveness of web-based mobile health interventions in paediatric outpatient surgery: A systematic review and meta-analysis of randomized controlled trials. Journal of Advanced Nursing, 2020, 76, 1949-1960.	3.3	23

#	ARTICLE	IF	CITATIONS
91	Clinical characteristics and outcomes of psychotic depression in the Northern Finland Birth Cohort 1966. <i>European Psychiatry</i> , 2018, 53, 23-30.	0.2	22
92	Development and psychometric testing of the nursing student mentors' competence instrument (MCI): A cross-sectional study. <i>Nurse Education Today</i> , 2018, 68, 93-99.	3.3	22
93	Incidence and operations of median, ulnar and radial entrapment neuropathies in Finland: a nationwide register study. <i>Journal of Hand Surgery: European Volume</i> , 2020, 45, 226-230.	1.0	22
94	Negative symptoms and their predictors in schizophrenia within the Northern Finland 1966 Birth Cohort. <i>Psychiatry Research</i> , 2010, 178, 121-125.	3.3	21
95	Linking the Developmental and Degenerative Theories of Schizophrenia: Association Between Infant Development and Adult Cognitive Decline. <i>Schizophrenia Bulletin</i> , 2014, 40, 1319-1327.	4.3	21
96	Long-term antipsychotic and benzodiazepine use and brain volume changes in schizophrenia: The Northern Finland Birth Cohort 1966 study. <i>Psychiatry Research - Neuroimaging</i> , 2017, 266, 73-82.	1.8	21
97	Problematic Gaming Behavior Among Finnish Junior High School Students: Relation to Socio-Demographics and Gaming Behavior Characteristics. <i>Behavioral Medicine</i> , 2018, 44, 324-334.	1.9	21
98	The association of unemployment with glucose metabolism: a systematic review and meta-analysis. <i>International Journal of Public Health</i> , 2018, 63, 435-446.	2.3	21
99	Title is missing!. <i>Scientometrics</i> , 2003, 57, 377-388.	3.0	20
100	Somatization and alexithymia in young adult Finnish population. <i>General Hospital Psychiatry</i> , 2005, 27, 244-249.	2.4	20
101	Development and testing of the <scp>CALD</scp>s and <scp>CLES</scp>+T scales for international nursing studentsâ€™ clinical learning environments. <i>Journal of Advanced Nursing</i> , 2017, 73, 1997-2011.	3.3	20
102	BP180 Autoantibodies Target Different Epitopes in Multiple Sclerosis or Alzheimerâ€™s Disease than in Bullous Pemphigoid. <i>Journal of Investigative Dermatology</i> , 2019, 139, 293-299.	0.7	20
103	Long-term stability of communication deviance.. <i>Journal of Abnormal Psychology</i> , 2001, 110, 443-448.	1.9	19
104	Early presence of thought disorder as a prospective sign of mental disorder. <i>Psychiatry Research</i> , 2004, 125, 193-203.	3.3	19
105	Default mode network in young people with familial risk for psychosis â€“ The Oulu Brain and Mind Study. <i>Schizophrenia Research</i> , 2013, 143, 239-245.	2.0	19
106	Smoking in pregnancy, adolescent mental health and cognitive performance in young adult offspring: results from a matched sample within a Finnish cohort. <i>BMC Psychiatry</i> , 2016, 16, 430.	2.6	19
107	Neuroticism Associates with Cerebral in Vivo Serotonin Transporter Binding Differently in Males and Females. <i>International Journal of Neuropsychopharmacology</i> , 2017, 20, 963-970.	2.1	19
108	No Association of COMT (Val158Met) Genotype with Brain Structure Differences between Men and Women. <i>PLoS ONE</i> , 2012, 7, e33964.	2.5	18



#	ARTICLE	IF	CITATIONS
109	The effect of prenatal smoking exposure on daily smoking among teenage offspring. <i>Addiction</i> , 2017, 112, 134-143.	3.3	18
110	Nurses' knowledge of radiation protection: A cross-sectional study. <i>Radiography</i> , 2019, 25, e108-e112.	2.1	18
111	Comprehensive meta-analysis of associations between temperament and character traits in Cloninger's psychobiological theory and mental disorders. <i>Journal of International Medical Research</i> , 2022, 50, 030006052110707.	1.0	18
112	Developmental precursors of psychosis. <i>Current Psychiatry Reports</i> , 2004, 6, 168-175.	4.5	17
113	Association between ADHD symptoms and adolescents' psychosocial well-being: a study of the Northern Finland Birth Cohort 1986. <i>International Journal of Circumpolar Health</i> , 2009, 68, 133-144.	1.2	17
114	Novelty seeking among adult women is lower for the winter borns compared to the summer borns: replication in a large Finnish birth cohort. <i>Comprehensive Psychiatry</i> , 2009, 50, 562-566.	3.1	17
115	Associations between psychotic-like symptoms and inattention/hyperactivity symptoms. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2011, 46, 17-27.	3.1	17
116	Brain structure in different psychosis risk groups in the Northern Finland 1986 Birth Cohort. <i>Schizophrenia Research</i> , 2014, 153, 143-149.	2.0	17
117	Cumulative contextual risk at birth in relation to adolescent substance use, conduct problems, and risky sex: General and specific predictive associations in a Finnish birth cohort. <i>Addictive Behaviors</i> , 2016, 58, 161-166.	3.0	17
118	Socioeconomic disadvantage and psychological deficits: Pathways from early cumulative risk to late adolescent criminal conviction. <i>Journal of Adolescence</i> , 2018, 65, 16-24.	2.4	17
119	Association between atopic disorders and depression: Findings from the Northern Finland 1966 birth cohort study. <i>American Journal of Medical Genetics Part A</i> , 2001, 105, 216-217.	2.4	16
120	Volumes of brain, grey and white matter and cerebrospinal fluid in schizophrenia in the Northern Finland 1966 Birth Cohort: An epidemiological approach to analysis. <i>Psychiatry Research - Neuroimaging</i> , 2009, 174, 116-120.	1.8	16
121	Different vulnerability indicators for psychosis and their neuropsychological characteristics in the Northern Finland 1986 Birth Cohort. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2011, 33, 385-394.	1.3	16
122	Functional mapping of dynamic happy and fearful facial expressions in young adults with familial risk for psychosis – Oulu Brain and Mind Study. <i>Schizophrenia Research</i> , 2015, 164, 242-249.	2.0	16
123	Risk factors for schizophrenia. Follow-up data from the Northern Finland 1966 Birth Cohort Study. <i>World Psychiatry</i> , 2006, 5, 168-71.	10.4	16
124	An Examination Between Single-Parent Family Background and Drunk Driving in Adulthood: Findings From The Northern Finland 1966 Birth Cohort. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 206-209.	2.4	15
125	Statistical methodology in general psychiatric journals. <i>Nordic Journal of Psychiatry</i> , 2002, 56, 223-228.	1.3	15
126	Advanced Paternal Age, Mortality, and Suicide in the General Population. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 404-411.	1.0	15



#	ARTICLE	IF	CITATIONS
127	Ante- and perinatal circumstances and risk of attempted suicides and suicides in offspring: the Northern Finland birth cohort 1966 study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1783-1794.	3.1	15
128	Self-reported psychopathic traits among non-referred Finnish adolescents: psychometric properties of the Youth Psychopathic traits Inventory and the Antisocial Process Screening Device. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2015, 9, 15.	2.5	15
129	Changes in alcohol use in relation to sociodemographic factors in early midlife. <i>Scandinavian Journal of Public Health</i> , 2016, 44, 249-257.	2.3	15
130	Development and validation of a psychometric scale for assessing healthcare professionals' knowledge in radiation protection. <i>Radiography</i> , 2019, 25, 136-142.	2.1	15
131	Impact of the dopamine receptor gene family on temperament traits in a population-based birth cohort. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 854-865.	1.7	14
132	Use of statistical methods in dental research: comparison of four dental journals during a 10-year period. <i>Acta Odontologica Scandinavica</i> , 2009, 67, 206-211.	1.6	14
133	Economic crises and suicides between 1970 and 2011: time trend study in 21 developed countries. <i>Journal of Epidemiology and Community Health</i> , 2019, 73, 311-316.	3.7	14
134	Risk factors of hospitalization for carpal tunnel syndrome among the general working population. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 43-49.	3.4	14
135	Does cannabis use in adolescence predict self-harm or suicide? Results from a Finnish Birth Cohort Study. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 234-243.	4.5	14
136	Patterns of psychiatric hospitalizations in schizophrenic psychoses within the Northern Finland 1966 Birth Cohort. <i>Nordic Journal of Psychiatry</i> , 2006, 60, 286-293.	1.3	13
137	Is Prematurity Associated With Adult Cognitive Outcome and Brain Structure?. <i>Pediatric Neurology</i> , 2011, 44, 12-20.	2.1	13
138	DTI abnormalities in adults with past history of attention deficit hyperactivity disorder: a tract-based spatial statistics study. <i>Acta Radiologica</i> , 2015, 56, 990-996.	1.1	13
139	Body mass index and brain white matter structure in young adults at risk for psychosis – The Oulu Brain and Mind Study. <i>Psychiatry Research - Neuroimaging</i> , 2016, 254, 169-176.	1.8	13
140	Childhood cumulative contextual risk and depression diagnosis among young adults: The mediating roles of adolescent alcohol use and perceived social support. <i>Journal of Adolescence</i> , 2017, 60, 16-26.	2.4	13
141	Adolescent inhalant use and psychosis risk – a prospective longitudinal study. <i>Schizophrenia Research</i> , 2018, 201, 360-366.	2.0	13
142	Frequent intoxication and alcohol tolerance in adolescence: associations with psychiatric disorders in young adulthood. <i>Addiction</i> , 2020, 115, 888-900.	3.3	13
143	Associations between early development and outcome in schizophrenia – A 35-year follow-up of the Northern Finland 1966 Birth Cohort. <i>Schizophrenia Research</i> , 2008, 99, 29-37.	2.0	12
144	Temperament Clusters in a Normal Population: Implications for Health and Disease. <i>PLoS ONE</i> , 2012, 7, e33088.	2.5	12

#	ARTICLE	IF	CITATIONS
145	Defense Mechanisms in Adolescence as Predictors of Adult Personality Disorders. <i>Journal of Nervous and Mental Disease</i> , 2016, 204, 349-354.	1.0	12
146	Search for protective factors for psychosis â€” a populationâ€based sample with special interest in unaffected individuals with parental psychosis. <i>Microbial Biotechnology</i> , 2018, 12, 869-878.	1.7	12
147	Interaction between compound genetic risk for schizophrenia and high birth weight contributes to social anhedonia and schizophrenia in women. <i>Psychiatry Research</i> , 2018, 259, 148-153.	3.3	12
148	Leisure-time physical activity is associated with socio-economic status beyond income â€” Cross-sectional survey of the Northern Finland Birth Cohort 1966 study. <i>Economics and Human Biology</i> , 2021, 41, 100969.	1.7	12
149	Diagnostic and prognostic prediction models in ventilator-associated pneumonia: Systematic review and meta-analysis of prediction modelling studies. <i>Journal of Critical Care</i> , 2022, 67, 44-56.	2.2	12
150	Validation of the new Intensive Care Nursing Scoring System (ICNSS). <i>Intensive Care Medicine</i> , 2004, 30, 254-259.	8.2	11
151	Psychometric Deviance Measured by MMPI in Adoptees at High Risk for Schizophrenia and Their Adoptive Controls. <i>Journal of Personality Assessment</i> , 2004, 83, 14-21.	2.1	11
152	Verbal learning and memory and their associations with brain morphology and illness course in schizophrenia spectrum psychoses. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2012, 34, 698-713.	1.3	11
153	Association between Dopamine Receptor D2 (DRD2) Variations rs6277 and rs1800497 and Cognitive Performance According to Risk Type for Psychosis: A Nested Case Control Study in a Finnish Population Sample. <i>PLoS ONE</i> , 2015, 10, e0127602.	2.5	11
154	Central executive network in young people with familial risk for psychosis â€” The Oulu Brain and Mind Study. <i>Schizophrenia Research</i> , 2015, 161, 177-183.	2.0	11
155	The C9ORF72 expansion sizes in patients with psychosis. <i>Psychiatric Genetics</i> , 2016, 26, 92-94.	1.1	11
156	Use of psychiatric medications in schizophrenia and other psychoses in a general population sample. <i>Psychiatry Research</i> , 2016, 235, 160-168.	3.3	11
157	Association between family history of psychiatric disorders and long-term outcome in schizophrenia â€” The Northern Finland Birth Cohort 1966 study. <i>Psychiatry Research</i> , 2017, 249, 16-22.	3.3	11
158	Early Motor Developmental Milestones and Schizotypy in the Northern Finland Birth Cohort Study 1966. <i>Schizophrenia Bulletin</i> , 2018, 44, 1151-1158.	4.3	11
159	Understanding the complexity of glycaemic health: systematic bio-psychosocial modelling of fasting glucose in middle-age adults; a DynaHEALTH study. <i>International Journal of Obesity</i> , 2019, 43, 1181-1192.	3.4	11
160	Prospective relations between alexithymia, substance use and depression: findings from a National Birth Cohort. <i>Nordic Journal of Psychiatry</i> , 2019, 73, 340-348.	1.3	11
161	Observing relationships in Finnish adoptive families: Oulu Family Rating Scale. <i>Nordic Journal of Psychiatry</i> , 2005, 59, 253-263.	1.3	10
162	Changes in verbal learning and memory in schizophrenia and non-psychotic controls in midlife: A nine-year follow-up in the Northern Finland Birth Cohort study 1966. <i>Psychiatry Research</i> , 2015, 228, 671-679.	3.3	10

#	ARTICLE	IF	CITATIONS
163	Early adversity and brain response to faces in young adulthood. <i>Human Brain Mapping</i> , 2017, 38, 4470-4478.	3.6	10
164	Cumulative contextual risk at birth and adolescent substance initiation: Peer mediation tests. <i>Drug and Alcohol Dependence</i> , 2017, 177, 291-298.	3.2	10
165	Cloninger's Temperament Dimensions and Longitudinal Alcohol Use in Early Midlife: A Northern Finland Birth Cohort 1966 Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2018, 42, 1924-1932.	2.4	10
166	Cohort Profile: The DynaHEALTH consortium â€” a European consortium for a life-course bio-psychosocial model of healthy ageing of glucose homeostasis. <i>International Journal of Epidemiology</i> , 2019, 48, 1051-1051k.	1.9	10
167	The progression of disorder-specific brain pattern expression in schizophrenia over 9 years. <i>NPJ Schizophrenia</i> , 2021, 7, 32.	3.6	10
168	Predictors of response to pharmacological treatments in treatment-resistant schizophrenia â€” A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2021, 236, 123-134.	2.0	10
169	Somatic morbidity and criminality: the Northern Finland 1966 Birth Cohort Study. <i>Forensic Science International</i> , 2003, 132, 68-75.	2.2	9
170	Temperament profiles and somatizationâ€”an epidemiological study of young adult people. <i>Journal of Psychosomatic Research</i> , 2006, 61, 841-846.	2.6	9
171	Use of antipsychotic medication and suicidalityâ€”the Northern Finland Birth Cohort 1966. <i>Human Psychopharmacology</i> , 2012, 27, 476-485.	1.5	9
172	Poor premorbid school performance, but not severity of illness, predicts cognitive decline in schizophrenia in midlife. <i>Schizophrenia Research: Cognition</i> , 2015, 2, 120-126.	1.3	9
173	Smoking as risk factor for carpal tunnel syndrome: A birth cohort study. <i>Muscle and Nerve</i> , 2019, 60, 299-304.	2.2	9
174	Smoking is associated with ulnar nerve entrapment: a birth cohort study. <i>Scientific Reports</i> , 2019, 9, 9450.	3.3	9
175	Early exposure to social disadvantages and later lifeâ€”body mass index beyond genetic predisposition in three generations of Finnish birth cohorts. <i>BMC Public Health</i> , 2020, 20, 708.	2.9	9
176	Identifying causative mechanisms linking early-life stress to psycho-cardio-metabolic multi-morbidity: The EarlyCause project. <i>PLoS ONE</i> , 2021, 16, e0245475.	2.5	9
177	Work-related risk factors for ulnar nerve entrapment in the Northern Finland Birth Cohort of 1966. <i>Scientific Reports</i> , 2021, 11, 10010.	3.3	9
178	The determinants and longitudinal changes in vitamin D status in middle-age: a Northern Finland Birth Cohort 1966 study. <i>European Journal of Nutrition</i> , 2021, 60, 4541-4553.	3.9	9
179	Early Adversity and Emotion Processing From Faces: A Meta-analysis on Behavioral and Neurophysiological Responses. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, 6, 692-705.	1.5	9
180	Statistical methodologies in psychopharmacology: a review. <i>Human Psychopharmacology</i> , 2006, 21, 195-203.	1.5	8

#	ARTICLE	IF	CITATIONS
181	Symptoms associated with psychosis risk in an adolescent birth cohort: improving questionnaire utility with a multidimensional approach. <i>Microbial Biotechnology</i> , 2011, 5, 343-348.	1.7	8
182	The use of time-to-event methods in dental research: a comparison based on five dental journals over a 11-year period. <i>Community Dentistry and Oral Epidemiology</i> , 2012, 40, 36-42.	1.9	8
183	White matter structure in young adults with familial risk for psychosis â€“ The Oulu Brain and Mind Study. <i>Psychiatry Research - Neuroimaging</i> , 2015, 233, 388-393.	1.8	8
184	Do seriously offending girls differ from their age- and offence type-matched male counterparts on psychopathic traits or psychopathy-related background variables?. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2016, 10, 38.	2.5	8
185	Careless responses in survey data and the validity of a screening instrument. <i>Nordic Psychology</i> , 2016, 68, 114-123.	0.8	8
186	Early determinants of metabolically healthy obesity in young adults: study of the Northern Finland Birth Cohort 1966. <i>International Journal of Obesity</i> , 2018, 42, 1704-1714.	3.4	8
187	Underutilized opportunities to optimize medication management in long-term treatment of schizophrenia. <i>World Psychiatry</i> , 2018, 17, 172-173.	10.4	8
188	F128. THE AGE OF ONSET OF SCHIZOPHRENIA SPECTRUM DISORDERS. <i>Schizophrenia Bulletin</i> , 2018, 44, S270-S270.	4.3	8
189	Lower parental socioeconomic status in childhood and adolescence predicts unhealthy health behaviour patterns in adolescence in Northern Finland. <i>Scandinavian Journal of Caring Sciences</i> , 2021, 35, 742-752.	2.1	8
190	Parental Alcohol Use and the Alcohol Misuse of their Offspring in a Finnish Birth Cohort: Investigation of Developmental Timing. <i>Journal of Youth and Adolescence</i> , 2020, 49, 1702-1715.	3.5	8
191	Five-Year Cumulative Exposure to Antipsychotic Medication After First-Episode Psychosis and its Association With 19-Year Outcomes. <i>Schizophrenia Bulletin Open</i> , 2020, 1, .	1.7	8
192	Association of age at first drink and first alcohol intoxication as predictors of mortality: a birth cohort study. <i>European Journal of Public Health</i> , 2020, 30, 1189-1193.	0.3	8
193	Maternal and infant prediction of the child BMI trajectories; studies across two generations of Northern Finland birth cohorts. <i>International Journal of Obesity</i> , 2021, 45, 404-414.	3.4	8
194	Age of first alcohol intoxication and psychiatric disorders in young adulthood â€“ A prospective birth cohort study. <i>Addictive Behaviors</i> , 2021, 118, 106910.	3.0	8
195	Early Environment and Neurobehavioral Development Predict Adult Temperament Clusters. <i>PLoS ONE</i> , 2012, 7, e38065.	2.5	8
196	Differentiation of adoptees at high versus low genetic risk for schizophrenia by adjusted MMPI indices. <i>European Psychiatry</i> , 2006, 21, 245-250.	0.2	7
197	Temperament profiles in personality disorders among a young adult population. <i>Nordic Journal of Psychiatry</i> , 2008, 62, 423-430.	1.3	7
198	Predicting Depression with Psychopathology and Temperament Traits: The Northern Finland 1966 Birth Cohort. <i>Depression Research and Treatment</i> , 2012, 2012, 1-9.	1.3	7

#	ARTICLE	IF	CITATIONS
199	Psychopathic traits among a consecutive sample of Finnish pretrial fire-setting offenders. <i>BMC Psychiatry</i> , 2015, 15, 44.	2.6	7
200	Cerebellar activity in young people with familial risk for psychosis â€” The Oulu Brain and Mind Study. <i>Schizophrenia Research</i> , 2015, 169, 46-53.	2.0	7
201	Cognition, psychosis risk and metabolic measures in two adolescent birth cohorts. <i>Psychological Medicine</i> , 2018, 48, 2609-2623.	4.5	7
202	Association between developmental milestones and age of schizophrenia onset: Results from the Northern Finland Birth Cohort 1966. <i>Schizophrenia Research</i> , 2019, 208, 228-234.	2.0	7
203	Frequent Alcohol Intoxication and High Alcohol Tolerance During Adolescence as Predictors of Mortality: A Birth Cohort Study. <i>Journal of Adolescent Health</i> , 2020, 67, 692-699.	2.5	7
204	Use of inverse probability weighting to adjust for non-participation in estimating brain volumes in schizophrenia patients. <i>Psychiatry Research - Neuroimaging</i> , 2011, 194, 326-332.	1.8	6
205	Socioeconomic and health-related childhood and adolescence predictors of entry into paid employment. <i>European Journal of Public Health</i> , 2019, 29, 555-561.	0.3	6
206	Antisocial and borderline personality disorders in the offspring of antenatally depressed mothers â€” a follow-up until mid-adulthood in the Northern Finland 1966 birth cohort. <i>Nordic Journal of Psychiatry</i> , 2020, 74, 138-146.	1.3	6
207	Clusters of health behaviours and their relation to body mass index among adolescents in Northern Finland. <i>Scandinavian Journal of Caring Sciences</i> , 2020, 34, 666-674.	2.1	6
208	Early childhood and adolescent risk factors for psychotic depression in a general population birth cohort sample. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1179-1186.	3.1	6
209	Adolescent cannabis use, depression and anxiety disorders in the Northern Finland Birth Cohort 1986. <i>BJPsych Open</i> , 2021, 7, .	0.7	6
210	Cross-cultural comparison of depressive symptoms on the Beck Depression Inventory-II, across six population samples. <i>BJPsych Open</i> , 2022, 8, e46.	0.7	6
211	Is early exposure to cannabis associated with bipolar disorder? Results from a Finnish birth cohort study. <i>Addiction</i> , 2022, 117, 2264-2272.	3.3	6
212	A guide for medical information searches of bibliographic databases - psychiatric research as an example. <i>International Journal of Circumpolar Health</i> , 2009, 68, 394-404.	1.2	5
213	Maternal Smoking During Pregnancy Is Associated With Offspringâ€™s Musculoskeletal Pain in Adolescence: Structural Equation Modeling. <i>Nicotine and Tobacco Research</i> , 2016, 19, ntw325.	2.6	5
214	Predictors of Long-Term Change in Adult Cognitive Performance: Systematic Review and Data from the Northern Finland Birth Cohort 1966. <i>Clinical Neuropsychologist</i> , 2016, 30, 17-50.	2.3	5
215	Tests of linear and nonlinear relations between cumulative contextual risk at birth and psychosocial problems during adolescence. <i>Journal of Adolescence</i> , 2017, 60, 64-73.	2.4	5
216	Fire-setting performed in adolescence or early adulthood predicts schizophrenia: a register-based follow-up study of pre-trial offenders. <i>Nordic Journal of Psychiatry</i> , 2017, 71, 96-101.	1.3	5

#	ARTICLE	IF	CITATIONS
217	Firesetting and general criminal recidivism among a consecutive sample of Finnish pretrial male firesetters: A register-based follow-up study. <i>Psychiatry Research</i> , 2018, 259, 377-384.	3.3	5
218	Psychiatric diagnoses of children affected by their parentsâ€™ traumatic brain injury: the 1987 Finnish Birth Cohort study. <i>Brain Injury</i> , 2018, 32, 933-940.	1.2	5
219	Psychiatric research in the Northern Finland Birth Cohort 1986 â€“ a systematic review. <i>International Journal of Circumpolar Health</i> , 2019, 78, 1571382.	1.2	5
220	Understanding the cumulative risk of maternal prenatal biopsychosocial factors on birth weight: a DynaHEALTH study on two birth cohorts. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, jech-2019-213154.	3.7	5
221	Associations between Childhood and Adolescent Emotional and Behavioral Characteristics and Screen Time of Adolescents. <i>Issues in Mental Health Nursing</i> , 2020, 41, 700-712.	1.2	5
222	Pregnancy Risk Factors as Predictors of Offspring Cerebrovascular Disease. <i>Stroke</i> , 2021, 52, 1347-1354.	2.0	5
223	Prognosis of schizophrenia spectrum disorder may not be predetermined during early development â€“ the Northern Finland Birth Cohort 1966. <i>Schizophrenia Research</i> , 2016, 173, 62-68.	2.0	4
224	Profiles of Contextual Risk at Birth and Adolescent Substance Use. <i>Journal of Child and Family Studies</i> , 2018, 27, 717-724.	1.3	4
225	Relationship between BMI and emotion-handling capacity in an adult Finnish population: The Northern Finland Birth Cohort 1966. <i>PLoS ONE</i> , 2018, 13, e0203660.	2.5	4
226	Brain response to facial expressions in adults with adolescent ADHD. <i>Psychiatry Research - Neuroimaging</i> , 2019, 292, 54-61.	1.8	4
227	Smoking trajectories and risk of stroke until age of 50 years â€“ The Northern Finland Birth Cohort 1966. <i>PLoS ONE</i> , 2019, 14, e0225909.	2.5	4
228	Early environmental factors and somatic comorbidity in schizophrenia and nonschizophrenic psychoses: A 50-year follow-up of the Northern Finland Birth Cohort 1966. <i>European Psychiatry</i> , 2020, 63, e24.	0.2	4
229	Cumulative incidences of hospitalâ€“treated psychiatric disorders are increasing in five Finnish birth cohorts. <i>Acta Psychiatrica Scandinavica</i> , 2021, 143, 119-129.	4.5	4
230	Return to the labour market in schizophrenia and other psychoses: a register-based Northern Finland Birth Cohort 1966 study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1645-1655.	3.1	4
231	The Age of Onset of Schizophrenia Spectrum Disorders. , 2019, , 55-73.		4
232	A population-based follow-up study shows high psychosis risk in women with PCOS. <i>Archives of Women's Mental Health</i> , 2022, 25, 301-311.	2.6	4
233	Effectiveness of interventions used to prepare preschool children and their parents for day surgery: A systematic review and metaâ€“analysis of randomised controlled trials. <i>Journal of Clinical Nursing</i> , 2023, 32, 1705-1722.	3.0	4
234	The relationship of life-course patterns of adiposity with type 2 diabetes, depression, and their comorbidity in the Northern Finland Birth Cohort 1966. <i>International Journal of Obesity</i> , 2022, 46, 1470-1477.	3.4	4



#	ARTICLE	IF	CITATIONS
235	Characteristics and predictors of off-label use of antipsychotics in general population sample. <i>Acta Psychiatrica Scandinavica</i> , 2022, 146, 227-239.	4.5	4
236	Use of antidepressant medication and suicidal ideation in the Northern Finland Birth Cohort 1966. <i>Human Psychopharmacology</i> , 2014, 29, 559-567.	1.5	3
237	Self-rated psychopathic traits in a sample of treatment-seeking adolescent girls with internalizing and externalizing disorders: comparisons to girls in the community. <i>Nordic Journal of Psychiatry</i> , 2017, 71, 210-216.	1.3	3
238	Antipsychotic and benzodiazepine use and brain morphology in schizophrenia and affective psychoses – Systematic reviews and birth cohort study. <i>Psychiatry Research - Neuroimaging</i> , 2018, 281, 43-52.	1.8	3
239	Parental hospital-treated somatic illnesses and psychosis of the offspring in the Northern Finland Birth Cohort 1986 study. <i>Microbial Biotechnology</i> , 2019, 13, 290-296.	1.7	3
240	Effects of gender and psychiatric comorbidity on the age of illness onset and the outcome of psychotic depression – A birth cohort study. <i>Journal of Affective Disorders</i> , 2022, 296, 587-592.	4.1	3
241	Trajectories of adolescent psychotic-like experiences and early cannabis exposure: Results from a Finnish Birth Cohort Study. <i>Schizophrenia Research</i> , 2022, 246, 95-102.	2.0	3
242	Employment trajectories until midlife in schizophrenia and other psychoses: the Northern Finland Birth Cohort 1966. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2023, 58, 65-76.	3.1	3
243	Pathways Leading to Suicide in Schizophrenia. <i>Current Psychiatry Reviews</i> , 2007, 3, 233-242.	0.9	2
244	MMPI measures as signs of predisposition to mental disorder among adoptees at high risk for schizophrenia. <i>Psychiatry Research</i> , 2008, 158, 278-286.	3.3	2
245	Mortality of firesetters: A follow-up study of Finnish male firesetters who underwent a pretrial forensic examination in 1973–1998. <i>Psychiatry Research</i> , 2015, 225, 638-642.	3.3	2
246	The Relationship between Self-rated Psychopathic Traits and Psychopathology in a Sample of Finnish Community Youth: Exploration of Gender Differences. <i>Journal of Child and Adolescent Behavior</i> , 2016, 04, .	0.2	2
247	Short report: self-reported psychopathic traits in Finnish and Dutch samples of non-referred adolescents: exploration of cultural differences. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2016, 10, 3.	2.5	2
248	Do adverse perinatal events predict mortality in schizophrenia during midlife?. <i>Schizophrenia Research</i> , 2017, 179, 23-29.	2.0	2
249	Mortality of young offenders: a national register-based follow-up study of 15- to 19-year-old Finnish delinquents referred for forensic psychiatric examination between 1980 and 2010. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2017, 11, 37.	2.5	2
250	Associations of Cumulative Family Risk With Academic Performance and Substance Involvement: Tests of Moderation by Child Reading Engagement. <i>Substance Use and Misuse</i> , 2019, 54, 1679-1690.	1.4	2
251	Temperament and Early Intentions to Retire. <i>Journal of Occupational and Environmental Medicine</i> , 2019, 61, 136-143.	1.7	2
252	Association Between Psychosocial Problems and Unhealthy Health Behavior Patterns Among Finnish Adolescents. <i>Child Psychiatry and Human Development</i> , 2020, 51, 699-708.	1.9	2



#	ARTICLE	IF	CITATIONS
253	Parental Physical Illnesses and Their Association with Subsequent Externalizing and Internalizing Symptoms in Children. <i>Journal of Child and Family Studies</i> , 2021, 30, 2677.	1.3	2
254	Maternal smoking trajectory during pregnancy predicts offspring's smoking and substance use – The Northern Finland birth cohort 1966 study. <i>Preventive Medicine Reports</i> , 2021, 23, 101467.	1.8	2
255	Early Childhood Growth and Risk of Adult Cerebrovascular Disease: The NFBC1966. <i>Stroke</i> , 2022, 53, 1954-1963.	2.0	2
256	Hospital-treated suicide attempts among Finnish fire setters: a follow-up study. <i>Criminal Behaviour and Mental Health</i> , 2016, 26, 395-402.	0.8	1
257	Does Educational Marginalization Mediate the Path from Childhood Cumulative Risk to Criminal Offending?. <i>Journal of Developmental and Life-Course Criminology</i> , 2017, 3, 326-346.	1.2	1
258	Psychometric Properties of the Problematic Gaming Questionnaire Used to Assess Finnish Adolescents. <i>International Journal of Mental Health and Addiction</i> , 2020, 18, 103-111.	7.4	1
259	Mortality by diseases and medical conditions in the offspring of parents with severe mental illness. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1649-1657.	3.1	1
260	Parental death due to natural death causes during childhood abbreviates the time to a diagnosis of a psychiatric disorder in the offspring: A follow-up study. <i>Death Studies</i> , 2020, , 1-10.	2.7	1
261	Infant motor development and physical activity and sedentary time at midlife. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 1450-1460.	2.9	1
262	EXPRESS: Cerebrovascular disease at young age is related to mother's health during the pregnancy – the Northern Finland Birth Cohort 1966 study. <i>International Journal of Stroke</i> , 2021, , 174749302110407.	5.9	1
263	Cardiometabolic Disorders in the Offspring of Parents With Severe Mental Illness. <i>Psychosomatic Medicine</i> , 2022, 84, 2-9.	2.0	1
264	Association of ADHD symptoms in adolescence and mortality in Northern Finland Birth Cohort 1986. <i>Nordic Journal of Psychiatry</i> , 2022, , 1-7.	1.3	1
265	DISC1 CONDITIONED GENOME-WIDE ASSOCIATION STUDY OF PSYCHOSIS PRONENESS IN A LARGE FINNISH BIRTH COHORT. <i>Schizophrenia Research</i> , 2010, 117, 454-455.	2.0	0
266	Temperament in Schizophrenia and Bipolar disorders – a meta-analysis. <i>International Clinical Psychopharmacology</i> , 2011, 26, e95.	1.7	0
267	Temperament in schizophrenia and bipolar disorders – a meta-analysis. <i>International Clinical Psychopharmacology</i> , 2011, 26, e139.	1.7	0
268	Author's reply. <i>British Journal of Psychiatry</i> , 2014, 205, 499-500.	2.8	0
269	INFANT MOTOR DEVELOPMENT PREDICTS DECLINE IN EXECUTIVE FUNCTION IN ADULT SCHIZOPHRENIA IN THE NORTHERN FINLAND 1966 BIRTH COHORT STUDY. <i>Schizophrenia Research</i> , 2014, 153, S82.	2.0	0
270	4:45 PM DIFFICULTY IN MAKING CONTACT WITH OTHERS AND SOCIAL WITHDRAWAL AS EARLY SIGNS OF PSYCHOSIS IN ADOLESCENTS – THE NORTHERN FINLAND BIRTH COHORT 1986. <i>Schizophrenia Research</i> , 2014, 153, S63.	2.0	0

#	ARTICLE	IF	CITATIONS
271	S230. LONG-TERM ANTIPSYCHOTIC MEDICATION IN SCHIZOPHRENIA: BENEFITS, RISKS AND FOLLOW-UP: DATA FROM FINNISH COHORT STUDIES AND SYSTEMATIC REVIEW. Schizophrenia Bulletin, 2018, 44, S415-S416.	4.3	0
272	T136. DO VITAMIN D SUPPLEMENTATION DURING THE FIRST YEAR OF LIFE PREDICT COGNITION IN PSYCHOSES DURING MIDLIFE?. Schizophrenia Bulletin, 2018, 44, S168-S168.	4.3	0
273	T78. LONG-TERM PROGNOSIS OF SCHIZOPHRENIA - RESULTS FROM THE NORTHERN FINLAND BIRTH COHORT 1966. Schizophrenia Bulletin, 2018, 44, S144-S145.	4.3	0
274	Mining Health Discussions on Suomi24. , 2019, , .		0
275	Parental somatic illnesses and their association with prodromal symptoms of psychosis among offspring. Schizophrenia Research, 2020, 224, 190-192.	2.0	0
276	Editorial: Have We Got Better in Making Our Schizophrenia Patients Better?. Frontiers in Psychiatry, 2020, 11, 618417.	2.6	0
277	Early-Life Risk Factors for Breast Cancer â€œ Prospective Follow-up in the Northern Finland Birth Cohort 1966. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 616-622.	2.5	0
278	Early childhood growth and risk of adult cerebrovascular disease dash the Northern Finland birth cohort study 1966. Journal of the Neurological Sciences, 2021, 429, 118766.	0.6	0
279	Diferenciaci3n de personas adoptadas con riesgo gen3tico de esquizofrenia alto frente a bajo seg3n Índices ajustados del MMPI. European Psychiatry (Ed Espa±ola), 2006, 13, 335-341.	0.0	0
280	Authorâ€™s reply. British Journal of Psychiatry, 2020, 217, 458-458.	2.8	0
281	Parental smoking and young adult offspring psychosis, depression and anxiety disorders and substance use disorder. European Journal of Public Health, 2022, , .	0.3	0
282	Benefits and risks of off label use of antipsychotics in insomnia and anxiety â€œ APSY Oulu project. Nordic Journal of Psychiatry, 0, , 1-1.	1.3	0
283	Title is missing!. , 2019, 14, e0225909.		0
284	Title is missing!. , 2019, 14, e0225909.		0
285	Title is missing!. , 2019, 14, e0225909.		0
286	Title is missing!. , 2019, 14, e0225909.		0
287	Title is missing!. , 2019, 14, e0225909.		0
288	Title is missing!. , 2019, 14, e0225909.		0