

# Jouko A Miettunen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7456203/publications.pdf>

Version: 2024-02-01

288  
papers

9,115  
citations

36203

51  
h-index

58464

82  
g-index

303  
all docs

303  
docs citations

303  
times ranked

11810  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Effectiveness of interventions used to prepare preschool children and their parents for day surgery: A systematic review and meta-analysis of randomised controlled trials. <i>Journal of Clinical Nursing</i> , 2023, 32, 1705-1722. | 1.4 | 4         |
| 2  | Employment trajectories until midlife in schizophrenia and other psychoses: the Northern Finland Birth Cohort 1966. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2023, 58, 65-76.  | 1.6 | 3         |
| 3  | The effects and safety of telerehabilitation in patients with lower-limb joint replacement: A systematic review and narrative synthesis. <i>Journal of Telemedicine and Telecare</i> , 2022, 28, 96-114.                              | 1.4 | 28        |
| 4  | Cohort Profile: 46 years of follow-up of the Northern Finland Birth Cohort 1966 (NFBC1966). <i>International Journal of Epidemiology</i> , 2022, 50, 1786-1787j.  | 0.9 | 92        |
| 5  | Effects of gender and psychiatric comorbidity on the age of illness onset and the outcome of psychotic depression – A birth cohort study. <i>Journal of Affective Disorders</i> , 2022, 296, 587-592.                                 | 2.0 | 3         |
| 6  | Diagnostic and prognostic prediction models in ventilator-associated pneumonia: Systematic review and meta-analysis of prediction modelling studies. <i>Journal of Critical Care</i> , 2022, 67, 44-56.                               | 1.0 | 12        |
| 7  | Does cannabis use in adolescence predict self-harm or suicide? Results from a Finnish Birth Cohort Study. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 234-243.   | 2.2 | 14        |
| 8  | A population-based follow-up study shows high psychosis risk in women with PCOS. <i>Archives of Women's Mental Health</i> , 2022, 25, 301-311.  | 1.2 | 4         |
| 9  | Cardiometabolic Disorders in the Offspring of Parents With Severe Mental Illness. <i>Psychosomatic Medicine</i> , 2022, 84, 2-9.  | 1.3 | 1         |
| 10 | Comprehensive meta-analysis of associations between temperament and character traits in Cloninger's psychobiological theory and mental disorders. <i>Journal of International Medical Research</i> , 2022, 50, 030006052110707.       | 0.4 | 18        |
| 11 | Parental smoking and young adult offspring psychosis, depression and anxiety disorders and substance use disorder. <i>European Journal of Public Health</i> , 2022, , .   | 0.1 | 0         |
| 12 | Cross-cultural comparison of depressive symptoms on the Beck Depression Inventory-II, across six population samples. <i>BJPsych Open</i> , 2022, 8, e46.  | 0.3 | 6         |
| 13 | Early Childhood Growth and Risk of Adult Cerebrovascular Disease: The NFBC1966. <i>Stroke</i> , 2022, 53, 1954-1963.  | 1.0 | 2         |
| 14 | Is early exposure to cannabis associated with bipolar disorder? Results from a Finnish birth cohort study. <i>Addiction</i> , 2022, 117, 2264-2272.   | 1.7 | 6         |
| 15 | The relationship of life-course patterns of adiposity with type 2 diabetes, depression, and their comorbidity in the Northern Finland Birth Cohort 1966. <i>International Journal of Obesity</i> , 2022, 46, 1470-1477.               | 1.6 | 4         |
| 16 | Association of ADHD symptoms in adolescence and mortality in Northern Finland Birth Cohort 1986. <i>Nordic Journal of Psychiatry</i> , 2022, , 1-7.   | 0.7 | 1         |
| 17 | Trajectories of adolescent psychotic-like experiences and early cannabis exposure: Results from a Finnish Birth Cohort Study. <i>Schizophrenia Research</i> , 2022, 246, 95-102.  | 1.1 | 3         |
| 18 | Characteristics and predictors of off-label use of antipsychotics in general population sample. <i>Acta Psychiatrica Scandinavica</i> , 2022, 146, 227-239.   | 2.2 | 4         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Lower parental socioeconomic status in childhood and adolescence predicts unhealthy health behaviour patterns in adolescence in Northern Finland. <i>Scandinavian Journal of Caring Sciences</i> , 2021, 35, 742-752.  | 1.0 | 8         |
| 20 | Cumulative incidences of hospital-treated psychiatric disorders are increasing in five Finnish birth cohorts. <i>Acta Psychiatrica Scandinavica</i> , 2021, 143, 119-129.  | 2.2 | 4         |
| 21 | Maternal and infant prediction of the child BMI trajectories; studies across two generations of Northern Finland birth cohorts. <i>International Journal of Obesity</i> , 2021, 45, 404-414.                           | 1.6 | 8         |
| 22 | Identifying causative mechanisms linking early-life stress to psycho-cardio-metabolic multi-morbidity: The EarlyCause project. <i>PLoS ONE</i> , 2021, 16, e0245475.   | 1.1 | 9         |
| 23 | Return to the labour market in schizophrenia and other psychoses: a register-based Northern Finland Birth Cohort 1966 study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1645-1655.              | 1.6 | 4         |
| 24 | Early-Life Risk Factors for Breast Cancer – Prospective Follow-up in the Northern Finland Birth Cohort 1966. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 616-622.                                 | 1.1 | 0         |
| 25 | Infant motor development and physical activity and sedentary time at midlife. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 1450-1460.   | 1.3 | 1         |
| 26 | Pregnancy Risk Factors as Predictors of Offspring Cerebrovascular Disease. <i>Stroke</i> , 2021, 52, 1347-1354.  | 1.0 | 5         |
| 27 | Work-related risk factors for ulnar nerve entrapment in the Northern Finland Birth Cohort of 1966. <i>Scientific Reports</i> , 2021, 11, 10010.  | 1.6 | 9         |
| 28 | Leisure-time physical activity is associated with socio-economic status beyond income – Cross-sectional survey of the Northern Finland Birth Cohort 1966 study. <i>Economics and Human Biology</i> , 2021, 41, 100969. | 0.7 | 12        |
| 29 | The progression of disorder-specific brain pattern expression in schizophrenia over 9 years. <i>NPJ Schizophrenia</i> , 2021, 7, 32.   | 2.0 | 10        |
| 30 | The determinants and longitudinal changes in vitamin D status in middle-age: a Northern Finland Birth Cohort 1966 study. <i>European Journal of Nutrition</i> , 2021, 60, 4541-4553.                                   | 1.8 | 9         |
| 31 | Early Adversity and Emotion Processing From Faces: A Meta-analysis on Behavioral and Neurophysiological Responses. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, 6, 692-705.           | 1.1 | 9         |
| 32 | Adolescent cannabis use, depression and anxiety disorders in the Northern Finland Birth Cohort 1986. <i>BJPsych Open</i> , 2021, 7, .  | 0.3 | 6         |
| 33 | Age of first alcohol intoxication and psychiatric disorders in young adulthood – A prospective birth cohort study. <i>Addictive Behaviors</i> , 2021, 118, 106910.   | 1.7 | 8         |
| 34 | Parental Physical Illnesses and Their Association with Subsequent Externalizing and Internalizing Symptoms in Children. <i>Journal of Child and Family Studies</i> , 2021, 30, 2677.                                   | 0.7 | 2         |
| 35 | EXPRESS: Cerebrovascular disease at young age is related to mother's health during the pregnancy – the Northern Finland Birth Cohort 1966 study. <i>International Journal of Stroke</i> , 2021, , 1747493021110407.    | 2.9 | 1         |
| 36 | Maternal smoking trajectory during pregnancy predicts offspring's smoking and substance use – The Northern Finland birth cohort 1966 study. <i>Preventive Medicine Reports</i> , 2021, 23, 101467.                     | 0.8 | 2         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Predictors of response to pharmacological treatments in treatment-resistant schizophrenia â€” A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2021, 236, 123-134.  | 1.1 | 10        |
| 38 | The clinical characterization of the patient with primary psychosis aimed at personalization of management. <i>World Psychiatry</i> , 2021, 20, 4-33.   | 4.8 | 153       |
| 39 | Early childhood growth and risk of adult cerebrovascular disease dash the Northern Finland birth cohort study 1966. <i>Journal of the Neurological Sciences</i> , 2021, 429, 118766.  | 0.3 | 0         |
| 40 | Problematic gaming behaviour and health-related outcomes: A systematic review and meta-analysis. <i>Journal of Health Psychology</i> , 2020, 25, 67-81.   | 1.3 | 115       |
| 41 | Psychometric Properties of the Problematic Gaming Questionnaire Used to Assess Finnish Adolescents. <i>International Journal of Mental Health and Addiction</i> , 2020, 18, 103-111.  | 4.4 | 1         |
| 42 | Antisocial and borderline personality disorders in the offspring of antenatally depressed mothers â€” a follow-up until mid-adulthood in the Northern Finland 1966 birth cohort. <i>Nordic Journal of Psychiatry</i> , 2020, 74, 138-146. | 0.7 | 6         |
| 43 | How mentoring education affects nurse mentorsâ€™ competence in mentoring students during clinical practice â€” A quasi-experimental studyâ€™. <i>Scandinavian Journal of Caring Sciences</i> , 2020, 34, 230-238.                         | 1.0 | 38        |
| 44 | Mortality by diseases and medical conditions in the offspring of parents with severe mental illness. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1649-1657.   | 1.6 | 1         |
| 45 | Clusters of health behaviours and their relation to body mass index among adolescents in Northern Finland. <i>Scandinavian Journal of Caring Sciences</i> , 2020, 34, 666-674.  | 1.0 | 6         |
| 46 | Frequent intoxication and alcohol tolerance in adolescence: associations with psychiatric disorders in young adulthood. <i>Addiction</i> , 2020, 115, 888-900.  | 1.7 | 13        |
| 47 | Incidence and operations of median, ulnar and radial entrapment neuropathies in Finland: a nationwide register study. <i>Journal of Hand Surgery: European Volume</i> , 2020, 45, 226-230.  | 0.5 | 22        |
| 48 | Understanding the cumulative risk of maternal prenatal biopsychosocial factors on birth weight: a DynaHEALTH study on two birth cohorts. <i>Journal of Epidemiology and Community Health</i> , 2020, 74, jech-2019-213154.                | 2.0 | 5         |
| 49 | Parental Alcohol Use and the Alcohol Misuse of their Offspring in a Finnish Birth Cohort: Investigation of Developmental Timing. <i>Journal of Youth and Adolescence</i> , 2020, 49, 1702-1715.   | 1.9 | 8         |
| 50 | Five-Year Cumulative Exposure to Antipsychotic Medication After First-Episode Psychosis and its Association With 19-Year Outcomes. <i>Schizophrenia Bulletin Open</i> , 2020, 1, .  | 0.9 | 8         |
| 51 | Association of age at first drink and first alcohol intoxication as predictors of mortality: a birth cohort study. <i>European Journal of Public Health</i> , 2020, 30, 1189-1193.  | 0.1 | 8         |
| 52 | Parental somatic illnesses and their association with prodromal symptoms of psychosis among offspring. <i>Schizophrenia Research</i> , 2020, 224, 190-192.  | 1.1 | 0         |
| 53 | Editorial: Have We Got Better in Making Our Schizophrenia Patients Better?. <i>Frontiers in Psychiatry</i> , 2020, 11, 618417.  | 1.3 | 0         |
| 54 | Frequent Alcohol Intoxication and High Alcohol Tolerance During Adolescence as Predictors of Mortality: A Birth Cohort Study. <i>Journal of Adolescent Health</i> , 2020, 67, 692-699.  | 1.2 | 7         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Early exposure to social disadvantages and later life body mass index beyond genetic predisposition in three generations of Finnish birth cohorts. <i>BMC Public Health</i> , 2020, 20, 708.                                  | 1.2 | 9         |
| 56 | Associations between Childhood and Adolescent Emotional and Behavioral Characteristics and Screen Time of Adolescents. <i>Issues in Mental Health Nursing</i> , 2020, 41, 700-712.  | 0.6 | 5         |
| 57 | Early environmental factors and somatic comorbidity in schizophrenia and nonschizophrenic psychoses: A 50-year follow-up of the Northern Finland Birth Cohort 1966. <i>European Psychiatry</i> , 2020, 63, e24.               | 0.1 | 4         |
| 58 | Association Between Psychosocial Problems and Unhealthy Health Behavior Patterns Among Finnish Adolescents. <i>Child Psychiatry and Human Development</i> , 2020, 51, 699-708.  | 1.1 | 2         |
| 59 | Interventions to improve nurses' job satisfaction: A systematic review and meta-analysis. <i>Journal of Advanced Nursing</i> , 2020, 76, 1498-1508.   | 1.5 | 72        |
| 60 | Parental socioeconomic status, adolescents' screen time and sports participation through externalizing and internalizing characteristics. <i>Heliyon</i> , 2020, 6, e03415.   | 1.4 | 28        |
| 61 | Early childhood and adolescent risk factors for psychotic depression in a general population birth cohort sample. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1179-1186.                                | 1.6 | 6         |
| 62 | Parental death due to natural death causes during childhood abbreviates the time to a diagnosis of a psychiatric disorder in the offspring: A follow-up study. <i>Death Studies</i> , 2020, , 1-10.                           | 1.8 | 1         |
| 63 | Population-based Data at Ages 31 and 46 Show Decreased HRQoL and Life Satisfaction in Women with PCOS Symptoms. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 1814-1826.                               | 1.8 | 25        |
| 64 | The effectiveness of web-based mobile health interventions in paediatric outpatient surgery: A systematic review and meta-analysis of randomized controlled trials. <i>Journal of Advanced Nursing</i> , 2020, 76, 1949-1960. | 1.5 | 23        |
| 65 | Risk factors of hospitalization for carpal tunnel syndrome among the general working population. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 43-49.   | 1.7 | 14        |
| 66 | Author's reply. <i>British Journal of Psychiatry</i> , 2020, 217, 458-458.  | 1.7 | 0         |
| 67 | Understanding the complexity of glycaemic health: systematic bio-psychosocial modelling of fasting glucose in middle-age adults; a DynaHEALTH study. <i>International Journal of Obesity</i> , 2019, 43, 1181-1192.           | 1.6 | 11        |
| 68 | Prospective relations between alexithymia, substance use and depression: findings from a National Birth Cohort. <i>Nordic Journal of Psychiatry</i> , 2019, 73, 340-348.  | 0.7 | 11        |
| 69 | Cohort Profile: The DynaHEALTH consortium – a European consortium for a life-course bio-psychosocial model of healthy ageing of glucose homeostasis. <i>International Journal of Epidemiology</i> , 2019, 48, 1051-1051k.     | 0.9 | 10        |
| 70 | Smoking as risk factor for carpal tunnel syndrome: A birth cohort study. <i>Muscle and Nerve</i> , 2019, 60, 299-304.   | 1.0 | 9         |
| 71 | Educational interventions designed to develop nurses' cultural competence: A systematic review. <i>International Journal of Nursing Studies</i> , 2019, 98, 75-86.  | 2.5 | 65        |
| 72 | Smoking is associated with ulnar nerve entrapment: a birth cohort study. <i>Scientific Reports</i> , 2019, 9, 9450.   | 1.6 | 9         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Brain response to facial expressions in adults with adolescent ADHD. <i>Psychiatry Research - Neuroimaging</i> , 2019, 292, 54-61.  | 0.9 | 4         |
| 74 | Development and validation of a psychometric scale for assessing healthcare professionals' knowledge in radiation protection. <i>Radiography</i> , 2019, 25, 136-142.                               | 1.1 | 15        |
| 75 | Nurses' knowledge of radiation protection: A cross-sectional study. <i>Radiography</i> , 2019, 25, e108-e112.   | 1.1 | 18        |
| 76 | Associations of Cumulative Family Risk With Academic Performance and Substance Involvement: Tests of Moderation by Child Reading Engagement. <i>Substance Use and Misuse</i> , 2019, 54, 1679-1690. | 0.7 | 2         |
| 77 | Association between developmental milestones and age of schizophrenia onset: Results from the Northern Finland Birth Cohort 1966. <i>Schizophrenia Research</i> , 2019, 208, 228-234.               | 1.1 | 7         |
| 78 | Psychiatric research in the Northern Finland Birth Cohort 1986 – a systematic review. <i>International Journal of Circumpolar Health</i> , 2019, 78, 1571382.                                       | 0.5 | 5         |
| 79 | Mining Health Discussions on Suomi24. , 2019, , .   |     | 0         |
| 80 | Temperament and Early Intentions to Retire. <i>Journal of Occupational and Environmental Medicine</i> , 2019, 61, 136-143.  | 0.9 | 2         |
| 81 | Smoking trajectories and risk of stroke until age of 50 years – The Northern Finland Birth Cohort 1966. <i>PLoS ONE</i> , 2019, 14, e0225909.   | 1.1 | 4         |
| 82 | BP180 Autoantibodies Target Different Epitopes in Multiple Sclerosis or Alzheimer's Disease than in Bullous Pemphigoid. <i>Journal of Investigative Dermatology</i> , 2019, 139, 293-299.           | 0.3 | 20        |
| 83 | Socioeconomic and health-related childhood and adolescence predictors of entry into paid employment. <i>European Journal of Public Health</i> , 2019, 29, 555-561.                                  | 0.1 | 6         |
| 84 | Parental hospital-treated somatic illnesses and psychosis of the offspring – The Northern Finland Birth Cohort 1986 study. <i>Microbial Biotechnology</i> , 2019, 13, 290-296.                      | 0.9 | 3         |
| 85 | The Age of Onset of Schizophrenia Spectrum Disorders. , 2019, , 55-73.  |     | 4         |
| 86 | Economic crises and suicides between 1970 and 2011: time trend study in 21 developed countries. <i>Journal of Epidemiology and Community Health</i> , 2019, 73, 311-316.                            | 2.0 | 14        |
| 87 | Mobile Phone and Wearable Sensor-Based mHealth Approaches for Psychiatric Disorders and Symptoms: Systematic Review. <i>JMIR Mental Health</i> , 2019, 6, e9819.                                    | 1.7 | 90        |
| 88 | Title is missing!. , 2019, 14, e0225909.  |     | 0         |
| 89 | Title is missing!. , 2019, 14, e0225909.  |     | 0         |
| 90 | Title is missing!. , 2019, 14, e0225909.  |     | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Title is missing!. , 2019, 14, e0225909.   |     | 0         |
| 92  | Title is missing!. , 2019, 14, e0225909.   |     | 0         |
| 93  | Title is missing!. , 2019, 14, e0225909.   |     | 0         |
| 94  | Socioeconomic disadvantage and psychological deficits: Pathways from early cumulative risk to late-adolescent criminal conviction. <i>Journal of Adolescence</i> , 2018, 65, 16-24.                    | 1.2 | 17        |
| 95  | Adolescent cannabis use, baseline prodromal symptoms and the risk of psychosis. <i>British Journal of Psychiatry</i> , 2018, 212, 227-233.   | 1.7 | 72        |
| 96  | Early Motor Developmental Milestones and Schizotypy in the Northern Finland Birth Cohort Study 1966. <i>Schizophrenia Bulletin</i> , 2018, 44, 1151-1158.  | 2.3 | 11        |
| 97  | Search for protective factors for psychosis – a population-based sample with special interest in unaffected individuals with parental psychosis. <i>Microbial Biotechnology</i> , 2018, 12, 869-878.   | 0.9 | 12        |
| 98  | Interaction between compound genetic risk for schizophrenia and high birth weight contributes to social anhedonia and schizophrenia in women. <i>Psychiatry Research</i> , 2018, 259, 148-153.         | 1.7 | 12        |
| 99  | Problematic Gaming Behavior Among Finnish Junior High School Students: Relation to Socio-Demographics and Gaming Behavior Characteristics. <i>Behavioral Medicine</i> , 2018, 44, 324-334.             | 1.0 | 21        |
| 100 | The association of unemployment with glucose metabolism: a systematic review and meta-analysis. <i>International Journal of Public Health</i> , 2018, 63, 435-446.                                     | 1.0 | 21        |
| 101 | Living environment and its relationship to depressive mood: A systematic review. <i>International Journal of Social Psychiatry</i> , 2018, 64, 92-103.   | 1.6 | 155       |
| 102 | Firesetting and general criminal recidivism among a consecutive sample of Finnish pretrial male firesetters: A register-based follow-up study. <i>Psychiatry Research</i> , 2018, 259, 377-384.        | 1.7 | 5         |
| 103 | Profiles of Contextual Risk at Birth and Adolescent Substance Use. <i>Journal of Child and Family Studies</i> , 2018, 27, 717-724.   | 0.7 | 4         |
| 104 | S230. LONG-TERM ANTIPSYCHOTIC MEDICATION IN SCHIZOPHRENIA: BENEFITS, RISKS AND FOLLOW-UP: DATA FROM FINNISH COHORT STUDIES AND SYSTEMATIC REVIEW. <i>Schizophrenia Bulletin</i> , 2018, 44, S415-S416. | 2.3 | 0         |
| 105 | T136. DO VITAMIN D SUPPLEMENTATION DURING THE FIRST YEAR OF LIFE PREDICT COGNITION IN PSYCHOSES DURING MIDLIFE?. <i>Schizophrenia Bulletin</i> , 2018, 44, S168-S168.                                  | 2.3 | 0         |
| 106 | Evidence of a Causal Relationship Between Smoking Tobacco and Schizophrenia Spectrum Disorders. <i>Frontiers in Psychiatry</i> , 2018, 9, 607.   | 1.3 | 39        |
| 107 | Relationship between BMI and emotion-handling capacity in an adult Finnish population: The Northern Finland Birth Cohort 1966. <i>PLoS ONE</i> , 2018, 13, e0203660.                                   | 1.1 | 4         |
| 108 | The competence of nurse mentors in mentoring students in clinical practice – A cross-sectional study. <i>Nurse Education Today</i> , 2018, 71, 78-83.  | 1.4 | 47        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Psychiatric diagnoses of children affected by their parentsâ€™ traumatic brain injury: the 1987 Finnish Birth Cohort study. <i>Brain Injury</i> , 2018, 32, 933-940.   | 0.6 | 5         |
| 110 | Early determinants of metabolically healthy obesity in young adults: study of the Northern Finland Birth Cohort 1966. <i>International Journal of Obesity</i> , 2018, 42, 1704-1714.                                   | 1.6 | 8         |
| 111 | Underutilized opportunities to optimize medication management in long-term treatment of schizophrenia. <i>World Psychiatry</i> , 2018, 17, 172-173.  | 4.8 | 8         |
| 112 | Clinical characteristics and outcomes of psychotic depression in the Northern Finland Birth Cohort 1966. <i>European Psychiatry</i> , 2018, 53, 23-30.   | 0.1 | 22        |
| 113 | Adolescent inhalant use and psychosis risk â€“ a prospective longitudinal study. <i>Schizophrenia Research</i> , 2018, 201, 360-366.   | 1.1 | 13        |
| 114 | Cloninger's Temperament Dimensions and Longitudinal Alcohol Use in Early Midlife: A Northern Finland Birth Cohort 1966 Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2018, 42, 1924-1932.             | 1.4 | 10        |
| 115 | Cognition, psychosis risk and metabolic measures in two adolescent birth cohorts. <i>Psychological Medicine</i> , 2018, 48, 2609-2623.   | 2.7 | 7         |
| 116 | T78. LONG-TERM PROGNOSIS OF SCHIZOPHRENIA - RESULTS FROM THE NORTHERN FINLAND BIRTH COHORT 1966. <i>Schizophrenia Bulletin</i> , 2018, 44, S144-S145.  | 2.3 | 0         |
| 117 | Antipsychotic and benzodiazepine use and brain morphology in schizophrenia and affective psychoses â€“ Systematic reviews and birth cohort study. <i>Psychiatry Research - Neuroimaging</i> , 2018, 281, 43-52.        | 0.9 | 3         |
| 118 | Development and psychometric testing of the nursing student mentors' competence instrument (MCI): A cross-sectional study. <i>Nurse Education Today</i> , 2018, 68, 93-99.   | 1.4 | 22        |
| 119 | F128. THE AGE OF ONSET OF SCHIZOPHRENIA SPECTRUM DISORDERS. <i>Schizophrenia Bulletin</i> , 2018, 44, S270-S270.   | 2.3 | 8         |
| 120 | Association between family history of psychiatric disorders and long-term outcome in schizophrenia â€“ The Northern Finland Birth Cohort 1966 study. <i>Psychiatry Research</i> , 2017, 249, 16-22.                    | 1.7 | 11        |
| 121 | Development and testing of the <scp>CALD</scp>s and <scp>CLES</scp>+T scales for international nursing studentsâ€™ clinical learning environments. <i>Journal of Advanced Nursing</i> , 2017, 73, 1997-2011.           | 1.5 | 20        |
| 122 | Clinical learning environment and supervision of international nursing students: A cross-sectional study. <i>Nurse Education Today</i> , 2017, 52, 73-80.  | 1.4 | 50        |
| 123 | Longitudinal Pathways from Cumulative Contextual Risk at Birth to School Functioning in Adolescence: Analysis of Mediation Effects and Gender Moderation. <i>Journal of Youth and Adolescence</i> , 2017, 46, 180-196. | 1.9 | 23        |
| 124 | Psychological Distress Is More Prevalent in Fertile Age and Premenopausal Women With PCOS Symptoms: 15-Year Follow-Up. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 1861-1869.                 | 1.8 | 83        |
| 125 | Accumulated exposure to unemployment is related to impaired glucose metabolism in middle-aged men: A follow-up of the Northern Finland Birth Cohort 1966. <i>Primary Care Diabetes</i> , 2017, 11, 365-372.            | 0.9 | 29        |
| 126 | Age at onset and the outcomes of schizophrenia: A systematic review and meta-analysis. <i>Microbial Biotechnology</i> , 2017, 11, 453-460.   | 0.9 | 192       |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Lifetime antipsychotic medication and cognitive performance in schizophrenia at age 43 years in a general population birth cohort. <i>Psychiatry Research</i> , 2017, 247, 130-138.   | 1.7 | 68        |
| 128 | Long-term antipsychotic and benzodiazepine use and brain volume changes in schizophrenia: The Northern Finland Birth Cohort 1966 study. <i>Psychiatry Research - Neuroimaging</i> , 2017, 266, 73-82.   | 0.9 | 21        |
| 129 | Genome-Wide Association Study of Psychosis Proneness in the Finnish Population. <i>Schizophrenia Bulletin</i> , 2017, 43, 1304-1314.  | 2.3 | 41        |
| 130 | Early adversity and brain response to faces in young adulthood. <i>Human Brain Mapping</i> , 2017, 38, 4470-4478.   | 1.9 | 10        |
| 131 | Long-term antipsychotic use and brain changes in schizophrenia - a systematic review and meta-analysis. <i>Human Psychopharmacology</i> , 2017, 32, e2574.  | 0.7 | 69        |
| 132 | Self-rated psychopathic traits in a sample of treatment-seeking adolescent girls with internalizing and externalizing disorders: comparisons to girls in the community. <i>Nordic Journal of Psychiatry</i> , 2017, 71, 210-216.                                | 0.7 | 3         |
| 133 | Cumulative contextual risk at birth and adolescent substance initiation: Peer mediation tests. <i>Drug and Alcohol Dependence</i> , 2017, 177, 291-298.   | 1.6 | 10        |
| 134 | Childhood cumulative contextual risk and depression diagnosis among young adults: The mediating roles of adolescent alcohol use and perceived social support. <i>Journal of Adolescence</i> , 2017, 60, 16-26.  | 1.2 | 13        |
| 135 | Tests of linear and nonlinear relations between cumulative contextual risk at birth and psychosocial problems during adolescence. <i>Journal of Adolescence</i> , 2017, 60, 64-73.  | 1.2 | 5         |
| 136 | Does Educational Marginalization Mediate the Path from Childhood Cumulative Risk to Criminal Offending?. <i>Journal of Developmental and Life-Course Criminology</i> , 2017, 3, 326-346.  | 0.8 | 1         |
| 137 | Fire-setting performed in adolescence or early adulthood predicts schizophrenia: a register-based follow-up study of pre-trial offenders. <i>Nordic Journal of Psychiatry</i> , 2017, 71, 96-101.   | 0.7 | 5         |
| 138 | The effect of prenatal smoking exposure on daily smoking among teenage offspring. <i>Addiction</i> , 2017, 112, 134-143.  | 1.7 | 18        |
| 139 | Do adverse perinatal events predict mortality in schizophrenia during midlife?. <i>Schizophrenia Research</i> , 2017, 179, 23-29.   | 1.1 | 2         |
| 140 | Serum C-reactive protein in adolescence and risk of schizophrenia in adulthood: A prospective birth cohort study. <i>Brain, Behavior, and Immunity</i> , 2017, 59, 253-259.   | 2.0 | 100       |
| 141 | Neuroticism Associates with Cerebral in Vivo Serotonin Transporter Binding Differently in Males and Females. <i>International Journal of Neuropsychopharmacology</i> , 2017, 20, 963-970.   | 1.0 | 19        |
| 142 | Mortality of young offenders: a national register-based follow-up study of 15- to 19-year-old Finnish delinquents referred for forensic psychiatric examination between 1980 and 2010. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2017, 11, 37. | 1.2 | 2         |
| 143 | The Relationship between Self-rated Psychopathic Traits and Psychopathology in a Sample of Finnish Community Youth: Exploration of Gender Differences. <i>Journal of Child and Adolescent Behavior</i> , 2016, 04, .  | 0.2 | 2         |
| 144 | The C9ORF72 expansion sizes in patients with psychosis. <i>Psychiatric Genetics</i> , 2016, 26, 92-94.  | 0.6 | 11        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Hospital-treated suicide attempts among Finnish fire setters: a follow-up study. <i>Criminal Behaviour and Mental Health</i> , 2016, 26, 395-402.   | 0.4 | 1         |
| 146 | Do seriously offending girls differ from their age- and offence type-matched male counterparts on psychopathic traits or psychopathy-related background variables?. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2016, 10, 38.                      | 1.2 | 8         |
| 147 | Maternal Smoking During Pregnancy Is Associated With Offspring's Musculoskeletal Pain in Adolescence: Structural Equation Modeling. <i>Nicotine and Tobacco Research</i> , 2016, 19, ntw325.  | 1.4 | 5         |
| 148 | Careless responses in survey data and the validity of a screening instrument. <i>Nordic Psychology</i> , 2016, 68, 114-123.   | 0.4 | 8         |
| 149 | Prognosis of schizophrenia spectrum disorder may not be predetermined during early development – the Northern Finland Birth Cohort 1966. <i>Schizophrenia Research</i> , 2016, 173, 62-68.  | 1.1 | 4         |
| 150 | Body mass index and brain white matter structure in young adults at risk for psychosis – The Oulu Brain and Mind Study. <i>Psychiatry Research - Neuroimaging</i> , 2016, 254, 169-176.   | 0.9 | 13        |
| 151 | Smoking in pregnancy, adolescent mental health and cognitive performance in young adult offspring: results from a matched sample within a Finnish cohort. <i>BMC Psychiatry</i> , 2016, 16, 430.  | 1.1 | 19        |
| 152 | Defense Mechanisms in Adolescence as Predictors of Adult Personality Disorders. <i>Journal of Nervous and Mental Disease</i> , 2016, 204, 349-354.  | 0.5 | 12        |
| 153 | Cumulative contextual risk at birth in relation to adolescent substance use, conduct problems, and risky sex: General and specific predictive associations in a Finnish birth cohort. <i>Addictive Behaviors</i> , 2016, 58, 161-166.                             | 1.7 | 17        |
| 154 | Short report: self-reported psychopathic traits in Finnish and Dutch samples of non-referred adolescents: exploration of cultural differences. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2016, 10, 3.  | 1.2 | 2         |
| 155 | Use of psychiatric medications in schizophrenia and other psychoses in a general population sample. <i>Psychiatry Research</i> , 2016, 235, 160-168.  | 1.7 | 11        |
| 156 | Predictors of Long-Term Change in Adult Cognitive Performance: Systematic Review and Data from the Northern Finland Birth Cohort 1966. <i>Clinical Neuropsychologist</i> , 2016, 30, 17-50.   | 1.5 | 5         |
| 157 | Changes in alcohol use in relation to sociodemographic factors in early midlife. <i>Scandinavian Journal of Public Health</i> , 2016, 44, 249-257.  | 1.2 | 15        |
| 158 | Brain structural deficits and working memory fMRI dysfunction in young adults who were diagnosed with ADHD in adolescence. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 529-538.   | 2.8 | 30        |
| 159 | Poor premorbid school performance, but not severity of illness, predicts cognitive decline in schizophrenia in midlife. <i>Schizophrenia Research: Cognition</i> , 2015, 2, 120-126.  | 0.7 | 9         |
| 160 | Self-reported psychopathic traits among non-referred Finnish adolescents: psychometric properties of the Youth Psychopathic traits Inventory and the Antisocial Process Screening Device. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2015, 9, 15. | 1.2 | 15        |
| 161 | Association between Dopamine Receptor D2 (DRD2) Variations rs6277 and rs1800497 and Cognitive Performance According to Risk Type for Psychosis: A Nested Case Control Study in a Finnish Population Sample. <i>PLoS ONE</i> , 2015, 10, e0127602.                 | 1.1 | 11        |
| 162 | Twenty Years of Schizophrenia Research in the Northern Finland Birth Cohort 1966: A Systematic Review. <i>Schizophrenia Research and Treatment</i> , 2015, 2015, 1-12.  | 0.7 | 32        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Central executive network in young people with familial risk for psychosis â€” The Oulu Brain and Mind Study. <i>Schizophrenia Research</i> , 2015, 161, 177-183.   | 1.1 | 11        |
| 164 | Mortality of firesetters: A follow-up study of Finnish male firesetters who underwent a pretrial forensic examination in 1973â€”1998. <i>Psychiatry Research</i> , 2015, 225, 638-642.                                | 1.7 | 2         |
| 165 | A Metaâ€”Analysis of Temperament in Eating Disorders. <i>European Eating Disorders Review</i> , 2015, 23, 89-99.  | 2.3 | 93        |
| 166 | Aberrant Functional Connectivity in the Default Mode and Central Executive Networks in Subjects with Schizophrenia Ã¢â€”â€” A Whole-Brain Resting-State ICA Study. <i>Frontiers in Psychiatry</i> , 2015, 6, 26.      | 1.3 | 51        |
| 167 | Longitudinal regional brain volume loss in schizophrenia: Relationship to antipsychotic medication and change in social function. <i>Schizophrenia Research</i> , 2015, 168, 297-304.                                 | 1.1 | 56        |
| 168 | Changes in verbal learning and memory in schizophrenia and non-psychotic controls in midlife: A nine-year follow-up in the Northern Finland Birth Cohort study 1966. <i>Psychiatry Research</i> , 2015, 228, 671-679. | 1.7 | 10        |
| 169 | Psychopathic traits among a consecutive sample of Finnish pretrial fire-setting offenders. <i>BMC Psychiatry</i> , 2015, 15, 44.  | 1.1 | 7         |
| 170 | Functional mapping of dynamic happy and fearful facial expressions in young adults with familial risk for psychosis â€” Oulu Brain and Mind Study. <i>Schizophrenia Research</i> , 2015, 164, 242-249.                | 1.1 | 16        |
| 171 | Cerebellar activity in young people with familial risk for psychosis â€” The Oulu Brain and Mind Study. <i>Schizophrenia Research</i> , 2015, 169, 46-53.   | 1.1 | 7         |
| 172 | White matter structure in young adults with familial risk for psychosis â€” The Oulu Brain and Mind Study. <i>Psychiatry Research - Neuroimaging</i> , 2015, 233, 388-393.  | 0.9 | 8         |
| 173 | DTI abnormalities in adults with past history of attention deficit hyperactivity disorder: a tract-based spatial statistics study. <i>Acta Radiologica</i> , 2015, 56, 990-996.                                       | 0.5 | 13        |
| 174 | Author's reply. <i>British Journal of Psychiatry</i> , 2014, 205, 499-500.  | 1.7 | 0         |
| 175 | Linking the Developmental and Degenerative Theories of Schizophrenia: Association Between Infant Development and Adult Cognitive Decline. <i>Schizophrenia Bulletin</i> , 2014, 40, 1319-1327.                        | 2.3 | 21        |
| 176 | Maternal cigarette smoking during pregnancy predicts drug use via externalizing behavior in two communityâ€”based samples of adolescents. <i>Addiction</i> , 2014, 109, 1718-1729.                                    | 1.7 | 28        |
| 177 | INFANT MOTOR DEVELOPMENT PREDICTS DECLINE IN EXECUTIVE FUNCTION IN ADULT SCHIZOPHRENIA IN THE NORTHERN FINLAND 1966 BIRTH COHORT STUDY. <i>Schizophrenia Research</i> , 2014, 153, S82.                               | 1.1 | 0         |
| 178 | 4:45 PM DIFFICULTY IN MAKING CONTACT WITH OTHERS AND SOCIAL WITHDRAWAL AS EARLY SIGNS OF PSYCHOSIS IN ADOLESCENTS â€” THE NORTHERN FINLAND BIRTH COHORT 1986. <i>Schizophrenia Research</i> , 2014, 153, S63.         | 1.1 | 0         |
| 179 | Duration of untreated psychosis as predictor of long-term outcome in schizophrenia: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2014, 205, 88-94.                                     | 1.7 | 521       |
| 180 | Use of antidepressant medication and suicidal ideationâ€”the Northern Finland Birth Cohort 1966. <i>Human Psychopharmacology</i> , 2014, 29, 559-567.   | 0.7 | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Brain structure in different psychosis risk groups in the Northern Finland 1986 Birth Cohort. <i>Schizophrenia Research</i> , 2014, 153, 143-149.   | 1.1 | 17        |
| 182 | Lifetime use of antipsychotic medication and its relation to change of verbal learning and memory in midlife schizophrenia – An observational 9-year follow-up study. <i>Schizophrenia Research</i> , 2014, 158, 134-141.   | 1.1 | 66        |
| 183 | Longitudinal Changes in Total Brain Volume in Schizophrenia: Relation to Symptom Severity, Cognition and Antipsychotic Medication. <i>PLoS ONE</i> , 2014, 9, e101689.  | 1.1 | 92        |
| 184 | Young people at risk for psychosis: case finding and sample characteristics of the Oulu Brain and Mind Study. <i>Microbial Biotechnology</i> , 2013, 7, 146-154.  | 0.9 | 26        |
| 185 | A Systematic Review and Meta-Analysis of Recovery in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2013, 39, 1296-1306.  | 2.3 | 674       |
| 186 | Default mode network in young people with familial risk for psychosis – The Oulu Brain and Mind Study. <i>Schizophrenia Research</i> , 2013, 143, 239-245.  | 1.1 | 19        |
| 187 | Association between the duration of untreated psychosis and short- and long-term outcome in schizophrenia within the Northern Finland 1966 Birth Cohort. <i>Schizophrenia Research</i> , 2013, 143, 3-10.   | 1.1 | 25        |
| 188 | Predicting Depression with Psychopathology and Temperament Traits: The Northern Finland 1966 Birth Cohort. <i>Depression Research and Treatment</i> , 2012, 2012, 1-9.  | 0.7 | 7         |
| 189 | Ante- and perinatal circumstances and risk of attempted suicides and suicides in offspring: the Northern Finland birth cohort 1966 study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012, 47, 1783-1794.  | 1.6 | 15        |
| 190 | Verbal learning and memory and their associations with brain morphology and illness course in schizophrenia spectrum psychoses. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2012, 34, 698-713.  | 0.8 | 11        |
| 191 | A meta-analysis of temperament in axis I psychiatric disorders. <i>Comprehensive Psychiatry</i> , 2012, 53, 152-166.  | 1.5 | 59        |
| 192 | Use of antipsychotic medication and suicidality – the Northern Finland Birth Cohort 1966. <i>Human Psychopharmacology</i> , 2012, 27, 476-485.  | 0.7 | 9         |
| 193 | Relationship between oral health-related knowledge, attitudes and behavior among 15-16-year-old adolescents – A structural equation modeling approach. <i>Acta Odontologica Scandinavica</i> , 2012, 70, 169-176.   | 0.9 | 41        |
| 194 | Neuregulin-1 genotype is associated with structural differences in the normal human brain. <i>NeuroImage</i> , 2012, 59, 2057-2061.   | 2.1 | 30        |
| 195 | Temperament Clusters in a Normal Population: Implications for Health and Disease. <i>PLoS ONE</i> , 2012, 7, e33088.  | 1.1 | 12        |
| 196 | No Association of COMT (Val158Met) Genotype with Brain Structure Differences between Men and Women. <i>PLoS ONE</i> , 2012, 7, e33964.  | 1.1 | 18        |
| 197 | The use of time-to-event methods in dental research: a comparison based on five dental journals over a 11-year period. <i>Community Dentistry and Oral Epidemiology</i> , 2012, 40, 36-42.  | 0.9 | 8         |
| 198 | MAINTENANCE OF GENETIC VARIATION IN HUMAN PERSONALITY: TESTING EVOLUTIONARY MODELS BY ESTIMATING HERITABILITY DUE TO COMMON CAUSAL VARIANTS AND INVESTIGATING THE EFFECT OF DISTANT INBREEDING. <i>Evolution; International Journal of Organic Evolution</i> , 2012, 66, 3238-3251. | 1.1 | 166       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Early Environment and Neurobehavioral Development Predict Adult Temperament Clusters. PLoS ONE, 2012, 7, e38065.  | 1.1 | 8         |
| 200 | Advanced paternal age and parental history of schizophrenia. Schizophrenia Research, 2011, 133, 125-132.  | 1.1 | 42        |
| 201 | Is Prematurity Associated With Adult Cognitive Outcome and Brain Structure?. Pediatric Neurology, 2011, 44, 12-20.  | 1.0 | 13        |
| 202 | Temperament in Schizophrenia and Bipolar disorders – a meta-analysis. International Clinical Psychopharmacology, 2011, 26, e95.   | 0.9 | 0         |
| 203 | Temperament in schizophrenia and bipolar disorders – a meta-analysis. International Clinical Psychopharmacology, 2011, 26, e139.  | 0.9 | 0         |
| 204 | Identifying Schizophrenia and Other Psychoses With Psychological Scales in the General Population. Journal of Nervous and Mental Disease, 2011, 199, 230-238.   | 0.5 | 41        |
| 205 | Testing and verifying nursing theory by confirmatory factor analysis. Journal of Advanced Nursing, 2011, 67, 1163-1172.   | 1.5 | 59        |
| 206 | Symptoms associated with psychosis risk in an adolescent birth cohort: improving questionnaire utility with a multidimensional approach. Microbial Biotechnology, 2011, 5, 343-348.                               | 0.9 | 8         |
| 207 | Use of inverse probability weighting to adjust for non-participation in estimating brain volumes in schizophrenia patients. Psychiatry Research - Neuroimaging, 2011, 194, 326-332.                               | 0.9 | 6         |
| 208 | Impact of temperament on depression and anxiety symptoms and depressive disorder in a population-based birth cohort. Journal of Affective Disorders, 2011, 131, 393-397.  | 2.0 | 39        |
| 209 | Associations between psychotic-like symptoms and inattention/hyperactivity symptoms. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 17-27.   | 1.6 | 17        |
| 210 | Interaction of early environment, gender and genes of monoamine neurotransmission in the aetiology of depression in a large population-based Finnish birth cohort. BMJ Open, 2011, 1, e000087-e000087.            | 0.8 | 27        |
| 211 | Different vulnerability indicators for psychosis and their neuropsychological characteristics in the Northern Finland 1986 Birth Cohort. Journal of Clinical and Experimental Neuropsychology, 2011, 33, 385-394. | 0.8 | 16        |
| 212 | Meta-analysis of Paternal Age and Schizophrenia Risk in Male Versus Female Offspring. Schizophrenia Bulletin, 2011, 37, 1039-1047.  | 2.3 | 167       |
| 213 | Advanced Paternal Age, Mortality, and Suicide in the General Population. Journal of Nervous and Mental Disease, 2010, 198, 404-411.   | 0.5 | 15        |
| 214 | Agreement between self-reported and pharmacy data on medication use in the Northern Finland 1966 Birth Cohort. International Journal of Methods in Psychiatric Research, 2010, 19, 88-96.                         | 1.1 | 42        |
| 215 | Coverage of the bibliographic databases in mental health research. Nordic Journal of Psychiatry, 2010, 64, 181-188.   | 0.7 | 25        |
| 216 | Sex Differences in Wisconsin Schizotypy Scales – A Meta-analysis. Schizophrenia Bulletin, 2010, 36, 347-358.  | 2.3 | 61        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 217 | Rate of Cannabis Use Disorders in Clinical Samples of Patients With Schizophrenia: A Meta-analysis. Schizophrenia Bulletin, 2010, 36, 1115-1130.   | 2.3  | 275       |
| 218 | Morphometric Brain Abnormalities in Schizophrenia in a Population-Based Sample: Relationship to Duration of Illness. Schizophrenia Bulletin, 2010, 36, 766-777.  | 2.3  | 78        |
| 219 | Schizophrenia in the Offspring of Antenatally Depressed Mothers in the Northern Finland 1966 Birth Cohort: Relationship to Family History of Psychosis. American Journal of Psychiatry, 2010, 167, 70-77.                    | 4.0  | 58        |
| 220 | DISC1 CONDITIONED GENOME-WIDE ASSOCIATION STUDY OF PSYCHOSIS PRONENESS IN A LARGE FINNISH BIRTH COHORT. Schizophrenia Research, 2010, 117, 454-455.  | 1.1  | 0         |
| 221 | Association between duration of untreated psychosis and brain morphology in schizophrenia within the Northern Finland 1966 Birth Cohort. Schizophrenia Research, 2010, 123, 145-152.   | 1.1  | 35        |
| 222 | Data on schizotypy and affective scales are gender and education dependent – Study in the Northern Finland 1966 Birth Cohort. Psychiatry Research, 2010, 178, 408-413.   | 1.7  | 28        |
| 223 | Negative symptoms and their predictors in schizophrenia within the Northern Finland 1966 Birth Cohort. Psychiatry Research, 2010, 178, 121-125.  | 1.7  | 21        |
| 224 | Association between ADHD symptoms and adolescents' psychosocial well-being: a study of the Northern Finland Birth Cohort 1986. International Journal of Circumpolar Health, 2009, 68, 133-144.                               | 0.5  | 17        |
| 225 | A guide for medical information searches of bibliographic databases - psychiatric research as an example. International Journal of Circumpolar Health, 2009, 68, 394-404.  | 0.5  | 5         |
| 226 | Volumes of brain, grey and white matter and cerebrospinal fluid in schizophrenia in the Northern Finland 1966 Birth Cohort: An epidemiological approach to analysis. Psychiatry Research - Neuroimaging, 2009, 174, 116-120. | 0.9  | 16        |
| 227 | 5-HTTLPR genotype and anxiety-related personality traits: A meta-analysis and new data. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 271-281.   | 1.1  | 229       |
| 228 | Impact of the dopamine receptor gene family on temperament traits in a population-based birth cohort. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 854-865.                           | 1.1  | 14        |
| 229 | Suicide rate in schizophrenia in the Northern Finland 1966 Birth Cohort. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 1107-1110.  | 1.6  | 32        |
| 230 | The brain structural disposition to social interaction. European Journal of Neuroscience, 2009, 29, 2247-2252.   | 1.2  | 66        |
| 231 | Novelty seeking among adult women is lower for the winter borns compared to the summer borns: replication in a large Finnish birth cohort. Comprehensive Psychiatry, 2009, 50, 562-566.                                      | 1.5  | 17        |
| 232 | Use of statistical methods in dental research: comparison of four dental journals during a 10-year period. Acta Odontologica Scandinavica, 2009, 67, 206-211.  | 0.9  | 14        |
| 233 | Early-life origins of schizotypal traits in adulthood. British Journal of Psychiatry, 2009, 195, 132-137.  | 1.7  | 41        |
| 234 | Association of Variants in DISC1 With Psychosis-Related Traits in a Large Population Cohort. Archives of General Psychiatry, 2009, 66, 134.  | 13.8 | 55        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 235 | How to use bibliometric methods in evaluation of scientific research? An example from Finnish schizophrenia research. <i>Nordic Journal of Psychiatry</i> , 2008, 62, 136-143.  | 0.7 | 75        |
| 236 | Associations between early development and outcome in schizophrenia – A 35-year follow-up of the Northern Finland 1966 Birth Cohort. <i>Schizophrenia Research</i> , 2008, 99, 29-37.                                       | 1.1 | 12        |
| 237 | MMPI measures as signs of predisposition to mental disorder among adoptees at high risk for schizophrenia. <i>Psychiatry Research</i> , 2008, 158, 278-286.   | 1.7 | 2         |
| 238 | Inter-correlations between Cloninger's temperament dimensions – A meta-analysis. <i>Psychiatry Research</i> , 2008, 160, 106-114.   | 1.7 | 31        |
| 239 | Temperament profiles in personality disorders among a young adult population. <i>Nordic Journal of Psychiatry</i> , 2008, 62, 423-430.  | 0.7 | 7         |
| 240 | Association of cannabis use with prodromal symptoms of psychosis in adolescence. <i>British Journal of Psychiatry</i> , 2008, 192, 470-471.   | 1.7 | 78        |
| 241 | Non-participation in a field survey with respect to psychiatric disorders. <i>Scandinavian Journal of Public Health</i> , 2008, 36, 728-736.  | 1.2 | 83        |
| 242 | One-Year Course and Predictors of Outcome of Adolescent Depression. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 844-853.  | 1.1 | 24        |
| 243 | Cloninger's Temperament Dimensions, Socio-economic and Lifestyle Factors and Metabolic Syndrome Markers at Age 31 Years in the Northern Finland Birth Cohort 1966. <i>Journal of Health Psychology</i> , 2007, 12, 371-382. | 1.3 | 48        |
| 244 | Pathways Leading to Suicide in Schizophrenia. <i>Current Psychiatry Reviews</i> , 2007, 3, 233-242.   | 0.9 | 2         |
| 245 | Socio-demographic and clinical predictors of occupational status in schizophrenic psychoses – follow-up within the Northern Finland 1966 Birth Cohort. <i>Psychiatry Research</i> , 2007, 150, 217-225.                     | 1.7 | 24        |
| 246 | Sex differences in Cloninger's temperament dimensions – a meta-analysis. <i>Comprehensive Psychiatry</i> , 2007, 48, 161-169.   | 1.5 | 130       |
| 247 | Epidemiology of alexithymia among adolescents. <i>Journal of Psychosomatic Research</i> , 2007, 63, 373-376.  | 1.2 | 108       |
| 248 | Statistically significant papers in psychiatry were cited more often than others. <i>Journal of Clinical Epidemiology</i> , 2007, 60, 939-946.  | 2.4 | 70        |
| 249 | ADHD Symptoms and Subtypes: Relationship Between Childhood and Adolescent Symptoms. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2007, 46, 1605-1613.  | 0.3 | 115       |
| 250 | Psychometric properties of the Multifactor Leadership Questionnaire among nurses. <i>Journal of Advanced Nursing</i> , 2007, 57, 201-212.   | 1.5 | 54        |
| 251 | Effect of renal impairment on the pharmacokinetics of bupropion and its metabolites. <i>British Journal of Clinical Pharmacology</i> , 2007, 64, 165-173.   | 1.1 | 46        |
| 252 | Do inattention and hyperactivity symptoms equal scholastic impairment? evidence from three European cohorts. <i>BMC Public Health</i> , 2007, 7, 327.   | 1.2 | 86        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | Non-participation may bias the results of a psychiatric survey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 403-409.  | 1.6 | 58        |
| 254 | ADHD and comorbid disorders in relation to family environment and symptom severity. <i>European Child and Adolescent Psychiatry</i> , 2007, 16, 362-369.  | 2.8 | 86        |
| 255 | Patterns of psychiatric hospitalizations in schizophrenic psychoses within the Northern Finland 1966 Birth Cohort. <i>Nordic Journal of Psychiatry</i> , 2006, 60, 286-293.   | 0.7 | 13        |
| 256 | Differentiation of adoptees at high versus low genetic risk for schizophrenia by adjusted MMPI indices. <i>European Psychiatry</i> , 2006, 21, 245-250.   | 0.1 | 7         |
| 257 | Temperament profiles and somatization—an epidemiological study of young adult people. <i>Journal of Psychosomatic Research</i> , 2006, 61, 841-846.   | 1.2 | 9         |
| 258 | Co-occurrence of Metabolic Syndrome With Depression and Anxiety in Young Adults: The Northern Finland 1966 Birth Cohort Study. <i>Psychosomatic Medicine</i> , 2006, 68, 213-216.   | 1.3 | 134       |
| 259 | Factor structure of the Maslach Burnout Inventory among Finnish nursing staff. <i>Australian Journal of Cancer Nursing</i> , 2006, 8, 201-207.  | 0.8 | 51        |
| 260 | A comparative assessment of the factor structures and psychometric properties of the GHQ-12 and the GHQ-20 based on data from a Finnish population-based sample. <i>Scandinavian Journal of Psychology</i> , 2006, 47, 431-440.                       | 0.8 | 59        |
| 261 | International comparison of Cloninger's temperament dimensions. <i>Personality and Individual Differences</i> , 2006, 41, 1515-1526.  | 1.6 | 42        |
| 262 | Statistical methodologies in psychopharmacology: a review. <i>Human Psychopharmacology</i> , 2006, 21, 195-203.   | 0.7 | 8         |
| 263 | Fronto-cerebellar systems are associated with infant motor and adult executive functions in healthy adults but not in schizophrenia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 15651-15656. | 3.3 | 135       |
| 264 | Diferenciación de personas adoptadas con riesgo genético de esquizofrenia alto frente a bajo según Índices ajustados del MMPI. <i>European Psychiatry (Ed Española)</i> , 2006, 13, 335-341.  | 0.0 | 0         |
| 265 | Risk factors for schizophrenia. Follow-up data from the Northern Finland 1966 Birth Cohort Study. <i>World Psychiatry</i> , 2006, 5, 168-71.  | 4.8 | 16        |
| 266 | Predictors of schizophrenia. <i>British Journal of Psychiatry</i> , 2005, 187, s4-s7.   | 1.7 | 38        |
| 267 | Somatization and alexithymia in young adult Finnish population. <i>General Hospital Psychiatry</i> , 2005, 27, 244-249.   | 1.2 | 20        |
| 268 | Attention and behavioural problems of Finnish adolescents may be related to the family environment. <i>European Child and Adolescent Psychiatry</i> , 2005, 14, 471-478.  | 2.8 | 37        |
| 269 | Predictors of schizophrenia—a review. <i>British Medical Bulletin</i> , 2005, 73-74, 1-15.  | 2.7 | 128       |
| 270 | Observing relationships in Finnish adoptive families: Oulu Family Rating Scale. <i>Nordic Journal of Psychiatry</i> , 2005, 59, 253-263.  | 0.7 | 10        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 271 | Hippocampus and amygdala volumes in schizophrenia and other psychoses in the Northern Finland 1966 birth cohort. <i>Schizophrenia Research</i> , 2005, 75, 283-294.   | 1.1 | 63        |
| 272 | Recovery From Schizophrenic Psychoses Within the Northern Finland 1966 Birth Cohort. <i>Journal of Clinical Psychiatry</i> , 2005, 66, 375-383.   | 1.1 | 35        |
| 273 | A large population cohort provides normative data for investigation of temperament. <i>Acta Psychiatrica Scandinavica</i> , 2004, 110, 150-157.   | 2.2 | 62        |
| 274 | Validation of the new Intensive Care Nursing Scoring System (ICNSS). <i>Intensive Care Medicine</i> , 2004, 30, 254-259.  | 3.9 | 11        |
| 275 | Developmental precursors of psychosis. <i>Current Psychiatry Reports</i> , 2004, 6, 168-175.  | 2.1 | 17        |
| 276 | Psychometric Deviance Measured by MMPI in Adoptees at High Risk for Schizophrenia and Their Adoptive Controls. <i>Journal of Personality Assessment</i> , 2004, 83, 14-21.  | 1.3 | 11        |
| 277 | Early presence of thought disorder as a prospective sign of mental disorder. <i>Psychiatry Research</i> , 2004, 125, 193-203.   | 1.7 | 19        |
| 278 | Interaction of genetic risk and adoptive parent communication deviance: longitudinal prediction of adoptee psychiatric disorders. <i>Psychological Medicine</i> , 2004, 34, 1531-1541.                                  | 2.7 | 71        |
| 279 | Title is missing!. <i>Scientometrics</i> , 2003, 57, 377-388.   | 1.6 | 20        |
| 280 | Reasons for the diagnostic discordance between clinicians and researchers in schizophrenia in the Northern Finland 1966 Birth Cohort. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003, 38, 305-310.        | 1.6 | 106       |
| 281 | Somatic morbidity and criminality: the Northern Finland 1966 Birth Cohort Study. <i>Forensic Science International</i> , 2003, 132, 68-75.  | 1.3 | 9         |
| 282 | Statistical methodology in general psychiatric journals. <i>Nordic Journal of Psychiatry</i> , 2002, 56, 223-228.   | 0.7 | 15        |
| 283 | The association of preceding traumatic brain injury with mental disorders, alcoholism and criminality: the Northern Finland 1966 Birth Cohort Study. <i>Psychiatry Research</i> , 2002, 113, 217-226.                   | 1.7 | 129       |
| 284 | Association between atopic disorders and depression: Findings from the Northern Finland 1966 birth cohort study. <i>American Journal of Medical Genetics Part A</i> , 2001, 105, 216-217.                               | 2.4 | 16        |
| 285 | Long-term stability of communication deviance.. <i>Journal of Abnormal Psychology</i> , 2001, 110, 443-448.   | 2.0 | 19        |
| 286 | An Examination Between Single-Parent Family Background and Drunk Driving in Adulthood: Findings From The Northern Finland 1966 Birth Cohort. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 206-209. | 1.4 | 15        |
| 287 | Psychometric properties of the Finnish 20-item Toronto Alexithymia Scale. <i>Nordic Journal of Psychiatry</i> , 2001, 55, 123-127.  | 0.7 | 120       |
| 288 | Benefits and risks of off label use of antipsychotics in insomnia and anxiety â€” APSY Oulu project. <i>Nordic Journal of Psychiatry</i> , 0, , 1-1.  | 0.7 | 0         |