Jouko A Miettunen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7456203/publications.pdf

Version: 2024-02-01

288 papers 9,115 citations

51 h-index 82 g-index

303 all docs

303 docs citations

303 times ranked 11810 citing authors

#	Article	IF	CITATIONS
1	Effectiveness of interventions used to prepare preschool children and their parents for day surgery: A systematic review and metaâ€analysis of randomised controlled trials. Journal of Clinical Nursing, 2023, 32, 1705-1722.	3.0	4
2	Employment trajectories until midlife in schizophrenia and other psychoses: the Northern Finland Birth Cohort 1966. Social Psychiatry and Psychiatric Epidemiology, 2023, 58, 65-76.	3.1	3
3	The effects and safety of telerehabilitation in patients with lower-limb joint replacement: A systematic review and narrative synthesis. Journal of Telemedicine and Telecare, 2022, 28, 96-114.	2.7	28
4	Cohort Profile: 46 years of follow-up of the Northern Finland Birth Cohort 1966 (NFBC1966). International Journal of Epidemiology, 2022, 50, 1786-1787j.	1.9	92
5	Effects of gender and psychiatric comorbidity on the age of illness onset and the outcome of psychotic depression—A birth cohort study. Journal of Affective Disorders, 2022, 296, 587-592.	4.1	3
6	Diagnostic and prognostic prediction models in ventilator-associated pneumonia: Systematic review and meta-analysis of prediction modelling studies. Journal of Critical Care, 2022, 67, 44-56.	2.2	12
7	Does cannabis use in adolescence predict selfâ€harm or suicide? Results from a Finnish Birth Cohort Study. Acta Psychiatrica Scandinavica, 2022, 145, 234-243.	4.5	14
8	A population-based follow-up study shows high psychosis risk in women with PCOS. Archives of Women's Mental Health, 2022, 25, 301-311.	2.6	4
9	Cardiometabolic Disorders in the Offspring of Parents With Severe Mental Illness. Psychosomatic Medicine, 2022, 84, 2-9.	2.0	1
10	Comprehensive meta-analysis of associations between temperament and character traits in Cloninger's psychobiological theory and mental disorders. Journal of International Medical Research, 2022, 50, 030006052110707.	1.0	18
11	Parental smoking and young adult offspring psychosis, depression and anxiety disorders and substance use disorder. European Journal of Public Health, 2022, , .	0.3	O
12	Cross-cultural comparison of depressive symptoms on the Beck Depression Inventory-II, across six population samples. BJPsych Open, 2022, 8, e46.	0.7	6
13	Early Childhood Growth and Risk of Adult Cerebrovascular Disease: The NFBC1966. Stroke, 2022, 53, 1954-1963.	2.0	2
14	Is early exposure to cannabis associated with bipolar disorder? Results from a Finnish birth cohort study. Addiction, 2022, 117, 2264-2272.	3.3	6
15	The relationship of life-course patterns of adiposity with type 2 diabetes, depression, and their comorbidity in the Northern Finland Birth Cohort 1966. International Journal of Obesity, 2022, 46, 1470-1477.	3.4	4
16	Association of ADHD symptoms in adolescence and mortality in Northern Finland Birth Cohort 1986. Nordic Journal of Psychiatry, 2022, , 1-7.	1.3	1
17	Trajectories of adolescent psychotic-like experiences and early cannabis exposure: Results from a Finnish Birth Cohort Study. Schizophrenia Research, 2022, 246, 95-102.	2.0	3
18	Characteristics and predictors of offâ€label use of antipsychotics in general population sample. Acta Psychiatrica Scandinavica, 2022, 146, 227-239.	4.5	4

#	Article	IF	CITATIONS
19	Lower parental socioeconomic status in childhood and adolescence predicts unhealthy health behaviour patterns in adolescence in Northern Finland. Scandinavian Journal of Caring Sciences, 2021, 35, 742-752.	2.1	8
20	Cumulative incidences of hospitalâ€treated psychiatric disorders are increasing in five Finnish birth cohorts. Acta Psychiatrica Scandinavica, 2021, 143, 119-129.	4.5	4
21	Maternal and infant prediction of the child BMI trajectories; studies across two generations of Northern Finland birth cohorts. International Journal of Obesity, 2021, 45, 404-414.	3.4	8
22	Identifying causative mechanisms linking early-life stress to psycho-cardio-metabolic multi-morbidity: The EarlyCause project. PLoS ONE, 2021, 16, e0245475.	2.5	9
23	Return to the labour market in schizophrenia and other psychoses: a register-based Northern Finland Birth Cohort 1966 study. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1645-1655.	3.1	4
24	Early-Life Risk Factors for Breast Cancer – Prospective Follow-up in the Northern Finland Birth Cohort 1966. Cancer Epidemiology Biomarkers and Prevention, 2021, 30, 616-622.	2.5	0
25	Infant motor development and physical activity and sedentary time at midlife. Scandinavian Journal of Medicine and Science in Sports, 2021, 31, 1450-1460.	2.9	1
26	Pregnancy Risk Factors as Predictors of Offspring Cerebrovascular Disease. Stroke, 2021, 52, 1347-1354.	2.0	5
27	Work-related risk factors for ulnar nerve entrapment in the Northern Finland Birth Cohort of 1966. Scientific Reports, 2021, 11, 10010.	3.3	9
28	Leisure-time physical activity is associated with socio-economic status beyond income – Cross-sectional survey of the Northern Finland Birth Cohort 1966 study. Economics and Human Biology, 2021, 41, 100969.	1.7	12
29	The progression of disorder-specific brain pattern expression in schizophrenia over 9 years. NPJ Schizophrenia, 2021, 7, 32.	3.6	10
30	The determinants and longitudinal changes in vitamin D status in middle-age: a Northern Finland Birth Cohort 1966 study. European Journal of Nutrition, 2021, 60, 4541-4553.	3.9	9
31	Early Adversity and Emotion Processing From Faces: A Meta-analysis on Behavioral and Neurophysiological Responses. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2021, 6, 692-705.	1.5	9
32	Adolescent cannabis use, depression and anxiety disorders in the Northern Finland Birth Cohort 1986. BJPsych Open, 2021, 7, .	0.7	6
33	Age of first alcohol intoxication and psychiatric disorders in young adulthood – A prospective birth cohort study. Addictive Behaviors, 2021, 118, 106910.	3.0	8
34	Parental Physical Illnesses and Their Association with Subsequent Externalizing and Internalizing Symptoms in Children. Journal of Child and Family Studies, 2021, 30, 2677.	1.3	2
35	EXPRESS: Cerebrovascular disease at young age is related to mother's health during the pregnancy â€, the Northern Finland Birth Cohort 1966 study. International Journal of Stroke, 2021, , 174749302110407.	" 5.9	1
36	Maternal smoking trajectory during pregnancy predicts offspring's smoking and substance use – The Northern Finland birth cohort 1966 study. Preventive Medicine Reports, 2021, 23, 101467.	1.8	2

#	Article	IF	CITATIONS
37	Predictors of response to pharmacological treatments in treatment-resistant schizophrenia – A systematic review and meta-analysis. Schizophrenia Research, 2021, 236, 123-134.	2.0	10
38	The clinical characterization of the patient with primary psychosis aimed at personalization of management. World Psychiatry, 2021, 20, 4-33.	10.4	153
39	Early childhood growth and risk of adult cerebrovascular disease dash the Northern Finland birth cohort study 1966. Journal of the Neurological Sciences, 2021, 429, 118766.	0.6	0
40	Problematic gaming behaviour and health-related outcomes: A systematic review and meta-analysis. Journal of Health Psychology, 2020, 25, 67-81.	2.3	115
41	Psychometric Properties of the Problematic Gaming Questionnaire Used to Assess Finnish Adolescents. International Journal of Mental Health and Addiction, 2020, 18, 103-111.	7.4	1
42	Antisocial and borderline personality disorders in the offspring of antenatally depressed mothers – a follow-up until mid-adulthood in the Northern Finland 1966 birth cohort. Nordic Journal of Psychiatry, 2020, 74, 138-146.	1.3	6
43	How mentoring education affects nurse mentors' competence in mentoring students during clinical practice – A quasiâ€experimental study'. Scandinavian Journal of Caring Sciences, 2020, 34, 230-238.	2.1	38
44	Mortality by diseases and medical conditions in the offspring of parents with severe mental illness. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 1649-1657.	3.1	1
45	Clusters of health behaviours and their relation to body mass index among adolescents in Northern Finland. Scandinavian Journal of Caring Sciences, 2020, 34, 666-674.	2.1	6
46	Frequent intoxication and alcohol tolerance in adolescence: associations with psychiatric disorders in young adulthood. Addiction, 2020, 115, 888-900.	3.3	13
47	Incidence and operations of median, ulnar and radial entrapment neuropathies in Finland: a nationwide register study. Journal of Hand Surgery: European Volume, 2020, 45, 226-230.	1.0	22
48	Understanding the cumulative risk of maternal prenatal biopsychosocial factors on birth weight: a DynaHEALTH study on two birth cohorts. Journal of Epidemiology and Community Health, 2020, 74, jech-2019-213154.	3.7	5
49	Parental Alcohol Use and the Alcohol Misuse of their Offspring in a Finnish Birth Cohort: Investigation of Developmental Timing. Journal of Youth and Adolescence, 2020, 49, 1702-1715.	3 . 5	8
50	Five-Year Cumulative Exposure to Antipsychotic Medication After First-Episode Psychosis and its Association With 19-Year Outcomes. Schizophrenia Bulletin Open, 2020, 1, .	1.7	8
51	Association of age at first drink and first alcohol intoxication as predictors of mortality: a birth cohort study. European Journal of Public Health, 2020, 30, 1189-1193.	0.3	8
52	Parental somatic illnesses and their association with prodromal symptoms of psychosis among offspring. Schizophrenia Research, 2020, 224, 190-192.	2.0	0
53	Editorial: Have We Got Better in Making Our Schizophrenia Patients Better?. Frontiers in Psychiatry, 2020, 11, 618417.	2.6	0
54	Frequent Alcohol Intoxication and High Alcohol Tolerance During Adolescence as Predictors of Mortality: A Birth Cohort Study. Journal of Adolescent Health, 2020, 67, 692-699.	2.5	7

#	Article	IF	Citations
55	Early exposure to social disadvantages and later lifeÂbody mass index beyond genetic predisposition in three generations of Finnish birth cohorts. BMC Public Health, 2020, 20, 708.	2.9	9
56	Associations between Childhood and Adolescent Emotional and Behavioral Characteristics and Screen Time of Adolescents. Issues in Mental Health Nursing, 2020, 41, 700-712.	1.2	5
57	Early environmental factors and somatic comorbidity in schizophrenia and nonschizophrenic psychoses: A 50-year follow-up of the Northern Finland Birth Cohort 1966. European Psychiatry, 2020, 63, e24.	0.2	4
58	Association Between Psychosocial Problems and Unhealthy Health Behavior Patterns Among Finnish Adolescents. Child Psychiatry and Human Development, 2020, 51, 699-708.	1.9	2
59	Interventions to improve nurses' job satisfaction: A systematic review and metaâ€analysis. Journal of Advanced Nursing, 2020, 76, 1498-1508.	3.3	72
60	Parental socioeconomic status, adolescents' screen time and sports participation through externalizing and internalizing characteristics. Heliyon, 2020, 6, e03415.	3.2	28
61	Early childhood and adolescent risk factors for psychotic depression in a general population birth cohort sample. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 1179-1186.	3.1	6
62	Parental death due to natural death causes during childhood abbreviates the time to a diagnosis of a psychiatric disorder in the offspring: A follow-up study. Death Studies, 2020, , 1-10.	2.7	1
63	Population-based Data at Ages 31 and 46 Show Decreased HRQoL and Life Satisfaction in Women with PCOS Symptoms. Journal of Clinical Endocrinology and Metabolism, 2020, 105, 1814-1826.	3.6	25
64	The effectiveness of webâ€based mobile health interventions in paediatric outpatient surgery: A systematic review and metaâ€analysis of randomized controlled trials. Journal of Advanced Nursing, 2020, 76, 1949-1960.	3.3	23
65	Risk factors of hospitalization for carpal tunnel syndrome among the general working population. Scandinavian Journal of Work, Environment and Health, 2020, 46, 43-49.	3.4	14
66	Author's reply. British Journal of Psychiatry, 2020, 217, 458-458.	2.8	0
67	Understanding the complexity of glycaemic health: systematic bio-psychosocial modelling of fasting glucose in middle-age adults; a DynaHEALTH study. International Journal of Obesity, 2019, 43, 1181-1192.	3.4	11
68	Prospective relations between alexithymia, substance use and depression: findings from a National Birth Cohort. Nordic Journal of Psychiatry, 2019, 73, 340-348.	1.3	11
69	Cohort Profile: The DynaHEALTH consortium – a European consortium for a life-course bio-psychosocial model of healthy ageing of glucose homeostasis. International Journal of Epidemiology, 2019, 48, 1051-1051k.	1.9	10
70	Smoking as risk factor for carpal tunnel syndrome: A birth cohort study. Muscle and Nerve, 2019, 60, 299-304.	2.2	9
71	Educational interventions designed to develop nurses' cultural competence: A systematic review. International Journal of Nursing Studies, 2019, 98, 75-86.	5. 6	65
72	Smoking is associated with ulnar nerve entrapment: a birth cohort study. Scientific Reports, 2019, 9, 9450.	3.3	9

#	Article	IF	Citations
73	Brain response to facial expressions in adults with adolescent ADHD. Psychiatry Research - Neuroimaging, 2019, 292, 54-61.	1.8	4
74	Development and validation of a psychometric scale for assessing healthcare professionals' knowledge in radiation protection. Radiography, 2019, 25, 136-142.	2.1	15
75	Nurses' knowledge of radiation protection: A cross-sectional study. Radiography, 2019, 25, e108-e112.	2.1	18
76	Associations of Cumulative Family Risk With Academic Performance and Substance Involvement: Tests of Moderation by Child Reading Engagement. Substance Use and Misuse, 2019, 54, 1679-1690.	1.4	2
77	Association between developmental milestones and age of schizophrenia onset: Results from the Northern Finland Birth Cohort 1966. Schizophrenia Research, 2019, 208, 228-234.	2.0	7
78	Psychiatric research in the Northern Finland Birth Cohort 1986 – a systematic review. International Journal of Circumpolar Health, 2019, 78, 1571382.	1.2	5
79	Mining Health Discussions on Suomi24. , 2019, , .		0
80	Temperament and Early Intentions to Retire. Journal of Occupational and Environmental Medicine, 2019, 61, 136-143.	1.7	2
81	Smoking trajectories and risk of stroke until age of 50 years – The Northern Finland Birth Cohort 1966. PLoS ONE, 2019, 14, e0225909.	2.5	4
82	BP180 Autoantibodies Target Different Epitopes in Multiple Sclerosis or Alzheimer's Disease than in Bullous Pemphigoid. Journal of Investigative Dermatology, 2019, 139, 293-299.	0.7	20
83	Socioeconomic and health-related childhood and adolescence predictors of entry into paid employment. European Journal of Public Health, 2019, 29, 555-561.	0.3	6
84	Parental hospitalâ€treated somatic illnesses and psychosis of the offspringâ€"The Northern Finland Birth Cohort 1986 study. Microbial Biotechnology, 2019, 13, 290-296.	1.7	3
85	The Age of Onset of Schizophrenia Spectrum Disorders. , 2019, , 55-73.		4
86	Economic crises and suicides between 1970 and 2011: time trend study in 21 developed countries. Journal of Epidemiology and Community Health, 2019, 73, 311-316.	3.7	14
87	Mobile Phone and Wearable Sensor-Based mHealth Approaches for Psychiatric Disorders and Symptoms: Systematic Review. JMIR Mental Health, 2019, 6, e9819.	3.3	90
88	Title is missing!. , 2019, 14, e0225909.		0
89	Title is missing!. , 2019, 14, e0225909.		0
90	Title is missing!. , 2019, 14, e0225909.		0

#	Article	IF	CITATIONS
91	Title is missing!. , 2019, 14, e0225909.		O
92	Title is missing!. , 2019, 14, e0225909.		0
93	Title is missing!. , 2019, 14, e0225909.		O
94	Socioeconomic disadvantage and psychological deficits: Pathways from early cumulative risk to lateâ€adolescent criminal conviction. Journal of Adolescence, 2018, 65, 16-24.	2.4	17
95	Adolescent cannabis use, baseline prodromal symptoms and the risk of psychosis. British Journal of Psychiatry, 2018, 212, 227-233.	2.8	72
96	Early Motor Developmental Milestones and Schizotypy in the Northern Finland Birth Cohort Study 1966. Schizophrenia Bulletin, 2018, 44, 1151-1158.	4.3	11
97	Search for protective factors for psychosis – a populationâ€based sample with special interest in unaffected individuals with parental psychosis. Microbial Biotechnology, 2018, 12, 869-878.	1.7	12
98	Interaction between compound genetic risk for schizophrenia and high birth weight contributes to social anhedonia and schizophrenia in women. Psychiatry Research, 2018, 259, 148-153.	3.3	12
99	Problematic Gaming Behavior Among Finnish Junior High School Students: Relation to Socio-Demographics and Gaming Behavior Characteristics. Behavioral Medicine, 2018, 44, 324-334.	1.9	21
100	The association of unemployment with glucose metabolism: a systematic review and meta-analysis. International Journal of Public Health, 2018, 63, 435-446.	2.3	21
101	Living environment and its relationship to depressive mood: A systematic review. International Journal of Social Psychiatry, 2018, 64, 92-103.	3.1	155
102	Firesetting and general criminal recidivism among a consecutive sample of Finnish pretrial male firesetters: A register-based follow-up study. Psychiatry Research, 2018, 259, 377-384.	3.3	5
103	Profiles of Contextual Risk at Birth and Adolescent Substance Use. Journal of Child and Family Studies, 2018, 27, 717-724.	1.3	4
104	S230. LONG-TERM ANTIPSYCHOTIC MEDICATION IN SCHIZOPHRENIA: BENEFITS, RISKS AND FOLLOW-UP: DATA FROM FINNISH COHORT STUDIES AND SYSTEMATIC REVIEW. Schizophrenia Bulletin, 2018, 44, S415-S416.	4.3	0
105	T136. DO VITAMIN D SUPPLEMENTATION DURING THE FIRST YEAR OF LIFE PREDICT COGNITION IN PSYCHOSES DURING MIDLIFE?. Schizophrenia Bulletin, 2018, 44, S168-S168.	4.3	O
106	Evidence of a Causal Relationship Between Smoking Tobacco and Schizophrenia Spectrum Disorders. Frontiers in Psychiatry, 2018, 9, 607.	2.6	39
107	Relationship between BMI and emotion-handling capacity in an adult Finnish population: The Northern Finland Birth Cohort 1966. PLoS ONE, 2018, 13, e0203660.	2.5	4
108	The competence of nurse mentors in mentoring students in clinical practice – A cross-sectional study. Nurse Education Today, 2018, 71, 78-83.	3.3	47

#	Article	IF	CITATIONS
109	Psychiatric diagnoses of children affected by their parents' traumatic brain injury: the 1987 Finnish Birth Cohort study. Brain Injury, 2018, 32, 933-940.	1.2	5
110	Early determinants of metabolically healthy obesity in young adults: study of the Northern Finland Birth Cohort 1966. International Journal of Obesity, 2018, 42, 1704-1714.	3.4	8
111	Underâ€utilized opportunities to optimize medication management in longâ€term treatment of schizophrenia. World Psychiatry, 2018, 17, 172-173.	10.4	8
112	Clinical characteristics and outcomes of psychotic depression in the Northern Finland Birth Cohort 1966. European Psychiatry, 2018, 53, 23-30.	0.2	22
113	Adolescent inhalant use and psychosis risk – a prospective longitudinal study. Schizophrenia Research, 2018, 201, 360-366.	2.0	13
114	Cloninger's Temperament Dimensions and Longitudinal Alcohol Use in Early Midlife: A Northern Finland Birth Cohort 1966 Study. Alcoholism: Clinical and Experimental Research, 2018, 42, 1924-1932.	2.4	10
115	Cognition, psychosis risk and metabolic measures in two adolescent birth cohorts. Psychological Medicine, 2018, 48, 2609-2623.	4.5	7
116	T78. LONG-TERM PROGNOSIS OF SCHIZOPHRENIA - RESULTS FROM THE NORTHERN FINLAND BIRTH COHORT 1966. Schizophrenia Bulletin, 2018, 44, S144-S145.	4.3	0
117	Antipsychotic and benzodiazepine use and brain morphology in schizophrenia and affective psychoses – Systematic reviews and birth cohort study. Psychiatry Research - Neuroimaging, 2018, 281, 43-52.	1.8	3
118	Development and psychometric testing of the nursing student mentors' competence instrument (MCI): A cross-sectional study. Nurse Education Today, 2018, 68, 93-99.	3.3	22
119	F128. THE AGE OF ONSET OF SCHIZOPHRENIA SPECTRUM DISORDERS. Schizophrenia Bulletin, 2018, 44, S270-S270.	4.3	8
120	Association between family history of psychiatric disorders and long-term outcome in schizophrenia – The Northern Finland Birth Cohort 1966 study. Psychiatry Research, 2017, 249, 16-22.	3.3	11
121	Development and testing of the <scp>CALD</scp> s and <scp>CLES</scp> +T scales for international nursing students' clinical learning environments. Journal of Advanced Nursing, 2017, 73, 1997-2011.	3.3	20
122	Clinical learning environment and supervision of international nursing students: A cross-sectional study. Nurse Education Today, 2017, 52, 73-80.	3.3	50
123	Longitudinal Pathways from Cumulative Contextual Risk at Birth to School Functioning in Adolescence: Analysis of Mediation Effects and Gender Moderation. Journal of Youth and Adolescence, 2017, 46, 180-196.	3.5	23
124	Psychological Distress Is More Prevalent in Fertile Age and Premenopausal Women With PCOS Symptoms: 15-Year Follow-Up. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 1861-1869.	3.6	83
125	Accumulated exposure to unemployment is related to impaired glucose metabolism in middle-aged men: A follow-up of the Northern Finland Birth Cohort 1966. Primary Care Diabetes, 2017, 11, 365-372.	1.8	29
126	Age at onset and the outcomes of schizophrenia: A systematic review and metaâ€analysis. Microbial Biotechnology, 2017, 11, 453-460.	1.7	192

#	Article	IF	Citations
127	Lifetime antipsychotic medication and cognitive performance in schizophrenia at age 43 years in a general population birth cohort. Psychiatry Research, 2017, 247, 130-138.	3.3	68
128	Long-term antipsychotic and benzodiazepine use and brain volume changes in schizophrenia: The Northern Finland Birth Cohort 1966 study. Psychiatry Research - Neuroimaging, 2017, 266, 73-82.	1.8	21
129	Genome-Wide Association Study of Psychosis Proneness in the Finnish Population. Schizophrenia Bulletin, 2017, 43, 1304-1314.	4.3	41
130	Early adversity and brain response to faces in young adulthood. Human Brain Mapping, 2017, 38, 4470-4478.	3.6	10
131	Long-term antipsychotic use and brain changes in schizophrenia - a systematic review and meta-analysis. Human Psychopharmacology, 2017, 32, e2574.	1.5	69
132	Self-rated psychopathic traits in a sample of treatment-seeking adolescent girls with internalizing and externalizing disorders: comparisons to girls in the community. Nordic Journal of Psychiatry, 2017, 71, 210-216.	1.3	3
133	Cumulative contextual risk at birth and adolescent substance initiation: Peer mediation tests. Drug and Alcohol Dependence, 2017, 177, 291-298.	3.2	10
134	Childhood cumulative contextual risk and depression diagnosis among young adults: The mediating roles of adolescent alcohol use and perceived social support. Journal of Adolescence, 2017, 60, 16-26.	2.4	13
135	Tests of linear and nonlinear relations between cumulative contextual risk at birth and psychosocial problems during adolescence. Journal of Adolescence, 2017, 60, 64-73.	2.4	5
136	Does Educational Marginalization Mediate the Path from Childhood Cumulative Risk to Criminal Offending?. Journal of Developmental and Life-Course Criminology, 2017, 3, 326-346.	1.2	1
137	Fire-setting performed in adolescence or early adulthood predicts schizophrenia: a register-based follow-up study of pre-trial offenders. Nordic Journal of Psychiatry, 2017, 71, 96-101.	1.3	5
138	The effect of prenatal smoking exposure on daily smoking among teenage offspring. Addiction, 2017, 112, 134-143.	3.3	18
139	Do adverse perinatal events predict mortality in schizophrenia during midlife?. Schizophrenia Research, 2017, 179, 23-29.	2.0	2
140	Serum C-reactive protein in adolescence and risk of schizophrenia in adulthood: A prospective birth cohort study. Brain, Behavior, and Immunity, 2017, 59, 253-259.	4.1	100
141	Neuroticism Associates with Cerebral in Vivo Serotonin Transporter Binding Differently in Males and Females. International Journal of Neuropsychopharmacology, 2017, 20, 963-970.	2.1	19
142	Mortality of young offenders: a national register-based follow-up study of 15- to 19-year-old Finnish delinquents referred for forensic psychiatric examination between 1980 and 2010. Child and Adolescent Psychiatry and Mental Health, 2017, 11, 37.	2.5	2
143	The Relationship between Self-rated Psychopathic Traits and Psychopathology in a Sample of Finnish Community Youth: Exploration of Gender Differences. Journal of Child and Adolescent Behavior, 2016, 04, .	0.2	2
144	The C9ORF72 expansion sizes in patients with psychosis. Psychiatric Genetics, 2016, 26, 92-94.	1.1	11

#	Article	IF	Citations
145	Hospitalâ€treated suicide attempts among Finnish fire setters: a followâ€up study. Criminal Behaviour and Mental Health, 2016, 26, 395-402.	0.8	1
146	Do seriously offending girls differ from their age- and offence type-matched male counterparts on psychopathic traits or psychopathy-related background variables?. Child and Adolescent Psychiatry and Mental Health, 2016, 10, 38.	2.5	8
147	Maternal Smoking During Pregnancy Is Associated With Offspring's Musculoskeletal Pain in Adolescence: Structural Equation Modeling. Nicotine and Tobacco Research, 2016, 19, ntw325.	2.6	5
148	Careless responses in survey data and the validity of a screening instrument. Nordic Psychology, 2016, 68, 114-123.	0.8	8
149	Prognosis of schizophrenia spectrum disorder may not be predetermined during early development – the Northern Finland Birth Cohort 1966. Schizophrenia Research, 2016, 173, 62-68.	2.0	4
150	Body mass index and brain white matter structure in young adults at risk for psychosis – The Oulu Brain and Mind Study. Psychiatry Research - Neuroimaging, 2016, 254, 169-176.	1.8	13
151	Smoking in pregnancy, adolescent mental health and cognitive performance in young adult offspring: results from a matched sample within a Finnish cohort. BMC Psychiatry, 2016, 16, 430.	2.6	19
152	Defense Mechanisms in Adolescence as Predictors of Adult Personality Disorders. Journal of Nervous and Mental Disease, 2016, 204, 349-354.	1.0	12
153	Cumulative contextual risk at birth in relation to adolescent substance use, conduct problems, and risky sex: General and specific predictive associations in a Finnish birth cohort. Addictive Behaviors, 2016, 58, 161-166.	3.0	17
154	Short report: self-reported psychopathic traits in Finnish and Dutch samples of non-referred adolescents: exploration of cultural differences. Child and Adolescent Psychiatry and Mental Health, 2016, 10, 3.	2.5	2
155	Use of psychiatric medications in schizophrenia and other psychoses in a general population sample. Psychiatry Research, 2016, 235, 160-168.	3.3	11
156	Predictors of Long-Term Change in Adult Cognitive Performance: Systematic Review and Data from the Northern Finland Birth Cohort 1966. Clinical Neuropsychologist, 2016, 30, 17-50.	2.3	5
157	Changes in alcohol use in relation to sociodemographic factors in early midlife. Scandinavian Journal of Public Health, 2016, 44, 249-257.	2.3	15
158	Brain structural deficits and working memory fMRI dysfunction in young adults who were diagnosed with ADHD in adolescence. European Child and Adolescent Psychiatry, 2016, 25, 529-538.	4.7	30
159	Poor premorbid school performance, but not severity of illness, predicts cognitive decline in schizophrenia in midlife. Schizophrenia Research: Cognition, 2015, 2, 120-126.	1.3	9
160	Self-reported psychopathic traits among non-referred Finnish adolescents: psychometric properties of the Youth Psychopathic traits Inventory and the Antisocial Process Screening Device. Child and Adolescent Psychiatry and Mental Health, 2015, 9, 15.	2.5	15
161	Association between Dopamine Receptor D2 (DRD2) Variations rs6277 and rs1800497 and Cognitive Performance According to Risk Type for Psychosis: A Nested Case Control Study in a Finnish Population Sample. PLoS ONE, 2015, 10, e0127602.	2.5	11
162	Twenty Years of Schizophrenia Research in the Northern Finland Birth Cohort 1966: A Systematic Review. Schizophrenia Research and Treatment, 2015, 2015, 1-12.	1.5	32

#	Article	IF	CITATIONS
163	Central executive network in young people with familial risk for psychosis — The Oulu Brain and Mind Study. Schizophrenia Research, 2015, 161, 177-183.	2.0	11
164	Mortality of firesetters: A follow-up study of Finnish male firesetters who underwent a pretrial forensic examination in 1973–1998. Psychiatry Research, 2015, 225, 638-642.	3.3	2
165	A Metaâ€Analysis of Temperament in Eating Disorders. European Eating Disorders Review, 2015, 23, 89-99.	4.1	93
166	Aberrant Functional Connectivity in the Default Mode and Central Executive Networks in Subjects with Schizophrenia ââ,¬â€œ A Whole-Brain Resting-State ICA Study. Frontiers in Psychiatry, 2015, 6, 26.	2.6	51
167	Longitudinal regional brain volume loss in schizophrenia: Relationship to antipsychotic medication and change in social function. Schizophrenia Research, 2015, 168, 297-304.	2.0	56
168	Changes in verbal learning and memory in schizophrenia and non-psychotic controls in midlife: A nine-year follow-up in the Northern Finland Birth Cohort study 1966. Psychiatry Research, 2015, 228, 671-679.	3.3	10
169	Psychopathic traits among a consecutive sample of Finnish pretrial fire-setting offenders. BMC Psychiatry, 2015, 15, 44.	2.6	7
170	Functional mapping of dynamic happy and fearful facial expressions in young adults with familial risk for psychosis — Oulu Brain and Mind Study. Schizophrenia Research, 2015, 164, 242-249.	2.0	16
171	Cerebellar activity in young people with familial risk for psychosis — The Oulu Brain and Mind Study. Schizophrenia Research, 2015, 169, 46-53.	2.0	7
172	White matter structure in young adults with familial risk for psychosis – The Oulu Brain and Mind Study. Psychiatry Research - Neuroimaging, 2015, 233, 388-393.	1.8	8
173	DTI abnormalities in adults with past history of attention deficit hyperactivity disorder: a tract-based spatial statistics study. Acta Radiologica, 2015, 56, 990-996.	1.1	13
174	Author's reply. British Journal of Psychiatry, 2014, 205, 499-500.	2.8	0
175	Linking the Developmental and Degenerative Theories of Schizophrenia: Association Between Infant Development and Adult Cognitive Decline. Schizophrenia Bulletin, 2014, 40, 1319-1327.	4.3	21
176	Maternal cigarette smoking during pregnancy predicts drug use via externalizing behavior in two communityâ€based samples of adolescents. Addiction, 2014, 109, 1718-1729.	3.3	28
177	INFANT MOTOR DEVELOPMENT PREDICTS DECLINE IN EXECUTIVE FUNCTION IN ADULT SCHIZOPHRENIA IN THE NORTHERN FINLAND 1966 BIRTH COHORT STUDY. Schizophrenia Research, 2014, 153, S82.	2.0	0
178	4:45 PM DIFFICULTY IN MAKING CONTACT WITH OTHERS AND SOCIAL WITHDRAWAL AS EARLY SIGNS OF PSYCHOSIS IN ADOLESCENTS – THE NORTHERN FINLAND BIRTH COHORT 1986. Schizophrenia Research, 2014, 153, S63.	2.0	0
179	Duration of untreated psychosis as predictor of long-term outcome in schizophrenia: systematic review and meta-analysis. British Journal of Psychiatry, 2014, 205, 88-94.	2.8	521
180	Use of antidepressant medication and suicidal ideationâ€"the Northern Finland Birth Cohort 1966. Human Psychopharmacology, 2014, 29, 559-567.	1.5	3

#	Article	IF	Citations
181	Brain structure in different psychosis risk groups in the Northern Finland 1986 Birth Cohort. Schizophrenia Research, 2014, 153, 143-149.	2.0	17
182	Lifetime use of antipsychotic medication and its relation to change of verbal learning and memory in midlife schizophrenia — An observational 9-year follow-up study. Schizophrenia Research, 2014, 158, 134-141.	2.0	66
183	Longitudinal Changes in Total Brain Volume in Schizophrenia: Relation to Symptom Severity, Cognition and Antipsychotic Medication. PLoS ONE, 2014, 9, e101689.	2.5	92
184	Young people at risk for psychosis: case finding and sample characteristics of the Oulu Brain and Mind Study. Microbial Biotechnology, 2013, 7, 146-154.	1.7	26
185	A Systematic Review and Meta-Analysis of Recovery in Schizophrenia. Schizophrenia Bulletin, 2013, 39, 1296-1306.	4.3	674
186	Default mode network in young people with familial risk for psychosis — The Oulu Brain and Mind Study. Schizophrenia Research, 2013, 143, 239-245.	2.0	19
187	Association between the duration of untreated psychosis and short- and long-term outcome in schizophrenia within the Northern Finland 1966 Birth Cohort. Schizophrenia Research, 2013, 143, 3-10.	2.0	25
188	Predicting Depression with Psychopathology and Temperament Traits: The Northern Finland 1966 Birth Cohort. Depression Research and Treatment, 2012, 2012, 1-9.	1.3	7
189	Ante- and perinatal circumstances and risk of attempted suicides and suicides in offspring: the Northern Finland birth cohort 1966 study. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 1783-1794.	3.1	15
190	Verbal learning and memory and their associations with brain morphology and illness course in schizophrenia spectrum psychoses. Journal of Clinical and Experimental Neuropsychology, 2012, 34, 698-713.	1.3	11
191	A meta-analysis of temperament in axis I psychiatric disorders. Comprehensive Psychiatry, 2012, 53, 152-166.	3.1	59
192	Use of antipsychotic medication and suicidalityâ€"the Northern Finland Birth Cohort 1966. Human Psychopharmacology, 2012, 27, 476-485.	1.5	9
193	Relationship between oral health-related knowledge, attitudes and behavior among 15–16-year-old adolescents—A structural equation modeling approach. Acta Odontologica Scandinavica, 2012, 70, 169-176.	1.6	41
194	Neuregulin-1 genotype is associated with structural differences in the normal human brain. Neurolmage, 2012, 59, 2057-2061.	4.2	30
195	Temperament Clusters in a Normal Population: Implications for Health and Disease. PLoS ONE, 2012, 7, e33088.	2.5	12
196	No Association of COMT (Val158Met) Genotype with Brain Structure Differences between Men and Women. PLoS ONE, 2012, 7, e33964.	2.5	18
197	The use of timeâ€toâ€event methods in dental research: a comparison based on five dental journals over a 11â€year period. Community Dentistry and Oral Epidemiology, 2012, 40, 36-42.	1.9	8
198	MAINTENANCE OF GENETIC VARIATION IN HUMAN PERSONALITY: TESTING EVOLUTIONARY MODELS BY ESTIMATING HERITABILITY DUE TO COMMON CAUSAL VARIANTS AND INVESTIGATING THE EFFECT OF DISTANT INBREEDING. Evolution; International Journal of Organic Evolution, 2012, 66, 3238-3251.	2.3	166

#	Article	IF	Citations
199	Early Environment and Neurobehavioral Development Predict Adult Temperament Clusters. PLoS ONE, 2012, 7, e38065.	2.5	8
200	Advanced paternal age and parental history of schizophrenia. Schizophrenia Research, 2011, 133, 125-132.	2.0	42
201	Is Prematurity Associated With Adult Cognitive Outcome and Brain Structure?. Pediatric Neurology, 2011, 44, 12-20.	2.1	13
202	Temperament in Schizophrenia and Bipolar disorders – a meta-analysis. International Clinical Psychopharmacology, 2011, 26, e95.	1.7	0
203	Temperament in schizophrenia and bipolar disorders–a meta-analysis. International Clinical Psychopharmacology, 2011, 26, e139.	1.7	0
204	Identifying Schizophrenia and Other Psychoses With Psychological Scales in the General Population. Journal of Nervous and Mental Disease, 2011, 199, 230-238.	1.0	41
205	Testing and verifying nursing theory by confirmatory factor analysis. Journal of Advanced Nursing, 2011, 67, 1163-1172.	3.3	59
206	Symptoms associated with psychosis risk in an adolescent birth cohort: improving questionnaire utility with a multidimensional approach. Microbial Biotechnology, 2011, 5, 343-348.	1.7	8
207	Use of inverse probability weighting to adjust for non-participation in estimating brain volumes in schizophrenia patients. Psychiatry Research - Neuroimaging, 2011, 194, 326-332.	1.8	6
208	Impact of temperament on depression and anxiety symptoms and depressive disorder in a population-based birth cohort. Journal of Affective Disorders, 2011, 131, 393-397.	4.1	39
209	Associations between psychotic-like symptoms and inattention/hyperactivity symptoms. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 17-27.	3.1	17
210	Interaction of early environment, gender and genes of monoamine neurotransmission in the aetiology of depression in a large population-based Finnish birth cohort. BMJ Open, 2011, 1, e000087-e000087.	1.9	27
211	Different vulnerability indicators for psychosis and their neuropsychological characteristics in the Northern Finland 1986 Birth Cohort. Journal of Clinical and Experimental Neuropsychology, 2011, 33, 385-394.	1.3	16
212	Meta-analysis of Paternal Age and Schizophrenia Risk in Male Versus Female Offspring. Schizophrenia Bulletin, 2011, 37, 1039-1047.	4.3	167
213	Advanced Paternal Age, Mortality, and Suicide in the General Population. Journal of Nervous and Mental Disease, 2010, 198, 404-411.	1.0	15
214	Agreement between selfâ€reported and pharmacy data on medication use in the Northern Finland 1966 Birth Cohort. International Journal of Methods in Psychiatric Research, 2010, 19, 88-96.	2.1	42
215	Coverage of the bibliographic databases in mental health research. Nordic Journal of Psychiatry, 2010, 64, 181-188.	1.3	25
216	Sex Differences in Wisconsin Schizotypy Scales-A Meta-analysis. Schizophrenia Bulletin, 2010, 36, 347-358.	4.3	61

#	Article	IF	CITATIONS
217	Rate of Cannabis Use Disorders in Clinical Samples of Patients With Schizophrenia: A Meta-analysis. Schizophrenia Bulletin, 2010, 36, 1115-1130.	4.3	275
218	Morphometric Brain Abnormalities in Schizophrenia in a Population-Based Sample: Relationship to Duration of Illness. Schizophrenia Bulletin, 2010, 36, 766-777.	4.3	78
219	Schizophrenia in the Offspring of Antenatally Depressed Mothers in the Northern Finland 1966 Birth Cohort: Relationship to Family History of Psychosis. American Journal of Psychiatry, 2010, 167, 70-77.	7.2	58
220	DISC1 CONDITIONED GENOME-WIDE ASSOCIATION STUDY OF PSYCHOSIS PRONENESS IN A LARGE FINNISH BIRTH COHORT. Schizophrenia Research, 2010, 117, 454-455.	2.0	0
221	Association between duration of untreated psychosis and brain morphology in schizophrenia within the Northern Finland 1966 Birth Cohort. Schizophrenia Research, 2010, 123, 145-152.	2.0	35
222	Data on schizotypy and affective scales are gender and education dependent â€" Study in the Northern Finland 1966 Birth Cohort. Psychiatry Research, 2010, 178, 408-413.	3.3	28
223	Negative symptoms and their predictors in schizophrenia within the Northern Finland 1966 Birth Cohort. Psychiatry Research, 2010, 178, 121-125.	3.3	21
224	Association between ADHD symptoms and adolescents' psychosocial well-being: a study of the Northern Finland Birth Cohort 1986. International Journal of Circumpolar Health, 2009, 68, 133-144.	1.2	17
225	A guide for medical information searches of bibliographic databases - psychiatric research as an example. International Journal of Circumpolar Health, 2009, 68, 394-404.	1.2	5
226	Volumes of brain, grey and white matter and cerebrospinal fluid in schizophrenia in the Northern Finland 1966 Birth Cohort: An epidemiological approach to analysis. Psychiatry Research - Neuroimaging, 2009, 174, 116-120.	1.8	16
227	5â€HTTLPR genotype and anxietyâ€related personality traits: A metaâ€analysis and new data. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 271-281.	1.7	229
228	Impact of the dopamine receptor gene family on temperament traits in a populationâ€based birth cohort. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2009, 150B, 854-865.	1.7	14
229	Suicide rate in schizophrenia in the Northern Finland 1966 Birth Cohort. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 1107-1110.	3.1	32
230	The brain structural disposition to social interaction. European Journal of Neuroscience, 2009, 29, 2247-2252.	2.6	66
231	Novelty seeking among adult women is lower for the winter borns compared to the summer borns: replication in a large Finnish birth cohort. Comprehensive Psychiatry, 2009, 50, 562-566.	3.1	17
232	Use of statistical methods in dental research: comparison of four dental journals during a 10-year period. Acta Odontologica Scandinavica, 2009, 67, 206-211.	1.6	14
233	Early-life origins of schizotypal traits in adulthood. British Journal of Psychiatry, 2009, 195, 132-137.	2.8	41
234	Association of Variants in DISC1 With Psychosis-Related Traits in a Large Population Cohort. Archives of General Psychiatry, 2009, 66, 134.	12.3	55

#	Article	IF	Citations
235	How to use bibliometric methods in evaluation of scientific research? An example from Finnish schizophrenia research. Nordic Journal of Psychiatry, 2008, 62, 136-143.	1.3	75
236	Associations between early development and outcome in schizophrenia â€" A 35-year follow-up of the Northern Finland 1966 Birth Cohort. Schizophrenia Research, 2008, 99, 29-37.	2.0	12
237	MMPI measures as signs of predisposition to mental disorder among adoptees at high risk for schizophrenia. Psychiatry Research, 2008, 158, 278-286.	3.3	2
238	Inter-correlations between Cloninger's temperament dimensions â€" A meta-analysis. Psychiatry Research, 2008, 160, 106-114.	3.3	31
239	Temperament profiles in personality disorders among a young adult population. Nordic Journal of Psychiatry, 2008, 62, 423-430.	1.3	7
240	Association of cannabis use with prodromal symptoms of psychosis in adolescence. British Journal of Psychiatry, 2008, 192, 470-471.	2.8	78
241	Non-participation in a field survey with respect to psychiatric disorders. Scandinavian Journal of Public Health, 2008, 36, 728-736.	2.3	83
242	One-Year Course and Predictors of Outcome of Adolescent Depression. Journal of Clinical Psychiatry, 2008, 69, 844-853.	2.2	24
243	Cloninger's Temperament Dimensions, Socio-economic and Lifestyle Factors and Metabolic Syndrome Markers at Age 31 Years in the Northern Finland Birth Cohort 1966. Journal of Health Psychology, 2007, 12, 371-382.	2.3	48
244	Pathways Leading to Suicide in Schizophrenia. Current Psychiatry Reviews, 2007, 3, 233-242.	0.9	2
245	Socio-demographic and clinical predictors of occupational status in schizophrenic psychoses—follow-up within the Northern Finland 1966 Birth Cohort. Psychiatry Research, 2007, 150, 217-225.	3.3	24
246	Sex differences in Cloninger's temperament dimensionsâ€"a meta-analysis. Comprehensive Psychiatry, 2007, 48, 161-169.	3.1	130
247	Epidemiology of alexithymia among adolescents. Journal of Psychosomatic Research, 2007, 63, 373-376.	2.6	108
248	Statistically significant papers in psychiatry were cited more often than others. Journal of Clinical Epidemiology, 2007, 60, 939-946.	5.0	70
249	ADHD Symptoms and Subtypes: Relationship Between Childhood and Adolescent Symptoms. Journal of the American Academy of Child and Adolescent Psychiatry, 2007, 46, 1605-1613.	0.5	115
250	Psychometric properties of the Multifactor Leadership Questionnaire among nurses. Journal of Advanced Nursing, 2007, 57, 201-212.	3.3	54
251	Effect of renal impairment on the pharmacokinetics of bupropion and its metabolites. British Journal of Clinical Pharmacology, 2007, 64, 165-173.	2.4	46
252	Do inattention and hyperactivity symptoms equal scholastic impairment? evidence from three European cohorts. BMC Public Health, 2007, 7, 327.	2.9	86

#	Article	IF	Citations
253	Non-participation may bias the results of a psychiatric survey. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 403-409.	3.1	58
254	ADHD and comorbid disorders in relation to family environment and symptom severity. European Child and Adolescent Psychiatry, 2007, 16, 362-369.	4.7	86
255	Patterns of psychiatric hospitalizations in schizophrenic psychoses within the Northern Finland 1966 Birth Cohort. Nordic Journal of Psychiatry, 2006, 60, 286-293.	1.3	13
256	Differentiation of adoptees at high versus low genetic risk for schizophrenia by adjusted MMPI indices. European Psychiatry, 2006, 21, 245-250.	0.2	7
257	Temperament profiles and somatization—an epidemiological study of young adult people. Journal of Psychosomatic Research, 2006, 61, 841-846.	2.6	9
258	Co-occurrence of Metabolic Syndrome With Depression and Anxiety in Young Adults: The Northern Finland 1966 Birth Cohort Study. Psychosomatic Medicine, 2006, 68, 213-216.	2.0	134
259	Factor structure of the Maslach Burnout Inventory among Finnish nursing staff. Australian Journal of Cancer Nursing, 2006, 8, 201-207.	1.6	51
260	A comparative assessment of the factor structures and psychometric properties of the GHQ-12 and the GHQ-20 based on data from a Finnish population-based sample. Scandinavian Journal of Psychology, 2006, 47, 431-440.	1.5	59
261	International comparison of Cloninger's temperament dimensions. Personality and Individual Differences, 2006, 41, 1515-1526.	2.9	42
262	Statistical methodologies in psychopharmacology: a review. Human Psychopharmacology, 2006, 21, 195-203.	1.5	8
263	Fronto-cerebellar systems are associated with infant motor and adult executive functions in healthy adults but not in schizophrenia. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 15651-15656.	7.1	135
264	Diferenciación de personas adoptadas con riesgo genético de esquizofrenia alto frente a bajo según Ãndices ajustados del MMPI. European Psychiatry (Ed Española), 2006, 13, 335-341.	0.0	0
265	Risk factors for schizophrenia. Follow-up data from the Northern Finland 1966 Birth Cohort Study. World Psychiatry, 2006, 5, 168-71.	10.4	16
266	Predictors of schizophrenia. British Journal of Psychiatry, 2005, 187, s4-s7.	2.8	38
267	Somatization and alexithymia in young adult Finnish population. General Hospital Psychiatry, 2005, 27, 244-249.	2.4	20
268	Attention and behavioural problems of Finnish adolescents may be related to the family environment. European Child and Adolescent Psychiatry, 2005, 14, 471-478.	4.7	37
269	Predictors of schizophrenia—a review. British Medical Bulletin, 2005, 73-74, 1-15.	6.9	128
270	Observing relationships in Finnish adoptive families: Oulu Family Rating Scale. Nordic Journal of Psychiatry, 2005, 59, 253-263.	1.3	10

#	Article	IF	Citations
271	Hippocampus and amygdala volumes in schizophrenia and other psychoses in the Northern Finland 1966 birth cohort. Schizophrenia Research, 2005, 75, 283-294.	2.0	63
272	Recovery From Schizophrenic Psychoses Within the Northern Finland 1966 Birth Cohort. Journal of Clinical Psychiatry, 2005, 66, 375-383.	2.2	35
273	A large population cohort provides normative data for investigation of temperament. Acta Psychiatrica Scandinavica, 2004, 110, 150-157.	4.5	62
274	Validation of the new Intensive Care Nursing Scoring System (ICNSS). Intensive Care Medicine, 2004, 30, 254-259.	8.2	11
275	Developmental precursors of psychosis. Current Psychiatry Reports, 2004, 6, 168-175.	4.5	17
276	Psychometric Deviance Measured by MMPI in Adoptees at High Risk for Schizophrenia and Their Adoptive Controls. Journal of Personality Assessment, 2004, 83, 14-21.	2.1	11
277	Early presence of thought disorder as a prospective sign of mental disorder. Psychiatry Research, 2004, 125, 193-203.	3.3	19
278	Interaction of genetic risk and adoptive parent communication deviance: longitudinal prediction of adoptee psychiatric disorders. Psychological Medicine, 2004, 34, 1531-1541.	4.5	71
279	Title is missing!. Scientometrics, 2003, 57, 377-388.	3.0	20
280	Reasons for the diagnostic discordance between clinicians and researchers in schizophrenia in the Northern Finland 1966 Birth Cohort. Social Psychiatry and Psychiatric Epidemiology, 2003, 38, 305-310.	3.1	106
281	Somatic morbidity and criminality: the Northern Finland 1966 Birth Cohort Study. Forensic Science International, 2003, 132, 68-75.	2.2	9
282	Statistical methodology in general psychiatric journals. Nordic Journal of Psychiatry, 2002, 56, 223-228.	1.3	15
283	The association of preceding traumatic brain injury with mental disorders, alcoholism and criminality: the Northern Finland 1966 Birth Cohort Study. Psychiatry Research, 2002, 113, 217-226.	3.3	129
284	Association between atopic disorders and depression: Findings from the Northern Finland 1966 birth cohort study. American Journal of Medical Genetics Part A, 2001, 105, 216-217.	2.4	16
285	Long-term stability of communication deviance Journal of Abnormal Psychology, 2001, 110, 443-448.	1.9	19
286	An Examination Between Single-Parent Family Background and Drunk Driving in Adulthood: Findings From The Northern Finland 1966 Birth Cohort. Alcoholism: Clinical and Experimental Research, 2001, 25, 206-209.	2.4	15
287	Psychometric properties of the Finnish 20-item Toronto Alexithymia Scale. Nordic Journal of Psychiatry, 2001, 55, 123-127.	1.3	120
288	Benefits and risks of off label use of antipsychotics in insomnia and anxiety – APSY Oulu project. Nordic Journal of Psychiatry, 0, , 1-1.	1.3	0