Makoto Itoh

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/745650/publications.pdf

Version: 2024-02-01

19	325	1040056	888059
papers	citations	h-index	g-index
19	19	19	391
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	A Multicenter Evaluation of Diagnostic Tools to Define Endpoints for Programs to Eliminate Bancroftian Filariasis. PLoS Neglected Tropical Diseases, 2012, 6, e1479.	3.0	104
2	Vaccination with Calpain Induces a Th1-Biased Protective Immune Response against Schistosoma japonicum. Infection and Immunity, 2001, 69, 386-391.	2.2	56
3	Development of loop-mediated isothermal amplification method for detecting Wuchereria bancrofti DNA in human blood and vector mosquitoes. Parasitology International, 2011, 60, 493-497.	1.3	45
4	Confirmation of Elimination of Lymphatic Filariasis by an IgG4 Enzyme-Linked Immunosorbent Assay with Urine Samples in Yongjia, Zhejiang Province and Gaoan, Jiangxi Province, People's Republic of China. American Journal of Tropical Medicine and Hygiene, 2007, 77, 330-333.	1.4	18
5	Diagnosis of Visceral Leishmaniasis by Enzyme-Linked Immunosorbent Assay Using Urine Samples. Vaccine Journal, 2002, 9, 789-794.	3.1	16
6	Enzyme-linked immunosorbent assay for the diagnosis of Wuchereria bancrofti infection using urine samples and its application in Bangladesh. Parasitology International, 2013, 62, 564-567.	1.3	14
7	Sensitive enzyme-linked immunosorbent assay with urine samples: a tool for surveillance of schistosomiasis japonica. Southeast Asian Journal of Tropical Medicine and Public Health, 2003, 34, 469-72.	1.0	11
8	Effects of 5 rounds of mass drug administration with diethylcarbamazine and albendazole on filaria-specific IgG4 titers in urine: 6-year follow-up study in Sri Lanka. Parasitology International, 2011, 60, 393-397.	1.3	10
9	Confirmation of elimination of lymphatic filariasis by an IgG4 enzyme-linked immunosorbent assay with urine samples in Yongjia, Zhejiang Province and Gaoan, Jiangxi Province, People's Republic of China. American Journal of Tropical Medicine and Hygiene, 2007, 77, 330-3.	1.4	10
10	A surveillance system for lymphatic filariasis after its elimination in Sri Lanka. Parasitology International, 2019, 68, 73-78.	1.3	9
11	A tool for mass-screening of paragonimiasis: an enzyme-linked immunosorbent assay with urine samples. Tropical Medicine and Health, 2016, 44, 19.	2.8	8
12	Detection of Urinary Antibodies and Its Application in Epidemiological Studies for Parasitic Diseases. Vaccines, 2021, 9, 778.	4.4	6
13	Presence and gradual disappearance of filaria-specific urinary IgG4 in babies born to antibody-positive mothers: A 2-year follow-up study. Parasitology International, 2008, 57, 386-389.	1.3	5
14	Rapid assessment procedures to detect hidden endemic foci in areas not subjected to mass drug administration in Sri Lanka. Parasitology International, 2014, 63, 87-93.	1.3	5
15	Immunodiagnosis of alveolar echinococcosis using urine samples. Parasitology International, 2013, 62, 514-516.	1.3	3
16	Surveillance of Wuchereria bancrofti infection by anti-filarial IgG4 in urine among schoolchildren and molecular xenomonitoring in Sri Lanka: a post mass drug administration study. Tropical Medicine and Health, 2019, 47, 39.	2.8	3
17	A Case of Choledochocele Associated with Carcinoma of the Pancreas. Digestive Endoscopy, 1995, 7, 71-76.	2.3	2
18	Role of Testosterone in Host-Parasite Interaction During Murine Experimental Infection of Schistosoma Japanicum Tropical Medicine and Health, 2001, 29, 1-4.	0.1	0

#	Article	IF	CITATIONS
19	Detection of circulating Wuchereria bancrofti antigen, filaria specific IgG and IgG4 in chyluria cases in Japan Tropical Medicine and Health, 1999, 27, 483-486.	0.1	O