

# Paweł, Kubica

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7457018/publications.pdf>

Version: 2024-02-01

29  
papers

576  
citations

623188

14  
h-index

610482

24  
g-index

29  
all docs

29  
docs citations

29  
times ranked

898  
citing authors

#	ARTICLE	IF	CITATIONS
1	Optimization of carbamazepine photodegradation on defective TiO <sub>2</sub> -based magnetic photocatalyst. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 105782.	3.3	18
2	Ultrasound assisted solvent extraction of porous membrane-packed samples followed by liquid chromatography-tandem mass spectrometry for determination of BADGE, BFDGE and their derivatives in packed vegetables. <i>Science of the Total Environment</i> , 2020, 708, 135178.	3.9	10
3	Discrepancies in determination of biogenic amines in beer samples by reversed phase and hydrophilic interaction liquid chromatography coupled with tandem mass spectrometry. <i>Microchemical Journal</i> , 2020, 159, 105574.	2.3	10
4	An LC-MS/MS Method for a Comprehensive Determination of Metabolites of BTEX Anaerobic Degradation in Bacterial Cultures and Groundwater. <i>Water (Switzerland)</i> , 2020, 12, 1869.	1.2	12
5	Analysis of chiral pharmaceutical residues in influent and effluent samples at racemic and enantiomeric level using liquid chromatography-tandem mass spectrometry. <i>Microchemical Journal</i> , 2020, 159, 105517.	2.3	3
6	Determination of bromhexine and its metabolites in equine serum samples by liquid chromatography – Tandem mass spectrometry: Applicability to the elimination study after single oral dose. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2020, 1151, 122197.	1.2	2
7	Stabilities of bisphenol A diglycidyl ether, bisphenol F diglycidyl ether, and their derivatives under controlled conditions analyzed using liquid chromatography coupled with tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 6387-6398.	1.9	14
8	Differences between selected volatile aromatic compound concentrations in sludge samples in various steps of wastewater treatment plant operations. <i>Journal of Environmental Management</i> , 2019, 249, 109426.	3.8	9
9	Concentration levels of selected analytes in the gas phase of an e-cigarette aerosol. <i>Microchemical Journal</i> , 2019, 148, 717-724.	2.3	8
10	Influence of Storage Time and Temperature on the Toxicity, Endocrine Potential, and Migration of Epoxy Resin Precursors in Extracts of Food Packaging Materials. <i>Molecules</i> , 2019, 24, 4396.	1.7	4
11	Ultrasound-Assisted Solvent Extraction of a Porous Membrane Packed Sample for the Determination of Tobacco-Specific Nitrosamines in the Replacement Liquids for E-Cigarettes. <i>Molecules</i> , 2019, 24, 4618.	1.7	8
12	Evaluation of flavour profiles in e-cigarette refill solutions using gas chromatography–tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2018, 1547, 86-98.	1.8	37
13	Determination of trace levels of eleven bisphenol A analogues in human blood serum by high performance liquid chromatography–tandem mass spectrometry. <i>Science of the Total Environment</i> , 2018, 628-629, 1362-1368.	3.9	77
14	Application of gas chromatography–tandem mass spectrometry for the determination of amphetamine-type stimulants in blood and urine. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018, 148, 58-64.	1.4	58
15	Serum bisphenol A concentrations correlate with serum testosterone levels in women with polycystic ovary syndrome. <i>Reproductive Toxicology</i> , 2018, 82, 32-37.	1.3	39
16	New approach for e-cigarette aerosol collection by an original automatic aerosol generator utilizing melt-blown non-woven fabric. <i>Analytica Chimica Acta</i> , 2018, 1038, 67-78.	2.6	13
17	Analytical studies on ascosin, candicidin and levorin multicomponent antifungal antibiotic complexes. The stereostructure of ascosin A2. <i>Scientific Reports</i> , 2017, 7, 40158.	1.6	16
18	Comprehensive determination of flavouring additives and nicotine in e-cigarette refill solutions. Part II: Gas-chromatography–mass spectrometry analysis. <i>Journal of Chromatography A</i> , 2017, 1517, 156-164.	1.8	27

#	ARTICLE	IF	CITATIONS
19	Rapid ion-exchange matrix removal for a decrease of detection limits in the analysis of salt-rich reservoir waters for fluorobenzoic acids by liquid chromatography coupled with tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2017, 409, 871-879.	1.9	6
20	Comprehensive determination of flavouring additives and nicotine in e-cigarette refill solutions. Part I: Liquid chromatography-tandem mass spectrometry analysis. <i>Journal of Chromatography A</i> , 2017, 1519, 45-54.	1.8	33
21	Intramolecular transformation of an antifungal antibiotic nystatin A <sub>1</sub> into its isomer, <i>iso</i> -nystatin A <sub>1</sub> – structural and molecular modeling studies. <i>Magnetic Resonance in Chemistry</i> , 2016, 54, 953-961.	1.1	5
22	Comparison of hydrophilic interaction and reversed phase liquid chromatography coupled with tandem mass spectrometry for the determination of eight artificial sweeteners and common steviol glycosides in popular beverages. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016, 127, 184-192.	1.4	20
23	RP-HPLC with Detection by Means of ESI-MS and UV for Identification of Chromatographic Peaks of Some Hydroxy Derivatives of Epoxy Resin. <i>Chemistry and Chemical Technology</i> , 2016, 10, 141-149.	0.2	3
24	Sensitive simultaneous determination of 19 fluorobenzoic acids in saline waters by solid-phase extraction and liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2015, 1417, 30-40.	1.8	10
25	Determination of eight artificial sweeteners and common <i>Stevia rebaudiana</i> glycosides in non-alcoholic and alcoholic beverages by reversed-phase liquid chromatography coupled with tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 1505-1512.	1.9	25
26	An evaluation of sucrose as a possible contaminant in e-liquids for electronic cigarettes by hydrophilic interaction liquid chromatography-tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 3013-3018.	1.9	28
27	“Dilute & Shoot” approach for rapid determination of trace amounts of nicotine in zero-level e-liquids by reversed phase liquid chromatography and hydrophilic interactions liquid chromatography coupled with tandem mass spectrometry-electrospray ionization. <i>Journal of Chromatography A</i> , 2013, 1289, 13-18.	1.8	24
28	Modern approach for determination of lactulose, mannitol and sucrose in human urine using HPLC-MS/MS for the studies of intestinal and upper digestive tract permeability. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012, 907, 34-40.	1.2	40
29	Sensitive determination of isoprostanes in exhaled breath condensate samples with use of liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2012, 893-894, 144-149.	1.2	17