

Dame Lesley Fallowfield

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7457276/dame-lesley-fallowfield-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

290
papers

27,131
citations

84
h-index

160
g-index

318
ext. papers

30,542
ext. citations

6.4
avg, IF

6.92
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 290 | A randomized trial of exemestane after two to three years of tamoxifen therapy in postmenopausal women with primary breast cancer. <i>New England Journal of Medicine</i> , 2004 , 350, 1081-92 | 59.2 | 1500 |
| 289 | Randomized multicenter trial of sentinel node biopsy versus standard axillary treatment in operable breast cancer: the ALMANAC Trial. <i>Journal of the National Cancer Institute</i> , 2006 , 98, 599-609 | 9.7 | 1177 |
| 288 | Survival and safety of exemestane versus tamoxifen after 2-3 years' tamoxifen treatment (Intergroup Exemestane Study): a randomised controlled trial. <i>Lancet, The</i> , 2007 , 369, 559-70 | 4.0 | 712 |
| 287 | Communicating sad, bad, and difficult news in medicine. <i>Lancet, The</i> , 2004 , 363, 312-9 | 4.0 | 665 |
| 286 | 4th ESO-ESMO International Consensus Guidelines for Advanced Breast Cancer (ABC 4) <i>Annals of Oncology</i> , 2018 , 29, 1634-1657 | 10.3 | 645 |
| 285 | Efficacy of a Cancer Research UK communication skills training model for oncologists: a randomised controlled trial. <i>Lancet, The</i> , 2002 , 359, 650-6 | 4.0 | 634 |
| 284 | Sensitivity and specificity of multimodal and ultrasound screening for ovarian cancer, and stage distribution of detected cancers: results of the prevalence screen of the UK Collaborative Trial of Ovarian Cancer Screening (UKCTOCS). <i>Lancet Oncology, The</i> , 2009 , 10, 327-40 | 21.7 | 615 |
| 283 | Information needs of patients with cancer: results from a large study in UK cancer centres. <i>British Journal of Cancer</i> , 2001 , 84, 48-51 | 8.7 | 566 |
| 282 | Psychological outcomes of different treatment policies in women with early breast cancer outside a clinical trial. <i>BMJ: British Medical Journal</i> , 1990 , 301, 575-80 | | 566 |
| 281 | Ovarian cancer screening and mortality in the UK Collaborative Trial of Ovarian Cancer Screening (UKCTOCS): a randomised controlled trial. <i>Lancet, The</i> , 2016 , 387, 945-956 | 4.0 | 563 |
| 280 | Psychiatric morbidity and its recognition by doctors in patients with cancer. <i>British Journal of Cancer</i> , 2001 , 84, 1011-5 | 8.7 | 491 |
| 279 | Comparison of psychological aspects and patient satisfaction following breast conserving surgery, simple mastectomy and breast reconstruction. <i>European Journal of Cancer</i> , 2000 , 36, 1938-43 | 7.5 | 474 |
| 278 | Ovarian cancer. <i>Nature Reviews Disease Primers</i> , 2016 , 2, 16061 | 51.1 | 420 |
| 277 | Multidisciplinary teams in cancer care: are they effective in the UK?. <i>Lancet Oncology, The</i> , 2006 , 7, 935-43 | 11.7 | 415 |
| 276 | Information needs of cancer patients in west Scotland: cross sectional survey of patients' views. <i>BMJ: British Medical Journal</i> , 1996 , 313, 724-6 | | 390 |
| 275 | Effective communication skills are the key to good cancer care. <i>European Journal of Cancer</i> , 1999 , 35, 1592-7 | 7.5 | 377 |
| 274 | Post-operative arm morbidity and quality of life. Results of the ALMANAC randomised trial comparing sentinel node biopsy with standard axillary treatment in the management of patients with early breast cancer. <i>Breast Cancer Research and Treatment</i> , 2006 , 95, 279-93 | 4.4 | 360 |

| | | | |
|-----|--|------|-----|
| 273 | Locally recurrent or metastatic breast cancer: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. <i>Annals of Oncology</i> , 2012 , 23 Suppl 7, vii11-9 | 10.3 | 356 |
| 272 | Truth may hurt but deceit hurts more: communication in palliative care. <i>Palliative Medicine</i> , 2002 , 16, 297-303 | 5.5 | 341 |
| 271 | The psychological impact of immediate rather than delayed breast reconstruction. <i>European Journal of Surgical Oncology</i> , 2000 , 26, 17-9 | 3.6 | 327 |
| 270 | Doctor-patient interactions in oncology. <i>Social Science and Medicine</i> , 1996 , 42, 1511-9 | 5.1 | 310 |
| 269 | Teaching senior oncologists communication skills: results from phase I of a comprehensive longitudinal program in the United Kingdom. <i>Journal of Clinical Oncology</i> , 1998 , 16, 1961-8 | 2.2 | 284 |
| 268 | 5th ESO-ESMO international consensus guidelines for advanced breast cancer (ABC 5). <i>Annals of Oncology</i> , 2020 , 31, 1623-1649 | 10.3 | 282 |
| 267 | ESO-ESMO 2nd international consensus guidelines for advanced breast cancer (ABC2). <i>Annals of Oncology</i> , 2014 , 25, 1871-1888 | 10.3 | 279 |
| 266 | Intentional and non-intentional non-adherence to medication amongst breast cancer patients. <i>European Journal of Cancer</i> , 2006 , 42, 2271-6 | 7.5 | 278 |
| 265 | 1st International consensus guidelines for advanced breast cancer (ABC 1). <i>Breast</i> , 2012 , 21, 242-52 | 3.6 | 258 |
| 264 | The Sexual Activity Questionnaire: a measure of women's sexual functioning. <i>Quality of Life Research</i> , 1996 , 5, 81-90 | 3.7 | 257 |
| 263 | Effects of breast conservation on psychological morbidity associated with diagnosis and treatment of early breast cancer. <i>British Medical Journal</i> , 1986 , 293, 1331-4 | | 254 |
| 262 | Enduring impact of communication skills training: results of a 12-month follow-up. <i>British Journal of Cancer</i> , 2003 , 89, 1445-9 | 8.7 | 253 |
| 261 | Lack of communication between healthcare professionals and women with ovarian cancer about sexual issues. <i>British Journal of Cancer</i> , 2003 , 88, 666-71 | 8.7 | 249 |
| 260 | Quality of life of postmenopausal women in the Arimidex, Tamoxifen, Alone or in Combination (ATAC) Adjuvant Breast Cancer Trial. <i>Journal of Clinical Oncology</i> , 2004 , 22, 4261-71 | 2.2 | 243 |
| 259 | Assessment of quality of life in women undergoing hormonal therapy for breast cancer: validation of an endocrine symptom subscale for the FACT-B. <i>Breast Cancer Research and Treatment</i> , 1999 , 55, 189-99 | 4.4 | 242 |
| 258 | 3rd ESO-ESMO International Consensus Guidelines for Advanced Breast Cancer (ABC 3). <i>Annals of Oncology</i> , 2017 , 28, 16-33 | 10.3 | 241 |
| 257 | ESO-ESMO 2nd international consensus guidelines for advanced breast cancer (ABC2). <i>Breast</i> , 2014 , 23, 489-502 | 3.6 | 231 |
| 256 | Reasons for accepting or declining to participate in randomized clinical trials for cancer therapy. <i>British Journal of Cancer</i> , 2000 , 82, 1783-8 | 8.7 | 212 |

| | | | |
|-----|---|------|-----|
| 255 | Giving sad and bad news. <i>Lancet, The</i> , 1993 , 341, 476-8 | 4.0 | 208 |
| 254 | Tamoxifen for the prevention of breast cancer: psychosocial impact on women participating in two randomized controlled trials. <i>Journal of Clinical Oncology</i> , 2001 , 19, 1885-92 | 2.2 | 203 |
| 253 | Addressing overtreatment of screen detected DCIS; the LORIS trial. <i>European Journal of Cancer</i> , 2015 , 51, 2296-303 | 7.5 | 197 |
| 252 | Quality of life of postmenopausal women in the ATAC ("Arimidex", tamoxifen, alone or in combination) trial after completion of 5 years' adjuvant treatment for early breast cancer. <i>Breast Cancer Research and Treatment</i> , 2006 , 100, 273-84 | 4.4 | 191 |
| 251 | No news is not good news: information preferences of patients with cancer. <i>Psycho-Oncology</i> , 1995 , 4, 197-202 | 3.9 | 190 |
| 250 | Recognition and management of treatment-related side effects for breast cancer patients receiving adjuvant endocrine therapy. <i>Breast Cancer Research and Treatment</i> , 2008 , 107, 167-80 | 4.4 | 185 |
| 249 | Rasch fit statistics and sample size considerations for polytomous data. <i>BMC Medical Research Methodology</i> , 2008 , 8, 33 | 4.7 | 181 |
| 248 | Does hormone therapy for the treatment of breast cancer have a detrimental effect on memory and cognition? A pilot study. <i>Psycho-Oncology</i> , 2004 , 13, 61-6 | 3.9 | 180 |
| 247 | International guidelines for management of metastatic breast cancer: combination vs sequential single-agent chemotherapy. <i>Journal of the National Cancer Institute</i> , 2009 , 101, 1174-81 | 9.7 | 177 |
| 246 | Can oncologists detect distress in their out-patients and how satisfied are they with their performance during bad news consultations?. <i>British Journal of Cancer</i> , 1994 , 70, 767-70 | 8.7 | 174 |
| 245 | Can communication skills training alter physicians' beliefs and behavior in clinics?. <i>Journal of Clinical Oncology</i> , 2002 , 20, 765-9 | 2.2 | 171 |
| 244 | Does cosmetic outcome from treatment of primary breast cancer influence psychosocial morbidity?. <i>European Journal of Surgical Oncology</i> , 1999 , 25, 571-3 | 3.6 | 170 |
| 243 | Missing quality of life data in cancer clinical trials: serious problems and challenges. <i>Statistics in Medicine</i> , 1998 , 17, 517-32 | 2.3 | 162 |
| 242 | Psychological effects of being offered choice of surgery for breast cancer. <i>BMJ: British Medical Journal</i> , 1994 , 309, 448 | | 161 |
| 241 | Quality of life in the intergroup exemestane study: a randomized trial of exemestane versus continued tamoxifen after 2 to 3 years of tamoxifen in postmenopausal women with primary breast cancer. <i>Journal of Clinical Oncology</i> , 2006 , 24, 910-7 | 2.2 | 159 |
| 240 | Information needs and experiences: an audit of UK cancer patients. <i>European Journal of Oncology Nursing</i> , 2006 , 10, 263-72 | 2.8 | 155 |
| 239 | Treatment-emergent endocrine symptoms and the risk of breast cancer recurrence: a retrospective analysis of the ATAC trial. <i>Lancet Oncology, The</i> , 2008 , 9, 1143-8 | 21.7 | 150 |
| 238 | Preference for subcutaneous or intravenous administration of trastuzumab in patients with HER2-positive early breast cancer (PrefHer): an open-label randomised study. <i>Lancet Oncology, The</i> , 2013 , 14, 962-70 | 21.7 | 143 |

| | | | |
|-----|---|------|-----|
| 237 | Sensitivity of transvaginal ultrasound screening for endometrial cancer in postmenopausal women: a case-control study within the UKCTOCS cohort. <i>Lancet Oncology, The</i> , 2011 , 12, 38-48 | 21.7 | 138 |
| 236 | 3rd ESO-ESMO international consensus guidelines for Advanced Breast Cancer (ABC 3). <i>Breast</i> , 2017 , 31, 244-259 | 3.6 | 137 |
| 235 | Treatment decision-making in breast cancer: the patient-doctor relationship. <i>Breast Cancer Research and Treatment</i> , 2008 , 112 Suppl 1, 5-13 | 4.4 | 137 |
| 234 | Are we using appropriate self-report questionnaires for detecting anxiety and depression in women with early breast cancer?. <i>European Journal of Cancer</i> , 1999 , 35, 79-85 | 7.5 | 137 |
| 233 | Psychosocial and supportive-care needs in high-grade glioma. <i>Lancet Oncology, The</i> , 2008 , 9, 884-91 | 21.7 | 135 |
| 232 | Lay understanding of terms used in cancer consultations. <i>Psycho-Oncology</i> , 2003 , 12, 557-66 | 3.9 | 135 |
| 231 | Risk Algorithm Using Serial Biomarker Measurements Doubles the Number of Screen-Detected Cancers Compared With a Single-Threshold Rule in the United Kingdom Collaborative Trial of Ovarian Cancer Screening. <i>Journal of Clinical Oncology</i> , 2015 , 33, 2062-71 | 2.2 | 133 |
| 230 | Systematic review of supportive care needs in patients with primary malignant brain tumors. <i>Neuro-Oncology</i> , 2012 , 14, 392-404 | 1 | 129 |
| 229 | Patients' preference for administration of endocrine treatments by injection or tablets: results from a study of women with breast cancer. <i>Annals of Oncology</i> , 2006 , 17, 205-10 | 10.3 | 128 |
| 228 | Factors affecting patient and clinician satisfaction with the clinical consultation: can communication skills training for clinicians improve satisfaction?. <i>Psycho-Oncology</i> , 2003 , 12, 599-611 | 3.9 | 127 |
| 227 | Communication skills training in oncology: a position paper based on a consensus meeting among European experts in 2009. <i>Annals of Oncology</i> , 2010 , 21, 204-207 | 10.3 | 121 |
| 226 | The psychosocial impact of bilateral prophylactic mastectomy: prospective study using questionnaires and semistructured interviews. <i>BMJ: British Medical Journal</i> , 2001 , 322, 76 | | 118 |
| 225 | The validation of a quality of life scale to assess the impact of arm morbidity in breast cancer patients post-operatively. <i>Breast Cancer Research and Treatment</i> , 2001 , 68, 273-82 | 4.4 | 118 |
| 224 | What oncologists believe they said and what patients believe they heard: an analysis of phase I trial discussions. <i>Journal of Clinical Oncology</i> , 2011 , 29, 61-8 | 2.2 | 108 |
| 223 | The effects of hormone therapy on cognition in breast cancer. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2003 , 86, 405-12 | 5.1 | 108 |
| 222 | Tumor boards: optimizing the structure and improving efficiency of multidisciplinary management of patients with cancer worldwide. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2014 , e461-6 | 7.1 | 106 |
| 221 | Pain outcomes in patients with advanced breast cancer and bone metastases: results from a randomized, double-blind study of denosumab and zoledronic acid. <i>Cancer</i> , 2013 , 119, 832-8 | 6.4 | 106 |
| 220 | Recruitment to multicentre trials--lessons from UKCTOCS: descriptive study. <i>BMJ, The</i> , 2008 , 337, a20795.9 | | 105 |

| | | | |
|-----|---|------|-----|
| 219 | Multivariate regression analyses of data from a randomised, double-blind, placebo-controlled study confirm quality of life benefit of epoetin alfa in patients receiving non-platinum chemotherapy. <i>British Journal of Cancer</i> , 2002 , 87, 1341-53 | 8.7 | 105 |
| 218 | Bone-related complications and quality of life in advanced breast cancer: results from a randomized phase III trial of denosumab versus zoledronic acid. <i>Clinical Cancer Research</i> , 2012 , 18, 4841-9 | 12.9 | 102 |
| 217 | Patients' preferences for subcutaneous trastuzumab versus conventional intravenous infusion for the adjuvant treatment of HER2-positive early breast cancer: final analysis of 488 patients in the international, randomized, two-cohort PrefHer study. <i>Annals of Oncology</i> , 2014 , 25, 1979-1987 | 10.3 | 101 |
| 216 | Effects of anastrozole on cognitive performance in postmenopausal women: a randomised, double-blind chemoprevention trial (IBIS II). <i>Lancet Oncology</i> , 2008 , 9, 953-61 | 21.7 | 101 |
| 215 | The Medical Interaction Process System (MIPS): an instrument for analysing interviews of oncologists and patients with cancer. <i>Social Science and Medicine</i> , 2000 , 50, 553-66 | 5.1 | 100 |
| 214 | Attitudes of patients to randomised clinical trials of cancer therapy. <i>European Journal of Cancer</i> , 1998 , 34, 1554-9 | 7.5 | 99 |
| 213 | Clinicians' attitudes to clinical trials of cancer therapy. <i>European Journal of Cancer</i> , 1997 , 33, 2221-9 | 7.5 | 98 |
| 212 | Locally recurrent or metastatic breast cancer: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. <i>Annals of Oncology</i> , 2010 , 21 Suppl 5, v15-9 | 10.3 | 92 |
| 211 | How do doctors explain randomised clinical trials to their patients?. <i>European Journal of Cancer</i> , 1999 , 35, 1187-93 | 7.5 | 89 |
| 210 | Pulmonary Metastasectomy versus Continued Active Monitoring in Colorectal Cancer (PulMiCC): a multicentre randomised clinical trial. <i>Trials</i> , 2019 , 20, 718 | 2.8 | 89 |
| 209 | Pulmonary metastasectomy in colorectal cancer: the PulMiCC trial. <i>Thorax</i> , 2012 , 67, 185-7 | 7.3 | 86 |
| 208 | Communication about sexual problems and sexual concerns in ovarian cancer: qualitative study. <i>BMJ: British Medical Journal</i> , 2001 , 323, 836-7 | | 86 |
| 207 | Second international consensus guidelines for breast cancer in young women (BCY2). <i>Breast</i> , 2016 , 26, 87-99 | 3.6 | 84 |
| 206 | The efficacy of audiotapes in promoting psychological well-being in cancer patients: a randomised, controlled trial. <i>British Journal of Cancer</i> , 1995 , 71, 388-92 | 8.7 | 84 |
| 205 | Tolerability of hormone therapies for breast cancer: how informative are documented symptom profiles in medical notes for 'well-tolerated' treatments?. <i>Breast Cancer Research and Treatment</i> , 2001 , 66, 73-81 | 4.4 | 82 |
| 204 | Psychological morbidity in newly referred patients with cancer. <i>Journal of Psychosomatic Research</i> , 1995 , 39, 193-202 | 4.1 | 80 |
| 203 | Adherence to hormone therapy in a chemoprevention randomised trial. <i>Breast Cancer Research</i> , 2008 , 10, | 8.3 | 78 |
| 202 | Epoetin alfa improves quality of life in patients with cancer: results of metaanalysis. <i>Cancer</i> , 2004 , 101, 1720-32 | 6.4 | 77 |

| | | | |
|-----|--|------|----|
| 201 | Quality of life: a new perspective for cancer patients. <i>Nature Reviews Cancer</i> , 2002 , 2, 873-9 | 31.3 | 76 |
| 200 | Locally recurrent or metastatic breast cancer: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. <i>Annals of Oncology</i> , 2011 , 22 Suppl 6, vi25-30 | 10.3 | 75 |
| 199 | Pulmonary metastasectomy in colorectal cancer: the PulMiCC trial. <i>Journal of Thoracic Oncology</i> , 2010 , 5, S203-6 | 8.9 | 75 |
| 198 | The informational roles and psychological health of members of 10 oncology multidisciplinary teams in the UK. <i>British Journal of Cancer</i> , 2005 , 93, 1092-7 | 8.7 | 74 |
| 197 | Teaching Senior Nurses How to Teach Communication Skills in Oncology. <i>Cancer Nursing</i> , 2001 , 24, 185-196 | | 73 |
| 196 | Are members of multidisciplinary teams in breast cancer aware of each other's informational roles?. <i>Quality in Health Care: QHC</i> , 2001 , 10, 70-5 | | 71 |
| 195 | Psychosocial/survivorship issues in breast cancer: are we doing better?. <i>Journal of the National Cancer Institute</i> , 2015 , 107, 335 | 9.7 | 70 |
| 194 | Offering choice of surgical treatment to women with breast cancer. <i>Patient Education and Counseling</i> , 1997 , 30, 209-14 | 3.1 | 70 |
| 193 | Pain and health-related quality of life in patients with advanced solid tumours and bone metastases: integrated results from three randomized, double-blind studies of denosumab and zoledronic acid. <i>Supportive Care in Cancer</i> , 2013 , 21, 3497-507 | 3.9 | 68 |
| 192 | Ovarian cancer population screening and mortality after long-term follow-up in the UK Collaborative Trial of Ovarian Cancer Screening (UKCTOCS): a randomised controlled trial. <i>Lancet, The</i> , 2021 , 397, 2182-2193 | 4.0 | 68 |
| 191 | ARIX: a randomised trial of acupuncture v oral care sessions in patients with chronic xerostomia following treatment of head and neck cancer. <i>Annals of Oncology</i> , 2013 , 24, 776-83 | 10.3 | 67 |
| 190 | International guidelines for management of metastatic breast cancer (MBC) from the European School of Oncology (ESO)-MBC Task Force: Surveillance, staging, and evaluation of patients with early-stage and metastatic breast cancer. <i>Breast</i> , 2013 , 22, 203-10 | 3.6 | 66 |
| 189 | Communication and informed consent in phase 1 trials: a review of the literature. <i>Supportive Care in Cancer</i> , 2006 , 14, 303-9 | 3.9 | 65 |
| 188 | The attitudes of 1066 patients with cancer towards participation in randomised clinical trials. <i>British Journal of Cancer</i> , 2010 , 103, 1801-7 | 8.7 | 64 |
| 187 | Intravenous versus Subcutaneous Drug Administration. Which Do Patients Prefer? A Systematic Review. <i>Patient</i> , 2014 , 8, 145 | 3.7 | 63 |
| 186 | Drivers and barriers to patient participation in RCTs. <i>British Journal of Cancer</i> , 2013 , 108, 1402-7 | 8.7 | 59 |
| 185 | Sentinel lymph node biopsy in male breast cancer patients. <i>European Journal of Surgical Oncology</i> , 2004 , 30, 480-3 | 3.6 | 59 |
| 184 | Discussing randomised clinical trials of cancer therapy: evaluation of a Cancer Research UK training programme. <i>BMJ, The</i> , 2005 , 330, 400 | 5.9 | 59 |

| | | | |
|-----|---|------|----|
| 183 | Reasons given by patients for participating, or not, in Phase 1 cancer trials. <i>European Journal of Cancer</i> , 2011 , 47, 1490-7 | 7.5 | 54 |
| 182 | Results of an intervention study to improve communication about randomised clinical trials of cancer therapy. <i>European Journal of Cancer</i> , 2001 , 37, 322-31 | 7.5 | 52 |
| 181 | Information preferences of patients with cancer. <i>Lancet, The</i> , 1994 , 344, 1576 | 4.0 | 52 |
| 180 | Implementing the UK Medical Research Council (MRC) RT01 trial (ISRCTN 47772397): methods and practicalities of a randomised controlled trial of conformal radiotherapy in men with localised prostate cancer. <i>Radiotherapy and Oncology</i> , 2004 , 72, 199-211 | 5.3 | 51 |
| 179 | Psychosexual function and impact of gynaecological cancer. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2007 , 21, 309-20 | 4.6 | 50 |
| 178 | Pain and analgesic use associated with skeletal-related events in patients with advanced cancer and bone metastases. <i>Supportive Care in Cancer</i> , 2016 , 24, 1327-37 | 3.9 | 49 |
| 177 | A qualitative study looking at the psychosocial implications of bilateral prophylactic mastectomy. <i>Breast</i> , 2003 , 12, 1-9 | 3.6 | 49 |
| 176 | Digital health for optimal supportive care in oncology: benefits, limits, and future perspectives. <i>Supportive Care in Cancer</i> , 2020 , 28, 4589-4612 | 3.9 | 47 |
| 175 | The value of progression-free survival to patients with advanced-stage cancer. <i>Nature Reviews Clinical Oncology</i> , 2011 , 9, 41-7 | 19.4 | 46 |
| 174 | Cost-effectiveness analysis of anastrozole vs tamoxifen in adjuvant therapy for early stage breast cancer in the United Kingdom: the 5-year completed treatment analysis of the ATAC ('Arimidex', Tamoxifen alone or in combination) trial. <i>British Journal of Cancer</i> , 2007 , 97, 152-61 | 8.7 | 46 |
| 173 | Quality of quality-of-life data. <i>Lancet, The</i> , 1996 , 348, 421-2 | 4.0 | 45 |
| 172 | Current concepts of communication skills training in oncology. <i>Recent Results in Cancer Research</i> , 2006 , 168, 105-12 | 1.5 | 44 |
| 171 | The treatment of early breast cancer in women over the age of 70. <i>British Journal of Cancer</i> , 2011 , 105, 189-93 | 8.7 | 43 |
| 170 | Truth sometimes hurts but deceit hurts more. <i>Annals of the New York Academy of Sciences</i> , 1997 , 809, 525-36 | 6.5 | 43 |
| 169 | Patient evaluation of cosmetic outcome after conserving surgery for treatment of primary breast cancer. <i>European Journal of Surgical Oncology</i> , 1999 , 25, 344-6 | 3.6 | 43 |
| 168 | Clinical benefit in patients with metastatic bone disease: results of a phase 3 study of denosumab versus zoledronic acid. <i>Annals of Oncology</i> , 2012 , 23, 3045-3051 | 10.3 | 42 |
| 167 | Current state of quality of life and patient-reported outcomes research. <i>European Journal of Cancer</i> , 2019 , 121, 55-63 | 7.5 | 41 |
| 166 | Adjuvant chemotherapy in older women (ACTION) study - what did we learn from the pilot phase?. <i>British Journal of Cancer</i> , 2011 , 105, 1260-6 | 8.7 | 41 |

| | | | |
|-----|--|-----|----|
| 165 | Acceptance of adjuvant therapy and quality of life issues. <i>Breast</i> , 2005 , 14, 612-6 | 3.6 | 41 |
| 164 | Assessment of quality of life in breast cancer. <i>Acta Oncologica</i> , 1995 , 34, 689-94 | 3.2 | 41 |
| 163 | Patient-reported outcome measures of the impact of cancer on patients' everyday lives: a systematic review. <i>Journal of Cancer Survivorship</i> , 2017 , 11, 211-232 | 5.1 | 40 |
| 162 | Long-term assessment of quality of life in the Intergroup Exemestane Study: 5 years post-randomisation. <i>British Journal of Cancer</i> , 2012 , 106, 1062-7 | 8.7 | 40 |
| 161 | Patients' preferences for adjuvant endocrine therapy in early breast cancer: what makes it worthwhile?. <i>British Journal of Cancer</i> , 2005 , 93, 1319-23 | 8.7 | 40 |
| 160 | A daily diary for quality of life measurement in advanced breast cancer trials. <i>British Journal of Cancer</i> , 1993 , 67, 341-6 | 8.7 | 40 |
| 159 | Pulmonary metastasectomy in colorectal cancer: time for a trial. <i>European Journal of Surgical Oncology</i> , 2009 , 35, 686-9 | 3.6 | 38 |
| 158 | Sexual activity questionnaires in clinical trials: acceptability to patients with gynaecological disorders. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1999 , 106, 50-4 | 3.7 | 38 |
| 157 | Same gain, less pain: potential patient preferences for adjuvant treatment in premenopausal women with early breast cancer. <i>European Journal of Cancer</i> , 2004 , 40, 2403-10 | 7.5 | 37 |
| 156 | A Rasch and confirmatory factor analysis of the general health questionnaire (GHQ)--12. <i>Health and Quality of Life Outcomes</i> , 2010 , 8, 45 | 3 | 36 |
| 155 | Counselling for patients with cancer. <i>BMJ: British Medical Journal</i> , 1988 , 297, 727-8 | | 36 |
| 154 | Clinicians' attitudes towards clinical trials of cancer therapy. <i>British Journal of Cancer</i> , 2011 , 104, 1535-43 | 3.7 | 35 |
| 153 | Efficacy and safety of subcutaneous trastuzumab and intravenous trastuzumab as part of adjuvant therapy for HER2-positive early breast cancer: Final analysis of the randomised, two-cohort PrefHer study. <i>European Journal of Cancer</i> , 2017 , 86, 82-90 | 7.5 | 33 |
| 152 | Florence statement on breast cancer, 1998. <i>European Journal of Cancer</i> , 1999 , 35, 14-15 | 7.5 | 33 |
| 151 | Patient-reported outcome measures for cancer caregivers: a systematic review. <i>Quality of Life Research</i> , 2016 , 25, 1859-76 | 3.7 | 33 |
| 150 | Impact on mortality and cancer incidence rates of using random invitation from population registers for recruitment to trials. <i>Trials</i> , 2011 , 12, 61 | 2.8 | 32 |
| 149 | Describing randomisation: patients' and the public's preferences compared with clinicians' practice. <i>British Journal of Cancer</i> , 2002 , 87, 854-8 | 8.7 | 32 |
| 148 | The effects of oestrogens and anti-oestrogens on cognition. <i>Breast</i> , 2001 , 10, 484-91 | 3.6 | 31 |

| | | | |
|-----|--|------|----|
| 147 | Psychological morbidity associated with ovarian cancer screening: results from more than 23,000 women in the randomised trial of ovarian cancer screening (UKCTOCS). <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014 , 121, 1071-9 | 3.7 | 30 |
| 146 | After going through chemotherapy I can't see another needle. <i>European Journal of Oncology Nursing</i> , 2007 , 11, 43-8 | 2.8 | 30 |
| 145 | The pervasive nature of uncertainty-a qualitative study of patients with advanced cancer and their informal caregivers. <i>Journal of Cancer Survivorship</i> , 2017 , 11, 590-603 | 5.1 | 29 |
| 144 | Adjuvant chemotherapy in elderly women with breast cancer (AChEW): an observational study identifying MDT perceptions and barriers to decision making. <i>Annals of Oncology</i> , 2013 , 24, 1211-9 | 10.3 | 29 |
| 143 | Self-reported sexual health: Breast cancer survivors compared to women from the general population - an observational study. <i>BMC Cancer</i> , 2017 , 17, 599 | 4.8 | 28 |
| 142 | Adjuvant chemotherapy in elderly women with breast cancer: patients' perspectives on information giving and decision making. <i>Psycho-Oncology</i> , 2013 , 22, 2729-35 | 3.9 | 28 |
| 141 | Does endocrine therapy for the treatment and prevention of breast cancer affect memory and cognition?. <i>European Journal of Cancer</i> , 2007 , 43, 1342-7 | 7.5 | 28 |
| 140 | The use of denial in an ethnically diverse British cancer population: a cross-sectional study. <i>British Journal of Cancer</i> , 2005 , 92, 1393-7 | 8.7 | 28 |
| 139 | Pain outcomes in patients with bone metastases from advanced cancer: assessment and management with bone-targeting agents. <i>Supportive Care in Cancer</i> , 2015 , 23, 1157-68 | 3.9 | 27 |
| 138 | Psychological outcome of treatment for early breast cancer: A review. <i>Stress and Health</i> , 1989 , 5, 167-175 | | 27 |
| 137 | Final results of the TANIA randomised phase III trial of bevacizumab after progression on first-line bevacizumab therapy for HER2-negative locally recurrent/metastatic breast cancer. <i>Annals of Oncology</i> , 2016 , 27, 2046-2052 | 10.3 | 26 |
| 136 | Fallowfield's Sexual Activity Questionnaire in women with without and at risk of cancer. <i>Menopause International</i> , 2007 , 13, 103-9 | | 26 |
| 135 | The psychological impact of post-operative arm morbidity following axillary surgery for breast cancer: a critical review. <i>Breast</i> , 2002 , 11, 81-7 | 3.6 | 26 |
| 134 | Evolution of breast cancer treatments: current options and quality-of-life considerations. <i>European Journal of Oncology Nursing</i> , 2004 , 8 Suppl 2, S75-82 | 2.8 | 26 |
| 133 | Patients' and oncologists' views on the treatment and care of advanced ovarian cancer in the U.K.: results from the ADVOCATE study. <i>British Journal of Cancer</i> , 2013 , 108, 2264-71 | 8.7 | 25 |
| 132 | Awareness of ovarian cancer risk factors, beliefs and attitudes towards screening: baseline survey of 21,715 women participating in the UK Collaborative Trial of Ovarian Cancer Screening. <i>British Journal of Cancer</i> , 2010 , 103, 454-61 | 8.7 | 25 |
| 131 | Evaluation of an educational program to improve communication with patients about early-phase trial participation. <i>Oncologist</i> , 2012 , 17, 377-83 | 5.7 | 25 |
| 130 | Communication and informed consent in phase 1 trials: a review of the literature from January 2005 to July 2009. <i>Supportive Care in Cancer</i> , 2010 , 18, 1115-21 | 3.9 | 25 |

| | | | |
|-----|---|------|----|
| 129 | The quality of life of men with locally advanced prostate cancer during neoadjuvant hormone therapy: data from the Medical Research Council RT01 trial (ISRCTN 47772397). <i>BJU International</i> , 2007 , 99, 301-10 | 5.6 | 24 |
| 128 | Anxiety and support in breast cancer: is this different for affluent and deprived women? A questionnaire study. <i>British Journal of Cancer</i> , 2004 , 91, 879-83 | 8.7 | 24 |
| 127 | When Breast Cancer Recurs: A 3-Year Prospective Study of Psychological Morbidity. <i>Breast Journal</i> , 1996 , 2, 197-203 | 1.2 | 24 |
| 126 | Sexual activity and functioning in ovarian cancer survivors: an internet-based evaluation. <i>Climacteric</i> , 2015 , 18, 94-8 | 3.1 | 23 |
| 125 | Teaching senior nurses how to teach communication skills in oncology. <i>Cancer Nursing</i> , 2001 , 24, 185-91 | 2.6 | 23 |
| 124 | Group acupuncture to relieve radiation induced xerostomia: a feasibility study. <i>Acupuncture in Medicine</i> , 2009 , 27, 109-13 | 1.9 | 22 |
| 123 | What are the psychological factors influencing attendance, non-attendance and re-attendance at a breast screening centre?. <i>Journal of the Royal Society of Medicine</i> , 1990 , 83, 547-51 | 2.3 | 22 |
| 122 | The Pulmonary Metastasectomy in Colorectal Cancer cohort study: Analysis of case selection, risk factors and survival in a prospective observational study of 512 patients. <i>Colorectal Disease</i> , 2021 , 23, 1793-1803 | 2.1 | 22 |
| 121 | Patient-reported outcomes in metastatic castration-resistant prostate cancer. <i>Nature Reviews Clinical Oncology</i> , 2016 , 13, 643-50 | 19.4 | 20 |
| 120 | The cost-effectiveness of screening for ovarian cancer: results from the UK Collaborative Trial of Ovarian Cancer Screening (UKCTOCS). <i>British Journal of Cancer</i> , 2017 , 117, 619-627 | 8.7 | 19 |
| 119 | Living with metastatic breast cancer: a global patient survey. <i>Community Oncology</i> , 2010 , 7, 406-412 | | 19 |
| 118 | Quality of life and patient-reported outcomes in the older breast cancer patient. <i>Clinical Oncology</i> , 2009 , 21, 140-55 | 2.8 | 19 |
| 117 | Health-related quality of life in patients undergoing drug therapy for advanced non-small-cell lung cancer. <i>Lung Cancer</i> , 2005 , 48, 365-77 | 5.9 | 19 |
| 116 | Words matter: distinguishing "personalized medicine" and "biologically personalized therapeutics". <i>Journal of the National Cancer Institute</i> , 2014 , 106, | 9.7 | 18 |
| 115 | Therapeutic aims of drugs offering only progression-free survival are misunderstood by patients, and oncologists may be overly optimistic about likely benefits. <i>Supportive Care in Cancer</i> , 2017 , 25, 237-244 | 3.9 | 17 |
| 114 | Communication skills training for breast cancer teams talking about trials. <i>Breast</i> , 2014 , 23, 193-7 | 3.6 | 17 |
| 113 | Patients' decision-making in a UK specialist centre with high mastectomy rates. <i>Breast</i> , 2008 , 17, 574-9 | 3.6 | 17 |
| 112 | Pulmonary metastasectomy in colorectal cancer: health utility scores by EQ-5D-3L in a randomized controlled trial show no benefit from lung metastasectomy. <i>Colorectal Disease</i> , 2021 , 23, 200-205 | 2.1 | 17 |

| | | | |
|-----|--|------|----|
| 111 | Teams Talking Trials: results of an RCT to improve the communication of cancer teams about treatment trials. <i>Contemporary Clinical Trials</i> , 2013 , 35, 43-51 | 2.3 | 16 |
| 110 | Quality of life issues in relation to the aromatase inhibitor. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2007 , 106, 168-72 | 5.1 | 16 |
| 109 | Questionnaire design. <i>Archives of Disease in Childhood</i> , 1995 , 72, 76-9 | 2.2 | 16 |
| 108 | Anxiety in women "at risk" of developing breast cancer. <i>British Journal of Cancer</i> , 1996 , 73, 1422-4 | 8.7 | 16 |
| 107 | Low grade Ductal Carcinoma in situ (DCIS): how best to describe it?. <i>Breast</i> , 2014 , 23, 693-6 | 3.6 | 15 |
| 106 | Acceptance of transvaginal sonography by postmenopausal women participating in the United Kingdom Collaborative Trial of Ovarian Cancer Screening. <i>Ultrasound in Obstetrics and Gynecology</i> , 2013 , 41, 73-9 | 5.8 | 15 |
| 105 | Patient-reported outcome instruments used to assess pain and functioning in studies of bisphosphonate treatment for bone metastases. <i>Supportive Care in Cancer</i> , 2012 , 20, 657-77 | 3.9 | 15 |
| 104 | Patient-physician interactions during early breast-cancer treatment: results from an international online survey. <i>Current Medical Research and Opinion</i> , 2008 , 24, 1891-904 | 2.5 | 15 |
| 103 | Things to consider when teaching doctors how to deliver good, bad and sad news. <i>Medical Teacher</i> , 1996 , 18, 27-30 | 3 | 15 |
| 102 | Five-year quality of life (QOL) follow-up of adjuvant endocrine therapy for postmenopausal women in the Arimidex (A), Tamoxifen (T), Alone or in Combination (ATAC) Trial. <i>Journal of Clinical Oncology</i> , 2005 , 23, 577-577 | 2.2 | 15 |
| 101 | Implications of subcutaneous or intravenous delivery of trastuzumab; further insight from patient interviews in the PrefHer study. <i>Breast</i> , 2015 , 24, 166-70 | 3.6 | 14 |
| 100 | Anastrozole and letrozole: an investigation and comparison of quality of life and tolerability. <i>Breast Cancer Research and Treatment</i> , 2011 , 125, 741-9 | 4.4 | 14 |
| 99 | What non-prescription treatments do UK women with breast cancer use?. <i>European Journal of Cancer Care</i> , 2006 , 15, 279-85 | 2.4 | 14 |
| 98 | Switching between intravenous and subcutaneous trastuzumab: Safety results from the PrefHer trial. <i>Breast</i> , 2017 , 34, 89-95 | 3.6 | 13 |
| 97 | Long-Term Follow-Up of the Intergroup Exemestane Study. <i>Journal of Clinical Oncology</i> , 2017 , 35, 2507-2514 | 2.5 | 13 |
| 96 | Time for a low-risk DCIS trial: harnessing public and patient involvement. <i>Lancet Oncology</i> , 2012 , 13, 1183-5 | 21.7 | 13 |
| 95 | Sun-protective behaviors in families at increased risk of melanoma. <i>Journal of Investigative Dermatology</i> , 2007 , 127, 1343-50 | 4.3 | 13 |
| 94 | Information provision for patients by breast cancer teams about the side-effects of hormone treatments. <i>European Journal of Cancer</i> , 2006 , 42, 1760-7 | 7.5 | 13 |

| | | | |
|----|---|------|----|
| 93 | Delivering bad news in gastroenterology. <i>American Journal of Gastroenterology</i> , 1994 , 89, 473-9 | 0.7 | 13 |
| 92 | Sexual functioning in 4,418 postmenopausal women participating in UKCTOCS: a qualitative free-text analysis. <i>Menopause</i> , 2019 , 26, 1100-1009 | 2.5 | 13 |
| 91 | There's many a slip twixt cup and lip: adherence issues in cancer therapy. <i>Nature Clinical Practice Oncology</i> , 2008 , 5, 118-9 | | 12 |
| 90 | The impact of endocrine therapy on patients with breast cancer: a review of the literature. <i>Breast</i> , 2002 , 11, 1-12 | 3.6 | 12 |
| 89 | Effects of neratinib on health-related quality of life in women with HER2-positive early-stage breast cancer: longitudinal analyses from the randomized phase III ExteNET trial. <i>Annals of Oncology</i> , 2019 , 30, 567-574 | 10.3 | 11 |
| 88 | Communication with patients after errors. <i>Journal of Health Services Research and Policy</i> , 2010 , 15 Suppl 1, 56-9 | 2.4 | 11 |
| 87 | The preferences of 600 patients for different descriptions of randomisation. <i>British Journal of Cancer</i> , 2005 , 92, 807-10 | 8.7 | 11 |
| 86 | Has Psychosocial Oncology Helped in the Management of Women with Breast Cancer?. <i>Breast Journal</i> , 1996 , 2, 107-113 | 1.2 | 11 |
| 85 | Cancer counselling in the United Kingdom. <i>Psychology and Health</i> , 1992 , 6, 107-117 | 2.9 | 11 |
| 84 | The ideal consultation. <i>British Journal of Hospital Medicine</i> , 1992 , 47, 364-7 | | 11 |
| 83 | Enhancing decision-making about adjuvant chemotherapy in early breast cancer following EndoPredict testing. <i>Psycho-Oncology</i> , 2018 , 27, 1264-1269 | 3.9 | 10 |
| 82 | Blurring of boundaries in the doctor-patient relationship. <i>Lancet Oncology, The</i> , 2014 , 15, 1423-1424 | 21.7 | 10 |
| 81 | A UK-wide survey of follow-up practices for patients with high-grade glioma treated with radical intent. <i>Journal of Evaluation in Clinical Practice</i> , 2011 , 17, 1-6 | 2.5 | 10 |
| 80 | How to improve the communication skills of oncologists. <i>Annals of Oncology</i> , 2000 , 11 Suppl 3, 63-6 | 10.3 | 10 |
| 79 | Quality of Life in the Elderly Woman with Breast Cancer Treated with Tamoxifen and Surgery or Tamoxifen Alone. <i>Journal of Women's Health</i> , 1994 , 3, 17-20 | | 10 |
| 78 | The myth of pulmonary metastasectomy. <i>British Journal of Cancer</i> , 2020 , 123, 499-500 | 8.7 | 10 |
| 77 | Psychosocial Factors Associated With Withdrawal From the United Kingdom Collaborative Trial of Ovarian Cancer Screening After 1 Episode of Repeat Screening. <i>International Journal of Gynecological Cancer</i> , 2015 , 25, 1519-25 | 3.5 | 9 |
| 76 | The challenge of interacting with patients in oncology. <i>European Journal of Cancer</i> , 2009 , 45 Suppl 1, 445-6 | 7.5 | 9 |

| | | | |
|----|---|------|---|
| 75 | Postmenopausal women undergoing transvaginal ultrasound screening prefer not to have chaperones. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2006 , 113, 954-7 | 3.7 | 9 |
| 74 | The role of patient-reported outcome measures in the continuum of cancer clinical care: ESMO Clinical Practice Guideline.. <i>Annals of Oncology</i> , 2022 , | 10.3 | 9 |
| 73 | The views of patients and the general public about expensive anti-cancer drugs in the NHS: a questionnaire-based study. <i>JRSM Short Reports</i> , 2011 , 2, 69 | | 8 |
| 72 | Contraceptive use by women receiving chemotherapy for breast cancer. <i>Breast</i> , 1998 , 7, 143-149 | 3.6 | 8 |
| 71 | Effect of early American results on patients in a tamoxifen prevention trial (IBIS). International Breast Cancer Intervention Study. <i>Lancet, The</i> , 1998 , 352, 1222 | 4.0 | 8 |
| 70 | NICE Guidelines: management of colorectal cancer metastases. <i>British Journal of Surgery</i> , 2020 , 107, e357 | 5.3 | 7 |
| 69 | Overtreatment of Low-Grade Ductal Carcinoma In Situ. <i>JAMA Oncology</i> , 2016 , 2, 382-3 | 13.4 | 7 |
| 68 | Confusion Over Differences in Registration and Randomization Criteria for the LORIS (Low-Risk DCIS) Trial. <i>Annals of Surgical Oncology</i> , 2017 , 24, 566-567 | 3.1 | 7 |
| 67 | The preferences and experiences of different bisphosphonate treatments in women with breast cancer. <i>Psycho-Oncology</i> , 2011 , 20, 755-61 | 3.9 | 7 |
| 66 | Acronymic trials: the good, the bad, and the coercive. <i>Lancet, The</i> , 2002 , 360, 1622 | 4.0 | 7 |
| 65 | The effect of ovarian cancer screening on sexual activity and functioning: results from the UK collaborative trial of ovarian cancer screening RCT. <i>British Journal of Cancer</i> , 2017 , 116, 1111-1117 | 8.7 | 6 |
| 64 | Effects of Standard Treatments for Ductal Carcinoma In Situ-Making Informed Choices. <i>JAMA Oncology</i> , 2016 , 2, 396-7 | 13.4 | 6 |
| 63 | Development and validation of the patient roles and responsibilities scale in cancer patients. <i>Quality of Life Research</i> , 2018 , 27, 2923-2934 | 3.7 | 6 |
| 62 | The need to determine whether lung metastasectomy improves survival in advanced colorectal cancer. <i>BMJ, The</i> , 2014 , 348, g4085 | 5.9 | 6 |
| 61 | Supportive follow-up in patients treated with radical intent for high-grade glioma. <i>CNS Oncology</i> , 2012 , 1, 39-48 | 4 | 6 |
| 60 | The impact of hormone replacement therapy on breast cancer patients' quality of life and sexuality: a pilot study. <i>The Journal of the British Menopause Society</i> , 2001 , 7, 85-91 | | 6 |
| 59 | Sentinel node biopsy in breast cancer: The first results of the randomized multicenter ALMANAC Trial. <i>Journal of Clinical Oncology</i> , 2004 , 22, 506-506 | 2.2 | 6 |
| 58 | Quality of life measurement in breast cancer. <i>Journal of the Royal Society of Medicine</i> , 1993 , 86, 10-2 | 2.3 | 6 |

| | | |
|----|--|--------|
| 57 | Treatment Experiences, Information Needs, Pain and Quality of Life in Men with Metastatic Castrate-resistant Prostate Cancer: Results from the EXTREQOL Study. <i>Clinical Oncology</i> , 2019 , 31, 99-107 ²⁸ | 6 |
| 56 | Development and validation of the caregiver roles and responsibilities scale in cancer caregivers. <i>Quality of Life Research</i> , 2019 , 28, 1655-1668 | 3.7 5 |
| 55 | No man's land: information needs and resources of men with metastatic castrate resistant prostate cancer. <i>Supportive Care in Cancer</i> , 2016 , 24, 4471-3 | 3.9 5 |
| 54 | Group recruitment sessions enhance patient understanding in a small multi-centre phase III clinical trial. <i>Contemporary Clinical Trials</i> , 2012 , 33, 286-90 | 2.3 5 |
| 53 | Randomized controlled trial of pulmonary metastasectomy in colorectal cancer: PulMiCC International is open in Italy. <i>Oncologist</i> , 2013 , 18, 637 | 5.7 5 |
| 52 | Sexuality in women receiving chemotherapy for breast cancer. <i>Annals of Oncology</i> , 1997 , 8, 616-8 | 10.3 5 |
| 51 | Preferences of healthy men for two different endocrine treatment options offered for locally advanced prostate cancer. <i>Current Medical Research and Opinion</i> , 2005 , 21, 1329-35 | 2.5 5 |
| 50 | Denosumab or zoledronic acid (ZA) therapy on pain interference and cancer-specific quality of life (CSQoL) in patients with castrate-resistant prostate cancer (CRPC) and bone metastases (BM).. <i>Journal of Clinical Oncology</i> , 2014 , 32, 12-12 | 2.2 5 |
| 49 | Do drugs offering only PFS maintain quality of life sufficiently from a patient's perspective? Results from AVALPROFS (Assessing the 'VALue' to patients of PROgression Free Survival) study. <i>Supportive Care in Cancer</i> , 2018 , 26, 3941-3949 | 3.9 5 |
| 48 | Talking about risk in the context of genomic tests (TARGET): development and evaluation of an educational program for clinicians. <i>Breast Cancer Research and Treatment</i> , 2019 , 177, 641-649 | 4.4 4 |
| 47 | For the Benefit of Others: Reasons Why Women with Breast Cancer Participate in RCTs. <i>Breast Care</i> , 2015 , 10, 88-93 | 2.4 4 |
| 46 | Quality of survival: a new concept framework to assess the quality of prolonged life in cancer. <i>Expert Review of Quality of Life in Cancer Care</i> , 2017 , 2, 225-232 | 4 |
| 45 | Which bisphosphonates do oncologists prescribe for women with metastatic breast cancer and why? Results of a UK survey. <i>Breast</i> , 2008 , 17, 459-63 | 3.6 4 |
| 44 | Psychosocial aspects of risk appraisal. <i>Breast Cancer Research</i> , 2008 , 10 Suppl 4, S14 | 8.3 4 |
| 43 | Clinical trials to real life: the relevance of quality of life. <i>Pharmaceutical Medicine</i> , 2000 , 14, 82-84 | 4 |
| 42 | Sentinel node biopsy in breast cancer: The first results of the randomized multicenter ALMANAC Trial. <i>Journal of Clinical Oncology</i> , 2004 , 22, 506-506 | 2.2 4 |
| 41 | POSNOC-POSitive Sentinel NODE: adjuvant therapy alone versus adjuvant therapy plus Clearance or axillary radiotherapy: a randomised controlled trial of axillary treatment in women with early-stage breast cancer who have metastases in one or two sentinel nodes. <i>BMJ Open</i> , 2021 , 11, e054365 | 3 4 |
| 40 | Preference for the fixed-dose combination of pertuzumab and trastuzumab for subcutaneous injection in patients with HER2-positive early breast cancer (PHranceSCa): A randomised, open-label phase II study. <i>European Journal of Cancer</i> , 2021 , 152, 223-232 | 7.5 4 |

| | | | |
|----|---|-----|---|
| 39 | The Pulmonary Metastasectomy in Colorectal Cancer (PulMiCC) burden of care study: Analysis of local treatments for lung metastases and systemic chemotherapy in 220 patients in the PulMiCC cohort. <i>Colorectal Disease</i> , 2021 , 23, 2911-2922 | 2.1 | 4 |
| 38 | Ovarian cancer symptoms, routes to diagnosis and survival - Population cohort study in the 'no screen' arm of the UK Collaborative Trial of Ovarian Cancer Screening (UKCTOCS). <i>Gynecologic Oncology</i> , 2020 , 158, 316-322 | 4.9 | 3 |
| 37 | A systematic review of communication interventions to help healthcare professionals discuss genetic testing for breast cancer. <i>Breast Cancer Research and Treatment</i> , 2020 , 183, 9-21 | 4.4 | 3 |
| 36 | Discussing expensive anti-cancer drugs. <i>British Journal of Health Care Management</i> , 2011 , 17, 206-212 | 0.4 | 3 |
| 35 | Positive epoetin alfa effect on quality of life in anemic cancer patients receiving chemotherapy: results from a randomized placebo-controlled trial. <i>European Journal of Cancer</i> , 1999 , 35, S360 | 7.5 | 3 |
| 34 | Quality of life in breast cancer--results from 3 cancer research campaign studies. <i>Acta Clinica Belgica</i> , 1993 , 15, 19-23 | 1.8 | 3 |
| 33 | Patient/oncologist decisions about adjuvant chemotherapy in ER+ve, HER2-ve early breast cancer following endopredict testing.. <i>Journal of Clinical Oncology</i> , 2017 , 35, e12002-e12002 | 2.2 | 3 |
| 32 | The cost-effectiveness of EndoPredict to inform adjuvant chemotherapy decisions in early breast cancer. <i>Health Policy and Technology</i> , 2019 , 8, 75-83 | 4.8 | 2 |
| 31 | A new paradigm or a misrepresentation of current communication research and teaching?. <i>Medical Education</i> , 2017 , 51, 1289-1290 | 3.7 | 2 |
| 30 | Specialist breast care and research nurses' attitudes to adjuvant chemotherapy in older women with breast cancer. <i>European Journal of Oncology Nursing</i> , 2012 , 16, 78-86 | 2.8 | 2 |
| 29 | Breast cancer screening review. What should women do in the meantime?. <i>BMJ, The</i> , 2011 , 343, d7544 | 5.9 | 2 |
| 28 | Why patient recorded outcomes should be mandatory in and outside clinical trials to guide management of patients with metastatic breast cancer. <i>Breast Cancer Research</i> , 2007 , 9, | 8.3 | 2 |
| 27 | P126 Routes of administration in breast cancer:Preliminary findings from a patient survey. <i>Breast</i> , 2005 , 14, S51 | 3.6 | 2 |
| 26 | Doctors' communication of trust, care, and respect: details of paper were incorrect. <i>BMJ, The</i> , 2004 , 328, 1317-8; author reply 1319 | 5.9 | 2 |
| 25 | What is newsworthy? Bad news from research really is headline news. <i>BMJ, The</i> , 2002 , 325, 774 | 5.9 | 2 |
| 24 | Using patient perspectives to inform communication training materials for health care professionals discussing BRCA mutation testing. <i>Breast Cancer Research and Treatment</i> , 2020 , 184, 491-498 | 4.4 | 2 |
| 23 | RAZOR: A Phase II Open Randomized Trial of Screening Plus Goserelin and Raloxifene Versus Screening Alone in Premenopausal Women at Increased Risk of Breast Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2018 , 27, 58-66 | 4 | 2 |
| 22 | Enhancing your WebsideManner: communication during COVID-19. <i>Trends in Urology & Men's Health</i> , 2021 , 12, 12-15 | 0.3 | 2 |

| | | | |
|----|---|-----|---|
| 21 | Quality of life issues during adjuvant endocrine therapy. <i>Cancer Treatment and Research</i> , 2009 , 151, 353-65 | 2.5 | 2 |
| 20 | Communication and counselling needs of patients with lymphoma. <i>British Journal of Hospital Medicine</i> , 1994 , 52, 70-3 | | 1 |
| 19 | The Quality of Survival (QoS): A concept framework to assist communication and decision making about cancer care.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 78-78 | 2.2 | 1 |
| 18 | Evaluation of counselling in the National Health Service. <i>Journal of the Royal Society of Medicine</i> , 1993 , 86, 429-30 | 2.3 | 1 |
| 17 | The development and initial evaluation of the Diarrhoea Management Diary (DMD) in patients with metastatic breast cancer. <i>Breast Cancer Research and Treatment</i> , 2020 , 183, 629-638 | 4.4 | 1 |
| 16 | UKCTOCS update: applying insights of delayed effects in cancer screening trials to the long-term follow-up mortality analysis. <i>Trials</i> , 2021 , 22, 173 | 2.8 | 1 |
| 15 | A structured review of quality of life in advanced and high-risk cutaneous squamous cell carcinoma shows the need for more studies and better measures. <i>Skin Health and Disease</i> , 2021 , 1, e39 | | 1 |
| 14 | Sexual Dysfunction in Breast Cancer Survivors: Cross-Cultural Adaptation of the Sexual Activity Questionnaire for Use in Portugal. <i>Acta Medica Portuguesa</i> , 2016 , 29, 533-541 | 1.4 | 1 |
| 13 | Performance Characteristics of the Ultrasound Strategy during Incidence Screening in the UK Collaborative Trial of Ovarian Cancer Screening (UKCTOCS). <i>Cancers</i> , 2021 , 13, | 6.6 | 1 |
| 12 | The Prospective Observational Cohort and the Nested Randomized Controlled Trial in the Pulmonary Metastasectomy in Colorectal Cancer (PulMiCC Study) Question the Reliance on Existing Evidence for the Magnitude of Benefit From Lung Metastasectomy. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2021 , 44, 502-503 | 2.7 | 1 |
| 11 | Completeness and accuracy of national cancer and death registration for outcome ascertainment in trials-an ovarian cancer exemplar. <i>Trials</i> , 2021 , 22, 88 | 2.8 | 1 |
| 10 | The Fallacy of large survival gains from lung metastasectomy in colorectal cancer. <i>Lancet, The</i> , 2021 , 397, 97-98 | 4.0 | 1 |
| 9 | Gaps in Care and Support for Patients With Advanced Breast Cancer: A Report From the Advanced Breast Cancer Global Alliance. <i>JCO Global Oncology</i> , 2021 , 7, 976-984 | 3.7 | 0 |
| 8 | An online review of informational sources for advanced or high-risk cutaneous squamous cell carcinoma. <i>Supportive Care in Cancer</i> , 2021 , 29, 4199-4207 | 3.9 | 0 |
| 7 | Reply to P.F. Pinsky, C.P. Crum, and M.W. McIntosh et al. <i>Journal of Clinical Oncology</i> , 2016 , 34, 201-2 | 2.2 | |
| 6 | IMPARTER, Phase 1 of an intervention to improve patients' understanding of gene expression profiling tests in breast cancer.. <i>Breast Cancer Research and Treatment</i> , 2022 , 192, 265 | 4.4 | |
| 5 | Communicating the oncotype DX \square test results: A novel educational workshop for specialist breast care nurses. <i>European Journal of Oncology Nursing</i> , 2020 , 49, 101843 | 2.8 | |
| 4 | What's in a name: Describing ductal carcinoma in situ (DCIS).. <i>Journal of Clinical Oncology</i> , 2014 , 32, e12020-e12020 | | |

- 3 ARIX: A randomized trial of acupuncture versus oral care sessions in patients with chronic radiation-induced xerostomia following treatment for head and neck cancer.. *Journal of Clinical Oncology*, **2012**, 30, 5527-5527 2.2
- 2 Psychosocial issues in breast cancer **2014**, 258-267
- 1 Reply to 'Comment on "The myth of pulmonary metastasectomy"'. *British Journal of Cancer*, **2020**, 123, 1835-1836 8.7