

Cafer T Yavuz

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7458661/cafer-t-yavuz-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

121
papers

6,419
citations

36
h-index

78
g-index

134
ext. papers

7,294
ext. citations

9.3
avg, IF

6.07
L-index

#	Paper	IF	Citations
121	Low-overpotential overall water splitting by a cooperative interface of cobalt-iron hydroxide and iron oxyhydroxide. <i>Cell Reports Physical Science</i> , 2022 , 3, 100762	6.1	3
120	Asynchronous Double Schiff Base Formation of Pyrazole Porous Polymers for Selective Pd Recovery. <i>Advanced Science</i> , 2021 , 8, 2001676	13.6	4
119	Alkyl-Linked Porphyrin Porous Polymers for Gas Capture and Precious Metal Adsorption. <i>Small Science</i> , 2021 , 1, 2000078		3
118	Extensive Screening of Solvent-Linked Porous Polymers through Friedel-Crafts Reaction for Gas Adsorption. <i>Advanced Energy and Sustainability Research</i> , 2021 , 2, 2100064	1.6	4
117	Solvent Vapor Annealing, Defect Analysis, and Optimization of Self-Assembly of Block Copolymers Using Machine Learning Approaches. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 28639-28649	9.5	4
116	Light-activated polydopamine coatings for efficient metal recovery from electronic waste. <i>Separation and Purification Technology</i> , 2021 , 254, 117674	8.3	4
115	Cesium Ion-Mediated Microporous Carbon for CO ₂ Capture and Lithium-Ion Storage. <i>ChemNanoMat</i> , 2021 , 7, 150-157	3.5	3
114	A Hybrid Machine Learning Model to Study UV-Vis Spectra of Gold Nanospheres. <i>Plasmonics</i> , 2021 , 16, 147-155	2.4	3
113	Robust Mesoporous Zr-MOF with Pd Nanoparticles for Formic-Acid-Based Chemical Hydrogen Storage. <i>Matter</i> , 2021 , 4, 10-12	12.7	4
112	Reaction: Porous Organic Polymers for Uranium Capture. <i>Chem</i> , 2021 , 7, 276-277	16.2	2
111	Rapid Access to Ordered Mesoporous Carbons for Chemical Hydrogen Storage. <i>Angewandte Chemie</i> , 2021 , 133, 22652-22660	3.6	2
110	Rapid Access to Ordered Mesoporous Carbons for Chemical Hydrogen Storage. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 22478-22486	16.4	11
109	Bisphenol-based cyanide sensing: Selectivity, reversibility, facile synthesis, bilateral "OFF-ON" fluorescence, C structural and conformational analysis. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021 , 259, 119881	4.4	7
108	Optimizing bromide anchors for easy tethering of amines, nitriles and thiols in porous organic polymers towards enhanced CO ₂ capture. <i>Microporous and Mesoporous Materials</i> , 2021 , 328, 111450	5.3	1
107	Disulfide polymer grafted polypropylene/polyethylene filter media for selective cadmium removal. <i>Journal of Hazardous Materials</i> , 2020 , 399, 123060	12.8	7
106	Gold Recovery from E-Waste by Porous Porphyrin-Benzazine Network Polymers. <i>Chemistry of Materials</i> , 2020 , 32, 5343-5349	9.6	22
105	Precious metal recovery from electronic waste by a porous porphyrin polymer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 16174-16180	11.5	49

104	Quantifying the nitrogen effect on CO capture using isoporous network polymers. <i>Chemical Communications</i> , 2020 , 56, 4273-4275	5.8	10
103	Dry reforming of methane by stable Ni-Mo nanocatalysts on single-crystalline MgO. <i>Science</i> , 2020 , 367, 777-781	33.3	172
102	Thiourea-Based Extraction and Deposition of Gold for Electroless Nickel Immersion Gold Process. <i>Industrial & Engineering Chemistry Research</i> , 2020 , 59, 8086-8092	3.9	4
101	Direct Z-Scheme Tannin/TiO ₂ Heterostructure for Photocatalytic Gold Ion Recovery from Electronic Waste. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 7359-7370	8.3	10
100	Triazatruxene-Based Ordered Porous Polymer: High Capacity CO ₂ , CH ₄ , and H ₂ Capture, Heterogeneous Suzuki-Miyaura Catalytic Coupling, and Thermoelectric Properties. <i>ACS Applied Energy Materials</i> , 2020 , 3, 4983-4994	6.1	20
99	Quaternary ammonium salt grafted nanoporous covalent organic polymer for atmospheric CO ₂ fixation and cyclic carbonate formation. <i>Catalysis Today</i> , 2020 , 356, 527-534	5.3	11
98	Gold recovery using porphyrin-based polymer from electronic wastes: Gold desorption and adsorbent regeneration. <i>Science of the Total Environment</i> , 2020 , 704, 135405	10.2	17
97	Covalent Amine Tethering on Ketone Modified Porous Organic Polymers for Enhanced CO Capture. <i>ChemSusChem</i> , 2020 , 13, 6433-6441	8.3	8
96	Redox and Nonredox CO ₂ Utilization: Dry Reforming of Methane and Catalytic Cyclic Carbonate Formation. <i>ACS Energy Letters</i> , 2020 , 5, 1689-1700	20.1	27
95	Fluorinated Covalent Organic Polymers for High Performance Sulfur Cathodes in Lithium/Sulfur Batteries. <i>Chemistry of Materials</i> , 2019 , 31, 7910-7921	9.6	39
94	Sustainable Synthesis of Superhydrophobic Perfluorinated Nanoporous Networks for Small Molecule Separation. <i>Chemistry of Materials</i> , 2019 , 31, 5206-5213	9.6	14
93	Photochemically Enhanced Selective Adsorption of Gold Ions on Tannin-Coated Porous Polymer Microspheres. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 21915-21925	9.5	17
92	Inversion of Dispersion: Colloidal Stability of Calixarene-Modified Metal-Organic Framework Nanoparticles in Nonpolar Media. <i>Journal of the American Chemical Society</i> , 2019 , 141, 12182-12186	16.4	15
91	Polypyrrole Decorated Mechanically Robust Conductive Nanocomposites via Solution Blending and in Situ Polymerization Techniques. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 10886-10893	3.9	3
90	Sustainable Porous Polymer Catalyst for Size-Selective Cross-Coupling Reactions. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 10865-10872	8.3	20
89	Radioactive Strontium Removal from Seawater by a MOF via Two-Step Ion Exchange. <i>Chem</i> , 2019 , 5, 750-752	16.2	20
88	High-capacity methane storage in flexible alkane-linked porous aromatic network polymers. <i>Nature Energy</i> , 2019 , 4, 604-611	62.3	62
87	Zwitterion Conjugated network polymer based on guanidinium and ketoenol as a heterogeneous organo-catalyst for chemical fixation of CO ₂ into cyclic carbonates. <i>APL Materials</i> , 2019 , 7, 111102	5.7	6

86	Catalytic Non-redox Carbon Dioxide Fixation in Cyclic Carbonates. <i>CheM</i> , 2019 , 5, 3232-3242	16.2	33
85	Processing nanoporous organic polymers in liquid amines. <i>Beilstein Journal of Nanotechnology</i> , 2019 , 10, 1844-1850	3	3
84	A combined experimental and theoretical study on gas adsorption performance of amine and amide porous polymers. <i>Microporous and Mesoporous Materials</i> , 2019 , 279, 61-72	5.3	12
83	Nanoporous Polymer Microspheres with Nitrile and Amidoxime Functionalities for Gas Capture and Precious Metal Recovery from E-Waste. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 123-128	8.3	16
82	Highly Efficient Catalytic Cyclic Carbonate Formation by Pyridyl Salicylimines. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 9478-9484	9.5	64
81	A catalytic role of surface silanol groups in CO capture on the amine-anchored silica support. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 12149-12156	3.6	9
80	Granular activated carbon with grafted nanoporous polymer enhances nanoscale zero-valent iron impregnation and water contaminant removal. <i>Chemical Engineering Journal</i> , 2018 , 339, 22-31	14.7	24
79	Applicability of disulfide-polymer particles surface embedded on alginate beads for cadmium removal from airport derived stormwater. <i>Journal of Environmental Chemical Engineering</i> , 2018 , 6, 4124-4129	6.8	5
78	Molecular Insights into Benzimidazole-Linked Polymer Interactions with Carbon Dioxide and Nitrogen. <i>ChemistrySelect</i> , 2018 , 3, 3691-3701	1.8	10
77	Structural Elucidation of Covalent Organic Polymers (COP) and Their Linker Effect on Gas Adsorption Performance via Density Functional Theory Approach. <i>ChemistrySelect</i> , 2018 , 3, 8294-8305	1.8	5
76	Disulfide polymer grafted porous carbon composites for heavy metal removal from stormwater runoff. <i>Chemical Engineering Journal</i> , 2018 , 348, 685-692	14.7	24
75	Selective removal of heavy metal ions by disulfide linked polymer networks. <i>Journal of Hazardous Materials</i> , 2017 , 332, 140-148	12.8	70
74	EEWS 2016: Progress and Perspectives of Energy Science and Technology. <i>ACS Energy Letters</i> , 2017 , 2, 592-594	20.1	
73	Monitoring instability of linear amine impregnated UiO-66 by in-situ temperature resolved powder X-ray diffraction. <i>Microporous and Mesoporous Materials</i> , 2017 , 243, 85-90	5.3	5
72	Enhanced Sorption Cycle Stability and Kinetics of CO ₂ on Lithium Silicates Using the Lithium Ion Channeling Effect of TiO ₂ Nanotubes. <i>Industrial & Engineering Chemistry Research</i> , 2017 , 56, 3413-3417	3.9	14
71	Direct Access to Primary Amines and Particle Morphology Control in Nanoporous CO Sorbents. <i>ChemSusChem</i> , 2017 , 10, 2130-2134	8.3	18
70	Carbon Dioxide Capture Adsorbents: Chemistry and Methods. <i>ChemSusChem</i> , 2017 , 10, 1303-1317	8.3	204
69	Sustainable Nanoporous Benzoxazole Networks as Metal-Free Catalysts for One-Pot Oxidative Self-Coupling of Amines by Air Oxygen. <i>Advanced Sustainable Systems</i> , 2017 , 1, 1700089	5.9	5

68	Selective removal of cationic micro-pollutants using disulfide-linked network structures. <i>RSC Advances</i> , 2017 , 7, 25969-25977	3.7	17
67	Covalent organic polymer functionalization of activated carbon surfaces through acyl chloride for environmental clean-up. <i>Chemical Engineering Journal</i> , 2017 , 309, 766-771	14.7	26
66	An All-Purpose Porous Cleaner for Acid Gas Removal and Dehydration of Natural Gas. <i>CheM</i> , 2017 , 3, 719-721	16.2	9
65	Reversible water capture by a charged metal-free porous polymer. <i>Polymer</i> , 2017 , 126, 308-313	3.9	23
64	Charge-specific size-dependent separation of water-soluble organic molecules by fluorinated nanoporous networks. <i>Nature Communications</i> , 2016 , 7, 13377	17.4	109
63	Synthesis, characterization and evaluation of porous polybenzimidazole materials for CO ₂ adsorption at high pressures. <i>Adsorption</i> , 2016 , 22, 247-260	2.6	14
62	Cross-Linked Poisonous Polymer: Thermochemically Stable Catalyst Support for Tuning Chemoselectivity. <i>ACS Catalysis</i> , 2016 , 6, 2435-2442	13.1	36
61	Nanoporous networks as effective stabilisation matrices for nanoscale zero-valent iron and groundwater pollutant removal. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 632-639	13	32
60	Robust C-C bonded porous networks with chemically designed functionalities for improved CO capture from flue gas. <i>Beilstein Journal of Organic Chemistry</i> , 2016 , 12, 2274-2279	2.5	10
59	High performance CO ₂ filtration and sequestration by using bromomethyl benzene linked microporous networks. <i>RSC Advances</i> , 2016 , 6, 66324-66335	3.7	6
58	Observation of the wrapping mechanism in amine carbon dioxide molecular interactions on heterogeneous sorbents. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 14177-81	3.6	34
57	High-Pressure Methane, Carbon Dioxide, and Nitrogen Adsorption on Amine-Impregnated Porous Montmorillonite Nanoclays. <i>Journal of Chemical & Engineering Data</i> , 2016 , 61, 2749-2760	2.8	30
56	Increasing mesoporosity by a silica hard template in a covalent organic polymer for enhanced amine loading and CO ₂ capture capacity. <i>Microporous and Mesoporous Materials</i> , 2016 , 229, 44-50	5.3	13
55	Rapid extraction of uranium ions from seawater using novel porous polymeric adsorbents. <i>RSC Advances</i> , 2016 , 6, 45968-45976	3.7	24
54	Engineered Nanoparticles for Water Treatment Application 2016 , 20-30		
53	Synthesis and Easy Functionalization of Highly Porous Networks through Exchangeable Fluorines for Target Specific Applications. <i>Chemistry of Materials</i> , 2016 , 28, 5592-5595	9.6	15
52	Investigation of Ester- and Amide-Linker-Based Porous Organic Polymers for Carbon Dioxide Capture and Separation at Wide Temperatures and Pressures. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 20772-85	9.5	43
51	Nanoporous networks as caging supports for uniform, surfactant-free Co ₃ O ₄ nanocrystals and their applications in energy storage and conversion. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 15489-15497	13	15

50	Covalent organic polymer framework with CO bonds as a fluorescent probe for selective iron detection. <i>RSC Advances</i> , 2015 , 5, 69010-69015	3.7	24
49	Highly optimized CO ₂ capture by inexpensive nanoporous covalent organic polymers and their amine composites. <i>Faraday Discussions</i> , 2015 , 183, 401-12	3.6	30
48	Insights of CO ₂ adsorption performance of amine impregnated mesoporous silica (SBA-15) at wide range pressure and temperature conditions. <i>International Journal of Greenhouse Gas Control</i> , 2015 , 43, 22-32	4.2	34
47	A Novel, Reactive Green Iron Sulfide (Sulfide Green Rust) Formed on Iron Oxide Nanocrystals. <i>Chemistry of Materials</i> , 2015 , 27, 700-707	9.6	11
46	Systematic Investigation of the Effect of Polymerization Routes on the Gas-Sorption Properties of Nanoporous Azobenzene Polymers. <i>Chemistry - A European Journal</i> , 2015 , 21, 15320-7	4.8	34
45	A half millimeter thick coplanar flexible battery with wireless recharging capability. <i>Nano Letters</i> , 2015 , 15, 2350-7	11.5	70
44	Influence of interlayer functionalization of kaolinite on property profile of copolymer nanocomposites. <i>Applied Clay Science</i> , 2015 , 112-113, 25-31	5.2	16
43	Synthesis of nanoporous 1,2,4-oxadiazole networks with high CO ₂ capture capacity. <i>Chemical Communications</i> , 2015 , 51, 2915-7	5.8	30
42	Directing the structural features of N(2)-phobic nanoporous covalent organic polymers for CO(2) capture and separation. <i>Chemistry - A European Journal</i> , 2014 , 20, 772-80	4.8	113
41	Nanoporous Benzoxazole Networks by Silylated Monomers, Their Exceptional Thermal Stability, and Carbon Dioxide Capture Capacity. <i>Chemistry of Materials</i> , 2014 , 26, 6729-6733	9.6	47
40	Melamine based porous organic amide polymers for CO ₂ capture. <i>RSC Advances</i> , 2014 , 4, 52263-52269	3.7	49
39	Exceptional organic solvent uptake by disulfide-linked polymeric networks. <i>RSC Advances</i> , 2014 , 4, 24320-7	3.7	16
38	Nanoporous covalent organic polymers incorporating Tröger's base functionalities for enhanced CO ₂ capture. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 12507	13	78
37	Nanostructure and mechanical properties of aromatic polyamide and reactive organoclay nanocomposites. <i>Materials Chemistry and Physics</i> , 2014 , 147, 636-643	4.4	7
36	Conductive nanocomposite materials derived from SEBS-g-PPy and surface modified clay. <i>Composites Science and Technology</i> , 2014 , 100, 44-52	8.6	14
35	Charge induced formation of crystalline network polymers. <i>RSC Advances</i> , 2014 , 4, 59779-59784	3.7	16
34	Magnetic BaFe ₁₂ O ₁₉ nanofiber filter for effective separation of Fe ₃ O ₄ nanoparticles and removal of arsenic. <i>Journal of Nanoparticle Research</i> , 2014 , 16, 1	2.3	10
33	Limitations and high pressure behavior of MOF-5 for CO ₂ capture. <i>Physical Chemistry Chemical Physics</i> , 2013 , 15, 14319-27	3.6	32

32	Amidoxime porous polymers for CO ₂ capture. <i>RSC Advances</i> , 2013 , 3, 17203	3.7	36
31	High pressure CO ₂ absorption studies on imidazolium-based ionic liquids: Experimental and simulation approaches. <i>Fluid Phase Equilibria</i> , 2013 , 351, 74-86	2.5	46
30	Phosphorus stimulated unidirectional growth of TiO ₂ nanostructures. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 6091	13	1
29	Unprecedented high-temperature CO ₂ selectivity in N ₂ -phobic nanoporous covalent organic polymers. <i>Nature Communications</i> , 2013 , 4, 1357	17.4	395
28	A combined computational and experimental study of high pressure and supercritical CO ₂ adsorption on Basolite MOFs. <i>Microporous and Mesoporous Materials</i> , 2013 , 175, 34-42	5.3	37
27	Highly Stable Nanoporous Sulfur-Bridged Covalent Organic Polymers for Carbon Dioxide Removal. <i>Advanced Functional Materials</i> , 2013 , 23, 2270-2276	15.6	126
26	Influence of Aminosilane Coupling Agent on Aromatic Polyamide/Intercalated Clay Nanocomposites. <i>Industrial & Engineering Chemistry Research</i> , 2013 , 52, 6908-6915	3.9	25
25	One-pot facile synthesis of PEGylated Au nanoparticles in an aqueous media. <i>Materials Chemistry and Physics</i> , 2012 , 134, 1153-1159	4.4	5
24	CO ₂ adsorption studies on Prussian blue analogues. <i>Microporous and Mesoporous Materials</i> , 2012 , 162, 91-97	5.3	37
23	Noninvasive functionalization of polymers of intrinsic microporosity for enhanced CO ₂ capture. <i>Chemical Communications</i> , 2012 , 48, 9989-91	5.8	161
22	High capacity carbon dioxide adsorption by inexpensive covalent organic polymers. <i>Journal of Materials Chemistry</i> , 2012 , 22, 8431		162
21	Arsenic removal by magnetic nanocrystalline barium hexaferrite. <i>Journal of Nanoparticle Research</i> , 2012 , 14, 1	2.3	16
20	Exceptional CO ₂ capture via polymeric materials 2012 , 38-41		
19	Arsenic removal by magnetic nanocrystalline barium hexaferrite 2012 , 163-169		2
18	Amidoximes: promising candidates for CO ₂ capture. <i>Energy and Environmental Science</i> , 2011 , 4, 4528	35.4	70
17	A multiplexed separation of iron oxide nanocrystals using variable magnetic fields. <i>Nanoscale</i> , 2011 , 3, 4560-3	7.7	10
16	CO ₂ adsorption studies on hydroxy metal carbonates M(CO ₃) _x (OH) _y (M = Zn, Zn-Mg, Mg, Mg-Cu, Cu, Ni, and Pb) at high pressures up to 175 bar. <i>Langmuir</i> , 2011 , 27, 10642-7	4	38
15	Investigation on novel thermoplastic poly(urethane-thiourea-imide)s with enhanced chemical and heat resistance. <i>Polymer Degradation and Stability</i> , 2011 , 96, 1333-1341	4.7	9

14	Pollution magnet: nano-magnetite for arsenic removal from drinking water. <i>Environmental Geochemistry and Health</i> , 2010 , 32, 327-34	4.7	48
13	Magnetic separations: From steel plants to biotechnology. <i>Chemical Engineering Science</i> , 2009 , 64, 2510-2521	4.5	271
12	Applying analytical ultracentrifugation to nanocrystal suspensions. <i>Nanotechnology</i> , 2009 , 20, 355702	3.4	20
11	Markedly Improved CO ₂ Capture Efficiency and Stability of Gallium Substituted Hydrotalcites at Elevated Temperatures. <i>Chemistry of Materials</i> , 2009 , 21, 3473-3475	9.6	74
10	Pd-sensitized single vanadium oxide nanowires: highly responsive hydrogen sensing based on the metal-insulator transition. <i>Nano Letters</i> , 2009 , 9, 3980-4	11.5	114
9	Growth of metal oxide nanowires from supercooled liquid nanodroplets. <i>Nano Letters</i> , 2009 , 9, 4138-46	11.5	67
8	Toward open source nano: Arsenic removal and alternative models of technology transfer. <i>Advances in the Study of Entrepreneurship, Innovation, and Economic Growth</i> , 2009 , 51-78		6
7	Electrically driven phase transition in magnetite nanostructures. <i>Nature Materials</i> , 2008 , 7, 130-3	27	115
6	Size-dependent sedimentation properties of nanocrystals. <i>ACS Nano</i> , 2008 , 2, 311-9	16.7	66
5	The effect of nanocrystalline magnetite size on arsenic removal. <i>Science and Technology of Advanced Materials</i> , 2007 , 8, 71-75	7.1	376
4	Low-field magnetic separation of monodisperse Fe ₃ O ₄ nanocrystals. <i>Science</i> , 2006 , 314, 964-7	33.3	1041
3	Effect of magnetite particle size on adsorption and desorption of arsenite and arsenate. <i>Journal of Materials Research</i> , 2005 , 20, 3255-3264	2.5	332
2	Synthesis of monodisperse iron oxide nanocrystals by thermal decomposition of iron carboxylate salts. <i>Chemical Communications</i> , 2004 , 2306-7	5.8	479
1	How Reproducible are Surface Areas Calculated from the BET Equation?. <i>Advanced Materials</i> , 2001 , 13, 1502	24	12