

Dong-Hyeon Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7460995/publications.pdf>

Version: 2024-02-01

80
papers

1,694
citations

304368

22
h-index

315357

38
g-index

80
all docs

80
docs citations

80
times ranked

2291
citing authors

#	ARTICLE	IF	CITATIONS
1	A Combined In Vitro and In Vivo Assessment of the Safety of the Yeast Strains <i>Kluyveromyces marxianus</i> A4 and A5 Isolated from Korean Kefir. <i>Probiotics and Antimicrobial Proteins</i> , 2023, 15, 129-138.	1.9	8
2	Effect of folic acid supplementation on proliferation and apoptosis in bovine mammary epithelial (MAC-T) cells. <i>Animal Biotechnology</i> , 2022, 33, 13-21.	0.7	10
3	Properties of broiler breast meat with pale color and a new approach for evaluating meat freshness in poultry processing plants. <i>Poultry Science</i> , 2022, 101, 101627.	1.5	12
4	Perspectives on Subcutaneous Infliximab for Rheumatic Diseases and Inflammatory Bowel Disease: Before, During, and After the COVID-19 Era. <i>Advances in Therapy</i> , 2022, 39, 2342-2364.	1.3	10
5	Survivability of <i>Kluyveromyces marxianus</i> Isolated From Korean Kefir in a Simulated Gastrointestinal Environment. <i>Frontiers in Microbiology</i> , 2022, 13, 842097.	1.5	5
6	Re-Routing Infliximab Therapy: Subcutaneous Infliximab Opens a Path Towards Greater Convenience and Clinical Benefit. <i>Clinical Drug Investigation</i> , 2022, 42, 477-489.	1.1	7
7	Effects of kefir on doxorubicin-induced multidrug resistance in human colorectal cancer cells. <i>Journal of Functional Foods</i> , 2021, 78, 104371.	1.6	7
8	Strategies for expanding HACCP certification rate using an awareness survey of dairy farmers. <i>International Journal of Dairy Technology</i> , 2021, 74, 453-461.	1.3	4
9	Microbial composition of Korean kefir and antimicrobial activity of <i>Acetobacter fabarum</i> DH1801. <i>Journal of Food Safety</i> , 2020, 40, e12728.	1.1	11
10	Prevalence, Antibiotic-Resistance, and Virulence Characteristics of <i>Vibrio parahaemolyticus</i> in Restaurant Fish Tanks in Seoul, South Korea. <i>Foodborne Pathogens and Disease</i> , 2020, 17, 209-214.	0.8	9
11	Synergistic effects of the early administration of <i>Lactobacillus kefirifaciens</i> DN1 and <i>Kluyveromyces marxianus</i> KU140723-05 on the inhibition of <i>Salmonella</i> Enteritidis colonization in young chickens. <i>Poultry Science</i> , 2020, 99, 5999-6006.	1.5	10
12	Prevalence, toxin-typing, and antimicrobial susceptibility of <i>Clostridium perfringens</i> from retail meats in Seoul, Korea. <i>Anaerobe</i> , 2020, 64, 102235.	1.0	22
13	High prevalence of non-faecalis and non-faecium <i>Enterococcus</i> spp. in farmstead cheesehouse and their applicability as hygiene indicators. <i>LWT - Food Science and Technology</i> , 2020, 126, 109271.	2.5	6
14	Synbiotic Effect of Whole Grape Seed Flour and Newly Isolated Kefir Lactic Acid Bacteria on Intestinal Microbiota of Diet-Induced Obese Mice. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 13131-13137.	2.4	15
15	Development of a novel selective medium for the isolation and enumeration of acetic acid bacteria from various foods. <i>Food Control</i> , 2019, 106, 106717.	2.8	10
16	Modulation of the intestinal microbiota of dogs by kefir as a functional dairy product. <i>Journal of Dairy Science</i> , 2019, 102, 3903-3911.	1.4	31
17	Biochemical characteristics, virulence traits and antifungal resistance of two major yeast species isolated from kefir: <i>Kluyveromyces marxianus</i> and <i>Saccharomyces unisporus</i> . <i>International Journal of Dairy Technology</i> , 2019, 72, 275-281.	1.3	15
18	Comparison of Direct Syringe Filtration and Membrane Filtration for the Selective Isolation of <i>Campylobacter jejuni</i> from Ready-to-Eat Sprouts. <i>Foodborne Pathogens and Disease</i> , 2019, 16, 371-375.	0.8	3

#	ARTICLE	IF	CITATIONS
19	Supplementation of Modified Mannitolâ€Yolkâ€Polymyxin B Agar with Cefuroxime for Quantitative Detection of <i>Bacillus cereus</i> in Food. <i>Journal of Food Science</i> , 2019, 84, 133-137.	1.5	4
20	Development of a real-time PCR assay for rapid screening of acetic acid bacteria as a group in food products. <i>Food Control</i> , 2019, 100, 78-82.	2.8	8
21	Modern perspectives on the health benefits of kefir in next generation sequencing era: Improvement of the host gut microbiota. <i>Critical Reviews in Food Science and Nutrition</i> , 2019, 59, 1782-1793.	5.4	54
22	Culture supernatant produced by <i>Lactobacillus kefir</i> from kefir inhibits the growth of <i>Cronobacter sakazakii</i> . <i>Journal of Dairy Research</i> , 2018, 85, 98-103.	0.7	23
23	Effect of microbial control measures on farmstead cheesemaking and antimicrobial resistance of <i>Staphylococcus aureus</i> and <i>Enterococcus</i> spp. isolates. <i>Journal of Food Safety</i> , 2018, 38, e12432.	1.1	7
24	Characterization of yeasts isolated from kefir as a probiotic and its synergic interaction with the wine byproduct grape seed flour/extract. <i>LWT - Food Science and Technology</i> , 2018, 90, 535-539.	2.5	52
25	Fates of <i>Salmonella</i> Enteritidis and <i>Cronobacter sakazakii</i> in various multipleâ€strain yogurts and kefir during cold storage. <i>Journal of Food Safety</i> , 2018, 38, e12429.	1.1	6
26	Development of a rapid and reliable TaqMan probe-based real-time PCR assay for the detection and enumeration of the multifaceted yeast <i>Kluyveromyces marxianus</i> in dairy products. <i>LWT - Food Science and Technology</i> , 2018, 87, 163-168.	2.5	6
27	Heat resistance of <i>Salmonella</i> Enteritidis under prolonged exposure to acid-salt combined stress and subsequent refrigeration. <i>International Journal of Food Microbiology</i> , 2018, 285, 165-172.	2.1	15
28	New colorimetric aptasensor for rapid on-site detection of <i>Campylobacter jejuni</i> and <i>Campylobacter coli</i> in chicken carcass samples. <i>Analytica Chimica Acta</i> , 2018, 1029, 78-85.	2.6	57
29	Heat resistance of <i>Salmonella</i> Enteritidis in four different liquid egg products and the performance and equivalent conditions of Ministry of Food and Drug Safety of South Korea and US Department of Agriculture protocols. <i>Food Control</i> , 2018, 94, 1-6.	2.8	4
30	Comparison of traditional and backslopping methods for kefir fermentation based on physicochemical and microbiological characteristics. <i>LWT - Food Science and Technology</i> , 2018, 97, 503-507.	2.5	39
31	Antimicrobial and anti-biofilm activities of <i>Lactobacillus kefir</i> against oral pathogens. <i>Journal of Oral Microbiology</i> , 2018, 10, 1472985.	1.2	57
32	Nutritional Effects and Antimicrobial Activity of Kefir (Grains). <i>Journal of Milk Science and Biotechnology</i> , 2018, 36, 1-13.	0.3	7
33	Sensory Evaluation of Various Gouda Cheeses Produced from Raw Milk. <i>Journal of Milk Science and Biotechnology</i> , 2018, 36, 95-105.	0.3	2
34	Antimicrobial Effect of <i>Mentha piperita</i> (Peppermint) Oil against <i>Bacillus cereus</i> , <i>Staphylococcus aureus</i> , <i>Cronobacter sakazakii</i> , and <i>Salmonella</i> Enteritidis in Various Dairy Foods: Preliminary Study. <i>Journal of Milk Science and Biotechnology</i> , 2018, 36, 146-154.	0.3	7
35	Antibacterial Activity of Crude <i>Aronia melanocarpa</i> (Black Chokeberry) Extracts against <i>Bacillus cereus</i> , <i>Staphylococcus aureus</i> , <i>Cronobacter sakazakii</i> , and <i>Salmonella</i> Enteritidis in Various Dairy Foods: Preliminary Study. <i>Journal of Milk Science and Biotechnology</i> , 2018, 36, 155-163.	0.3	6
36	Contamination Level of Hygiene Indicator and Prevalence of Foodborne Pathogens in Retail Beef in Parallel with Market Factor. <i>Korean Journal for Food Science of Animal Resources</i> , 2018, 38, 1237-1245.	1.5	2

#	ARTICLE	IF	CITATIONS
37	Use of Lipid Extracts from Various Oil Grains to Supply Dietary Omega-3 Fatty Acids for Dairy Foods - A Preliminary Study. <i>Journal of Milk Science and Biotechnology</i> , 2018, 36, 32-38.	0.3	1
38	Microbiological Safety of Various Gouda Cheeses Produced from Raw Milk. <i>Journal of Milk Science and Biotechnology</i> , 2018, 36, 106-120.	0.3	1
39	Kefir alleviates obesity and hepatic steatosis in high-fat diet-fed mice by modulation of gut microbiota and mycobiota: targeted and untargeted community analysis with correlation of biomarkers. <i>Journal of Nutritional Biochemistry</i> , 2017, 44, 35-43.	1.9	128
40	Characterization and antibacterial activity of a novel exopolysaccharide produced by <i>Lactobacillus kefiranofaciens</i> DN1 isolated from kefir. <i>Food Control</i> , 2017, 78, 436-442.	2.8	123
41	Evaluation of Selective-Enrichment and Chromogenic Media for <i>Salmonella</i> Detection in Raw Shell Egg Contents with a Low Microbial Load. <i>Foodborne Pathogens and Disease</i> , 2017, 14, 414-418.	0.8	3
42	Modulation of gut microbiota and increase in fecal water content in mice induced by administration of <i>Lactobacillus kefiranofaciens</i> DN1. <i>Food and Function</i> , 2017, 8, 680-686.	2.1	50
43	A Single-Step Enrichment Medium for Nonchromogenic Isolation of Healthy and Cold-Injured <i>Salmonella</i> spp. from Fresh Vegetables. <i>Foodborne Pathogens and Disease</i> , 2017, 14, 84-88.	0.8	1
44	Antiobesity Effect of Exopolysaccharides Isolated from Kefir Grains. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 10011-10019.	2.4	48
45	Dual function of <i>Lactobacillus kefir</i> DH5 in preventing high-fat diet-induced obesity: direct reduction of cholesterol and upregulation of PPAR α in adipose tissue. <i>Molecular Nutrition and Food Research</i> , 2017, 61, 1700252.	1.5	94
46	Chardonnay grape seed flour supplemented diets alter intestinal microbiota in diet-induced obese mice. <i>Journal of Food Biochemistry</i> , 2017, 41, e12396.	1.2	21
47	Prevalence and toxin type of <i>Clostridium perfringens</i> in beef from four different types of meat markets in Seoul, Korea. <i>Food Science and Biotechnology</i> , 2017, 26, 545-548.	1.2	12
48	Two-stage label-free aptasensing platform for rapid detection of <i>Cronobacter sakazakii</i> in powdered infant formula. <i>Sensors and Actuators B: Chemical</i> , 2017, 239, 94-99.	4.0	51
49	Improvement of Polymyxin "Egg Yolk" Mannitol "Bromothymol Blue Agar for the Enumeration and Isolation of <i>Bacillus cereus</i> in Various Foods. <i>Journal of Food Protection</i> , 2017, 80, 502-505.	0.8	0
50	Efficacy of Syringe Filtration for the Selective Isolation of <i>Campylobacter</i> from Chicken Carcass Rinse. <i>Journal of Food Protection</i> , 2017, 80, 1050-1053.	0.8	5
51	Analysis and Improvement of HACCP Program for Small and Medium-sized Dairy Plants of Korea. <i>Han'gug Sigpum Wi'saeng Anjeonseong Haghoeji</i> , 2017, 32, 14-19.	0.1	4
52	Preparation of Bioactive Kefir with Added Flaxseed (<i>Linum usitatissimum</i> L.) Extract. <i>Journal of Milk Science and Biotechnology</i> , 2017, 35, 176-183.	0.3	7
53	Sensory Profiles of Protein-Fortified Kefir prepared Using Edible Insects (Silkworm Pupae, <i>Bombyx</i>) Tj ETQq1 1 0.784314 rgBT ₃ /Overload	0.3	3
54	Antimicrobial Activity of Kefir against Various Food Pathogens and Spoilage Bacteria. <i>Korean Journal for Food Science of Animal Resources</i> , 2016, 36, 787-790.	1.5	68

#	ARTICLE	IF	CITATIONS
55	Establishing Quantitative Standards for Residual Alkaline Phosphatase in Pasteurized Milk. Korean Journal for Food Science of Animal Resources, 2016, 36, 194-197.	1.5	2
56	Evaluation of Tazobactam-Supplemented, Modified Charcoal-Cefoperazone-Deoxycholate Agar for Qualitative Detection of Campylobacter from Chicken Carcass Rinse. Foodborne Pathogens and Disease, 2016, 13, 251-254.	0.8	2
57	High Occurrence Rate and Contamination Level of <i>Bacillus cereus</i> in Organic Vegetables on Sale in Retail Markets. Foodborne Pathogens and Disease, 2016, 13, 656-660.	0.8	19
58	Development of rapid and highly specific TaqMan probe-based real-time PCR assay for the identification and enumeration of Lactobacillus kefir in kefir milk. International Dairy Journal, 2016, 61, 18-21.	1.5	12
59	<i>Citrobacter braakii</i> : A Major Cause of False-Positive Results on MacConkey and Levine's Eosin Methylene Blue Selective Agars Used for the Isolation of <i>Escherichia Coli</i> from Fresh Vegetable Samples. Journal of Food Safety, 2016, 36, 33-37.	1.1	4
60	Prevalence, Seasonal Occurrence, and Antimicrobial Resistance of <i>Salmonella</i> spp. Isolates Recovered from Chicken Carcasses Sampled at Major Poultry Processing Plants of South Korea. Foodborne Pathogens and Disease, 2016, 13, 544-550.	0.8	23
61	Improvement of Enterobacteriaceae enrichment broth by supplementation with sodium citrate for detection of Cronobacter sakazakii using real-time PCR. Food Science and Biotechnology, 2016, 25, 1205-1209.	1.2	1
62	Evaluation of cephamycins as supplements to selective agar for detecting Campylobacter spp. in chicken carcass rinses. International Journal of Food Microbiology, 2016, 223, 75-78.	2.1	2
63	Chardonnay Grape Seed Flour Ameliorates Hepatic Steatosis and Insulin Resistance via Altered Hepatic Gene Expression for Oxidative Stress, Inflammation, and Lipid and Ceramide Synthesis in Diet-Induced Obese Mice. PLoS ONE, 2016, 11, e0167680.	1.1	27
64	Nutritional Functions of Milk and Dairy Products in Improving Human Health. Journal of Milk Science and Biotechnology, 2016, 34, 145-155.	0.3	1
65	Antimicrobial activity of epigallocatechin gallate from green tea (Camellia sinensis) on pathogenic Salmonella Enteritidis in braised quail eggs. Korean Journal of Food Science and Technology, 2016, 48, 329-334.	0.0	3
66	Incidence, Antibiotic Susceptibility, and Toxin Profiles of <i>Bacillus cereus sensu lato</i> Isolated from Korean Fermented Soybean Products. Journal of Food Science, 2015, 80, M1266-70.	1.5	40
67	Prevalence and characterization of extended-spectrum- β -lactamase-producing Escherichia coli and Klebsiella pneumoniae in ready-to-eat vegetables. International Journal of Food Microbiology, 2015, 207, 83-86.	2.1	77
68	Growth Inhibition of Cronobacter sakazakii in Experimentally Contaminated Powdered Infant Formula by Kefir Supernatant. Journal of Food Protection, 2015, 78, 1651-1655.	0.8	23
69	Detection and Enumeration of Lactic Acid Bacteria, Acetic Acid Bacteria and Yeast in Kefir Grain and Milk Using Quantitative Real-Time PCR. Journal of Food Safety, 2015, 35, 102-107.	1.1	39
70	Modulation of the Intestinal Microbiota Is Associated with Lower Plasma Cholesterol and Weight Gain in Hamsters Fed Chardonnay Grape Seed Flour. Journal of Agricultural and Food Chemistry, 2015, 63, 1460-1467.	2.4	46
71	Modulation of intestinal microbiota in mice by kefir administration. Food Science and Biotechnology, 2015, 24, 1397-1403.	1.2	36
72	Rapid Detection of Lactobacillus kefirifaciens in Kefir Grain and Kefir Milk Using Newly Developed Real-Time PCR. Journal of Food Protection, 2015, 78, 855-858.	0.8	20

#	ARTICLE	IF	CITATIONS
73	Flavonoid-rich Chardonnay grape seed flour supplementation ameliorates diet-induced visceral adiposity, insulin resistance, and glucose intolerance via altered adipose tissue gene expression. <i>Journal of Functional Foods</i> , 2015, 17, 881-891.	1.6	21
74	Quantitative Prevalence and Toxin Gene Profile of <i>Bacillus cereus</i> from Ready-to-Eat Vegetables in South Korea. <i>Foodborne Pathogens and Disease</i> , 2015, 12, 795-799.	0.8	47
75	Incidence, Antimicrobial Resistance, and Molecular Characteristics of Nontyphoidal Salmonella Including Extended-Spectrum β -Lactamase Producers in Retail Chicken Meat. <i>Journal of Food Protection</i> , 2015, 78, 1932-1937.	0.8	31
76	Comparison of Culture, Conventional and Real-time PCR Methods for <i>Listeria monocytogenes</i> in Foods. <i>Korean Journal for Food Science of Animal Resources</i> , 2014, 34, 665-673.	1.5	17
77	Quantitative Validation of Two Novel Selective Media for the Enumeration of <i>Bacillus cereus</i> in Naturally Contaminated Fermented Sauce Samples. <i>Journal of Food Safety</i> , 2014, 34, 340-344.	1.1	3
78	Modification of Karmali Agar by Supplementation with Potassium Clavulanate for the Isolation of <i>Campylobacter</i> from Chicken Carcass Rinses. <i>Journal of Food Protection</i> , 2014, 77, 1207-1211.	0.8	4
79	Supplementation of Bolton broth with triclosan improves detection of <i>Campylobacter jejuni</i> and <i>Campylobacter coli</i> in chicken carcass rinse. <i>International Journal of Food Microbiology</i> , 2014, 181, 37-39.	2.1	11
80	Development of blood-yolk-polymyxin B-trimethoprim agar for the enumeration of <i>Bacillus cereus</i> in various foods. <i>International Journal of Food Microbiology</i> , 2013, 165, 144-147.	2.1	12