List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7461283/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Afatinib versus placebo for patients with advanced, metastatic non-small-cell lung cancer after failure of erlotinib, gefitinib, or both, and one or two lines of chemotherapy (LUX-Lung 1): a phase 2b/3 randomised trial. Lancet Oncology, The, 2012, 13, 528-538.	10.7	904
2	Adjuvant atezolizumab after adjuvant chemotherapy in resected stage IB–IIIA non-small-cell lung cancer (IMpower010): a randomised, multicentre, open-label, phase 3 trial. Lancet, The, 2021, 398, 1344-1357.	13.7	689
3	Tepotinib in Non–Small-Cell Lung Cancer with <i>MET</i> Exon 14 Skipping Mutations. New England Journal of Medicine, 2020, 383, 931-943.	27.0	500
4	Durvalumab as third-line or later treatment for advanced non-small-cell lung cancer (ATLANTIC): an open-label, single-arm, phase 2 study. Lancet Oncology, The, 2018, 19, 521-536.	10.7	486
5	Mutation in the Tyrosine Kinase Domain of Epidermal Growth Factor Receptor Is a Predictive and Prognostic Factor for Gefitinib Treatment in Patients with Non–Small Cell Lung Cancer. Clinical Cancer Research, 2005, 11, 3750-3757.	7.0	295
6	Randomized, Placebo-Controlled, Phase II Study of Sequential Erlotinib and Chemotherapy As First-Line Treatment for Advanced Non–Small-Cell Lung Cancer. Journal of Clinical Oncology, 2009, 27, 5080-5087.	1.6	208
7	Non-small Cell Lung Cancer in Very Young and Very Old Patients. Chest, 2000, 117, 354-357.	0.8	190
8	Gefitinib is active in patients with brain metastases from non-small cell lung cancer and response is related to skin toxicity. Lung Cancer, 2005, 47, 129-138.	2.0	132
9	Health-Related Quality-of-Life in a Randomized Phase III First-Line Study of Gefitinib Versus Carboplatin/Paclitaxel in Clinically Selected Patients from Asia with Advanced NSCLC (IPASS). Journal of Thoracic Oncology, 2011, 6, 1872-1880.	1.1	132
10	Clinical manifestation and disease progression in COVID-19 infection. Journal of the Chinese Medical Association, 2021, 84, 3-8.	1.4	115
11	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. Human Molecular Genetics, 2014, 23, 6616-6633.	2.9	90
12	5-year overall survival in patients with lung cancer eligible or ineligible for screening according to US Preventive Services Task Force criteria: a prospective, observational cohort study. Lancet Oncology, The, 2019, 20, 1098-1108.	10.7	88
13	A Randomized Trial of Different Docetaxel Schedules in Non-small Cell Lung Cancer Patients Who Failed Previous Platinum-Based Chemotherapy. Chest, 2006, 129, 1031-1038.	0.8	81
14	A Polymorphism in the <i>APE1</i> Gene Promoter is Associated with Lung Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 223-229.	2.5	75
15	<scp>G</scp> enetic variants associated with longer telomere length are associated with increased lung cancer risk among neverâ€smoking women in Asia: a report from the female lung cancer consortium in Asia. International Journal of Cancer, 2015, 137, 311-319.	5.1	72
16	Sleep Disorders and Increased Risk of Autoimmune Diseases in Individuals without Sleep Apnea. Sleep, 2015, 38, 581-586.	1.1	67
17	Phase II Randomized Trial of Erlotinib or Vinorelbine in Chemonaive, Advanced, Non-small Cell Lung Cancer Patients Aged 70 Years or Older. Journal of Thoracic Oncology, 2012, 7, 412-418.	1.1	61
18	RNA Modifications and Epigenetics in Modulation of Lung Cancer and Pulmonary Diseases. International Journal of Molecular Sciences, 2021, 22, 10592.	4.1	61

#	Article	IF	CITATIONS
19	Interactive Effect of Cigarette Smoking With Human 8-Oxoguanine DNA N-Glycosylase 1 (hOGG1) Polymorphisms on the Risk of Lung Cancer: A Case-Control Study in Taiwan. American Journal of Epidemiology, 2009, 170, 695-702.	3.4	53
20	Association between Tumor Epidermal Growth Factor Receptor Mutation and Pulmonary Tuberculosis in Patients with Adenocarcinoma of the Lungs. Journal of Thoracic Oncology, 2012, 7, 299-305.	1.1	52
21	Tepotinib Efficacy and Safety in Patients with <i>MET</i> Exon 14 Skipping NSCLC: Outcomes in Patient Subgroups from the VISION Study with Relevance for Clinical Practice. Clinical Cancer Research, 2022, 28, 1117-1126.	7.0	52
22	Elevation of Interleukin-10 Levels in Malignant Pleural Effusion. Chest, 1996, 110, 433-436.	0.8	50
23	Association between GWAS-identified lung adenocarcinoma susceptibility loci andEGFRmutations in never-smoking Asian women, and comparison with findings from Western populations. Human Molecular Genetics, 2016, 26, ddw414.	2.9	50
24	Meta-analysis of genome-wide association studies identifies multiple lung cancer susceptibility loci in never-smoking Asian women. Human Molecular Genetics, 2016, 25, 620-629.	2.9	50
25	Interleukin-17A Modulates Circulating Tumor Cells in Tumor Draining Vein of Colorectal Cancers and Affects Metastases. Clinical Cancer Research, 2014, 20, 2885-2897.	7.0	49
26	Oncogenic circRNA C190 Promotes Non–Small Cell Lung Cancer via Modulation of the EGFR/ERK Pathway. Cancer Research, 2022, 82, 75-89.	0.9	48
27	The effect of itraconazole and rifampicin on the pharmacokinetics of osimertinib. British Journal of Clinical Pharmacology, 2018, 84, 1156-1169.	2.4	47
28	Plasma Level of Circular RNA hsa_circ_0000190 Correlates with Tumor Progression and Poor Treatment Response in Advanced Lung Cancers. Cancers, 2020, 12, 1740.	3.7	45
29	A Multicenter Phase II Trial of Vinorelbine Plus Gemcitabine in Previously Untreated Inoperable (Stage) Tj ETQq1	1 0,784314	4 rgβT /Ovei
30	Cross Regulation by IL-10 and IL-2/IL-12 of the Helper T Cells and the Cytolytic Activity of Lymphocytes From Malignant Effusions of Lung Cancer Patients. Chest, 1997, 112, 960-966.	0.8	43
31	Update of epidermal growth factor receptor-tyrosine kinase inhibitors in non-small-cell lung cancer. Journal of the Chinese Medical Association, 2013, 76, 249-257.	1.4	42
32	ASTRIS: a global real-world study of osimertinib in >3000 patients with <i>EGFR</i> T790M positive non-small-cell lung cancer. Future Oncology, 2019, 15, 3003-3014.	2.4	42
33	An analysis of cytokine status in the serum and effusions of patients with tuberculous and lung cancer. Lung Cancer, 2001, 31, 25-30.	2.0	41
34	Impact of cooking oil fume exposure and fume extractor use on lung cancer risk in non-smoking Han Chinese women. Scientific Reports, 2020, 10, 6774.	3.3	41
35	Immune checkpoint inhibitors for nonsmall cell lung cancer treatment. Journal of the Chinese Medical Association, 2017, 80, 7-14.	1.4	39
36	PD-L1 Expression of Tumor Cells, Macrophages, and Immune Cells in Non–Small Cell Lung Cancer Patients with Malignant Pleural Effusion. Journal of Thoracic Oncology, 2018, 13, 447-453.	1.1	38

#	Article	IF	CITATIONS
37	Application of Artificial Intelligence in Lung Cancer. Cancers, 2022, 14, 1370.	3.7	38
38	Sleep disorders and an increased risk of Parkinson's disease in individuals with nonâ€apnea sleep disorders: a populationâ€based cohort study. Journal of Sleep Research, 2017, 26, 623-628.	3.2	35
39	Comorbidities and risk of mortality in patients with sleep apnea. Annals of Medicine, 2017, 49, 377-383.	3.8	34
40	Lung Cancer in Republic of China. Journal of Thoracic Oncology, 2021, 16, 519-527.	1.1	34
41	Restoration of the Immunocompetence by IL-2 Activation and TCR-CD3 Engagement of the In Vivo Anergized Tumor-Specific CTL from Lung Cancer Patients. Journal of Immunotherapy, 1997, 20, 354-364.	2.4	33
42	Shortened Survival of Lung Cancer Patients Initially Presenting with Pulmonary Tuberculosis. Japanese Journal of Clinical Oncology, 1996, 26, 322-327.	1.3	32
43	Impact of severe acute respiratory syndrome on the status of lung cancer chemotherapy patients and a correlation of the signs and symptoms. Lung Cancer, 2004, 45, 39-43.	2.0	32
44	Predicting Lung Cancer Occurrence in Never-Smoking Females in Asia: TNSF-SQ, a Prediction Model. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 452-459.	2.5	31
45	Masks and medical care: Two keys to Taiwan's success in preventing COVID-19 spread. Travel Medicine and Infectious Disease, 2020, 38, 101780.	3.0	30
46	Phase II Study of Docetaxel and Gemcitabine Combination Chemotherapy in Non–Small-Cell Lung Cancer Patients Failing Previous Chemotherapy. American Journal of Clinical Oncology: Cancer Clinical Trials, 2002, 25, 509-512.	1.3	29
47	A Phase II Randomized Trial of Gefitinib Alone or with Tegafur/Uracil Treatment in Patients with Pulmonary Adenocarcinoma Who had Failed Previous Chemotherapy. Journal of Thoracic Oncology, 2011, 6, 1110-1116.	1.1	28
48	<i>EGFR</i> L858R Mutation and Polymorphisms of Genes Related to Estrogen Biosynthesis and Metabolism in Never-Smoking Female Lung Adenocarcinoma Patients. Clinical Cancer Research, 2011, 17, 2149-2158.	7.0	28
49	Different Efficacies of Erlotinib and Gefitinib in Taiwanese Patients with Advanced Non-small Cell Lung Cancer: A Retrospective Multicenter Study. Journal of Thoracic Oncology, 2011, 6, 148-155.	1.1	26
50	Phase II randomized study of daily gefitinib treatment alone or with vinorelbine every 2 weeks in patients with adenocarcinoma of the lung who failed at least 2 regimens of chemotherapy. Cancer, 2007, 109, 1821-1828.	4.1	25
51	Symptomatic ocular metastases in lung cancer. Respirology, 2008, 13, 303-305.	2.3	25
52	High efficacy of erlotinib in Taiwanese NSCLC patients in an expanded access program study previously treated with chemotherapy. Lung Cancer, 2008, 62, 78-84.	2.0	25
53	Multidisciplinary team discussion results in survival benefit for patients with stage III non-small-cell lung cancer. PLoS ONE, 2020, 15, e0236503.	2.5	25
54	Genetic Modifiers of Progression-Free Survival in Never-Smoking Lung Adenocarcinoma Patients Treated with First-Line Tyrosine Kinase Inhibitors. American Journal of Respiratory and Critical Care Medicine, 2017, 195, 663-673.	5.6	24

#	Article	IF	CITATIONS
55	A phase II trial of vinorelbine plus gemcitabine in previously untreated inoperable (stage IIIb/IV) non-small-cell lung cancer patients aged 80 or older. Lung Cancer, 2003, 40, 221-226.	2.0	23
56	Latent TB infection in newly diagnosed lung cancer patients – A multicenter prospective observational study. Lung Cancer, 2014, 85, 472-478.	2.0	23
57	Usefulness of pig-tail catheter for palliative drainage of malignant pleural effusions in cancer patients. Supportive Care in Cancer, 2000, 8, 423-426.	2.2	22
58	A phase II randomized study of vinorelbine alone or with cisplatin against chemo-naÃ <sup>-</sup> ve inoperable non-small cell lung cancer in the elderly. Lung Cancer, 2008, 61, 214-219.	2.0	22
59	Predictive factors for EGFR -tyrosine kinase inhibitor retreatment in patients with EGFR -mutated non-small-cell lung cancer – A multicenter retrospective SEQUENCE study. Lung Cancer, 2017, 104, 58-64.	2.0	22
60	Intrathecal gemcitabine chemotherapy for non-small cell lung cancer patients with meningeal carcinomatosis—a case report. Lung Cancer, 2003, 40, 99-101.	2.0	21
61	A Phase II Randomized Study of Paclitaxel Plus Carboplatin or Cisplatin against Chemo-Naive Inoperable Non-small Cell Lung Cancer in the Elderly. Journal of Thoracic Oncology, 2006, 1, 141-145.	1.1	21
62	Second-Line Therapy for Elderly Patients with Non-small Cell Lung Cancer Who Failed Previous Chemotherapy Is as Effective as for Younger Patients. Journal of Thoracic Oncology, 2010, 5, 376-379.	1.1	21
63	The efficacy of first-line tyrosine kinase inhibitors combined with co-medications in Asian patients with EGFR mutation non-small cell lung cancer. Scientific Reports, 2020, 10, 14965.	3.3	21
64	Phase II study of docetaxel and ifosfamide combination chemotherapy in non-small-cell lung cancer patients failing previous chemotherapy with or without paclitaxel. Lung Cancer, 2003, 39, 209-214.	2.0	20
65	Phase II study of tamoxifen, ifosfamide, epirubicin and cisplatin combination chemotherapy in patients with non-small cell lung cancer failing previous chemotherapy. Lung Cancer, 2000, 29, 139-146.	2.0	19
66	Gefitinib Treatment Is Highly Effective in Non-Small-Cell Lung Cancer Patients Failing Previous Chemotherapy in Taiwan: A Prospective Phase II Study. Journal of Chemotherapy, 2005, 17, 679-684.	1.5	19
67	Erlotinib has better efficacy than gefitinib in adenocarcinoma patients without EGFR-activating mutations, but similar efficacy in patients with EGFR-activating mutations. Experimental and Therapeutic Medicine, 2012, 3, 207-213.	1.8	19
68	Circular RNA hsa_circ_0000190 Facilitates the Tumorigenesis and Immune Evasion by Upregulating the Expression of Soluble PD-L1 in Non-Small-Cell Lung Cancer. International Journal of Molecular Sciences, 2022, 23, 64.	4.1	19
69	Phase II Study of Gemcitabine and Vinorelbine Combination Chemotherapy in Patients With Non–Small-Cell Lung Cancer Not Responding to Previous Chemotherapy. American Journal of Clinical Oncology: Cancer Clinical Trials, 2003, 26, 567-570.	1.3	18
70	Sleep Apnea and Risk of Panic Disorder. Annals of Family Medicine, 2015, 13, 325-330.	1.9	18
71	Mycobacterium tuberculosis $\hat{a} \in \hat{a}$ derived circulating cell-free DNA in patients with pulmonary tuberculosis and persons with latent tuberculosis infection. PLoS ONE, 2021, 16, e0253879.	2.5	18
72	A Phase II Study of Single-agent Docetaxel Chemotherapy for Non-small Cell Lung Cancer. Japanese Journal of Clinical Oncology, 2000, 30, 429-434.	1.3	17

#	Article	IF	CITATIONS
73	Spectrum of cancer risk among Taiwanese with chronic obstructive pulmonary disease. International Journal of Clinical Oncology, 2016, 21, 1014-1020.	2.2	17
74	A phase 0 study of the pharmacokinetics, biodistribution, and dosimetry of 188Re-liposome in patients with metastatic tumors. EJNMMI Research, 2019, 9, 46.	2.5	17
75	Third-line or fourth-line chemotherapy in non-small-cell lung cancer patients with relatively good performance status. Journal of the Chinese Medical Association, 2011, 74, 209-214.	1.4	16
76	Re-Treatment with EGFR-TKIs in NSCLC Patients Who Developed Acquired Resistance. Journal of Personalized Medicine, 2014, 4, 297-310.	2.5	16
77	Fanconi anemia genes in lung adenocarcinoma- a pathway-wide study on cancer susceptibility. Journal of Biomedical Science, 2016, 23, 23.	7.0	16
78	The Efficacy of Traditional Chinese Herbal Medicine in the Treatment of <i>EGFR</i> Mutated Stage IV Pulmonary Adenocarcinoma Patients Who Received First-Line EGFR-TKI Treatment. Integrative Cancer Therapies, 2017, 16, 126-131.	2.0	16
79	Circulating free mitochondrial DNA concentration and its association with erlotinib treatment in patients with adenocarcinoma of the lung. Oncology Letters, 2014, 7, 2180-2184.	1.8	15
80	A randomized placebo-controlled phase III study of intercalated erlotinib with gemcitabine/platinum in first-line advanced non-small cell lung cancer (NSCLC): FASTACT-II Journal of Clinical Oncology, 2012, 30, 7519-7519.	1.6	15
81	A randomized phase II study of vinorelbine plus gemcitabine with/without cisplatin against inoperable non-small-cell lung cancer previously untreated. Lung Cancer, 2005, 47, 373-380.	2.0	14
82	A randomized phase II study of docetaxel or vinorelbine in combination with cisplatin against inoperable, chemo-naÃ <sup>-</sup> ve non-small-cell lung cancer in Taiwan. Lung Cancer, 2007, 56, 363-369.	2.0	14
83	A phase I multicenter study of antroquinonol in patients with metastatic non-small-cell lung cancer who have received at least two prior systemic treatment regimens, including one platinum-based chemotherapy regimen. Molecular and Clinical Oncology, 2015, 3, 1375-1380.	1.0	14
84	Interim analysis of afatinib monotherapy in patients with metastatic NSCLC progressing after chemotherapy and erlotinib/gefitinib (E/G) in a trial of afatinib plus paclitaxel versus investigator's choice chemotherapy following progression on afatinib monotherapy Journal of Clinical Oncology, 2012, 30, 7557-7557.	1.6	14
85	Chemotherapy for Non-small Cell Lung Cancer in Elderly Patients. Chest, 2005, 128, 132-139.	0.8	13
86	Plasma epidermal growth factor receptor mutation analysis and possible clinical applications in pulmonary adenocarcinoma patients treated with erlotinib. Oncology Letters, 2012, 3, 713-717.	1.8	13
87	Comparison of the outcome between immunotherapy alone or in combination with chemotherapy in EGFR-mutant non-small cell lung cancer. Scientific Reports, 2021, 11, 16122.	3.3	13
88	Recent Advances in the Diagnosis and Management of Multiple Primary Lung Cancer. Cancers, 2022, 14, 242.	3.7	13
89	Risk of Second Primary Malignancies in Lung Cancer Survivors – The Influence of Different Treatments. Targeted Oncology, 2017, 12, 219-227.	3.6	12
90	Post-Progression Survival in Secondary EGFR T790M-Mutated Non-Small-Cell Lung Cancer Patients With and Without Osimertinib After Failure of a Previous EGFR TKI. Targeted Oncology, 2020, 15, 503-512.	3.6	12

#	Article	IF	CITATIONS
91	Sub-multiplicative interaction between polygenic risk score and household coal use in relation to lung adenocarcinoma among never-smoking women in Asia. Environment International, 2021, 147, 105975.	10.0	12
92	A Phase II Randomized Study of Paclitaxel Plus Carboplatin or Cisplatin against Chemo-Naive Inoperable Non-small Cell Lung Cancer in the Elderly. Journal of Thoracic Oncology, 2006, 1, 141-145.	1.1	11
93	A phase II study of oral vinorelbine in combination with cisplatin conducted in Taiwan in patients with unresectable localized or metastatic non-small cell lung carcinoma. Lung Cancer, 2007, 56, 89-95.	2.0	11
94	The Association Between Tumor Epidermal Growth Factor Receptor (EGFR) Mutation and Multiple Primary Malignancies in Patients With Adenocarcinoma of the Lungs. American Journal of Clinical Oncology: Cancer Clinical Trials, 2015, 38, 147-151.	1.3	11
95	Non–small cell lung cancer in the very young: Higher EGFR/ALK mutation proportion than the elder. Journal of the Chinese Medical Association, 2020, 83, 461-465.	1.4	11
96	Impact of EGFR Mutation Detection Methods on the Efficacy of Erlotinib in Patients with Advanced EGFR-Wild Type Lung Adenocarcinoma. PLoS ONE, 2014, 9, e107160.	2.5	11
97	Double Signal Stimulation was Required for Full Recovery of the Autologous Tumor-Killing Effect of Effusion-Associated Lymphocytes. Chest, 2002, 122, 1421-1427.	0.8	10
98	Number of liver metastatic nodules affects treatment options for pulmonary adenocarcinoma patients with liver metastases. Lung Cancer, 2014, 86, 225-230.	2.0	10
99	Overview of coronavirus disease 2019: Treatment updates and advances. Journal of the Chinese Medical Association, 2020, 83, 805-808.	1.4	10
100	Epidermal Growth Factor Receptor (EGFR)â€Tyrosine Kinase Inhibitor Treatment and Salvage Chemotherapy in EGFRâ€Mutated Elderly Pulmonary Adenocarcinoma Patients. Oncologist, 2015, 20, 758-766.	3.7	9
101	Efficacy of chemotherapy in epidermal growth factor receptor (EGFR) mutated metastatic pulmonary adenocarcinoma patients who had acquired resistance to first-line EGFR tyrosine kinase inhibitor (TKI). Journal of Chemotherapy, 2016, 28, 50-58.	1.5	9
102	Utility of Cerebrospinal Fluid Cell-Free DNA in Patients with EGFR-Mutant Non-Small-Cell Lung Cancer with Leptomeningeal Metastasis. Targeted Oncology, 2021, 16, 207-214.	3.6	9
103	Influence of chemotherapy on EGFR mutation status. Translational Lung Cancer Research, 2013, 2, 442-4.	2.8	9
104	Molecular target therapeutics of EGF-TKI and downstream signaling pathways in non-small cell lung cancers. Journal of the Chinese Medical Association, 2022, 85, 409-413.	1.4	9
105	A phase II trial of gemcitabine plus UFUR combination chemotherapy in non-small-cell lung cancer patients failing previous chemotherapy. Lung Cancer, 2006, 52, 333-338.	2.0	8
106	The epidermal growth factor receptor-tyrosine kinase inhibitor era has changed the causes of death of patients with advanced non-small-cell lung cancer. Journal of the Chinese Medical Association, 2013, 76, 682-685.	1.4	8
107	Nivolumab safety and efficacy in advanced, platinum-resistant, non-small cell lung cancer, radical radiotherapy-ineligible patients: A phase II study in Taiwan. Journal of the Formosan Medical Association, 2020, 119, 1817-1826.	1.7	8
108	A Phase II randomized study of paclitaxel plus carboplatin or cisplatin against chemo-naive inoperable non-small cell lung cancer in the elderly. Journal of Thoracic Oncology, 2006, 1, 141-5.	1.1	8

#	Article	IF	CITATIONS
109	Clinical Experience with Single-Agent Gemcitabine Chemotherapy in Patients with Non-Small-Cell Lung Cancer in Whom Previous Chemotherapy Has Failed. Journal of the Chinese Medical Association, 2005, 68, 163-166.	1.4	7
110	First-line Systemic Therapy for Metastatic Non-small-cell Lung Cancer – A Review. Journal of Experimental and Clinical Medicine, 2011, 3, 116-120.	0.2	7
111	Brain metastasis features and association with tumor epidermal growth factor receptor mutation in patients with adenocarcinoma of the lung. Asia-Pacific Journal of Clinical Oncology, 2017, 13, e440-e448.	1.1	7
112	Statin use and impact on tuberculosis risk. Expert Review of Anti-Infective Therapy, 2021, 19, 1093-1098.	4.4	7
113	Adjuvant Therapy for Thymic Carcinoma – A Decade of Experience in a Taiwan National Teaching Hospital. PLoS ONE, 2016, 11, e0146609.	2.5	7
114	Phase II study with vinorelbine and cisplatin in advanced non-small cell lung cancer after failure of previous chemotherapy. Journal of the Chinese Medical Association, 2003, 66, 241-6.	1.4	7
115	Salvage therapy for Chinese non-small cell lung cancer patients who failed previous chemotherapy. Journal of Thoracic Oncology, 2006, 1, 545-50.	1.1	7
116	Interleukin-7 and Interleukin-12 Have Different Effects in Rescue of Depressed Cellular Immunity: Comparison of Malignant and Tuberculous Pleural Effusions. Journal of Interferon and Cytokine Research, 2001, 21, 249-256.	1.2	6
117	A prospective study of the use of circulating markers as predictors for epidermal growth factor receptor-tyrosine kinase inhibitor treatment in pulmonary adenocarcinoma. Cancer Biomarkers, 2016, 16, 19-29.	1.7	6
118	Comparison of colistin-induced nephrotoxicity between two different formulations of colistin in critically ill patients: a retrospective cohort study. Antimicrobial Resistance and Infection Control, 2021, 10, 111.	4.1	6
119	Consensus statement and recommendations on the treatment of COVID-19: 2021 update. Journal of the Chinese Medical Association, 2022, 85, 5-17.	1.4	6
120	Salvage Therapy for Chinese Non-small Cell Lung Cancer Patients Who Failed Previous Chemotherapy. Journal of Thoracic Oncology, 2006, 1, 545-550.	1.1	6
121	Disease Progression in Patients With Nontuberculous Mycobacterial Lung Disease of Nodular Bronchiectatic (NB) Pattern: The Roles of Cavitary NB and Soluble Programmed Death Protein-1. Clinical Infectious Diseases, 2022, 75, 239-247.	5.8	6
122	Phase II study with gemcitabine, ifosfamide and cisplatin in advanced non-small cell lung cancer. Lung Cancer, 2000, 30, 199-202.	2.0	5
123	Salvage Therapy for Chinese Non-small Cell Lung Cancer Patients Who Failed Previous Chemotherapy. Journal of Thoracic Oncology, 2006, 1, 545-550.	1.1	5
124	Role of Soluble T-Cell Immunoglobulin Mucin Domain-3 in Differentiating Nontuberculous Mycobacterial Lung Disease from Pulmonary Colonization. Archivos De Bronconeumologia, 2021, , .	0.8	5
125	Risk of workâ€related injury in workers with obstructive sleep apnea: A systematic review and metaâ€analysis. Journal of Sleep Research, 2022, 31, e13446.	3.2	5
126	Recent advances in the development of mutant-selective EGFR inhibitors for non-small cell lung cancer patients with EGFR-TKI resistance. Translational Lung Cancer Research, 2014, 3, 368-9.	2.8	5

#	Article	IF	CITATIONS
127	PD-L1 Expression in Monocytes Correlates with Bacterial Burden and Treatment Outcomes in Active Pulmonary Tuberculosis. International Journal of Molecular Sciences, 2022, 23, 1619.	4.1	5
128	Usage of EGFR-TKI and WBRT in NSCLC patients with brain metastases. Annals of Palliative Medicine, 2013, 2, 108-10.	1.2	5
129	State-of-the-Art Molecular Oncology of Lung Cancer in Taiwan. International Journal of Molecular Sciences, 2022, 23, 7037.	4.1	5
130	Effect of Age on Pulmonary Metastases and Immunotherapy in Young and Middle-aged Mice. Journal of the Chinese Medical Association, 2007, 70, 94-102.	1.4	4
131	Induced Pluripotent Stem Cell–conditioned Medium Suppressed Melanoma Tumorigenicity Through the Enhancement of Natural-Killer Cellular Immunity. Journal of Immunotherapy, 2016, 39, 153-159.	2.4	4
132	Programmed Death Ligand 2 Gene Polymorphisms Are Associated With Lung Adenocarcinoma Risk in Female Never-Smokers. Frontiers in Oncology, 2021, 11, 753788.	2.8	4
133	Phase II randomized study of weekly docetaxel alone or plus UFUR treatment in non-small cell lung cancer patients who failed previous chemotherapy. Lung Cancer, 2008, 59, 64-68.	2.0	3
134	Erlotinib Salvage Therapy in Pulmonary Adenocarcinoma Patients With Disease Progression After Previous EGFR-TKI Treatment. American Journal of Clinical Oncology: Cancer Clinical Trials, 2016, 39, 556-562.	1.3	3
135	Treatment patterns and survival in patients with small cell lung cancer in Taiwan. Journal of the Chinese Medical Association, 2021, 84, 772-777.	1.4	3
136	Real-world efficacy of osimertinib in previously EGFR-TKI treated NSCLC patients without identification of T790M mutation. Journal of Cancer Research and Clinical Oncology, 2021, , 1.	2.5	3
137	An Observational Study on Treatment Outcomes in Patients With Stage III NSCLC in Taiwan: The KINDLE Study. JTO Clinical and Research Reports, 2022, 3, 100292.	1.1	3
138	Survival Status of Veterans with Lung Cancer Is Poorer Than That Among Civilians Due to Age and Sex Differences: A Study of Chinese Veterans in Taiwan. Journal of the Chinese Medical Association, 2008, 71, 286-293.	1.4	2
139	Amyloidosis and the risk of cancer: a nationwide population-based study. International Journal of Clinical Oncology, 2015, 20, 1244-1251.	2.2	2
140	Impact of Intermittent Hypoxia on Sepsis Outcomes in a Murine Model. Scientific Reports, 2019, 9, 12900.	3.3	2
141	Using lung ultrasound changes to evaluate the response of recruitment maneuver in a patient recovering from coronavirus disease 2019 with acute respiratory distress syndrome. Journal of the Chinese Medical Association, 2020, 83, 1117-1120.	1.4	2
142	First-line combination immunotherapy for metastatic non-small cell lung cancer. Journal of the Chinese Medical Association, 2020, 83, 433-441.	1.4	2
143	Experience from Asian centers in a named-patient-use program for afatinib in patients with advanced non-small-cell lung cancer who had progressed following prior therapies, including patients with uncommon EGFR mutations. International Journal of Clinical Oncology, 2021, 26, 841-850.	2.2	2
144	Highlight of severe acute respiratory syndrome coronavirus-2 vaccine development against COVID-19 pandemic. Journal of the Chinese Medical Association, 2021, 84, 9-13.	1.4	2

#	Article	IF	CITATIONS
145	Reduced FEV1 as Prognostic Factors in Patients With Advanced NSCLC Receiving Immune Checkpoint Inhibitors. Frontiers in Medicine, 2022, 9, 860733.	2.6	2
146	Mouth opening/breathing is common in sleep apnea and linked to more nocturnal water loss. Biomedical Journal, 2023, 46, 100536.	3.1	2
147	Abstract CT504: A phase 1 clinical trial to evaluate safety, tolerability, pharmacokinetics (PK) and efficacy of D-1553, a novel KRASG12C inhibitor, in patients with advanced or metastatic solid tumor harboring KRASG12C mutation. Cancer Research, 2022, 82, CT504-CT504.	0.9	2
148	Paclitaxel plus gemcitabine may be as active and well tolerated as paclitaxel plus carboplatin for advanced non-small-cell lung cancerâ~†â~†â~tâ~ Cancer Treatment Reviews, 2003, 29, 69-71.	7.7	1
149	Epidermal growth factor receptor mutation in adenosquamous carcinoma: A step forward. Journal of the Chinese Medical Association, 2013, 76, 477-478.	1.4	1
150	Prognostic factors and first-line treatment modalities in nonagenarian patients with lung cancer. Journal of Geriatric Oncology, 2019, 10, 439-441.	1.0	1
151	Sâ€1 plus cisplatin as firstâ€line treatment of patients with advanced nonâ€small cell lung cancer in Taiwan. Asia-Pacific Journal of Clinical Oncology, 2020, 16, e68-e73.	1.1	1
152	Sequence for Surgical Resection of Primary Lung Tumor for Oligometastatic Non-small Cell Lung Cancer. Annals of Thoracic Surgery, 2022, 113, 1333-1340.	1.3	1
153	Efficacy of Paclitaxel plus TS1 against previously treatedEGFRmutated non-small cell lung cancer. PeerJ, 2019, 7, e7767.	2.0	1
154	Chest film demonstrating reverse batwing pulmonary opacities in a patient with COVID-19 pneumonia. Tuberculosis and Respiratory Diseases, 2021, , .	1.8	1
155	The clinical manifestations and interval changes of reverse-transcriptase quantitative polymerase chain reactions among different specimens of coronavirus disease 2019 patients. Journal of the Chinese Medical Association, 2021, 84, 151-157.	1.4	1
156	Abstract CT572: Phase 1b dose-escalation and dose-expansion study evaluating trastuzumab deruxtecan (T-DXd) in combination with durvalumab and cisplatin, carboplatin, or pemetrexed in advanced or metastatic, HER2-overexpressing, nonsquamous non-small cell lung cancer (NSCLC): DESTINY-Lung03. Cancer Research, 2022, 82, CT572-CT572.	0.9	1
157	Tepotinib in Asian patients with advanced NSCLC with <i>MET</i> exon 14 ( <i>MET</i> ex14) skipping Journal of Clinical Oncology, 2022, 40, 9120-9120.	1.6	1
158	Changing causes of death post-epidermal growth factor receptor-tyrosine kinase inhibitor (EGFR-TKI) era in patients with advanced non-small cell lung cancer (NSCLC) Journal of Clinical Oncology, 2012, 30, e18132-e18132.	1.6	0
159	Maintenance therapy with gefitinib (G)/pemetrexed (P) versus P alone after induction therapy with P/platinum for metastatic lung adenocarcinoma (MLADC) harboring no sensitizing epidermal growth factor receptor mutation (sEGFRm): A phase II multicenter randomized open-label study (GENIUS trial) lournal of Clinical Oncology, 2015, 33, 8043-8043.	1.6	0
160	Interleukin-2 stimulation activates mesothelial cellular functioning against autologous tumor cells. Journal of the Chinese Medical Association, 2004, 67, 323-30.	1.4	0