

# Jian-Hua Fu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7461310/publications.pdf>

Version: 2024-02-01

99  
papers

2,572  
citations

279701

23  
h-index

254106

43  
g-index

115  
all docs

115  
docs citations

115  
times ranked

2854  
citing authors

#	ARTICLE	IF	CITATIONS
1	Neoadjuvant Chemoradiotherapy Followed by Surgery Versus Surgery Alone for Locally Advanced Squamous Cell Carcinoma of the Esophagus (NEOCRTEC5010): A Phase III Multicenter, Randomized, Open-Label Clinical Trial. <i>Journal of Clinical Oncology</i> , 2018, 36, 2796-2803.	0.8	558
2	Long-term Efficacy of Neoadjuvant Chemoradiotherapy Plus Surgery for the Treatment of Locally Advanced Esophageal Squamous Cell Carcinoma. <i>JAMA Surgery</i> , 2021, 156, 721.	2.2	120
3	MMP1 promotes tumor growth and metastasis in esophageal squamous cell carcinoma. <i>Cancer Letters</i> , 2016, 377, 97-104.	3.2	93
4	Assessment of Intratumoral and Peritumoral Computed Tomography Radiomics for Predicting Pathological Complete Response to Neoadjuvant Chemoradiation in Patients With Esophageal Squamous Cell Carcinoma. <i>JAMA Network Open</i> , 2020, 3, e2015927.	2.8	83
5	Computed tomography-based deep-learning prediction of neoadjuvant chemoradiotherapy treatment response in esophageal squamous cell carcinoma. <i>Radiotherapy and Oncology</i> , 2021, 154, 6-13.	0.3	78
6	An Evaluation of the Number of Lymph Nodes Examined and Survival for Node-Negative Esophageal Carcinoma: Data from China. <i>Annals of Surgical Oncology</i> , 2010, 17, 1901-1911.	0.7	62
7	Identification and Validation of Lymphovascular Invasion as a Prognostic and Staging Factor in Node-Negative Esophageal Squamous Cell Carcinoma. <i>Journal of Thoracic Oncology</i> , 2016, 11, 583-592.	0.5	62
8	Downregulation of MicroRNA-644a Promotes Esophageal Squamous Cell Carcinoma Aggressiveness and Stem Cell-like Phenotype via Dysregulation of PITX2. <i>Clinical Cancer Research</i> , 2017, 23, 298-310.	3.2	62
9	Low expression of ULK1 is associated with operable breast cancer progression and is an adverse prognostic marker of survival for patients. <i>Breast Cancer Research and Treatment</i> , 2012, 134, 549-560.	1.1	61
10	Prognostic Impact of Postoperative Lymph Node Metastases After Neoadjuvant Chemoradiotherapy for Locally Advanced Squamous Cell Carcinoma of Esophagus. <i>Annals of Surgery</i> , 2021, 274, e1022-e1029.	2.1	60
11	Prognostic role of neutrophil-lymphocyte ratio in operable esophageal squamous cell carcinoma. <i>World Journal of Gastroenterology</i> , 2015, 21, 5591.	1.4	52
12	Recurrence patterns after neoadjuvant chemoradiotherapy compared with surgery alone in oesophageal squamous cell carcinoma: results from the multicenter phase III trial NEOCRTEC5010. <i>European Journal of Cancer</i> , 2020, 138, 113-121.	1.3	44
13	Thymectomy versus tumor resection for early-stage thymic malignancies: a Chinese Alliance for Research in Thymomas retrospective database analysis. <i>Journal of Thoracic Disease</i> , 2016, 8, 680-686.	0.6	41
14	Comparisons of short-term outcomes between robot-assisted and thoraco-laparoscopic esophagectomy with extended two-field lymph node dissection for resectable thoracic esophageal squamous cell carcinoma. <i>Journal of Thoracic Disease</i> , 2019, 11, 3874-3880.	0.6	37
15	miR-424 coordinates multilayered regulation of cell cycle progression to promote esophageal squamous cell carcinoma cell proliferation. <i>EBioMedicine</i> , 2018, 37, 110-124.	2.7	36
16	Incidence and Distribution of Lobe-Specific Mediastinal Lymph Node Metastasis in Non-small Cell Lung Cancer: Data from 4511 Resected Cases. <i>Annals of Surgical Oncology</i> , 2018, 25, 3300-3307.	0.7	33
17	Perioperative outcomes and long-term survival in clinically early-stage thymic malignancies: video-assisted thoracoscopic thymectomy versus open approaches. <i>Journal of Thoracic Disease</i> , 2016, 8, 673-679.	0.6	32
18	Lymph node metastasis in thymic malignancies: A Chinese multicenter prospective observational study. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018, 156, 824-833.e1.	0.4	32

#	ARTICLE	IF	CITATIONS
19	TRPV6 plays a new role in predicting survival of patients with esophageal squamous cell carcinoma. <i>Diagnostic Pathology</i> , 2016, 11, 14.	0.9	28
20	A Recurrence Predictive Model for Thymic Tumors and Its Implication for Postoperative Management: a Chinese Alliance for Research in Thymomas Database Study. <i>Journal of Thoracic Oncology</i> , 2020, 15, 448-456.	0.5	28
21	Postoperative survival for patients with thymoma complicating myasthenia gravis—preliminary retrospective results of the ChART database. <i>Journal of Thoracic Disease</i> , 2016, 8, 711-717.	0.6	27
22	Lymph node metastases in thymic malignancies: a Chinese Alliance for Research in Thymomas retrospective database analysis. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2017, 25, 455-461.	0.5	27
23	Entinostat reverses cisplatin resistance in esophageal squamous cell carcinoma via down-regulation of multidrug resistance gene 1. <i>Cancer Letters</i> , 2018, 414, 294-300.	3.2	27
24	Smoking Affects Treatment Outcome in Patients with Resected Esophageal Squamous Cell Carcinoma Who Received Chemotherapy. <i>PLoS ONE</i> , 2015, 10, e0123246.	1.1	27
25	Management of thymic tumors—consensus based on the Chinese Alliance for Research in Thymomas Multi-institutional retrospective studies. <i>Journal of Thoracic Disease</i> , 2016, 8, 641-645.	0.6	26
26	The incidence and distribution of mediastinal lymph node metastasis and its impact on survival in patients with non-small-cell lung cancers 3 cm or less: data from 2292 cases. <i>European Journal of Cardio-thoracic Surgery</i> , 2019, 56, 159-166.	0.6	25
27	KIF-2C expression is correlated with poor prognosis of operable esophageal squamous cell carcinoma male patients. <i>Oncotarget</i> , 2016, 7, 80493-80507.	0.8	25
28	International expert consensus on the management of bleeding during VATS lung surgery. <i>Annals of Translational Medicine</i> , 2019, 7, 712-712.	0.7	23
29	Multi-region exome sequencing reveals the intratumoral heterogeneity of surgically resected small cell lung cancer. <i>Nature Communications</i> , 2021, 12, 5431.	5.8	23
30	Video-assisted thoracoscopic surgery versus open surgery for Stage I thymic epithelial tumours: a propensity score-matched study. <i>European Journal of Cardio-thoracic Surgery</i> , 2018, 54, 1037-1044.	0.6	22
31	Lack of epidermal growth factor receptor gene mutations in exons 19 and 21 in primary lymphoepithelioma-like carcinoma of the lung. <i>Thoracic Cancer</i> , 2014, 5, 63-67.	0.8	21
32	NHE9 induces chemoradiotherapy resistance in esophageal squamous cell carcinoma by upregulating the Src/Akt/β-catenin pathway and Bcl-2 expression. <i>Oncotarget</i> , 2015, 6, 12405-12420.	0.8	21
33	Preoperative induction therapy for locally advanced thymic tumors: a retrospective analysis using the ChART database. <i>Journal of Thoracic Disease</i> , 2016, 8, 665-672.	0.6	21
34	The role of postoperative radiotherapy for stage I/II/III thymic tumor—results of the ChART retrospective database. <i>Journal of Thoracic Disease</i> , 2016, 8, 687-695.	0.6	20
35	Comparison of the Masaoka-Koga staging and the International Association for the Study of Lung Cancer/the International Thymic Malignancies Interest Group proposal for the TNM staging systems based on the Chinese Alliance for Research in Thymomas retrospective database. <i>Journal of Thoracic Disease</i> , 2016, 8, 727-737.	0.6	20
36	The epithelial-mesenchymal transition phenotype of metastatic lymph nodes impacts the prognosis of esophageal squamous cell carcinoma patients. <i>Oncotarget</i> , 2016, 7, 37581-37588.	0.8	20

#	ARTICLE	IF	CITATIONS
37	Removable, Fully Covered, Self-expandable Metal Stents for the Treatment of Refractory Benign Esophagogastric Anastomotic Strictures. <i>Dysphagia</i> , 2012, 27, 260-264.	1.0	19
38	Impact of L4 lymph node dissection on long-term survival in left-side operable non-small-cell lung cancer: a propensity score matching study. <i>European Journal of Cardio-thoracic Surgery</i> , 2020, 57, 1181-1188.	0.6	19
39	Concurrent chemoradiotherapy combined with enteral nutrition support: a radical treatment strategy for esophageal squamous cell carcinoma patients with malignant fistulae. <i>Chinese Journal of Cancer</i> , 2017, 36, 8.	4.9	18
40	Dual-region radiomics signature: Integrating primary tumor and lymph node computed tomography features improves survival prediction in esophageal squamous cell cancer. <i>Computer Methods and Programs in Biomedicine</i> , 2021, 208, 106287.	2.6	18
41	Decreased mRNA expression of transcription factor forkhead box F2 is an indicator of poor prognosis in patients with resected esophageal squamous cell carcinoma. <i>Molecular and Clinical Oncology</i> , 2015, 3, 713-719.	0.4	17
42	Combined modalities of magnetic resonance imaging, endoscopy and computed tomography in the evaluation of tumor responses to definitive chemoradiotherapy in esophageal squamous cell carcinoma. <i>Radiotherapy and Oncology</i> , 2016, 121, 239-245.	0.3	17
43	Prognostic Factors for Locoregional Recurrence in Patients with Thoracic Esophageal Squamous Cell Carcinoma Treated with Radical Two-Field Lymph Node Dissection: Results from Long-Term Follow-Up. <i>Annals of Surgical Oncology</i> , 2017, 24, 966-973.	0.7	17
44	The Society for Translational Medicine: indications and methods of percutaneous transthoracic needle biopsy for diagnosis of lung cancer. <i>Journal of Thoracic Disease</i> , 2018, 10, 5538-5544.	0.6	17
45	Using Genomics Feature Selection Method in Radiomics Pipeline Improves Prognostication Performance in Locally Advanced Esophageal Squamous Cell Carcinoma—A Pilot Study. <i>Cancers</i> , 2021, 13, 2145.	1.7	17
46	Prognostic Value of a Four-miRNA Signature in Patients With Lymph Node Positive Locoregional Esophageal Squamous Cell Carcinoma Undergoing Complete Surgical Resection. <i>Annals of Surgery</i> , 2021, 273, 523-531.	2.1	16
47	Phenotypic profiling and prognostic significance of immune infiltrates in esophageal squamous cell carcinoma. <i>Oncimmunology</i> , 2021, 10, 1883890.	2.1	16
48	Maximum standardized uptake value on PET/CT in preoperative assessment of lymph node metastasis for thoracic esophageal squamous cell carcinoma. <i>Chinese Journal of Cancer</i> , 2014, 33, 211-7.	4.9	16
49	Clinicopathological features and outcome of gastric metastases from primary lung cancer: A case report and systematic review. <i>Oncology Letters</i> , 2015, 9, 1373-1379.	0.8	15
50	Prognostic significance of SLC9A9 in patients with resectable esophageal squamous cell carcinoma. <i>Tumor Biology</i> , 2015, 36, 6797-6803.	0.8	15
51	Neoadjuvant chemoradiotherapy with cisplatin plus vinorelbine versus cisplatin plus fluorouracil for esophageal squamous cell carcinoma: A matched case-control study. <i>Radiotherapy and Oncology</i> , 2015, 116, 262-268.	0.3	15
52	MIIP accelerates epidermal growth factor receptor protein turnover and attenuates proliferation in non-small cell lung cancer. <i>Oncotarget</i> , 2016, 7, 9118-9134.	0.8	15
53	Radiocolloid in Combination with Methylene Dye Localization, Rather Than Wire Localization, is a Preferred Procedure for Excisional Biopsy of Nonpalpable Breast Lesions. <i>Annals of Surgical Oncology</i> , 2011, 18, 109-113.	0.7	13
54	Prognostic significance of FAM3C in esophageal squamous cell carcinoma. <i>Diagnostic Pathology</i> , 2015, 10, 192.	0.9	13

#	ARTICLE	IF	CITATIONS
55	Comparison of right- and left-approach esophagectomy for elderly patients with operable thoracic esophageal squamous cell carcinoma: a propensity matched study. <i>Journal of Thoracic Disease</i> , 2017, 9, 1883-1890.	0.6	13
56	Efficacy of Endoscopic Ultrasonography for Determining Clinical T Category for Esophageal Squamous Cell Carcinoma: Data From 1434 Surgical Cases. <i>Annals of Surgical Oncology</i> , 2018, 25, 2075-2082.	0.7	13
57	Modification of Pathologic T Classification for Non-small Cell Lung Cancer With Visceral Pleural Invasion. <i>Chest</i> , 2021, 160, 754-764.	0.4	13
58	Pathological complete response after neoadjuvant treatment determines survival in esophageal squamous cell carcinoma patients (NEOCRTEC5010). <i>Annals of Translational Medicine</i> , 2021, 9, 1516-1516.	0.7	13
59	Cyclin D1 expression predicts postoperative distant metastasis and survival in resectable esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2016, 7, 31088-31096.	0.8	13
60	International consensus statement on robot-assisted minimally invasive esophagectomy (RAMIE). <i>Journal of Thoracic Disease</i> , 2020, 12, 7387-7401.	0.6	13
61	Updated incidence rates and risk factors of esophageal cancer in Nan'ao Island, a coastal high-risk area in southern China. <i>Ecological Management and Restoration</i> , 2016, 30, n/a-n/a.	0.2	11
62	Lymph node station ratio: Revised nodal category for resected esophageal squamous cell carcinoma patients. <i>Journal of Surgical Oncology</i> , 2017, 116, 939-946.	0.8	11
63	Prognostic Role of Nodal Skip Metastasis in Thoracic Esophageal Squamous Cell Carcinoma: A Large-Scale Multicenter Study. <i>Annals of Surgical Oncology</i> , 2021, 28, 6341-6352.	0.7	11
64	Prognostic significance of the pN classification supplemented by body mass index for esophageal squamous cell carcinoma. <i>Thoracic Cancer</i> , 2015, 6, 765-771.	0.8	10
65	Society for Translational Medicine Expert consensus on the selection of surgical approaches in the management of thoracic esophageal carcinoma. <i>Journal of Thoracic Disease</i> , 2019, 11, 319-328.	0.6	10
66	Adjuvant Therapy for a Microscopically Incomplete Resection Margin after an Esophagectomy for Esophageal Squamous Cell Carcinoma. <i>Journal of Cancer</i> , 2017, 8, 249-257.	1.2	9
67	Elevated pretreatment serum lactate dehydrogenase level predicts inferior overall survival and disease-free survival after resection of thymic carcinoma. <i>Journal of Thoracic Disease</i> , 2017, 9, 4550-4560.	0.6	9
68	Lymph Node Station-Based Nodal Staging System for Esophageal Squamous Cell Carcinoma: A Large-Scale Multicenter Study. <i>Annals of Surgical Oncology</i> , 2019, 26, 4045-4052.	0.7	9
69	Impact of Examined Lymph Node Count for Esophageal Squamous Cell Carcinoma in Patients who Underwent Right Transthoracic Esophagectomy. <i>Annals of Surgical Oncology</i> , 2021, 28, 3025-3033.	0.7	9
70	Society for Translational Medicine Expert Consensus on the prevention and treatment of postoperative pulmonary infection in esophageal cancer patients. <i>Journal of Thoracic Disease</i> , 2018, 10, 1050-1057.	0.6	8
71	Society for Translational Medicine Expert Consensus on the preoperative assessment of circulatory and cardiac functions and criteria for the assessment of risk factors in patients with lung cancer. <i>Journal of Thoracic Disease</i> , 2018, 10, 5545-5549.	0.6	8
72	JMJD3 promotes esophageal squamous cell carcinoma pathogenesis through epigenetic regulation of MYC. <i>Signal Transduction and Targeted Therapy</i> , 2020, 5, 165.	7.1	8

#	ARTICLE	IF	CITATIONS
73	The prognostic value of a seven-lncRNA signature in patients with esophageal squamous cell carcinoma: a lncRNA expression analysis. <i>Journal of Translational Medicine</i> , 2020, 18, 47.	1.8	8
74	A Propensity Score-Matched Analysis of Thoracoscopic vs Open McKeown's Esophagectomy. <i>Annals of Thoracic Surgery</i> , 2022, 113, 473-481.	0.7	7
75	The application of postoperative chemotherapy in thymic tumors and its prognostic effect. <i>Journal of Thoracic Disease</i> , 2016, 8, 696-704.	0.6	7
76	Aggressive surgical resection does not improve survival in operable esophageal squamous cell carcinoma with N2-3 status. <i>World Journal of Gastroenterology</i> , 2015, 21, 8644.	1.4	7
77	Prophylactic thoracic duct ligation is associated with poor prognosis and regional lymph node relapse in esophageal squamous cell carcinoma. <i>Journal of Surgical Oncology</i> , 2020, 122, 336-343.	0.8	6
78	A randomised comparison of the efficacy of a Coopdech bronchial blocker and a double-lumen endotracheal tube for minimally invasive esophagectomy. <i>Translational Cancer Research</i> , 2020, 9, 4686-4692.	0.4	6
79	Integration of Tumor Heterogeneity for Recurrence Prediction in Patients with Esophageal Squamous Cell Cancer. <i>Cancers</i> , 2021, 13, 6084.	1.7	6
80	MIIIP expression predicts outcomes of surgically resected esophageal squamous cell carcinomas. <i>Tumor Biology</i> , 2016, 37, 10141-10148.	0.8	5
81	Society for Translational Medicine expert consensus on training and certification standards for surgeons and assistants in minimally invasive surgery for lung cancer. <i>Journal of Thoracic Disease</i> , 2018, 10, 5666-5672.	0.6	5
82	Adjuvant radiotherapy, chemotherapy or surgery alone for high-risk histological node negative esophageal squamous cell carcinoma: Protocol for a multicenter prospective randomized controlled trial. <i>Thoracic Cancer</i> , 2018, 9, 1801-1806.	0.8	5
83	Endobronchial Ultrasound Improves Evaluation of Recurrent Laryngeal Nerve Lymph Nodes in Esophageal Squamous Cell Carcinoma Patients. <i>Annals of Surgical Oncology</i> , 2021, 28, 3930-3938.	0.7	5
84	Society for Translational Medicine expert consensus on the use of antibacterial drugs in thoracic surgery. <i>Journal of Thoracic Disease</i> , 2018, 10, 6356-6374.	0.6	4
85	Evaluation of Fibrin Sealant in Prevention of Cervical Anastomotic Leakage After McKeown Esophagectomy: A Single-Center, Retrospective Study. <i>Annals of Surgical Oncology</i> , 2021, 28, 6390-6397.	0.7	4
86	Low GSTM3 expression is associated with poor disease-free survival in resected esophageal squamous cell carcinoma. <i>Diagnostic Pathology</i> , 2021, 16, 10.	0.9	4
87	Impact of examined lymph node count for oesophageal squamous cell carcinoma in patients who underwent left transthoracic oesophagectomy. <i>European Journal of Surgical Oncology</i> , 2020, 46, 1956-1962.	0.5	4
88	Fibrin sealant for esophageal anastomosis: A phase II study. <i>World Journal of Gastrointestinal Oncology</i> , 2020, 12, 651-662.	0.8	4
89	Prognostic impact of sterilized lymph nodes in esophageal squamous cell carcinomas after neoadjuvant chemoradiotherapy. <i>European Journal of Surgical Oncology</i> , 2021, 47, 3074-3080.	0.5	2
90	Prognostic impact of lymph node harvest for patients with node-negative esophageal squamous cell carcinoma: a large-scale multicenter study. <i>Journal of Gastrointestinal Oncology</i> , 2021, 12, 1951-1962.	0.6	2

#	ARTICLE	IF	CITATIONS
91	Response to Comment on “Prognostic Impact of Postoperative Lymph Node Metastases After Neoadjuvant Chemoradiotherapy for Locally Advanced Squamous Cell Carcinoma of Esophagus”. <i>Annals of Surgery</i> , 2021, 274, e768-e769.	2.1	2
92	The Least Nodal Disease Burden Defines the Minimum Number of Nodes Retrieved for Esophageal Squamous Cell Carcinoma. <i>Frontiers in Oncology</i> , 2022, 12, 764227.	1.3	2
93	The characteristics and prognostic significance of esophageal squamous cell carcinoma with synchronous multiple lesions: over 10-year experience. <i>Esophagus</i> , 2021, 18, 851-860.	1.0	1
94	Operable breast cancer: A clinical analysis of 6,263 cases. <i>Chinese Journal of Clinical Oncology</i> , 2005, 2, 761-766.	0.0	0
95	Surgery with and without chemotherapy for localized carcinoma of esophagus: a meta-analysis. <i>Chinese-German Journal of Clinical Oncology</i> , 2007, 6, P241-P244.	0.1	0
96	Similar Significance of Lymphovascular Invasion with Different Treatment Modalities Among Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2017, 24, 673-674.	0.7	0
97	ASO Author Reflection: Use of Endobronchial Ultrasound in the Evaluation of Recurrent Laryngeal Nerve Lymph Nodes in Esophageal Squamous Cell Carcinoma Patients. <i>Annals of Surgical Oncology</i> , 2021, 28, 3939-3940.	0.7	0
98	Abstract 1601: Neoadjuvant programmed death-1 blockade plus chemotherapy in locally advanced esophageal squamous cell carcinoma. , 2021, , .		0
99	Evaluating Long-term Efficacy of Neoadjuvant Chemoradiotherapy Plus Surgery for the Treatment of Locally Advanced Esophageal Squamous Cell Carcinoma—Reply. <i>JAMA Surgery</i> , 2022, , .	2.2	0