

Ulrich John

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7462065/ulrich-john-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

306
papers

15,203
citations

56
h-index

114
g-index

316
ext. papers

17,014
ext. citations

4.7
avg, IF

5.78
L-index

#	Paper	IF	Citations
306	Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. <i>Nature Genetics</i> , 2010 , 42, 937-48	36.3	2267
305	Cohort profile: the study of health in Pomerania. <i>International Journal of Epidemiology</i> , 2011 , 40, 294-307	7.8	704
304	Meta-analysis and imputation refines the association of 15q25 with smoking quantity. <i>Nature Genetics</i> , 2010 , 42, 436-40	36.3	521
303	Sex and the risk of restless legs syndrome in the general population. <i>Archives of Internal Medicine</i> , 2004 , 164, 196-202		511
302	A genome-wide association study identifies colorectal cancer susceptibility loci on chromosomes 10p14 and 8q23.3. <i>Nature Genetics</i> , 2008 , 40, 623-30	36.3	463
301	Study of Health In Pomerania (SHIP): a health examination survey in an east German region: objectives and design. <i>International Journal of Public Health</i> , 2001 , 46, 186-94		395
300	Screening for mental health: validity of the MHI-5 using DSM-IV Axis I psychiatric disorders as gold standard. <i>Psychiatry Research</i> , 2001 , 105, 243-53	9.9	394
299	FTO genotype is associated with phenotypic variability of body mass index. <i>Nature</i> , 2012 , 490, 267-72	50.4	304
298	The predictive value of different measures of obesity for incident cardiovascular events and mortality. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 1777-85	5.6	268
297	Screening for alcohol use disorders and at-risk drinking in the general population: psychometric performance of three questionnaires. <i>Alcohol and Alcoholism</i> , 2002 , 37, 261-8	3.5	198
296	Hepatic steatosis is associated with an increased risk of carotid atherosclerosis. <i>World Journal of Gastroenterology</i> , 2005 , 11, 1848-53	5.6	197
295	Moderation of adult depression by a polymorphism in the FKBP5 gene and childhood physical abuse in the general population. <i>Neuropsychopharmacology</i> , 2011 , 36, 1982-91	8.7	191
294	Trauma, posttraumatic stress disorder, and physical illness: findings from the general population. <i>Psychosomatic Medicine</i> , 2009 , 71, 1012-7	3.7	189
293	The prevalence of undiagnosed thyroid disorders in a previously iodine-deficient area. <i>Thyroid</i> , 2003 , 13, 803-10	6.2	184
292	Smoking, nicotine dependence and psychiatric comorbidity--a population-based study including smoking cessation after three years. <i>Drug and Alcohol Dependence</i> , 2004 , 76, 287-95	4.9	175
291	Impact of fatty liver disease on health care utilization and costs in a general population: a 5-year observation. <i>Gastroenterology</i> , 2008 , 134, 85-94	13.3	155
290	Reference intervals of serum thyroid function tests in a previously iodine-deficient area. <i>Thyroid</i> , 2005 , 15, 279-85	6.2	155

289	Association of posttraumatic stress disorder with low-grade elevation of C-reactive protein: evidence from the general population. <i>Journal of Psychiatric Research</i> , 2010 , 44, 15-21	5.2	153
288	Serotonin transporter gene (SLC6A4) promoter polymorphisms and the susceptibility to posttraumatic stress disorder in the general population. <i>American Journal of Psychiatry</i> , 2009 , 166, 926-33	11.9	142
287	Independent risk factors for gallstone formation in a region with high cholelithiasis prevalence. <i>Digestion</i> , 2005 , 71, 97-105	3.6	141
286	Age-specific reference ranges for serum testosterone and androstenedione concentrations in women measured by liquid chromatography-tandem mass spectrometry. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 408-15	5.6	126
285	Gender differences in the relationship between periodontal disease, tooth loss, and atherosclerosis. <i>Stroke</i> , 2004 , 35, 2029-35	6.7	122
284	Thyroid function and carotid wall thickness. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 2145-9	5.6	120
283	Association of smoking and nicotine dependence with trauma and posttraumatic stress disorder in a general population sample. <i>Journal of Nervous and Mental Disease</i> , 2005 , 193, 843-6	1.8	110
282	The association of thyroid function with cardiac mass and left ventricular hypertrophy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 673-7	5.6	106
281	The importance of a positive family history of alcoholism, parental rejection and emotional warmth, behavioral problems and peer substance use for alcohol problems in teenagers: a path analysis. <i>Journal of Studies on Alcohol and Drugs</i> , 2002 , 63, 305-15		105
280	Post-traumatic stress disorder: the role of trauma, pre-existing psychiatric disorders, and gender. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006 , 256, 299-306	5.1	102
279	Hepatitis B and C virus infection and the risk of atherosclerosis in a general population. <i>Atherosclerosis</i> , 2004 , 174, 99-103	3.1	102
278	Continuous individual support of smoking cessation using text messaging: a pilot experimental study. <i>Nicotine and Tobacco Research</i> , 2009 , 11, 915-23	4.9	99
277	Menopausal status and hepatic steatosis in a general female population. <i>Gut</i> , 2007 , 56, 594-5	19.2	99
276	The relation of exposure to shift work with atherosclerosis and myocardial infarction in a general population. <i>Atherosclerosis</i> , 2008 , 201, 205-11	3.1	89
275	The reliability and validity of the Alcohol Use Disorders Identification Test (AUDIT) in a German general practice population sample. <i>Journal of Studies on Alcohol and Drugs</i> , 2006 , 67, 473-81		88
274	Tobacco smoking in relation to pain in a national general population survey. <i>Preventive Medicine</i> , 2006 , 43, 477-81	4.3	87
273	Efficacy of a text message-based smoking cessation intervention for young people: a cluster randomized controlled trial. <i>Journal of Medical Internet Research</i> , 2013 , 15, e171	7.6	85
272	Childhood maltreatment, the corticotropin-releasing hormone receptor gene and adult depression in the general population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 1483-93	3.5	84

271	Association between high serum ferritin levels and carotid atherosclerosis in the study of health in Pomerania (SHIP). <i>Stroke</i> , 2004 , 35, 453-7	6.7	84
270	Probabilities of alcohol high-risk drinking, abuse or dependence estimated on grounds of tobacco smoking and nicotine dependence. <i>Addiction</i> , 2003 , 98, 805-14	4.6	83
269	Strength of the relationship between tobacco smoking, nicotine dependence and the severity of alcohol dependence syndrome criteria in a population-based sample. <i>Alcohol and Alcoholism</i> , 2003 , 38, 606-12	3.5	82
268	Heart valve sclerosis predicts all-cause and cardiovascular mortality. <i>Atherosclerosis</i> , 2010 , 209, 606-10	3.1	79
267	Association between behavior-dependent cardiovascular risk factors and asymptomatic carotid atherosclerosis in a general population. <i>Stroke</i> , 2002 , 33, 2929-35	6.7	78
266	Evaluation of a telephone-based stepped care intervention for alcohol-related disorders: a randomized controlled trial. <i>Drug and Alcohol Dependence</i> , 2008 , 93, 244-51	4.9	75
265	Relation of self-reported sleep duration with carotid intima-media thickness in a general population sample. <i>Atherosclerosis</i> , 2008 , 196, 727-32	3.1	75
264	Loci from a genome-wide analysis of bilirubin levels are associated with gallstone risk and composition. <i>Gastroenterology</i> , 2010 , 139, 1942-1951.e2	13.3	74
263	Development of a Screening Questionnaire for the General Hospital and General Practices. <i>Alcoholism: Clinical and Experimental Research</i> , 1997 , 21, 894-898	3.7	74
262	Familiality of obsessive-compulsive disorder in nonclinical and clinical subjects. <i>American Journal of Psychiatry</i> , 2006 , 163, 1986-92	11.9	74
261	Extended recruitment efforts minimize attrition but not necessarily bias. <i>Journal of Clinical Epidemiology</i> , 2009 , 62, 252-60	5.7	72
260	Alexithymia, hypertension, and subclinical atherosclerosis in the general population. <i>Journal of Psychosomatic Research</i> , 2010 , 68, 139-47	4.1	70
259	Trauma and posttraumatic stress disorder in the elderly: findings from a German community study. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 693-700	4.6	70
258	Relationships of psychiatric disorders with overweight and obesity in an adult general population. <i>Obesity</i> , 2005 , 13, 101-9		68
257	Nicotine dependence, quit attempts, and quitting among smokers in a regional population sample from a country with a high prevalence of tobacco smoking. <i>Preventive Medicine</i> , 2004 , 38, 350-8	4.3	67
256	Genetic epistasis between the brain-derived neurotrophic factor Val66Met polymorphism and the 5-HTT promoter polymorphism moderates the susceptibility to depressive disorders after childhood abuse. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2012 , 36, 264-70	5.5	63
255	Tooth loss and cognitive impairment. <i>Journal of Clinical Periodontology</i> , 2009 , 36, 550-7	7.7	62
254	The glu298asp polymorphism in the nitric oxide synthase 3 gene is associated with the risk of ischemic stroke in two large independent case-control studies. <i>Human Genetics</i> , 2007 , 121, 169-78	6.3	62

253	Lifetime-comorbidity of obsessive-compulsive disorder and subclinical obsessive-compulsive disorder in Northern Germany. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2001 , 251, 130-5	5.1	62
252	Proactive interventions for smoking cessation in general medical practice: a quasi-randomized controlled trial to examine the efficacy of computer-tailored letters and physician-delivered brief advice. <i>Addiction</i> , 2008 , 103, 294-304	4.6	60
251	Low serum thyrotropin is associated with high plasma fibrinogen. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 530-4	5.6	57
250	Association of mental distress with health care utilization and costs: a 5-year observation in a general population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 835-44	4.5	55
249	The impact of childhood trauma on depression: does resilience matter? Population-based results from the Study of Health in Pomerania. <i>Journal of Psychosomatic Research</i> , 2014 , 77, 97-103	4.1	53
248	Depressive disorders are related to nicotine dependence in the population but do not necessarily hamper smoking cessation. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 169-76	4.6	53
247	Randomized controlled trial of a brief intervention for problematic prescription drug use in non-treatment-seeking patients. <i>Addiction</i> , 2009 , 104, 109-17	4.6	52
246	Caries and periodontal disease of the elderly in Pomerania, Germany: results of the Study of Health in Pomerania. <i>Gerodontology</i> , 2004 , 21, 27-36	2.8	52
245	Brief alcohol intervention for general hospital inpatients: a randomized controlled trial. <i>Drug and Alcohol Dependence</i> , 2008 , 93, 233-43	4.9	50
244	Association between alcohol consumption and subclinical carotid atherosclerosis: the Study of Health in Pomerania. <i>Stroke</i> , 2005 , 36, 1746-52	6.7	50
243	Efficacy of a text messaging (SMS) based smoking cessation intervention for adolescents and young adults: study protocol of a cluster randomised controlled trial. <i>BMC Public Health</i> , 2012 , 12, 51	4.1	48
242	Harm avoidance in subjects with obsessive-compulsive disorder and their families. <i>Journal of Affective Disorders</i> , 2008 , 107, 265-9	6.6	48
241	Alexithymia and brain gray matter volumes in a general population sample. <i>Human Brain Mapping</i> , 2014 , 35, 5932-45	5.9	47
240	The association between fatty liver disease and blood pressure in a population-based prospective longitudinal study. <i>Journal of Hypertension</i> , 2010 , 28, 1829-35	1.9	47
239	Effect of the interaction between childhood abuse and rs1360780 of the FKBP5 gene on gray matter volume in a general population sample. <i>Human Brain Mapping</i> , 2016 , 37, 1602-13	5.9	47
238	Excess mortality of alcohol-dependent individuals after 14 years and mortality predictors based on treatment participation and severity of alcohol dependence. <i>Alcoholism: Clinical and Experimental Research</i> , 2013 , 37, 156-63	3.7	46
237	Associations between the oxytocin receptor gene (OXTR) and "mind-reading" in humans--an exploratory study. <i>Nordic Journal of Psychiatry</i> , 2013 , 67, 15-21	2.3	45
236	Relation of parity with common carotid intima-media thickness among women of the Study of Health in Pomerania. <i>Stroke</i> , 2005 , 36, 938-43	6.7	45

235	Moderation of adult depression by the serotonin transporter promoter variant (5-HTTLPR), childhood abuse and adult traumatic events in a general population sample. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 298-309	3.5	43
234	Measuring sense of coherence with only three items: a useful tool for population surveys. <i>British Journal of Health Psychology</i> , 2003 , 8, 409-21	8.3	43
233	Alcohol high risk drinking, abuse and dependence among tobacco smoking medical care patients and the general population. <i>Drug and Alcohol Dependence</i> , 2003 , 69, 189-95	4.9	43
232	Alexithymia in obsessive-compulsive disorder - results from a family study. <i>Psychotherapy and Psychosomatics</i> , 2006 , 75, 312-8	9.4	42
231	Gender differences in the relation between number of teeth and systolic blood pressure. <i>Journal of Hypertension</i> , 2006 , 24, 1257-63	1.9	42
230	Readiness for change and readiness for help-seeking: a composite assessment of client motivation. <i>Alcohol and Alcoholism</i> , 2005 , 40, 540-4	3.5	42
229	Relationships of psychiatric disorders with sleep duration in an adult general population sample. <i>Journal of Psychiatric Research</i> , 2005 , 39, 577-83	5.2	41
228	Health risk factors and self-rated health among job-seekers. <i>BMC Public Health</i> , 2011 , 11, 659	4.1	40
227	Adherence to the principles of Motivational Interviewing, clients characteristics and behavior outcome in a smoking cessation and relapse prevention trial in women postpartum. <i>Addictive Behaviors</i> , 2007 , 32, 2297-303	4.2	40
226	Periodontal disease, but not edentulism, is independently associated with increased plasma fibrinogen levels. Results from a population-based study. <i>Thrombosis and Haemostasis</i> , 2004 , 92, 244-52 ⁷		40
225	Relation among stage of change, demographic characteristics, smoking history, and nicotine dependence in an adult German population. <i>Preventive Medicine</i> , 2003 , 37, 368-74	4.3	40
224	Specific somatoform disorder in the general population. <i>Psychosomatics</i> , 2003 , 44, 304-11	2.6	40
223	A pre-post study on the appropriateness and effectiveness of a Web- and text messaging-based intervention to reduce problem drinking in emerging adults. <i>Journal of Medical Internet Research</i> , 2013 , 15, e196	7.6	39
222	Menopause and determinants of quality of life in women at midlife and beyond: the study of health in pomerania (SHIP). <i>Menopause</i> , 2007 , 14, 123-34	2.5	38
221	Occupational exposure to ionizing radiation is associated with autoimmune thyroid disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 4587-92	5.6	38
220	Tooth loss is independently associated with the risk of acquired aortic valve sclerosis. <i>American Heart Journal</i> , 2005 , 150, 1198-203	4.9	38
219	Motivation to change drinking behavior: comparison of alcohol-dependent individuals in a general hospital and a general population sample. <i>General Hospital Psychiatry</i> , 1999 , 21, 348-53	5.6	38
218	Attitudes towards smoking policies and tobacco control measures in relation to smoking status and smoking behaviour. <i>European Journal of Public Health</i> , 2006 , 16, 513-9	2.1	37

217	Somatoform pain disorder in the general population. <i>Psychotherapy and Psychosomatics</i> , 2003 , 72, 88-94	9.4	37
216	Laboratory markers carbohydrate-deficient transferrin, gamma-glutamyltransferase, and mean corpuscular volume are not useful as screening tools for high-risk drinking in the general population: results from the Study of Health in Pomerania (SHIP). <i>Alcoholism: Clinical and Experimental Research</i> , 2004 , 28, 931-40	3.7	37
215	Early onset of obsessive-compulsive disorder and associated comorbidity. <i>Depression and Anxiety</i> , 2009 , 26, 1012-7	8.4	36
214	Smoking cessation and relapse prevention for postpartum women: results from a randomized controlled trial at 6, 12, 18 and 24 months. <i>Addictive Behaviors</i> , 2009 , 34, 1-8	4.2	36
213	Association between parity and autoimmune thyroiditis in a general female population. <i>Autoimmunity</i> , 2008 , 41, 174-80	3	36
212	The association between subclinical hyperthyroidism and blood pressure in a population-based study. <i>Journal of Hypertension</i> , 2006 , 24, 1947-53	1.9	36
211	Tobacco smoking in relation to analgesic drug use in a national adult population sample. <i>Drug and Alcohol Dependence</i> , 2006 , 85, 49-55	4.9	35
210	Late onset alcoholism. <i>European Psychiatry</i> , 2003 , 18, 112-8	6	35
209	Functional significance of a hereditary adenine insertion variant in the 5QTR of the endothelin-1 gene. <i>Pharmacogenetics and Genomics</i> , 2003 , 13, 445-51		34
208	Impact of psychiatric disorders in the general population: satisfaction with life and the influence of comorbidity and disorder duration. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 435-41	4.5	34
207	Subclinical hyperthyroidism and blood pressure in a population-based prospective cohort study. <i>European Journal of Endocrinology</i> , 2009 , 161, 615-21	6.5	33
206	Distribution and dose response of laboratory markers to alcohol consumption in a general population: results of the study of health in Pomerania (SHIP). <i>Journal of Studies on Alcohol and Drugs</i> , 2003 , 64, 75-82		33
205	Brief intervention in general hospital for problematic prescription drug use: 12-month outcome. <i>Drug and Alcohol Dependence</i> , 2009 , 105, 221-6	4.9	32
204	Effectiveness of brief alcohol interventions for general practice patients with problematic drinking behavior and comorbid anxiety or depressive disorders. <i>Drug and Alcohol Dependence</i> , 2008 , 94, 214-20	4.9	32
203	Alcohol-attributable mortality in a high per capita consumption country -- Germany. <i>Alcohol and Alcoholism</i> , 2002 , 37, 581-5	3.5	32
202	Prevalence trends in lifestyle-related risk factors. <i>Deutsches A&#x0308;rztblatt International</i> , 2015 , 112, 185-92	2.5	32
201	Novel genetic associations for blood pressure identified via gene-alcohol interaction in up to 570K individuals across multiple ancestries. <i>PLoS ONE</i> , 2018 , 13, e0198166	3.7	31
200	The relationship between smokers' motivation to quit and intensity of tobacco control at the population level: a comparison of five European countries. <i>BMC Public Health</i> , 2008 , 8, 2	4.1	31

199	Provision of smoking cessation counseling by general practitioners assisted by training and screening procedure. <i>Patient Education and Counseling</i> , 2006 , 63, 232-8	3.1	31
198	Intentionally reduced smoking among untreated general population smokers: prevalence, stability, prediction of smoking behaviour change and differences between subjects choosing either reduction or abstinence. <i>Addiction</i> , 2003 , 98, 1101-10	4.6	31
197	Psychiatric disorders among at-risk consumers of alcohol in the general population. <i>Journal of Studies on Alcohol and Drugs</i> , 2005 , 66, 246-53		31
196	Inanspruchnahme suchtspezifischer Hilfen von Alkoholabhängigen und -mißbrauchern: Ergebnisse der TACOS-Bevölkerungsstudie. <i>Sucht</i> , 2000 , 46, 9-17	0.5	31
195	Endothelial nitric oxide synthase Glu298Asp gene polymorphism, blood pressure and hypertension in a general population sample. <i>Journal of Hypertension</i> , 2005 , 23, 1361-6	1.9	30
194	Study of Health in Pomerania (SHIP): a health survey in an East German region. Objectives and design of the oral health section. <i>Quintessence International</i> , 2003 , 34, 370-8		30
193	A surveillance tool using mobile phone short message service to reduce alcohol consumption among alcohol-dependent patients. <i>Alcoholism: Clinical and Experimental Research</i> , 2014 , 38, 1728-36	3.7	29
192	Obsessive-compulsive disorder and posttraumatic stress disorder. <i>Psychopathology</i> , 2008 , 41, 129-34	3.4	28
191	Stage of change transitions and processes of change, decisional balance, and self-efficacy in smokers: a transtheoretical model validation using longitudinal data. <i>Psychology of Addictive Behaviors</i> , 2005 , 19, 3-9	3.4	28
190	The readiness to change questionnaire in subjects with hazardous alcohol consumption, alcohol misuse and dependence in a general population survey. <i>Alcohol and Alcoholism</i> , 2002 , 37, 362-9	3.5	28
189	Predictors of hazardous drinking, tobacco smoking and physical inactivity in vocational school students. <i>BMC Public Health</i> , 2013 , 13, 475	4.1	27
188	Reasons for not using smoking cessation aids. <i>BMC Public Health</i> , 2008 , 8, 129	4.1	27
187	Negative perceived paternal parenting is associated with dopamine D2 receptor exon 8 and GABA(A) alpha 6 receptor variants: an explorative study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006 , 141B, 167-72	3.5	27
186	The Fagerström test for nicotine dependence in two adult population samples-potential influence of lifetime amount of tobacco smoked on the degree of dependence. <i>Drug and Alcohol Dependence</i> , 2003 , 71, 1-6	4.9	27
185	Relationship of smoking and/or passive exposure to tobacco smoke on the association between serum thyrotropin and body mass index in large groups of adolescents and children. <i>Thyroid</i> , 2013 , 23, 262-8	6.2	26
184	Association of socioeconomic status with iodine supply and thyroid disorders in northeast Germany. <i>Thyroid</i> , 2013 , 23, 346-53	6.2	26
183	Predictors and moderators of outcome in different brief interventions for smoking cessation in general medical practice. <i>Patient Education and Counseling</i> , 2010 , 78, 57-64	3.1	26
182	Smoking during pregnancy and postpartum: smoking rates and intention to quit smoking or resume after pregnancy. <i>Journal of Women's Health</i> , 2008 , 17, 631-40	3	26

181	Stability of subtypes of natural recovery from alcohol dependence after two years. <i>Addiction</i> , 2007 , 102, 904-8	4.6	26
180	Low testosterone concentrations in men contribute to the gender gap in cardiovascular morbidity and mortality. <i>Gender Medicine</i> , 2012 , 9, 557-68		25
179	Overestimation of drinking norms and its association with alcohol consumption in apprentices. <i>Alcohol and Alcoholism</i> , 2011 , 46, 204-9	3.5	25
178	Readiness to change versus readiness to seek help for alcohol problems: the development of the Treatment Readiness Tool (TReaT). <i>Journal of Studies on Alcohol and Drugs</i> , 2004 , 65, 801-9		25
177	Association between thyroid function and gallstone disease. <i>World Journal of Gastroenterology</i> , 2005 , 11, 5530-4	5.6	25
176	A pilot study on the feasibility and acceptability of a text message-based aftercare treatment programme among alcohol outpatients. <i>Alcohol and Alcoholism</i> , 2015 , 50, 188-94	3.5	24
175	An intervention to support postpartum women to quit smoking or remain smoke-free. <i>Journal of Midwifery and Women's Health</i> , 2006 , 51, 45-50	2.2	24
174	The role of family and partnership in recovery from alcohol dependence: comparison of individuals remitting with and without formal help. <i>European Addiction Research</i> , 2002 , 8, 122-7	4.6	24
173	Maintenance Factors of Recovery From Alcohol Dependence in Treated and Untreated Individuals. <i>Alcoholism: Clinical and Experimental Research</i> , 2000 , 24, 1773-1777	3.7	24
172	Development and evaluation of a screening instrument for alcohol-use disorders and at-risk drinking: the brief alcohol screening instrument for medical care (BASIC). <i>Journal of Studies on Alcohol and Drugs</i> , 2007 , 68, 607-14	1.9	23
171	Malocclusions and clinical signs or subjective symptoms of temporomandibular disorders (TMD) in adults. Results of the population-based Study of Health in Pomerania (SHIP). <i>Journal of Orofacial Orthopedics</i> , 2004 , 65, 88-103	2.9	23
170	Motivation to change risky drinking and motivation to seek help for alcohol risk drinking among general hospital inpatients with problem drinking and alcohol-related diseases. <i>General Hospital Psychiatry</i> , 2010 , 32, 86-93	5.6	22
169	Gender differences in the efficacy of brief interventions with a stepped care approach in general practice patients with alcohol-related disorders. <i>Alcohol and Alcoholism</i> , 2008 , 43, 334-40	3.5	21
168	Changes in the "stages of change" as outcome measures of a smoking cessation intervention: a randomized controlled trial. <i>Preventive Medicine</i> , 2006 , 43, 101-6	4.3	21
167	Endothelial nitric oxide synthase Glu(298)-->Asp polymorphism, carotid atherosclerosis and intima-media thickness in a general population sample. <i>Clinical Science</i> , 2005 , 109, 475-81	6.5	21
166	Naturalistic changes in the readiness to quit tobacco smoking in a German general population sample. <i>Preventive Medicine</i> , 2002 , 35, 326-33	4.3	21
165	Estimating prevalence of alcohol abuse and dependence in one general hospital: an approach to reduce sample selection bias. <i>Alcohol and Alcoholism</i> , 1999 , 34, 786-94	3.5	21
164	High social support buffers the effects of 5-HTTLPR genotypes within social anxiety disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 433-9	5.1	20

163	Periodontitis is related to lung volumes and airflow limitation: a cross-sectional study. <i>European Respiratory Journal</i> , 2013 , 42, 1524-35	13.6	20
162	Support for smoke-free policies in a pro-smoking culture: findings from the European survey on tobacco control attitudes and knowledge. <i>International Journal of Public Health</i> , 2009 , 54, 403-8		20
161	Midwives' attitudes to counselling women about their smoking behaviour during pregnancy and postpartum. <i>Midwifery</i> , 2006 , 22, 32-9	2.8	20
160	Stability of remission from alcohol dependence without formal help. <i>Alcohol and Alcoholism</i> , 2006 , 41, 311-4	3.5	20
159	Intention to change drinking behaviour in general practice patients with problematic drinking and comorbid depression or anxiety. <i>Alcohol and Alcoholism</i> , 2005 , 40, 394-400	3.5	20
158	Remission from alcohol dependence without help: how restrictive should our definition of treatment be?. <i>Journal of Studies on Alcohol and Drugs</i> , 2002 , 63, 229-36		20
157	Diagnostic performance of the Alcohol Use Disorders Identification Test (AUDIT) in detecting DSM-5 alcohol use disorders in the General population. <i>Drug and Alcohol Dependence</i> , 2019 , 204, 107530	4.9	19
156	Does stage tailoring matter in brief alcohol interventions for job-seekers? A randomized controlled trial. <i>Addiction</i> , 2014 , 109, 1845-56	4.6	19
155	Smoking as a risk factor for thyroid volume progression and incident goiter in a region with improved iodine supply. <i>European Journal of Endocrinology</i> , 2008 , 159, 761-6	6.5	19
154	The spectrum of thyroid disorders in adult type 1 diabetes mellitus. <i>Diabetes/Metabolism Research and Reviews</i> , 2007 , 23, 227-33	7.5	19
153	Nicotine dependence and lifetime amount of smoking in a population sample. <i>European Journal of Public Health</i> , 2004 , 14, 182-5	2.1	19
152	The Composite International Diagnostic Interview: feasibility and necessity of editing and interviewer training in general population surveys. <i>International Journal of Methods in Psychiatric Research</i> , 2000 , 9, 32-42	4.3	19
151	In-person alcohol counseling versus computer-generated feedback: Results from a randomized controlled trial. <i>Health Psychology</i> , 2018 , 37, 70-80	5	19
150	In-person and computer-based alcohol interventions at general hospitals: reach and retention. <i>European Journal of Public Health</i> , 2016 , 26, 844-849	2.1	18
149	Testing the diathesis-stress model: 5-HTTLPR, childhood emotional maltreatment, and vulnerability to social anxiety disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013 , 162B, 253-61	3.5	18
148	Prevalence of Alcohol Dependence and Abuse in General Practice. <i>Alcoholism: Clinical and Experimental Research</i> , 1998 , 22, 935-940	3.7	18
147	Dose-response relation between volume of drinking and alcohol-related diseases in male general hospital inpatients. <i>Alcohol and Alcoholism</i> , 2008 , 43, 34-8	3.5	18
146	Inverse association between number of teeth and left ventricular mass in women. <i>Journal of Hypertension</i> , 2007 , 25, 2035-43	1.9	18

145	Intention to utilize formal help in a sample with alcohol problems: a prospective study. <i>Drug and Alcohol Dependence</i> , 2007 , 87, 210-6	4.9	18
144	Prevalence, characteristics, associated mental disorders and predictors of DSM-IV nicotine dependence. <i>European Addiction Research</i> , 2004 , 10, 29-34	4.6	18
143	Adoption, reach and effectiveness of computer-based, practitioner delivered and combined smoking interventions in general medical practices: a three-arm cluster randomized trial. <i>Drug and Alcohol Dependence</i> , 2012 , 121, 124-32	4.9	17
142	Alcohol problem drinking among general hospital inpatients in northeastern Germany. <i>General Hospital Psychiatry</i> , 2008 , 30, 147-54	5.6	17
141	Tobacco- and alcohol-attributable mortality and years of potential life lost in Germany. <i>European Journal of Public Health</i> , 2003 , 13, 275-7	2.1	17
140	Health Risk Behavior Patterns in a National Adult Population Survey. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	16
139	Social support and the serotonin transporter genotype (5-HTTLPR) moderate levels of resilience, sense of coherence, and depression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015 , 168B, 383-91	3.5	16
138	Does the smoking status of general practitioners affect the efficacy of smoking cessation counselling?. <i>Patient Education and Counseling</i> , 2009 , 74, 23-8	3.1	16
137	Need for cognition as a predictor and a moderator of outcome in a tailored letters smoking cessation intervention. <i>Health Psychology</i> , 2010 , 29, 367-73	5	16
136	Previous help seeking and motivation to change drinking behavior in alcohol-dependent general hospital patients. <i>General Hospital Psychiatry</i> , 1998 , 20, 115-9	5.6	16
135	Postpartum return to smoking: identifying different groups to tailor interventions. <i>Addictive Behaviors</i> , 2006 , 31, 1785-96	4.2	16
134	Predictors of increased body mass index following cessation of smoking. <i>American Journal on Addictions</i> , 2006 , 15, 192-7	3.7	16
133	Calcium antagonists and deep gingival pockets in the population-based SHIP study. <i>British Journal of Clinical Pharmacology</i> , 2005 , 60, 552-9	3.8	16
132	Sex- and age-specific associations between major depressive disorder and metabolic syndrome in two general population samples in Germany. <i>Nordic Journal of Psychiatry</i> , 2016 , 70, 611-20	2.3	15
131	Computer-generated tailored feedback letters for smoking cessation: theoretical and empirical variability of tailoring. <i>International Journal of Medical Informatics</i> , 2008 , 77, 715-22	5.3	15
130	Population impact--definition, calculation and its use in prevention science in the example of tobacco smoking reduction. <i>Health Policy</i> , 2007 , 82, 348-56	3.2	15
129	Alcohol consumption and out-patient services utilization by abstainers and drinkers. <i>Addiction</i> , 2006 , 101, 1285-91	4.6	15
128	Alcohol consumption and health-services utilization in Germany. <i>Journal of Studies on Alcohol and Drugs</i> , 2006 , 67, 429-35		15

127	Sex differences in urine metabolites related with risk of diabetes using NMR spectroscopy: results of the study of health in pomerania. <i>Metabolomics</i> , 2015 , 11, 1405-1415	4.7	14
126	How alcohol use problem severity affects the outcome of brief intervention delivered in-person versus through computer-generated feedback letters. <i>Drug and Alcohol Dependence</i> , 2018 , 183, 82-88	4.9	14
125	Efficacy of an internet program for smoking cessation during and after inpatient rehabilitation treatment: a quasi-randomized controlled trial. <i>Addictive Behaviors</i> , 2011 , 36, 1369-72	4.2	14
124	Nicotine dependence criteria and nicotine withdrawal symptoms in relation to pain among an adult general population sample. <i>European Journal of Pain</i> , 2009 , 13, 82-8	3.7	14
123	Sedative, hypnotic, anxiolytic and opioid medicament use and its co-occurrence with tobacco smoking and alcohol risk drinking in a community sample. <i>BMC Public Health</i> , 2007 , 7, 337	4.1	14
122	Differences in help seeking rates after brief intervention for alcohol use disorders in general practice patients with and without comorbid anxiety or depressive disorders. <i>International Journal of Methods in Psychiatric Research</i> , 2008 , 17 Suppl 1, S74-7	4.3	14
121	Relation between awareness of circulatory disorders and smoking in a general population health examination. <i>BMC Public Health</i> , 2006 , 6, 48	4.1	14
120	Seropositivity for anti-Borrelia IgG antibody is independently associated with carotid atherosclerosis. <i>Atherosclerosis</i> , 2006 , 184, 108-12	3.1	14
119	Psychometric properties of the Processes of Change scale for alcohol misuse and its short form (POC-20). <i>Addictive Behaviors</i> , 2006 , 31, 821-32	4.2	14
118	Psychiatric comorbidity including nicotine dependence among individuals with eating disorder criteria in an adult general population sample. <i>Psychiatry Research</i> , 2006 , 141, 71-9	9.9	14
117	Measurement invariance of the alcohol use disorders identification test: Establishing its factor structure in different settings and across gender. <i>Drug and Alcohol Dependence</i> , 2018 , 189, 55-61	4.9	13
116	The phenomenology of the first panic attack in clinical and community-based samples. <i>Journal of Anxiety Disorders</i> , 2014 , 28, 522-9	10.9	13
115	Computer-tailored smoking cessation intervention in a general population setting in Germany: outcome of a randomized controlled trial. <i>Nicotine and Tobacco Research</i> , 2008 , 10, 371-9	4.9	13
114	Reach of Individuals at Risk for Cardiovascular Disease by Proactive Recruitment Strategies in General Practices, Job Centers, and Health Insurance. <i>International Journal of Behavioral Medicine</i> , 2017 , 24, 153-160	2.6	12
113	Liver cirrhosis mortality, alcohol consumption and tobacco consumption over a 62 year period in a high alcohol consumption country: a trend analysis. <i>BMC Research Notes</i> , 2015 , 8, 822	2.3	12
112	Multiple dimensions of health locus of control in a representative population sample: ordinal factor analysis and cross-validation of an existing three and a new four factor model. <i>BMC Medical Research Methodology</i> , 2011 , 11, 114	4.7	12
111	Population-based smoking cessation in women post partum: adherence to motivational interviewing in relation to client characteristics and behavioural outcomes. <i>Midwifery</i> , 2010 , 26, 202-10	2.8	12
110	Smoking cessation counselling for pregnant and postpartum women among midwives, gynaecologists and paediatricians in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2009 , 6, 96-107	4.6	12

109	Alcohol consumption is associated with an interaction between DRD2 exon 8 A/A genotype and self-directedness in males. <i>Neuropsychobiology</i> , 2007 , 56, 24-31	4	12
108	Outcome after coronary artery bypass graft surgery, coronary angioplasty and stenting. <i>International Journal of Cardiology</i> , 2007 , 116, 46-52	3.2	12
107	Gender and age differences among current smokers in a general population survey. <i>BMC Public Health</i> , 2005 , 5, 57	4.1	12
106	Motivating smokers to quit using computer-generated letters that target either reduction or cessation: A population-based randomized controlled trial among smokers who do not intend to quit. <i>Drug and Alcohol Dependence</i> , 2016 , 166, 177-86	4.9	11
105	Performance of the pictorial representation of illness and self measure in individuals with alcohol dependence, alcohol abuse or at-risk drinking. <i>Psychotherapy and Psychosomatics</i> , 2006 , 75, 249-56	9.4	11
104	Asymptomatic carotid atherosclerosis is associated with circulating chlamydia pneumoniae DNA in younger normotensive subjects in a general population survey. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005 , 25, 386-91	9.4	11
103	Consistency or change in nicotine dependence according to the Fagerstr�m Test for Nicotine Dependence over three years in a population sample. <i>Journal of Addictive Diseases</i> , 2005 , 24, 85-100	1.7	11
102	Prosthodontic status among old adults in Pomerania, related to income, education level, and general health (results of the Study of Health in Pomerania, SHIP). <i>International Journal of Prosthodontics</i> , 2003 , 16, 313-8	1.9	11
101	Patterns of health risk behaviors among job-seekers: a latent class analysis. <i>International Journal of Public Health</i> , 2015 , 60, 111-9	4	10
100	Measuring activities in tobacco control across the EU. The MATOC. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2006 , 1, 9	3.4	10
99	The relation of a family history of alcoholism, obstetric complications and family environment to behavioral problems among 154 adolescents in Germany: results from the children of alcoholics study in Pomerania. <i>European Addiction Research</i> , 2004 , 10, 8-14	4.6	10
98	Identification and functional analysis of genetic variants of the human beta-glucuronidase in a German population sample. <i>Pharmacogenetics and Genomics</i> , 2005 , 15, 875-81	1.9	10
97	Inanspruchnahme von Hilfen zur Erlangung der Nikotin-Abstinenz. <i>Sucht</i> , 2000 , 46, 398-407	0.5	10
96	Proactive multipurpose health risk screening in health care settings: Methods, design, and reach. <i>International Journal of Methods in Psychiatric Research</i> , 2019 , 28, e1760	4.3	9
95	Short-term stability of different drinking patterns over the course of four weeks among adults. A latent transition analysis. <i>Drug and Alcohol Dependence</i> , 2018 , 191, 181-186	4.9	9
94	Gender-specific predictors of risky alcohol use among general hospital inpatients. <i>General Hospital Psychiatry</i> , 2013 , 35, 9-15	5.6	9
93	The Stability of Social Desirability: A Latent Change Analysis. <i>Journal of Personality</i> , 2015 , 83, 404-12	4.4	9
92	How well do TTM measures work among a sample of individuals with unhealthy alcohol use that is characterized by low readiness to change?. <i>Psychology of Addictive Behaviors</i> , 2013 , 27, 573-83	3.4	9

91	Smokers' expectations toward the engagement of their general practitioner in discussing lifestyle behaviors. <i>Journal of Health Communication</i> , 2011 , 16, 135-47	2.5	9
90	Remission ohne formelle Hilfe bei Alkoholabhängigkeit: Der Stand der Forschung. <i>Sucht</i> , 2009 , 55, 75-85	0.5	9
89	Intention to change smoking in pregnant and postpartum women according to number of pregnancies. <i>European Journal of Public Health</i> , 2009 , 19, 218-21	2.1	9
88	Does precontemplation represent a homogeneous stage category? A latent class analysis on German smokers. <i>Journal of Consulting and Clinical Psychology</i> , 2008 , 76, 840-51	6.5	9
87	Variability of tailoring of a smoking cessation intervention based on the transtheoretical model. <i>Addictive Behaviors</i> , 2007 , 32, 3083-7	4.2	9
86	Effects of smoking cessation on health care use: is elevated risk of hospitalization among former smokers attributable to smoking-related morbidity?. <i>Drug and Alcohol Dependence</i> , 2007 , 88, 197-203	4.9	9
85	The inverse link between genetic risk for schizophrenia and migraine through NMDA (N-methyl-D-aspartate) receptor activation via D-serine. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1507-1515	1.2	9
84	Can brief alcohol interventions in general hospital inpatients improve mental and general health over 2 years? Results from a randomized controlled trial. <i>Psychological Medicine</i> , 2019 , 49, 1722-1730	6.9	9
83	Predictors of indoor smoking at young children's homes--a cross-sectional study. <i>European Journal of Pediatrics</i> , 2014 , 173, 1187-91	4.1	8
82	Severity of unhealthy alcohol consumption in medical inpatients and the general population: is the general hospital a suitable place for brief interventions?. <i>International Journal of Public Health</i> , 2010 , 55, 637-43	4	8
81	Subjective health complaints, health-related quality of life and physician visits: results of the study of health in Pomerania (SHIP). <i>International Journal of Public Health</i> , 2006 , 51, 162-73		8
80	Short report: Paediatricians' attitude towards counselling parents postpartum about their smoking behaviour. <i>European Journal of Public Health</i> , 2004 , 14, 199-200	2.1	8
79	Who benefits from computer-based brief alcohol intervention? Day-to-day drinking patterns as a moderator of intervention efficacy. <i>Drug and Alcohol Dependence</i> , 2017 , 175, 119-126	4.9	7
78	Belief incongruence and the intention-behavior gap in persons with at-risk alcohol use. <i>Addictive Behaviors</i> , 2015 , 48, 5-11	4.2	7
77	Alcohol dependent inpatients who receive general hospital care vs. detoxification in psychiatric care and alcohol problem 1 year later. <i>Addictive Behaviors</i> , 2010 , 35, 756-63	4.2	7
76	Workplace smoking restrictions: smoking behavior and the intention to change among continuing smokers. <i>International Journal of Public Health</i> , 2010 , 55, 599-608	4	7
75	Tele-electrocardiography in the epidemiological study of Health in Pomerania (SHIP). <i>Journal of Telemedicine and Telecare</i> , 2006 , 12, 103-7	6.8	7
74	Self-rated general health and psychiatric disorders in a general population sample. <i>European Psychiatry</i> , 2005 , 20, 223-8	6	7

73	Subtyping general population smokers not intending to quit by stages to reduce smoking. <i>Nicotine and Tobacco Research</i> , 2004 , 6, 1043-50	4.9	7
72	Putative association between anti-Borrelia IgG and autoimmune thyroid disease?. <i>Thyroid</i> , 2005 , 15, 1273-7	3.7	7
71	Skalen zu Kernkonstrukten des Transtheoretischen Modells (TTM) im Verhaltensbereich Tabakkonsum. <i>Zeitschrift Fur Gesundheitspsychologie</i> , 2003 , 11, 57-66		7
70	Does impaired mental health interfere with the outcome of brief alcohol intervention at general hospitals?. <i>Journal of Consulting and Clinical Psychology</i> , 2017 , 85, 562-573	6.5	7
69	Feasibility and Acceptability of an Intervention Providing Computer-Generated Tailored Feedback to Target Alcohol Consumption and Depressive Symptoms in Proactively Recruited Health Care Patients and Reactively Recruited Media Volunteers: Results of a Pilot Study. <i>European Addiction Research</i> , 2019 , 25, 119-131	4.6	6
68	Correlates of adverse outcomes in abdominally obese individuals: findings from the five-year followup of the population-based study of health in Pomerania. <i>Journal of Obesity</i> , 2013 , 2013, 762012	3.7	6
67	A descriptive analysis of relations between parents' self-reported smoking behavior and infants' daily exposure to environmental tobacco smoke. <i>BMC Public Health</i> , 2010 , 10, 424	4.1	6
66	Stages of change and other factors in light cigarette smokers. <i>European Journal of Public Health</i> , 2005 , 15, 146-51	2.1	6
65	Skalen zur Erfassung der Konstrukte des Transtheoretischen Modells zur Änderung des Rauchverhaltens. <i>Zeitschrift Fur Gesundheitspsychologie</i> , 2007 , 15, 67-77		6
64	Patterns and predictors of change in a smoking intervention study: latent growth analysis of a multivariate outcome model. <i>Health Psychology</i> , 2008 , 27, S233-42	5	6
63	Factors associated with secondhand smoke exposure prevalence and secondhand smoke level of children living with parental smokers: a cross sectional study. <i>Journal of Community Health</i> , 2015 , 40, 501-7	4	5
62	Effects of practitioner-delivered brief counseling and computer-generated tailored letters on cigarettes per day among smokers who do not quit--a quasi-randomized controlled trial. <i>Drug and Alcohol Dependence</i> , 2010 , 112, 81-9	4.9	5
61	Does response bias influence population studies of thyroid disorders?. <i>Thyroid</i> , 2008 , 18, 873-8	6.2	5
60	The performance of two motivation measures and outcome after alcohol detoxification. <i>Alcohol and Alcoholism</i> , 2009 , 44, 77-83	3.5	5
59	No association of seropositivity for anti-Borrelia IgG antibody with mental and physical complaints. <i>Nordic Journal of Psychiatry</i> , 2008 , 62, 386-91	2.3	5
58	Prevalence and determinants of increased serum lipase levels in a general population. <i>Pancreas</i> , 2008 , 37, 411-7	2.6	5
57	Plasma fibrinogen levels are associated with a strong family history of myocardial infarction. <i>Blood Coagulation and Fibrinolysis</i> , 2004 , 15, 497-502	1	5
56	Longitudinal relationships among transtheoretical model constructs for smokers in the precontemplation and contemplation stages of change. <i>Annals of Behavioral Medicine</i> , 2005 , 30, 12-20	4.5	5

55	Does prior recall of past week alcohol use affect screening results for at-risk drinking? Findings from a randomized study. <i>PLoS ONE</i> , 2019 , 14, e0217595	3.7	4
54	Mental disorders and total mortality after 20 years in an adult general population sample. <i>European Psychiatry</i> , 2020 , 63, e30	6	4
53	Reaching families at their homes for an intervention to reduce tobacco smoke exposure among infants. <i>Journal of Community Health</i> , 2013 , 38, 215-20	4	4
52	A genomewide association study of smoking relapse in four European population-based samples. <i>Psychiatric Genetics</i> , 2013 , 23, 143-52	2.9	4
51	Predictive modeling of health care costs: do cardiovascular risk markers improve prediction?. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010 , 17, 355-62		4
50	The association between fatty liver disease and blood pressure in a population-based cohort study. <i>Journal of Hypertension</i> , 2012 , 30, 1260-1	1.9	4
49	Predicting utilization of formal and informal help among general hospital inpatients with alcohol use disorders. <i>International Journal of Methods in Psychiatric Research</i> , 2008 , 17 Suppl 1, S70-3	4.3	4
48	Thyroid function and serum ferritin levels: the study of health in Pomerania. <i>Thyroid</i> , 2006 , 16, 681-6	6.2	4
47	Estimation of tobacco- or alcohol-attributable disease rates in national hospital care: an approach based on routine in-patient disease register data and systematic diagnosis of alcohol use disorders. <i>Alcohol and Alcoholism</i> , 2003 , 38, 339-46	3.5	4
46	Persönliche vs. computerbasierte Alkoholintervention für Krankenhauspatienten: Studiendesign. <i>Sucht</i> , 2015 , 61, 347-355	0.5	4
45	Remission without Formal Help: New Directions in Studies Using Survey Data 2007 , 73-85		4
44	Proactive expert system intervention to prevent or quit at-risk alcohol use (PRINT): study protocol of a randomized controlled trial. <i>BMC Public Health</i> , 2018 , 18, 851	4.1	3
43	The impact of having a loved one with alcohol consumption-related problems on subjective health status and health-risk behaviors in a general hospital sample. <i>Substance Use and Misuse</i> , 2010 , 45, 2470-80	2.2	3
42	Development and psychometric properties of a short situational urge to smoke scale (SUS) for smoking adolescents. <i>Substance Use and Misuse</i> , 2011 , 46, 959-68	2.2	3
41	Mental health and readiness to change smoking behavior in daily smoking primary care patients. <i>International Journal of Behavioral Medicine</i> , 2009 , 16, 347-54	2.6	3
40	Kurzinterventionen bei Alkoholproblemen im Allgemeinkrankenhaus. <i>Psychosomatik Und Konsiliarpsychiatrie</i> , 2008 , 2, 8-14		3
39	Hilfen zu problematischem Alkoholkonsum – Noch kommen wir zu spät. <i>Sucht</i> , 2014 , 60, 107-113	0.5	3
38	Sick days in general hospital patients two years after brief alcohol intervention: Secondary outcomes from a randomized controlled trial. <i>Preventive Medicine</i> , 2020 , 139, 106106	4.3	2

37	Reducing tobacco smoke exposure in children aged below 4 years - a randomized controlled trial. <i>Preventive Medicine</i> , 2014 , 69, 208-13	4.3	2
36	The impact of a stage tailored intervention on alcohol use trajectories among those who do not intend to change. <i>Drug and Alcohol Dependence</i> , 2015 , 147, 167-74	4.9	2
35	Measuring readiness to change for problematic consumption of prescription drugs: Development of an adapted and shortened Readiness to Change Questionnaire. <i>Addiction Research and Theory</i> , 2010 , 18, 110-118	2.6	2
34	At-risk and heavy episodic drinking, motivation to change, and the development of alcohol dependence among men. <i>Journal of Studies on Alcohol and Drugs</i> , 2009 , 70, 937-42	1.9	2
33	Alexithymie, traumatischer Stress und posttraumatische Belastungsstörung Befunde aus der Allgemeinbevölkerung. <i>Zeitschrift Fur Psychiatrie, Psychologie Und Psychotherapie</i> , 2013 , 61, 27-36	0.3	2
32	Stability of At-risk Alcohol Use Screening Results in a General Population Sample. <i>Alcoholism: Clinical and Experimental Research</i> , 2020 , 44, 1312-1320	3.7	2
31	Effect of a 1-year short message service in detoxified alcohol-dependent patients: a multi-center, open-label randomized controlled trial. <i>Addiction</i> , 2021 , 116, 1431-1442	4.6	2
30	Brief alcohol intervention at a municipal registry office: reach and retention. <i>European Journal of Public Health</i> , 2021 , 31, 418-423	2.1	2
29	Latent alcohol use patterns and their link to depressive symptomatology in medical care patients. <i>Addiction</i> , 2021 , 116, 1063-1073	4.6	2
28	Effect of blood pressure and total cholesterol measurement on risk prediction using the Systematic COronary Risk Evaluation (SCORE). <i>BMC Cardiovascular Disorders</i> , 2018 , 18, 84	2.3	1
27	Do brief alcohol interventions among unemployed at-risk drinkers increase re-employment after 15 month?. <i>European Journal of Public Health</i> , 2018 , 28, 510-515	2.1	1
26	Predicting the urge to smoke in a population-based sample of adolescent smokers. <i>Substance Use and Misuse</i> , 2010 , 45, 1636-51	2.2	1
25	Reported beverage consumed and alcohol-related diseases among male hospital inpatients with problem drinking. <i>Alcohol and Alcoholism</i> , 2009 , 44, 216-21	3.5	1
24	Male at-risk drinkers with heavy episodic drinking: a subclinical diagnosis?. <i>Journal of Studies on Alcohol and Drugs</i> , 2008 , 69, 85-90	1.9	1
23	Supporting the intention to change health risk behaviors. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2006 , 14, 377-383	1.4	1
22	Psychological problems of partnership and profit or: who has the higher population impact?. <i>Addiction</i> , 2000 , 95, 1436-7	4.6	1
21	Alcohol abstinence and mortality in a general population sample of adults in Germany: A cohort study. <i>PLoS Medicine</i> , 2021 , 18, e1003819	11.6	1
20	Verhaltensspezifische Determinanten der Veränderungsmotivation bei multiplem Risikoverhalten. <i>Zeitschrift Fur Gesundheitspsychologie</i> , 2004 , 12, 56-64		1

19	Kommentare zu Rumpf und Kiefer (2011). DSM-5: Die Aufhebung der Unterscheidung von Abhängigkeit und Missbrauch und die Öffnung für Verhaltensstile. <i>Sucht</i> , 2011 , 57, 52-53	0.5	1
18	Untreated pathological gamblers: who recovers and who does not?. <i>International Gambling Studies</i> , 2020 , 20, 200-213	1.8	1
17	Effects of a brief alcohol intervention addressing the full spectrum of drinking in an adult general population sample: a randomized controlled trial. <i>Addiction</i> , 2021 , 116, 2056-2066	4.6	1
16	Die Prozesse der Verhaltensänderung im Kontext des Lebensalters am Beispiel des Tabakrauchens. <i>Zeitschrift Für Gesundheitspsychologie</i> , 2004 , 12, 39-47		0
15	Behavioral health risk factor profiles in general hospital patients: identifying the need for screening and brief intervention. <i>BMC Public Health</i> , 2019 , 19, 1594	4.1	0
14	Severity of alcohol dependence and mortality after 20 years in an adult general population sample.. <i>International Journal of Methods in Psychiatric Research</i> , 2022 , e1915	4.3	0
13	Problematischer Alkoholkonsum: Prävalenz und Frühintervention. <i>Public Health Forum</i> , 2010 , 18, 29-30	0.1	
12	[Commentary] SUPPORTING GPS IN THE PROVISION OF SMOKING CESSATION INTERVENTION FROM RESEARCH TO DAILY ROUTINE. <i>Addiction</i> , 2008 , 103, 309-309	4.6	
11	Comparison of a population-based sample of "risky drinking" smokers and groups consuming just one substance. <i>Substance Use and Misuse</i> , 2005 , 40, 1721-32	2.2	
10	Social Equity in the Efficacy of Computer-Based and In-Person Brief Alcohol Interventions Among General Hospital Patients With At-Risk Alcohol Use: A Randomized Controlled Trial.. <i>JMIR Mental Health</i> , 2022 , 9, e31712	6	
9	Förderung der Tabakabstinenz durch neue Kommunikationsmedien und Expertensysteme 39-49		
8	Die Adhärenz Erwachsener an der Bewegungsaufzeichnung über 7 Tage mittels Akzelerometer. <i>Pravention Und Gesundheitsforderung</i> , 1	0.5	
7	Autoevaluación de la salud general y trastornos psiquiátricos en una muestra de la población general. <i>European Psychiatry (Ed Española)</i> , 2005 , 12, 349-354		
6	Alkoholkonsum Bedeutung für Prävention und Gesundheitsförderung. <i>The Springer Reference Pflegerapie, Gesundheit</i> , 2019 , 1-17	0.2	
5	Occupational exposure to asbestos is associated with increased mortality in men recruited for a population-based study in Germany. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2015 , 28, 849-62	1.5	
4	Internetbasierte Förderung der Tabakabstinenz in der Rehabilitation. <i>Sucht</i> , 2010 , 56, 117-124	0.5	
3	Alkoholkonsum Bedeutung für die Prävention und Gesundheitsförderung. <i>The Springer Reference Pflegerapie, Gesundheit</i> , 2021 , 441-457	0.2	
2	Socioeconomic factors and heavy drinking over the course of the week among job seekers with at-risk alcohol use. <i>Archives of Environmental and Occupational Health</i> , 2018 , 73, 154-161	2	

- 1 The Role of Tobacco Smoking in the Efficacy of Brief Alcohol Intervention: Results from a Randomized Controlled Trial. *International Journal of Environmental Research and Public Health*, **2022**, 19, 5847 4.6