

Charlotte Ling

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7462150/charlotte-ling-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

146
papers

12,790
citations

56
h-index

111
g-index

158
ext. papers

14,809
ext. citations

6.6
avg, IF

6.29
L-index

#	Paper	IF	Citations
146	Pharmacoeigenetics in type 2 diabetes: is it clinically relevant?. <i>Diabetologia</i> , 2022 , 1	10.3	0
145	Epigenetic Epidemiology of Obesity and Type 2 Diabetes 2022 , 445-474		0
144	VPS39-deficiency observed in type 2 diabetes impairs muscle stem cell differentiation via altered autophagy and epigenetics. <i>Nature Communications</i> , 2021 , 12, 2431	17.4	7
143	Statin therapy is associated with epigenetic modifications in individuals with Type 2 diabetes. <i>Epigenomics</i> , 2021 , 13, 919-925	4.4	2
142	Excess of glucocorticoids during late gestation impairs the recovery of offspring's B cell function after a postnatal injury. <i>FASEB Journal</i> , 2021 , 35, e21828	0.9	0
141	Differential DNA Methylation and Expression of miRNAs in Adipose Tissue From Twin Pairs Discordant for Type 2 Diabetes. <i>Diabetes</i> , 2021 , 70, 2402-2418	0.9	1
140	Serum aromatic and branched-chain amino acids associated with NASH demonstrate divergent associations with serum lipids. <i>Liver International</i> , 2021 , 41, 754-763	7.9	8
139	Lifestyle Intervention in Pregnant Women With Obesity Impacts Cord Blood DNA Methylation, Which Associates With Body Composition in the Offspring. <i>Diabetes</i> , 2021 , 70, 854-866	0.9	8
138	Epigenetic regulation of insulin action and secretion - role in the pathogenesis of type 2 diabetes. <i>Journal of Internal Medicine</i> , 2020 , 288, 158-167	10.8	16
137	Epigenetic markers associated with metformin response and intolerance in drug-naïve patients with type 2 diabetes. <i>Science Translational Medicine</i> , 2020 , 12,	17.5	14
136	Epigenetic Changes in Islets of Langerhans Preceding the Onset of Diabetes. <i>Diabetes</i> , 2020 , 69, 2503-2517	17.5	8
135	Epigenome- and Transcriptome-wide Changes in Muscle Stem Cells from Low Birth Weight Men. <i>Endocrine Research</i> , 2020 , 45, 58-71	1.9	4
134	Electroacupuncture Mimics Exercise-Induced Changes in Skeletal Muscle Gene Expression in Women With Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	3
133	Glucolipototoxicity Alters Insulin Secretion via Epigenetic Changes in Human Islets. <i>Diabetes</i> , 2019 , 68, 1965-1974	0.9	15
132	Fasting unmasks differential fat and muscle transcriptional regulation of metabolic gene sets in low versus normal birth weight men. <i>EBioMedicine</i> , 2019 , 47, 341-351	8.8	6
131	Liver DNA methylation of FADS2 associates with FADS2 genotype. <i>Clinical Epigenetics</i> , 2019 , 11, 10	7.7	12
130	ATAC-seq reveals alterations in open chromatin in pancreatic islets from subjects with type 2 diabetes. <i>Scientific Reports</i> , 2019 , 9, 7785	4.9	27

129	Epigenetics in Human Obesity and Type 2 Diabetes. <i>Cell Metabolism</i> , 2019 , 29, 1028-1044	24.6	244
128	The Lysine Demethylase KDM5B Regulates Islet Function and Glucose Homeostasis. <i>Journal of Diabetes Research</i> , 2019 , 2019, 5451038	3.9	7
127	Epigenome-Wide Association Study of Incident Type 2 Diabetes in a British Population: EPIC-Norfolk Study. <i>Diabetes</i> , 2019 , 68, 2315-2326	0.9	40
126	Sex influences DNA methylation and gene expression in human skeletal muscle myoblasts and myotubes. <i>Stem Cell Research and Therapy</i> , 2019 , 10, 26	8.3	31
125	Interaction between hormone-sensitive lipase and ChREBP in fat cells controls insulin sensitivity. <i>Nature Metabolism</i> , 2019 , 1, 133-146	14.6	26
124	DNA methylation in the pathogenesis of type 2 diabetes in humans. <i>Molecular Metabolism</i> , 2018 , 14, 12-25	8.8	104
123	A Single Bout of Electroacupuncture Remodels Epigenetic and Transcriptional Changes in Adipose Tissue in Polycystic Ovary Syndrome. <i>Scientific Reports</i> , 2018 , 8, 1878	4.9	25
122	Lysine demethylase inhibition protects pancreatic β cells from apoptosis and improves β cell function. <i>Molecular and Cellular Endocrinology</i> , 2018 , 460, 47-56	4.4	20
121	MC1568 improves insulin secretion in islets from type 2 diabetes patients and rescues β cell dysfunction caused by Hdac7 upregulation. <i>Acta Diabetologica</i> , 2018 , 55, 1231-1235	3.9	21
120	Gestational diabetes and maternal obesity are associated with epigenome-wide methylation changes in children. <i>JCI Insight</i> , 2018 , 3,	9.9	57
119	The effects of high glucose exposure on global gene expression and DNA methylation in human pancreatic islets. <i>Molecular and Cellular Endocrinology</i> , 2018 , 472, 57-67	4.4	42
118	Sex Differences in the Methylome and Transcriptome of the Human Liver and Circulating HDL-Cholesterol Levels. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 4395-4408	5.6	26
117	Transcriptional and Epigenetic Changes Influencing Skeletal Muscle Metabolism in Women With Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 4465-4477	5.6	35
116	Whole-Genome Bisulfite Sequencing of Human Pancreatic Islets Reveals Novel Differentially Methylated Regions in Type 2 Diabetes Pathogenesis. <i>Diabetes</i> , 2017 , 66, 1074-1085	0.9	96
115	Abnormal epigenetic changes during differentiation of human skeletal muscle stem cells from obese subjects. <i>BMC Medicine</i> , 2017 , 15, 39	11.4	34
114	Impact of polyunsaturated and saturated fat overfeeding on the DNA-methylation pattern in human adipose tissue: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2017 , 105, 991-1000	7	95
113	Human liver epigenetic alterations in non-alcoholic steatohepatitis are related to insulin action. <i>Epigenetics</i> , 2017 , 12, 287-295	5.7	39
112	36h fasting of young men influences adipose tissue DNA methylation of and in a birth weight-dependent manner. <i>Clinical Epigenetics</i> , 2017 , 9, 40	7.7	38

111	Fetal Hyperglycemia Changes Human Preadipocyte Function in Adult Life. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 1141-1150	5.6	16
110	Epigenetic alterations in blood mirror age-associated DNA methylation and gene expression changes in human liver. <i>Epigenomics</i> , 2017 , 9, 105-122	4.4	33
109	DNA methylation links genetics, fetal environment, and an unhealthy lifestyle to the development of type 2 diabetes. <i>Clinical Epigenetics</i> , 2017 , 9, 105	7.7	37
108	Diabetes medication associates with DNA methylation of metformin transporter genes in the human liver. <i>Clinical Epigenetics</i> , 2017 , 9, 102	7.7	28
107	HDAC7 is overexpressed in human diabetic islets and impairs insulin secretion in rat islets and clonal beta cells. <i>Diabetologia</i> , 2017 , 60, 116-125	10.3	50
106	Genome-wide DNA promoter methylation and transcriptome analysis in human adipose tissue unravels novel candidate genes for obesity. <i>Molecular Metabolism</i> , 2017 , 6, 86-100	8.8	59
105	Hepatic DPP4 DNA Methylation Associates With Fatty Liver. <i>Diabetes</i> , 2017 , 66, 25-35	0.9	41
104	Dnmt3a is an epigenetic mediator of adipose insulin resistance. <i>ELife</i> , 2017 , 6,	8.9	61
103	Epigenetic programming of adipose-derived stem cells in low birthweight individuals. <i>Diabetologia</i> , 2016 , 59, 2664-2673	10.3	31
102	Human adipogenesis is associated with genome-wide DNA methylation and gene-expression changes. <i>Epigenomics</i> , 2016 , 8, 1601-1617	4.4	18
101	Blood-based biomarkers of age-associated epigenetic changes in human islets associate with insulin secretion and diabetes. <i>Nature Communications</i> , 2016 , 7, 11089	17.4	145
100	Epigenetic and Transcriptional Alterations in Human Adipose Tissue of Polycystic Ovary Syndrome. <i>Scientific Reports</i> , 2016 , 6, 22883	4.9	58
99	Developmental programming: State-of-the-science and future directions-Summary from a Pennington Biomedical symposium. <i>Obesity</i> , 2016 , 24, 1018-26	8	32
98	Epigenetics in Type 2 Diabetes 2016 , 241-258		
97	Adipose tissue transcriptomics and epigenomics in low birthweight men and controls: role of high-fat overfeeding. <i>Diabetologia</i> , 2016 , 59, 799-812	10.3	51
96	Genome-Wide DNA and Histone Modification Studies in Metabolic Disease 2016 , 255-270		
95	A Genome-Wide mQTL Analysis in Human Adipose Tissue Identifies Genetic Variants Associated with DNA Methylation, Gene Expression and Metabolic Traits. <i>PLoS ONE</i> , 2016 , 11, e0157776	3.7	61
94	A Syntenic Cross Species Aneuploidy Genetic Screen Links RCAN1 Expression to ECell Mitochondrial Dysfunction in Type 2 Diabetes. <i>PLoS Genetics</i> , 2016 , 12, e1006033	6	30

93	DNA methylation of loci within ABCG1 and PHOSPHO1 in blood DNA is associated with future type 2 diabetes risk. <i>Epigenetics</i> , 2016 , 11, 482-8	5.7	99
92	NIH working group report-using genomic information to guide weight management: From universal to precision treatment. <i>Obesity</i> , 2016 , 24, 14-22	8	70
91	DNA methylation as a diagnostic and therapeutic target in the battle against Type 2 diabetes. <i>Epigenomics</i> , 2015 , 7, 451-60	4.4	69
90	The potential use of DNA methylation biomarkers to identify risk and progression of type 2 diabetes. <i>Frontiers in Endocrinology</i> , 2015 , 6, 43	5.7	25
89	Helsinki alert of biodiversity and health. <i>Annals of Medicine</i> , 2015 , 47, 218-25	1.5	79
88	The fat cell epigenetic signature in post-obese women is characterized by global hypomethylation and differential DNA methylation of adipogenesis genes. <i>International Journal of Obesity</i> , 2015 , 39, 910-5	5.5	63
87	Impact of age, BMI and HbA1c levels on the genome-wide DNA methylation and mRNA expression patterns in human adipose tissue and identification of epigenetic biomarkers in blood. <i>Human Molecular Genetics</i> , 2015 , 24, 3792-813	5.6	168
86	Less pronounced response to exercise in healthy relatives to type 2 diabetic subjects compared with controls. <i>Journal of Applied Physiology</i> , 2015 , 119, 953-60	3.7	9
85	Genome-wide analysis of DNA methylation in subjects with type 1 diabetes identifies epigenetic modifications associated with proliferative diabetic retinopathy. <i>BMC Medicine</i> , 2015 , 13, 182	11.4	86
84	Does epigenetic dysregulation of pancreatic islets contribute to impaired insulin secretion and type 2 diabetes?. <i>Biochemistry and Cell Biology</i> , 2015 , 93, 511-21	3.6	27
83	Epigenetic Alterations in Human Liver From Subjects With Type 2 Diabetes in Parallel With Reduced Folate Levels. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, E1491-501	5.6	109
82	Young men with low birthweight exhibit decreased plasticity of genome-wide muscle DNA methylation by high-fat overfeeding. <i>Diabetologia</i> , 2014 , 57, 1154-8	10.3	62
81	Epigenetic adaptation to regular exercise in humans. <i>Drug Discovery Today</i> , 2014 , 19, 1015-8	8.8	73
80	Extensive changes in the transcriptional profile of human adipose tissue including genes involved in oxidative phosphorylation after a 6-month exercise intervention. <i>Acta Physiologica</i> , 2014 , 211, 188-200	5.6	41
79	Cell failure in type 2 diabetes: postulated mechanisms and prospects for prevention and treatment. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 1983-92	5.6	119
78	Altered DNA methylation and differential expression of genes influencing metabolism and inflammation in adipose tissue from subjects with type 2 diabetes. <i>Diabetes</i> , 2014 , 63, 2962-76	0.9	271
77	Genome-wide associations between genetic and epigenetic variation influence mRNA expression and insulin secretion in human pancreatic islets. <i>PLoS Genetics</i> , 2014 , 10, e1004735	6	118
76	A central role for GRB10 in regulation of islet function in man. <i>PLoS Genetics</i> , 2014 , 10, e1004235	6	124

75	Epigenetic Modifications and Type 2 Diabetes in Humans. <i>Frontiers in Diabetes</i> , 2014 , 102-110	0.6	1
74	β-cell failure in type 2 diabetes: postulated mechanisms and prospects for prevention and treatment. <i>Diabetes Care</i> , 2014 , 37, 1751-8	14.6	288
73	Effects of palmitate on genome-wide mRNA expression and DNA methylation patterns in human pancreatic islets. <i>BMC Medicine</i> , 2014 , 12, 103	11.4	96
72	Sex differences in the genome-wide DNA methylation pattern and impact on gene expression, microRNA levels and insulin secretion in human pancreatic islets. <i>Genome Biology</i> , 2014 , 15, 522	18.3	130
71	Genome-wide DNA methylation analysis of human pancreatic islets from type 2 diabetic and non-diabetic donors identifies candidate genes that influence insulin secretion. <i>PLoS Genetics</i> , 2014 , 10, e1004160	6	316
70	DNA methylation of the glucagon-like peptide 1 receptor (GLP1R) in human pancreatic islets. <i>BMC Medical Genetics</i> , 2013 , 14, 76	2.1	69
69	Identification of CpG-SNPs associated with type 2 diabetes and differential DNA methylation in human pancreatic islets. <i>Diabetologia</i> , 2013 , 56, 1036-46	10.3	143
68	Osteocalcin, glucose metabolism, lipid profile and chronic low-grade inflammation in middle-aged and elderly Chinese. <i>Diabetic Medicine</i> , 2013 , 30, 309-17	3.5	46
67	A six months exercise intervention influences the genome-wide DNA methylation pattern in human adipose tissue. <i>PLoS Genetics</i> , 2013 , 9, e1003572	6	407
66	Coordinate changes in histone modifications, mRNA levels, and metabolite profiles in clonal INS-1 832/13 β-cells accompany functional adaptations to lipotoxicity. <i>Journal of Biological Chemistry</i> , 2013 , 288, 11973-87	5.4	50
65	Does DNA methylation of PPARGC1A influence insulin action in first degree relatives of patients with type 2 diabetes?. <i>PLoS ONE</i> , 2013 , 8, e58384	3.7	22
64	PPARG gene Pro12Ala variant contributes to the development of non-alcoholic fatty liver in middle-aged and older Chinese population. <i>Molecular and Cellular Endocrinology</i> , 2012 , 348, 255-9	4.4	26
63	Regulation of core clock genes in human islets. <i>Metabolism: Clinical and Experimental</i> , 2012 , 61, 978-85	12.7	69
62	Telomere length in blood and skeletal muscle in relation to measures of glycaemia and insulinaemia. <i>Diabetic Medicine</i> , 2012 , 29, e377-81	3.5	18
61	Impact of an exercise intervention on DNA methylation in skeletal muscle from first-degree relatives of patients with type 2 diabetes. <i>Diabetes</i> , 2012 , 61, 3322-32	0.9	274
60	First-degree relatives of type 2 diabetic patients have reduced expression of genes involved in fatty acid metabolism in skeletal muscle. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, E1332-7	5.6	16
59	Epigenetics of Diabetes in Humans 2012 , 321-329		
58	Reduced insulin secretion correlates with decreased expression of exocytotic genes in pancreatic islets from patients with type 2 diabetes. <i>Molecular and Cellular Endocrinology</i> , 2012 , 364, 36-45	4.4	86

57	Effects of short-term high-fat overfeeding on genome-wide DNA methylation in the skeletal muscle of healthy young men. <i>Diabetologia</i> , 2012 , 55, 3341-9	10.3	154
56	Epigenetics in the Pathophysiology of Type 2 Diabetes 2012 , 225-232		
55	Increased DNA methylation and decreased expression of PDX-1 in pancreatic islets from patients with type 2 diabetes. <i>Molecular Endocrinology</i> , 2012 , 26, 1203-12		209
54	A single nucleotide polymorphism associates with the response of muscle ATP synthesis to long-term exercise training in relatives of type 2 diabetic humans. <i>Diabetes Care</i> , 2012 , 35, 350-7	14.6	23
53	Maternal diet and aging alter the epigenetic control of a promoter-enhancer interaction at the Hnf4a gene in rat pancreatic islets. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 5449-54	11.5	277
52	A common variant in TFB1M is associated with reduced insulin secretion and increased future risk of type 2 diabetes. <i>Cell Metabolism</i> , 2011 , 13, 80-91	24.6	64
51	A common variant near the PRL gene is associated with increased adiposity in males. <i>Molecular Genetics and Metabolism</i> , 2011 , 102, 78-81	3.7	20
50	The expression of myosin heavy chain (MHC) genes in human skeletal muscle is related to metabolic characteristics involved in the pathogenesis of type 2 diabetes. <i>Molecular Genetics and Metabolism</i> , 2011 , 103, 275-81	3.7	12
49	Prevalence of non-alcoholic fatty liver disease and its relation to hypoadiponectinaemia in the middle-aged and elderly Chinese population. <i>Archives of Medical Science</i> , 2011 , 7, 665-72	2.9	14
48	Two common genetic variants near nuclear-encoded OXPHOS genes are associated with insulin secretion in vivo. <i>European Journal of Endocrinology</i> , 2011 , 164, 765-71	6.5	24
47	Genetic variation in the GCKR gene is associated with non-alcoholic fatty liver disease in Chinese people. <i>Molecular Biology Reports</i> , 2011 , 38, 1145-50	2.8	47
46	Nesfatin-1 stimulates glucagon and insulin secretion and beta cell NUCB2 is reduced in human type 2 diabetic subjects. <i>Cell and Tissue Research</i> , 2011 , 346, 393-405	4.2	60
45	Insulin promoter DNA methylation correlates negatively with insulin gene expression and positively with HbA(1c) levels in human pancreatic islets. <i>Diabetologia</i> , 2011 , 54, 360-7	10.3	179
44	Epigenetics and Type 2 Diabetes 2011 , 135-145		1
43	Decreased expression of genes involved in oxidative phosphorylation in human pancreatic islets from patients with type 2 diabetes. <i>European Journal of Endocrinology</i> , 2011 , 165, 589-95	6.5	54
42	Investigation of type 2 diabetes risk alleles support CDKN2A/B, CDKAL1, and TCF7L2 as susceptibility genes in a Han Chinese cohort. <i>PLoS ONE</i> , 2010 , 5, e9153	3.7	94
41	The SNARE protein SNAP23 and the SNARE-interacting protein Munc18c in human skeletal muscle are implicated in insulin resistance/type 2 diabetes. <i>Diabetes</i> , 2010 , 59, 1870-8	0.9	31
40	The association of mitochondrial content with prevalent and incident type 2 diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 1909-15	5.6	17

39	Deoxyribonucleic acid methylation and gene expression of PPARGC1A in human muscle is influenced by high-fat overfeeding in a birth-weight-dependent manner. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 3048-56	5.6	156
38	Elevated serum chemokine CXC ligand 5 levels are associated with hypercholesterolemia but not a worsening of insulin resistance in Chinese people. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 3926-32	5.6	19
37	Epigenetics and obesity: the devil is in the details. <i>BMC Medicine</i> , 2010 , 8, 88	11.4	43
36	Calpain-10 expression is elevated in pancreatic islets from patients with type 2 diabetes. <i>PLoS ONE</i> , 2009 , 4, e6558	3.7	19
35	Tight coupling between glucose and mitochondrial metabolism in clonal beta-cells is required for robust insulin secretion. <i>Journal of Biological Chemistry</i> , 2009 , 284, 32395-404	5.4	84
34	Short-term exercise training does not stimulate skeletal muscle ATP synthesis in relatives of humans with type 2 diabetes. <i>Diabetes</i> , 2009 , 58, 1333-41	0.9	56
33	Regulation and function of FTO mRNA expression in human skeletal muscle and subcutaneous adipose tissue. <i>Diabetes</i> , 2009 , 58, 2402-8	0.9	85
32	Prolactin suppresses malonyl-CoA concentration in human adipose tissue. <i>Hormone and Metabolic Research</i> , 2009 , 41, 747-51	3.1	23
31	A common variant in MTNR1B, encoding melatonin receptor 1B, is associated with type 2 diabetes and fasting plasma glucose in Han Chinese individuals. <i>Diabetologia</i> , 2009 , 52, 830-3	10.3	91
30	Mitochondrial dysfunction in pancreatic beta-cells in Type 2 diabetes. <i>Molecular and Cellular Endocrinology</i> , 2009 , 297, 34-40	4.4	92
29	Epigenetics: a molecular link between environmental factors and type 2 diabetes. <i>Diabetes</i> , 2009 , 58, 2718-25	0.9	439
28	Genetic variation in ATP5O is associated with skeletal muscle ATP5O mRNA expression and glucose uptake in young twins. <i>PLoS ONE</i> , 2009 , 4, e4793	3.7	21
27	Molecular correlates for maximal oxygen uptake and type 1 fibers. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2008 , 294, E1152-9	6	23
26	Differences in prolactin receptor (PRLR) in mouse and human fallopian tubes: evidence for multiple regulatory mechanisms controlling PRLR isoform expression in mice. <i>Biology of Reproduction</i> , 2008 , 79, 748-57	3.9	32
25	Epigenetic regulation of PPARGC1A in human type 2 diabetic islets and effect on insulin secretion. <i>Diabetologia</i> , 2008 , 51, 615-22	10.3	362
24	Age influences DNA methylation and gene expression of COX7A1 in human skeletal muscle. <i>Diabetologia</i> , 2008 , 51, 1159-68	10.3	144
23	Regulation of skeletal muscle PPAR delta mRNA expression in twins. <i>Journal of Physiology</i> , 2007 , 584, 1011-7	3.9	12
22	Impact of the peroxisome proliferator activated receptor-gamma coactivator-1beta (PGC-1beta) Ala203Pro polymorphism on in vivo metabolism, PGC-1beta expression and fibre type composition in human skeletal muscle. <i>Diabetologia</i> , 2007 , 50, 1615-20	10.3	20

21	Enhanced mitochondrial metabolism may account for the adaptation to insulin resistance in islets from C57BL/6J mice fed a high-fat diet. <i>Diabetologia</i> , 2007 , 50, 74-83	10.3	50
20	Relationships of plasma adiponectin level and adiponectin receptors 1 and 2 gene expression to insulin sensitivity and glucose and fat metabolism in monozygotic and dizygotic twins. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 2835-9	5.6	17
19	Mechanisms by which common variants in the TCF7L2 gene increase risk of type 2 diabetes. <i>Journal of Clinical Investigation</i> , 2007 , 117, 2155-63	15.9	574
18	Genetic and epigenetic factors are associated with expression of respiratory chain component NDUFB6 in human skeletal muscle. <i>Journal of Clinical Investigation</i> , 2007 , 117, 3427-35	15.9	146
17	Genetic and nongenetic determinants of skeletal muscle glucose transporter 4 messenger ribonucleic acid levels and insulin action in twins. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 702-8	5.6	15
16	Developmental and hormonal regulation of progesterone receptor A-form expression in female mouse lung in vivo: interaction with glucocorticoid receptors. <i>Journal of Endocrinology</i> , 2006 , 190, 857-70	4.7	14
15	Epigenetic differences arise during the lifetime of monozygotic twins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 10604-9	11.5	2645
14	Prolactin and growth hormone regulate adiponectin secretion and receptor expression in adipose tissue. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 331, 1120-6	3.4	146
13	Transcriptome and proteome analysis of soleus muscle of hormone-sensitive lipase-null mice. <i>Journal of Lipid Research</i> , 2005 , 46, 2614-23	6.3	19
12	Genetic and nongenetic regulation of CAPN10 mRNA expression in skeletal muscle. <i>Diabetes</i> , 2005 , 54, 3015-20	0.9	28
11	Multiple environmental and genetic factors influence skeletal muscle PGC-1alpha and PGC-1beta gene expression in twins. <i>Journal of Clinical Investigation</i> , 2004 , 114, 1518-26	15.9	219
10	Identification of functional prolactin (PRL) receptor gene expression: PRL inhibits lipoprotein lipase activity in human white adipose tissue. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 1804-8	5.6	105
9	Progressive prostate hyperplasia in adult prolactin transgenic mice is not dependent on elevated serum androgen levels. <i>Prostate</i> , 2002 , 53, 24-33	4.2	25
8	PRL receptor-mediated effects in female mouse adipocytes: PRL induces suppressors of cytokine signaling expression and suppresses insulin-induced leptin production in adipocytes in vitro. <i>Endocrinology</i> , 2001 , 142, 4880-90	4.8	48
7	Increased resistin expression in the adipose tissue of male prolactin transgenic mice and in male mice with elevated androgen levels. <i>FEBS Letters</i> , 2001 , 507, 147-50	3.8	32
6	Prolactin (PRL) receptor gene expression in mouse adipose tissue: increases during lactation and in PRL-transgenic mice. <i>Endocrinology</i> , 2000 , 141, 3564-72	4.8	77
5	Isolation of differentially expressed aldose reductase in ovaries after estrogen withdrawal from hypophysectomized diethylstilbestrol treated rats: increased expression during apoptosis. <i>Molecular and Cellular Endocrinology</i> , 2000 , 164, 183-90	4.4	8
4	Scavenger receptor class B type I in the rat ovary: possible role in high density lipoprotein cholesterol uptake and in the recognition of apoptotic granulosa cells. <i>Endocrinology</i> , 1999 , 140, 2494-500	4.8	29

3	PRL Receptor-Mediated Effects in Female Mouse Adipocytes: PRL Induces Suppressors of Cytokine Signaling Expression and Suppresses Insulin-Induced Leptin Production in Adipocytes in Vitro	11
2	Genetic Epidemiology of Type 2 Diabetes95-110	1
1	Basics of Molecular Genetics: Lessons from Type 2 Diabetes367-376	