Ulrik Pedersen-Bjergaard DMSci

List of Publications by Year in Descending Order

 $\textbf{Source:} \ https://exaly.com/author-pdf/7462509/ulrik-pedersen-bjergaard-dmsci-publications-by-year.pdf$

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89 2,018 24 43 g-index

100 2,442 6.3 4.63 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
89	Investigating the day-to-day impact of hypoglycaemia in adults with type 1 or type 2 diabetes: design and validation protocol of the Hypo-METRICS application <i>BMJ Open</i> , 2022 , 12, e051651	3	O
88	Insulin Pump Treatment in Adults with Type 1 Diabetes in the Capital Region of Denmark: Design and Cohort Characteristics of the Steno Tech Survey. <i>Diabetes Therapy</i> , 2021 , 1	3.6	О
87	Comparison of treatment with insulin degludec and glargine U100 in patients with type 1 diabetes prone to nocturnal severe hypoglycaemia: The HypoDeg randomized, controlled, open-label, crossover trial. <i>Diabetes, Obesity and Metabolism</i> , 2021 ,	6.7	1
86	Education programmes for persons with type 1 diabetes using an insulin pump: A systematic review. <i>Diabetes/Metabolism Research and Reviews</i> , 2021 , 37, e3412	7.5	6
85	Cold-induced dishabituation in rodents exposed to recurrent hypoglycaemia. <i>Diabetologia</i> , 2021 , 64, 1436-1441	10.3	2
84	Reproducibility of Glucose Fluctuations Induced by Moderate Intensity Cycling Exercise in Persons with Type 1 Diabetes. <i>Journal of Diabetes Research</i> , 2021 , 2021, 6640600	3.9	О
83	Acute hypoglycemia and risk of cardiac arrhythmias in insulin-treated type 2 diabetes and controls. <i>European Journal of Endocrinology</i> , 2021 , 185, 343-353	6.5	2
82	Hyperinsulinaemic-hypoglycaemic glucose clamps in human research: a systematic review of the literature. <i>Diabetologia</i> , 2021 , 64, 727-736	10.3	О
81	Telemetric continuous glucose monitoring during the COVID-19 pandemic in isolated hospitalized patients in Denmark - a randomized controlled exploratory trial. <i>Diabetes Technology and Therapeutics</i> , 2021 ,	8.1	3
80	Synthetic long-acting insulin analogs for the management of type 1 diabetes: an update. <i>Expert Opinion on Pharmacotherapy</i> , 2021 , 22, 2251-2259	4	О
79	Flash glucose monitoring and automated bolus calculation in type 1 diabetes treated with multiple daily insulin injections: a 26 week randomised, controlled, multicentre trial. <i>Diabetologia</i> , 2021 , 64, 2713	3 -272 4	1
78	Effects of continuous glucose monitor-recorded nocturnal hypoglycaemia on quality of life and mood during daily life in type 1 diabetes. <i>Diabetologia</i> , 2021 , 64, 903-913	10.3	4
77	Associations of hypoglycemia, glycemic variability and risk of cardiac arrhythmias in insulin-treated patients with type 2 diabetes: a prospective, observational study <i>Cardiovascular Diabetology</i> , 2021 , 20, 241	8.7	3
76	Efficacy and safety of meal-time administration of short-acting exenatide for glycaemic control in type 1 diabetes (MAG1C): a randomised, double-blind, placebo-controlled trial. <i>Lancet Diabetes and Endocrinology,the</i> , 2020 , 8, 313-324	18.1	18
75	Study protocol for optimising glycaemic control in type 1 diabetes treated with multiple daily insulin injections: intermittently scanned continuous glucose monitoring, carbohydrate counting with automated bolus calculation, or both? A randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e036474	3	3
74	The relationship between HbA1c and hypoglycaemia in patients with diabetes treated with insulin degludec versus insulin glargine 100 units/mL. <i>Diabetes, Obesity and Metabolism</i> , 2020 , 22, 779-787	6.7	4
73	Sudden cardiac death among persons with diabetes aged 1-49 years: a 10-year nationwide study of 14 294 deaths in Denmark. <i>European Heart Journal</i> , 2020 , 41, 2699-2706	9.5	19

(2017-2020)

72	Remote continuous glucose monitoring during the COVID-19 pandemic in quarantined hospitalized patients in Denmark: A structured summary of a study protocol for a randomized controlled trial. <i>Trials</i> , 2020 , 21, 968	2.8	5
71	Diabetes and the Risk of Sudden Cardiac Death. Current Cardiology Reports, 2020, 22, 112	4.2	4
70	Hypoglycaemia, cardiovascular disease, and mortality in diabetes: epidemiology, pathogenesis, and management. <i>Lancet Diabetes and Endocrinology,the</i> , 2019 , 7, 385-396	18.1	127
69	The effect of insulin degludec on risk of symptomatic nocturnal hypoglycaemia in adults with type 1 diabetes and high risk of nocturnal severe hypoglycaemia (the HypoDeg trial): study rationale and design. <i>BMC Endocrine Disorders</i> , 2019 , 19, 78	3.3	5
68	Comparison of the HAT study, the largest global hypoglycaemia study to date, with similar large real-world studies. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 844-853	6.7	6
67	Cause-specific mortality in children and young adults with diabetes mellitus: A Danish nationwide cohort study. <i>European Journal of Preventive Cardiology</i> , 2019 , 28, 159-165	3.9	12
66	Re: The recent paper Cenetic determinants of impaired awareness of hypoglycaemia in type 1 diabetes U Pharmacogenetics and Genomics, 2018, 28, 125-126	1.9	
65	Hypoglycemic Exposure and Risk of Asymptomatic Hypoglycemia in Type 1 Diabetes Assessed by Continuous Glucose Monitoring. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 2329-2335	5.6	24
64	Effect of Insulin Analogs on Frequency of Non-Severe Hypoglycemia in Patients with Type 1 Diabetes Prone to Severe Hypoglycemia: Much Higher Rates Detected by Continuous Glucose Monitoring than by Self-Monitoring of Blood Glucose-The HypoAna Trial. <i>Diabetes Technology and</i>	8.1	13
63	Therapeutics, 2018 , 20, 247-256 Impact of Genetic Polymorphism in the 2 -Receptor Gene on Risk of Severe Hypoglycemia in Patients With Type 1 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 2901-2908	5.6	4
62	Testing a Smartphone App (Young with Diabetes) to Improve Self-Management of Diabetes Over 12 Months: Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2018 , 6, e141	5.5	21
61	Effects of liraglutide and ischemic postconditioning on myocardial salvage after I/R injury in pigs. <i>Scandinavian Cardiovascular Journal</i> , 2017 , 51, 8-14	2	9
60	Hypoglycemia-Associated EEG Changes Following Antecedent Hypoglycemia in Type 1 Diabetes Mellitus. <i>Diabetes Technology and Therapeutics</i> , 2017 , 19, 85-90	8.1	12
59	Impact of hypoglycaemia on patient-reported outcomes from a global, 24-country study of 27,585 people with type 1 and insulin-treated type 2 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2017 , 130, 121-129	7.4	42
58	Obstructive sleep apnoea is frequent in patients with type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 156-161	3.2	18
57	The economic impact of insulin-related hypoglycemia in Denmark: an analysis using the Local Impact of Hypoglycemia Tool. <i>Journal of Medical Economics</i> , 2017 , 20, 363-370	2.4	5
56	Incidence Trends and Predictors of Hospitalization for Hypoglycemia in 17,230 Adult Patients With Type 1 Diabetes: A Danish Register Linkage Cohort Study. <i>Diabetes Care</i> , 2017 , 40, 226-232	14.6	19
55	Reporting Severe Hypoglycemia in Type 1 Diabetes: Facts and Pitfalls. <i>Current Diabetes Reports</i> , 2017 , 17, 131	5.6	19

54	The potential for improvement of outcomes by personalized insulin treatment of type 1 diabetes as assessed by analysis of single-patient data from a randomized controlled cross-over insulin trial. <i>Diabetes Research and Clinical Practice</i> , 2017 , 123, 143-148	7.4	2
53	Mitochondrial uncoupling proteins regulate angiotensin-converting enzyme expression: crosstalk between cellular and endocrine metabolic regulators suggested by RNA interference and genetic studies. <i>BioEssays</i> , 2016 , 38 Suppl 1, S107-18	4.1	7
52	NSAID-induced symptomatic hypophosphataemia. British Journal of Clinical Pharmacology, 2016, 82, 139	9 9 .8 40	113
51	Impact of the TCF7L2 genotype on risk of hypoglycaemia and glucagon secretion during hypoglycaemia. <i>Endocrine Connections</i> , 2016 , 5, 53-60	3.5	2
50	Short-term cost-effectiveness of insulin detemir and insulin aspart in people with type 1 diabetes who are prone to recurrent severe hypoglycemia. <i>Current Medical Research and Opinion</i> , 2016 , 32, 1719-	· 17 25	4
49	Efficacy and safety of liraglutide for overweight adult patients with type 1 diabetes and insufficient glycaemic control (Lira-1): a randomised, double-blind, placebo-controlled trial. <i>Lancet Diabetes and Endocrinology,the</i> , 2016 , 4, 221-232	18.1	83
48	Long-Term Prediction of Severe Hypoglycemia in Type 1 Diabetes: Is It Really Possible?. <i>Journal of Diabetes Science and Technology</i> , 2016 , 10, 1230-1235	4.1	8
47	Mitochondrial uncoupling proteins regulate angiotensin-converting enzyme expression: crosstalk between cellular and endocrine metabolic regulators suggested by RNA interference and genetic studies. <i>Inside the Cell</i> , 2016 , 1, 70-81		2
46	Hypoglycemia-associated changes in the electroencephalogram in patients with type 1 diabetes and normal hypoglycemia awareness or unawareness. <i>Diabetes</i> , 2015 , 64, 1760-9	0.9	25
45	The influence of new European Union driver'd license legislation on reporting of severe hypoglycemia by patients with type 1 diabetes. <i>Diabetes Care</i> , 2015 , 38, 29-33	14.6	36
44	Effects of angiotensin II receptor blockade on cerebral, cardiovascular, counter-regulatory, and symptomatic responses during hypoglycaemia in patients with type 1 diabetes. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2015 , 16, 1036-45	3	4
43	Self-reported frequency and impact of non-severe hypoglycemic events in insulin-treated diabetic patients in Denmark. <i>Diabetes Management</i> , 2015 , 5, 67-78	О	7
42	Infrared thermographic assessment of changes in skin temperature during hypoglycaemia in patients with type 1 diabetes. <i>Diabetologia</i> , 2015 , 58, 1898-906	10.3	8
41	ACE genotype, phenotype and all-cause mortality in different cohorts of patients with type 1 diabetes. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2015 , 16, 374-81	3	3
40	Effect of Continuous Glucose Monitoring Accuracy on Clinicians LRetrospective Decision Making in Diabetes: A Pilot Study. <i>Journal of Diabetes Science and Technology</i> , 2015 , 9, 1092-102	4.1	2
39	Lower levels of placental growth hormone in early pregnancy in women with type 1 diabetes and large for gestational age infants. <i>Growth Hormone and IGF Research</i> , 2015 , 25, 312-5	2	6
38	Influence of acute glycaemic level on measures of myocardial infarction in non-diabetic pigs. <i>Scandinavian Cardiovascular Journal</i> , 2015 , 49, 376-82	2	5
37	Effect of insulin analogues on risk of severe hypoglycaemia in patients with type 1 diabetes prone to recurrent severe hypoglycaemia (HypoAna trial): a prospective, randomised, open-label, blinded-endpoint crossover trial. <i>Lancet Diabetes and Endocrinology,the</i> , 2014 , 2, 553-61	18.1	69

(2009-2014)

36	Recovery from SIADH-associated osteoporosis: a case report. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 3527-30	5.6	31
35	Recurrent severe hypoglycemia in Type 1 diabetes: potential for prevention?. <i>Diabetes Management</i> , 2014 , 4, 479-487	0	O
34	Impaired hormonal counterregulation to biochemical hypoglycaemia does not explain the high incidence of severe hypoglycaemia during pregnancy in women with type 1 diabetes. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2013 , 73, 67-74	2	1
33	Effects of patient-reported non-severe hypoglycemia on healthcare resource use, work-time loss, and wellbeing in insulin-treated patients with diabetes in seven European countries. <i>Journal of Medical Economics</i> , 2013 , 16, 1453-61	2.4	47
32	Nocturnal continuous glucose monitoring: accuracy and reliability of hypoglycemia detection in patients with type 1 diabetes at high risk of severe hypoglycemia. <i>Diabetes Technology and Therapeutics</i> , 2013 , 15, 371-7	8.1	34
31	Influence of erythropoietin on cognitive performance during experimental hypoglycemia in patients with type 1 diabetes mellitus: a randomized cross-over trial. <i>PLoS ONE</i> , 2013 , 8, e59672	3.7	19
30	A prospective randomised cross-over study of the effect of insulin analogues and human insulin on the frequency of severe hypoglycaemia in patients with type 1 diabetes and recurrent hypoglycaemia (the HypoAna trial): study rationale and design. <i>BMC Endocrine Disorders</i> , 2012 , 12, 10	3.3	15
29	Syndrome of inappropriate ADH secretion and severe osteoporosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 4306-10	5.6	25
28	Association of IGF1 with glycemic control and occurrence of severe hypoglycemia in patients with type 1 diabetes mellitus. <i>Endocrine Connections</i> , 2012 , 1, 31-6	3.5	5
27	Atrial Natriuretic Peptide (ANP) in early pregnancy is associated with development of preeclampsia in type 1 diabetes. <i>Diabetes Research and Clinical Practice</i> , 2011 , 93, e106-9	7.4	9
26	High serum ACE activity predicts severe hypoglycaemia over time in patients with type 1 diabetes. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2011 , 71, 620-4	2	10
25	Differences in cortical and pituitary activity in response to hypoglycaemia and cognitive testing in healthy men with different basal activity of the renin-angiotensin system. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2010 , 11, 173-9	3	1
24	Classification of hypoglycemia awareness in people with type 1 diabetes in clinical practice. <i>Journal of Diabetes and Its Complications</i> , 2010 , 24, 392-7	3.2	43
23	Pregnancy-induced rise in serum C-peptide concentrations in women with type 1 diabetes. <i>Diabetes Care</i> , 2009 , 32, 1052-7	14.6	50
22	Cognitive performance, symptoms and counter-regulation during hypoglycaemia in patients with type 1 diabetes and high or low renin-angiotensin system activity. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2009 , 10, 216-29	3	9
21	Changes of cognition and regional cerebral activity during acute hypoglycemia in normal subjects: A H2 15O positron emission tomographic study. <i>Journal of Neuroscience Research</i> , 2009 , 87, 1922-8	4.4	16
20	Association between regional cerebral blood flow during hypoglycemia and genetic and phenotypic traits of the renin-angiotensin system. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009 , 29, 1790-5	7.3	O
19	Erythropoietin during hypoglycaemia in type 1 diabetes: relation to basal renin-angiotensin system activity and cognitive function. <i>Diabetes Research and Clinical Practice</i> , 2009 , 85, 75-84	7.4	8

18	Vascular endothelial growth factor during hypoglycemia in patients with type 1 diabetes mellitus: relation to cognitive function and renin-angiotensin system activity. <i>Metabolism: Clinical and Experimental</i> , 2009 , 58, 1430-8	12.7	9
17	Angiotensin-converting enzyme and angiotensin II receptor subtype 2 genotypes in type 1 diabetes and severe hypoglycaemia requiring emergency treatment: a case cohort study. <i>Pharmacogenetics and Genomics</i> , 2009 , 19, 864-8	1.9	7
16	Genetic variation and activity of the renin-angiotensin system and severe hypoglycemia in type 1 diabetes. <i>American Journal of Medicine</i> , 2008 , 121, 246.e1-8	2.4	19
15	Angiotensin-converting enzyme activity and cognitive impairment during hypoglycaemia in healthy humans. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2008 , 9, 37-48	3	12
14	Cardiac repolarization during hypoglycaemia in type 1 diabetes: impact of basal renin-angiotensin system activity. <i>Europace</i> , 2008 , 10, 860-7	3.9	13
13	Cardiac repolarization during hypoglycaemia and hypoxaemia in healthy males: impact of renin-angiotensin system activity. <i>Europace</i> , 2008 , 10, 219-26	3.9	4
12	Hypoglycemia in pregnant women with type 1 diabetes: predictors and role of metabolic control. <i>Diabetes Care</i> , 2008 , 31, 9-14	14.6	136
11	An evaluation of methods of assessing impaired awareness of hypoglycemia in type 1 diabetes: response to Geddes et al. <i>Diabetes Care</i> , 2007 , 30, e112; author reply e113	14.6	6
10	Frequency and risk factors of severe hypoglycemia in insulin-treated type 2 diabetes: a literature survey. <i>Journal of Diabetes and Its Complications</i> , 2006 , 20, 402-8	3.2	53
9	Psychoactive drugs, alcohol, and severe hypoglycemia in insulin-treated diabetes: analysis of 141 cases. <i>American Journal of Medicine</i> , 2005 , 118, 307-10	2.4	27
8	Severe hypoglycaemia in 1076 adult patients with type 1 diabetes: influence of risk markers and selection. <i>Diabetes/Metabolism Research and Reviews</i> , 2004 , 20, 479-86	7.5	242
7	The impact of severe hypoglycemia and impaired awareness of hypoglycemia on relatives of patients with type 1 diabetes. <i>Diabetes Care</i> , 2003 , 26, 1106-9	14.6	57
6	Recall of severe hypoglycaemia and self-estimated state of awareness in type 1 diabetes. Diabetes/Metabolism Research and Reviews, 2003, 19, 232-40	7.5	157
5	Activity of angiotensin-converting enzyme and risk of severe hypoglycaemia in type 1 diabetes mellitus. <i>Lancet, The</i> , 2001 , 357, 1248-53	40	98
4	Pain, tenderness, wheal and flare induced by substance-P, bradykinin and 5-hydroxytryptamine in humans. <i>Cephalalgia</i> , 1991 , 11, 175-82	6.1	36
3	Pain and tenderness in human temporal muscle induced by bradykinin and 5-hydroxytryptamine. <i>Peptides</i> , 1990 , 11, 1127-32	3.8	66
2	Pain, wheal and flare in human forearm skin induced by bradykinin and 5-hydroxytryptamine. <i>Peptides</i> , 1990 , 11, 1133-8	3.8	27
1	Algesia and local responses induced by neurokinin A and substance P in human skin and temporal muscle. <i>Peptides</i> , 1989 , 10, 1147-52	3.8	33