Antonios Stavropoulos-Kalinoglou

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7462924/publications.pdf

Version: 2024-02-01



ANTONIOS

#	Article	IF	CITATIONS
1	Prevalence and associations of hypertension and its control in patients with rheumatoid arthritis. Rheumatology, 2007, 46, 1477-1482.	0.9	250
2	Rheumatoid arthritis, cardiovascular disease and physical exercise: a systematic review. Rheumatology, 2008, 47, 239-248.	0.9	190
3	Individualised aerobic and resistance exercise training improves cardiorespiratory fitness and reduces cardiovascular risk in patients with rheumatoid arthritis. Annals of the Rheumatic Diseases, 2013, 72, 1819-1825.	0.5	183
4	Obesity in rheumatoid arthritis. Rheumatology, 2011, 50, 450-462.	0.9	173
5	Long-term exposure to medium-dose glucocorticoid therapy associates with hypertension in patients with rheumatoid arthritis. Rheumatology, 2008, 47, 72-75.	0.9	170
6	Mean platelet volume in patients with rheumatoid arthritis: the effect of anti-TNF-alpha therapy. Rheumatology International, 2010, 30, 1125-1129.	1.5	155
7	Redefining overweight and obesity in rheumatoid arthritis patients. Annals of the Rheumatic Diseases, 2007, 66, 1316-1321.	0.5	141
8	Association of physical inactivity with increased cardiovascular risk in patients with rheumatoid arthritis. European Journal of Cardiovascular Prevention and Rehabilitation, 2009, 16, 188-194.	3.1	141
9	Blockade of tumour necrosis factor-Â in rheumatoid arthritis: effects on components of rheumatoid cachexia. Rheumatology, 2007, 46, 1824-1827.	0.9	140
10	Platelet function in rheumatoid arthritis: arthritic and cardiovascular implications. Rheumatology International, 2011, 31, 153-164.	1.5	134
11	Rheumatoid cachexia and cardiovascular disease. Nature Reviews Rheumatology, 2010, 6, 445-451.	3.5	133
12	Individualised exercise improves endothelial function in patients with rheumatoid arthritis. Annals of the Rheumatic Diseases, 2014, 73, 748-751.	0.5	92
13	The Rationale for Comparative Studies of Accelerated Atherosclerosis in Rheumatic Diseases. Current Vascular Pharmacology, 2010, 8, 437-449.	0.8	90
14	Association of interleukin-6 (IL-6)-174G/C gene polymorphism with cardiovascular disease in patients with rheumatoid arthritis: The role of obesity and smoking. Atherosclerosis, 2009, 204, 178-183.	0.4	85
15	Underweight and obese states both associate with worse disease activity and physical function in patients with established rheumatoid arthritis. Clinical Rheumatology, 2009, 28, 439-444.	1.0	81
16	Associations of obesity with modifiable risk factors for the development of cardiovascular disease in patients with rheumatoid arthritis. Annals of the Rheumatic Diseases, 2009, 68, 242-245.	0.5	76
17	Prolonged QTc interval predicts all-cause mortality in patients with rheumatoid arthritis: an association driven by high inflammatory burden. Rheumatology, 2014, 53, 131-137.	0.9	73
18	Cigarette smoking significantly increases basal metabolic rate in patients with rheumatoid arthritis. Annals of the Rheumatic Diseases, 2008, 67, 70-73.	0.5	67

Antonios

IF # ARTICLE CITATIONS Association of Mean Platelet Volume with Hypertension in Rheumatoid Arthritis. Inflammation and 1.8 Allergy: Drug Targets, 2010, 9, 45-50. The role of exercise in the management of rheumatoid arthritis. Expert Review of Clinical 20 1.363 Immunology, 2015, 11, 1121-1130. Polymorphisms of the Endothelin-1 Gene Associate with Hypertension in Patients with Rheumatoid 1.7 Arthritis. Endothelium: Journal of Endothelial Cell Research, 2008, 15, 203-212. Anti-tumour necrosis factor alpha therapy improves insulin sensitivity in normal-weight but not in 22 1.6 52 obese patients with rheumatoid arthritis. Arthritis Research and Therapy, 2012, 14, R160. Rheumatoid arthritis susceptibility genes associate with lipid levels in patients with rheumatoid arthritis. Annals of the Rheumatic Diseases, 2011, 70, 1025-1032. Disease activity and low physical activity associate with number of hospital admissions and length of 24 45 1.6 hospitalisation in patients with rheumatoid arthritis. Arthritis Research and Therapy, 2011, 13, R108. New resting energy expenditure prediction equations for patients with rheumatoid arthritis. Rheumatology, 2007, 47, 500-506. Transforming growth factor-Â1 869T/C, but not interleukin-6 -174G/C, polymorphism associates with 26 0.9 42 hypertension in rheumatoid arthritis. Rheumatology, 2008, 48, 113-118. Vascular Function and Inflammation in Rheumatoid Arthritis: the Role of Physical 0.6 38 Activity~!2009-11-20~!2009-12-14~!2010-02-22~!. Open Cardiovascular Medicine Journal, 2010, 4, 89-96. What predicts obesity in patients with rheumatoid arthritis? An investigation of the interactions 28 1.6 37 between lifestyle and inflammation. International Journal of Obesity, 2010, 34, 295-301. Anti-TNFα therapy may lead to blood pressure reductions through improved endothelium-dependent microvascular function in patients with rheumatoid arthritis. Journal of Human Hypertension, 2011, 25, 699-702. Cardiorespiratory fitness levels and their association with cardiovascular profile in patients with 30 0.9 36 rheumatoid arthritis: a cross-sectional study. Rheumatology, 2015, 54, kev035. Serum uric acid is independently associated with hypertension in patients with rheumatoid arthritis. 1.0 Journal of Human Hypertension, 2008, 22, 177-182. Cigarette smoking associates with body weight and muscle mass of patients with rheumatoid arthritis: a cross-sectional, observational study. Arthritis Research and Therapy, 2008, 10, R59. 32 1.6 34 Three months of moderate-intensity exercise reduced plasma 3-nitrotyrosine in rheumatoid arthritis 33 1.2 34 patients. European Journal of Applied Physiology, 2014, 114, 1483-1492. Target organ damage in patients with rheumatoid arthritis: The role of blood pressure and heart rate. 34 0.4 30 Atherosclerosis, 2010, 209, 255-260. Inverted BMI rather than BMI is a better proxy for percentage of body fat. Annals of Human Biology, 0.4 29 2011, 38, 681-684. Adiponectin, Resistin, and Visfatin in Childhood Obesity and Exercise. Pediatric Exercise Science, 2015, 36 0.5 24 27, 454-462.

ANTONIOS

0

#	Article	IF	CITATIONS
37	Omega-3 polyunsaturated fatty acid supplementation versus placebo on vascular health, glycaemic control, and metabolic parameters in people with type 1 diabetes: a randomised controlled preliminary trial. Cardiovascular Diabetology, 2020, 19, 127.	2.7	20
38	Predictors of asymmetric dimethylarginine levels in patients with rheumatoid arthritis: the role of insulin resistance. Scandinavian Journal of Rheumatology, 2013, 42, 176-181.	0.6	19
39	Comparison of the effects of exercise and anti-TNF treatment on cardiovascular health in rheumatoid arthritis: results from two controlled trials. Rheumatology International, 2019, 39, 219-225.	1.5	19
40	Position Statement on Exercise Dosage in Rheumatic and Musculoskeletal Diseases: The Fole of the IMPACT-RMD Toolkit. Mediterranean Journal of Rheumatology, 2021, 32, 378.	0.3	10
41	ACSM Preparticipation Health Screening Guidelines: A UK University Cohort Perspective. Medicine and Science in Sports and Exercise, 2019, 51, 1047-1054.	0.2	7
42	Participation in physical activity decreased more in people with rheumatoid arthritis than the general population during the COVID-19 lockdown: a cross-sectional study. Rheumatology International, 2022, 42, 241-250.	1.5	7
43	Muscle wasting in rheumatoid arthritis: The role of oxidative stress. World Journal of Rheumatology, 2014, 4, 44.	0.5	5
44	Metabolism in Patients with Rheumatoid Arthritis: Resting Energy Expenditure, Physical Activity and Diet-Induced Thermogenesis. Invited Review. Recent Patents on Endocrine, Metabolic & Immune Drug Discovery, 2008, 2, 97-102.	0.7	3
45	Lack of an Association of GNB3 C825T Polymorphism and Blood Pressure in Patients with Rheumatoid Arthritis. Clinical and Experimental Hypertension, 2009, 31, 428-439.	0.5	3
46	Associations Between Erythrocyte Membrane Fatty Acid Compositions and Biomarkers of Vascular Health in Adults With Type 1 Diabetes With and Without Insulin Resistance: A Cross-Sectional Analysis. Canadian Journal of Diabetes, 2022, 46, 111-117.	0.4	3
47	The Rationale for Comparative Studies of Accelerated Atherosclerosis in Rheumatic Diseases. Current Vascular Pharmacology, 2010, 999, 1-13.	0.8	3
48	The effects of training with highâ€speed interval running on muscle performance are modulated by slope. Physiological Reports, 2021, 9, e14656.	0.7	2
49	Smartphone pedometers in adults with asthma: a practical approach to physical activity assessment? A pilot validation study. Journal of Asthma, 2022, 59, 967-975.	0.9	2
50	Could IL-6 inhibition prevent exercise-induced fat loss in RA?. Nature Reviews Rheumatology, 2019, 15, 192-194.	3.5	1
51	"Cardiovascular" Drugs in Rheumatoid Arthritis: Killing Two Birds with One Stone?. Immunology, Endocrine and Metabolic Agents in Medicinal Chemistry, 2008, 8, 259-274.	0.5	1

52 Obesity and Arthritis. , 2012, , 355-380.