

Hwa Liang Leo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7464577/hwa-liang-leo-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

122
papers

1,679
citations

22
h-index

35
g-index

131
ext. papers

1,975
ext. citations

4.6
avg, IF

4.63
L-index

#	Paper	IF	Citations
122	Shape-Anisotropic Microembolics Generated by Microfluidic Synthesis for Transarterial Embolization Treatment.. <i>Advanced Healthcare Materials</i> , 2022 , e2102281	10.1	1
121	Nanoparticles-reinforced poly-l-lactic acid composite materials as bioresorbable scaffold candidates for coronary stents: Insights from mechanical and finite element analysis. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2022 , 125, 104977	4.1	1
120	Shape memory micro-anchors with magnetic guidance for precision micro-vascular deployment.. <i>Biomaterials</i> , 2022 , 283, 121426	15.6	1
119	Using a reduced-order model to investigate the effect of the heart rate on the aortic dissection.. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2022 , e3596	2.6	0
118	A novel coating method to reduce membrane infolding through pre-crimping of covered stents - Computational and experimental evaluation.. <i>Computers in Biology and Medicine</i> , 2022 , 145, 105524	7	0
117	Shape-Anisotropic Microembolics Generated by Microfluidic Synthesis for Transarterial Embolization Treatment (Adv. Healthcare Mater. 10/2022). <i>Advanced Healthcare Materials</i> , 2022 , 11, 2270054	10.1	0
116	Visualization and Evaluation of Chemoembolization on a 3D Decellularized Organ Scaffold. <i>ACS Biomaterials Science and Engineering</i> , 2021 ,	5.5	3
115	Assessment of transient changes in oxygen diffusion of single red blood cells using a microfluidic analytical platform. <i>Communications Biology</i> , 2021 , 4, 271	6.7	5
114	Vortex dynamics of veno-arterial extracorporeal circulation: A computational fluid dynamics study. <i>Physics of Fluids</i> , 2021 , 33, 061908	4.4	4
113	Rapid one-step in situ synthesis of carbon nanoparticles with cellulosic paper for biosensing. <i>Sensors and Actuators B: Chemical</i> , 2021 , 339, 129849	8.5	
112	Assessing the influence of atherosclerosis on drug coated balloon therapy using computational modelling. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2021 , 158, 72-82	5.7	4
111	Real-time flow impedance evaluation method for ultra-fast early detection of aneurysmal diseases. <i>Biomedical Signal Processing and Control</i> , 2021 , 64, 102256	4.9	
110	A model-driven approach towards rational microbial bioprocess optimization. <i>Biotechnology and Bioengineering</i> , 2021 , 118, 305-318	4.9	4
109	Provisional Stenting for the Treatment of Bifurcation Lesions: In Vitro Insights. <i>Journal of Cardiovascular Translational Research</i> , 2021 , 14, 595-597	3.3	0
108	High-throughput functional profiling of single adherent cells hydrogel drop-screen. <i>Lab on A Chip</i> , 2021 , 21, 764-774	7.2	3
107	Multiscale modeling of a modified Blalock-Taussig surgery in a patient-specific tetralogy of Fallot. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2021 , 37, e3436	2.6	1
106	Monolithic polymeric porous superhydrophobic material with pneumatic plastron stabilization for functionally durable drag reduction in blood-contacting biomedical applications. <i>NPG Asia Materials</i> , 2021 , 13,	10.3	6

105	Full cardiac cycle asynchronous temporal compounding of 3D echocardiography images. <i>Medical Image Analysis</i> , 2021 , 74, 102229	15.4	0
104	Functional reservoir microcapsules generated via microfluidic fabrication for long-term cardiovascular therapeutics. <i>Lab on A Chip</i> , 2020 , 20, 2756-2764	7.2	13
103	The effect of the entry and re-entry size in the aortic dissection: a two-way fluid-structure interaction simulation. <i>Biomechanics and Modeling in Mechanobiology</i> , 2020 , 19, 2643-2656	3.8	4
102	Decellularized liver as a translucent ex vivo model for vascular embolization evaluation. <i>Biomaterials</i> , 2020 , 240, 119855	15.6	15
101	Bioresorbable metals in cardiovascular stents: Material insights and progress. <i>Materialia</i> , 2020 , 12, 100737	3.7	11
100	Effect of number of crowns on the crush resistance in open-cell stent design. <i>Journal of Mechanics of Materials and Structures</i> , 2020 , 15, 75-86	1.2	1
99	An in vitro investigation into the hemodynamic effects of orifice geometry and position on left ventricular vortex formation and turbulence intensity. <i>Artificial Organs</i> , 2020 , 44, e520-e531	2.6	1
98	Vibration motor-integrated low-cost, miniaturized system for rapid quantification of red blood cell aggregation. <i>Lab on A Chip</i> , 2020 , 20, 3930-3937	7.2	4
97	Computational Fluid Dynamics Modeling of Hemodynamic Parameters in the Human Diseased Aorta: A Systematic Review. <i>Annals of Vascular Surgery</i> , 2020 , 63, 336-381	1.7	15
96	Ex vivo assessment of bicuspidization repair in treating severe functional tricuspid regurgitation: a stereo-scopic PIV study. <i>Scientific Reports</i> , 2019 , 9, 11504	4.9	5
95	Optimization of a Novel Preferential Covered Stent through Bench Experiments and in Vitro Platelet Activation Studies. <i>ACS Biomaterials Science and Engineering</i> , 2019 , 5, 6216-6230	5.5	1
94	Hemodynamic analysis of a novel stent graft design with slit perforations in thoracic aortic aneurysm. <i>Journal of Biomechanics</i> , 2019 , 85, 210-217	2.9	8
93	Recent Progress on Preferential Covered Stent Development. <i>IFMBE Proceedings</i> , 2019 , 709-712	0.2	1
92	Ventricular vortex loss analysis due to various tricuspid valve repair techniques: an ex vivo study. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2019 , 317, H1312-H1327	5.2	2
91	Sequential drug delivery for liver diseases. <i>Advanced Drug Delivery Reviews</i> , 2019 , 149-150, 72-84	18.5	4
90	Hemodynamics Simulation in the Left Anterior Descending Coronary Artery Tree 2019 , 257-281		
89	Bileaflet Mechanical Heart Valves: In Vitro Study Based on Hemodynamic 3D Simulation 2019 , 373-423		0
88	Design and evaluation of the crimping of a hooked self-expandable caval valve stent for the treatment of tricuspid regurgitation. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2019 , 22, 533-546	2.1	

87	Structural and Hemodynamic Analyses of Different Stent Structures in Curved and Stenotic Coronary Artery. <i>Frontiers in Bioengineering and Biotechnology</i> , 2019 , 7, 366	5.8	14
86	The application of biomimicry to a mechanical valve design for the abatement of flow instabilities. <i>European Journal of Mechanics, B/Fluids</i> , 2019 , 74, 19-33	2.4	1
85	Post-operative ventricular flow dynamics following atrioventricular valve surgical and device therapies: A review. <i>Medical Engineering and Physics</i> , 2018 , 54, 1-13	2.4	8
84	Risk of Thrombosis in Downstream Flow of Mechanical Aortic Valves: A Computational Approach 2018 , 433-443		
83	Is Multiple Overlapping Uncovered Stents Technique Suitable for Aortic Aneurysm Repair?. <i>Artificial Organs</i> , 2018 , 42, 174-183	2.6	5
82	Design and Development of Novel Transcatheter Bicaval Valves in the Interventional Treatment of Tricuspid Regurgitation. <i>Artificial Organs</i> , 2018 , 42, E13-E28	2.6	2
81	Association of Hemodynamic Behavior in the Thoracic Aortic Aneurysm to the Intraluminal Thrombus Prediction: A Two-Way Fluid Structure Coupling Investigation. <i>International Journal of Applied Mechanics</i> , 2018 , 10, 1850035	2.4	4
80	Human fetal hearts with tetralogy of Fallot have altered fluid dynamics and forces. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018 , 315, H1649-H1659	5.2	12
79	Sequential venous anastomosis design to enhance patency of arterio-venous grafts for hemodialysis. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2017 , 20, 85-93	2.1	3
78	Simulated Bench Testing to Evaluate the Mechanical Performance of New Carotid Stents. <i>Artificial Organs</i> , 2017 , 41, 267-272	2.6	9
77	A pump-free microfluidic 3D perfusion platform for the efficient differentiation of human hepatocyte-like cells. <i>Biotechnology and Bioengineering</i> , 2017 , 114, 2360-2370	4.9	44
76	A 3D printed microfluidic perfusion device for multicellular spheroid cultures. <i>Biofabrication</i> , 2017 , 9, 045005	10.5	66
75	Peristaltic-Like Motion of the Human Fetal Right Ventricle and its Effects on Fluid Dynamics and Energy Dynamics. <i>Annals of Biomedical Engineering</i> , 2017 , 45, 2335-2347	4.7	7
74	Hemodynamic assessment of extra-cardiac tricuspid valves using particle image velocimetry. <i>Medical Engineering and Physics</i> , 2017 , 50, 1-11	2.4	1
73	Numerical investigation on red blood cell dynamics in microflow: Effect of cell deformability. <i>Clinical Hemorheology and Microcirculation</i> , 2017 , 65, 105-117	2.5	3
72	Continuous Separation of White Blood Cells From Whole Blood Using Viscoelastic Effects. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2017 , 11, 1431-1437	5.1	13
71	Near-Wall Migration Dynamics of Erythrocytes : Effects of Cell Deformability and Arteriolar Bifurcation. <i>Frontiers in Physiology</i> , 2017 , 8, 963	4.6	10
70	Experimental Study of Right Ventricular Hemodynamics After Tricuspid Valve Replacement Therapies to Treat Tricuspid Regurgitation. <i>Cardiovascular Engineering and Technology</i> , 2017 , 8, 401-418	2.2	3

69	Covered Stent Membrane Design for Treatment of Atheroembolic Disease at Carotid Artery Bifurcation and Prevention of Thromboembolic Stroke: An In Vitro Experimental Study. <i>Artificial Organs</i> , 2016 , 40, 159-68	2.6	7
68	Aggregation and protein corona formation on gold nanoparticles affect viability and liver functions of primary rat hepatocytes. <i>Nanomedicine</i> , 2016 , 11, 2275-87	5.6	16
67	Effects of Microporous Stent Graft on the Descending Aortic Aneurysm: A Patient-Specific Computational Fluid Dynamics Study. <i>Artificial Organs</i> , 2016 , 40, E230-E240	2.6	7
66	Symmetry recovery of cell-free layer after bifurcations of small arterioles in reduced flow conditions: effect of RBC aggregation. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016 , 311, H487-97	5.2	4
65	A biomimetic bi-leaflet mitral prosthesis with enhanced physiological left ventricular swirl restorative capability. <i>Experiments in Fluids</i> , 2016 , 57, 1	2.5	3
64	Erythrocyte aggregation may promote uneven spatial distribution of NO/O ₂ in the downstream vessel of arteriolar bifurcations. <i>Journal of Biomechanics</i> , 2016 , 49, 2241-2248	2.9	5
63	A D-Shaped Bileaflet Bioprosthesis which Replicates Physiological Left Ventricular Flow Patterns. <i>PLoS ONE</i> , 2016 , 11, e0156580	3.7	8
62	Factors Influencing Lamina Cribrosa Microcapillary Hemodynamics and Oxygen Concentrations 2016 , 57, 6167-6179		10
61	Biomimetic Precapillary Flow Patterns for Enhancing Blood Plasma Separation: A Preliminary Study. <i>Sensors</i> , 2016 , 16,	3.8	2
60	Hemodynamic Study of Flow Remodeling Stent Graft for the Treatment of Highly Angulated Abdominal Aortic Aneurysm. <i>Computational and Mathematical Methods in Medicine</i> , 2016 , 2016, 3830123	2.8	10
59	Numerical Assessment of Novel Helical/Spiral Grafts with Improved Hemodynamics for Distal Graft Anastomoses. <i>PLoS ONE</i> , 2016 , 11, e0165892	3.7	23
58	An Experimental and Computational Study on the Effect of Caval Valved Stent Oversizing. <i>Cardiovascular Engineering and Technology</i> , 2016 , 7, 254-69	2.2	7
57	Fluid mechanics of human fetal right ventricles from image-based computational fluid dynamics using 4D clinical ultrasound scans. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016 , 311, H1498-H1508	5.2	18
56	Hemodynamics of Coronary Artery Bypass Grafting: Conventional vs. Innovative Anastomotic Configuration Designs for Enhancing Patency 2016 , 419-436		
55	Microfluidic device for sheathless particle focusing and separation using a viscoelastic fluid. <i>Journal of Chromatography A</i> , 2015 , 1406, 244-50	4.5	47
54	A semi-automated method for patient-specific computational flow modelling of left ventricles. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2015 , 18, 401-13	2.1	10
53	Effect of erythrocyte aggregation at pathological levels on NO/O ₂ transport in small arterioles. <i>Clinical Hemorheology and Microcirculation</i> , 2015 , 59, 163-75	2.5	7
52	A Patient-Specific Computational Fluid Dynamic Model for Hemodynamic Analysis of Left Ventricle Diastolic Dysfunctions. <i>Cardiovascular Engineering and Technology</i> , 2015 , 6, 412-29	2.2	11

51	Effects of a carotid covered stent with a novel membrane design on the blood flow regime and hemodynamic parameters distribution at the carotid artery bifurcation. <i>Medical and Biological Engineering and Computing</i> , 2015 , 53, 165-77	3.1	15
50	A review of numerical methods for red blood cell flow simulation. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2015 , 18, 130-40	2.1	40
49	Hybrid capillary-inserted microfluidic device for sheathless particle focusing and separation in viscoelastic flow. <i>Biomicrofluidics</i> , 2015 , 9, 064117	3.2	35
48	In Vitro Investigation of the Hemodynamics of Transcatheter Heterotopic Valves Implantation in the Cavo-Atrial Junction. <i>Artificial Organs</i> , 2015 , 39, 803-14	2.6	10
47	Comparison of hinge microflow fields of bileaflet mechanical heart valves implanted in different sinus shape and downstream geometry. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2015 , 18, 1785-96	2.1	8
46	Numerical Modeling of Intraventricular Flow during Diastole after Implantation of BMHV. <i>PLoS ONE</i> , 2015 , 10, e0126315	3.7	16
45	Alteration of Blood Flow in a Venular Network by Infusion of Dextran 500: Evaluation with a Laser Speckle Contrast Imaging System. <i>PLoS ONE</i> , 2015 , 10, e0140038	3.7	11
44	Computational fluid model incorporating liver metabolic activities in perfusion bioreactor. <i>Biotechnology and Bioengineering</i> , 2014 , 111, 885-95	4.9	14
43	Two-dimensional strain-hardening membrane model for large deformation behavior of multiple red blood cells in high shear conditions. <i>Theoretical Biology and Medical Modelling</i> , 2014 , 11, 19	2.3	11
42	In vitro measurements of velocity and wall shear stress in a novel sequential anastomotic graft design model under pulsatile flow conditions. <i>Medical Engineering and Physics</i> , 2014 , 36, 1233-45	2.4	12
41	Numerical simulation of patient-specific left ventricular model with both mitral and aortic valves by FSI approach. <i>Computer Methods and Programs in Biomedicine</i> , 2014 , 113, 474-82	6.9	40
40	Numerical investigation of blood flow in three-dimensional porcine left anterior descending artery with various stenoses. <i>Computers in Biology and Medicine</i> , 2014 , 47, 130-8	7	15
39	Design considerations and quantitative assessment for the development of percutaneous mitral valve stent. <i>Medical Engineering and Physics</i> , 2014 , 36, 882-8	2.4	15
38	Perfusion enhanced polydimethylsiloxane based scaffold cell culturing system for multi-well drug screening platform. <i>Biotechnology Progress</i> , 2014 , 30, 418-28	2.8	7
37	Enhanced and conventional project-based learning in an engineering design module. <i>International Journal of Technology and Design Education</i> , 2014 , 24, 437-458	1.1	22
36	Current hydrogel solutions for repairing and regeneration of complex tissues. <i>Current Medicinal Chemistry</i> , 2014 , 21, 2480-96	4.3	7
35	Computational Simulation of NO/O ₂ Transport in Arterioles: Role of Cell-Free Layer. <i>Lecture Notes in Computational Vision and Biomechanics</i> , 2014 , 89-100	0.3	1
34	A novel carotid covered stent design: in vitro evaluation of performance and influence on the blood flow regime at the carotid artery bifurcation. <i>Annals of Biomedical Engineering</i> , 2013 , 41, 1990-2002	4.7	21

33	Scalable alignment of three-dimensional cellular constructs in a microfluidic chip. <i>Lab on A Chip</i> , 2013 , 13, 4124-33	7.2	46
32	Design and finite element-based fatigue prediction of a new self-expandable percutaneous mitral valve stent. <i>CAD Computer Aided Design</i> , 2013 , 45, 1153-1158	2.9	21
31	Scalable cell alignment on optical media substrates. <i>Biomaterials</i> , 2013 , 34, 5078-87	15.6	17
30	Effect of deformability difference between two erythrocytes on their aggregation. <i>Physical Biology</i> , 2013 , 10, 036001	3	15
29	A thin-walled polydimethylsiloxane bioreactor for high-density hepatocyte sandwich culture. <i>Biotechnology and Bioengineering</i> , 2013 , 110, 1663-73	4.9	25
28	FSI simulation of intra-ventricular flow in patient-specific ventricular model with both mitral and aortic valves. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2013 , 2013, 703-6	0.9	1
27	Computational fluid modeling and performance analysis of a bidirectional rotating perfusion culture system. <i>Biotechnology Progress</i> , 2013 , 29, 1002-12	2.8	3
26	Effects of stenosis on the porcine left anterior descending arterial tree. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2013 , 2013, 3869-72	0.9	1
25	Has percutaneous aortic valve replacement taken center stage in the treatment of aortic valve disease?. <i>Critical Reviews in Biomedical Engineering</i> , 2013 , 41, 405-24	1.1	
24	Experimentally Validated Hemodynamics Simulations of Mechanical Heart Valves in Three Dimensions. <i>Cardiovascular Engineering and Technology</i> , 2012 , 3, 88-100	2.2	16
23	STRESS ANALYSIS OF CAROTID ARTERY STENT UNDER BENDING AND TORSION. <i>Journal of Biomechanics</i> , 2012 , 45, S637	2.9	1
22	Hepatocyte function within a stacked double sandwich culture plate cylindrical bioreactor for bioartificial liver system. <i>Biomaterials</i> , 2012 , 33, 7925-32	15.6	27
21	Recent Advances in Polymeric Heart Valves Research. <i>International Journal of Biomaterials Research and Engineering</i> , 2011 , 1, 1-17		18
20	A robust high-throughput sandwich cell-based drug screening platform. <i>Biomaterials</i> , 2011 , 32, 1229-41	15.6	48
19	LIVER TISSUE MODEL FOR DRUG TOXICITY SCREENING. <i>Journal of Mechanics in Medicine and Biology</i> , 2011 , 11, 369-390	0.7	7
18	Current development of bioreactors for extracorporeal bioartificial liver (Review). <i>Biointerphases</i> , 2010 , 5, FA116-31	1.8	25
17	Nanoparticle-based delivery system for application of siRNA in vivo. <i>Current Drug Metabolism</i> , 2010 , 11, 182-96	3.5	78
16	Laminar-flow immediate-overlay hepatocyte sandwich perfusion system for drug hepatotoxicity testing. <i>Biomaterials</i> , 2009 , 30, 5927-36	15.6	58

15	Computational Fluid Dynamics Investigation of the Effect of the Fluid-Induced Shear Stress on Hepatocyte Sandwich Perfusion Culture. <i>IFMBE Proceedings</i> , 2009 , 1405-1408	0.2	1
14	Synthetic sandwich culture of 3D hepatocyte monolayer. <i>Biomaterials</i> , 2008 , 29, 290-301	15.6	67
13	Modified control grid interpolation for the volumetric reconstruction of fluid flows. <i>Experiments in Fluids</i> , 2008 , 45, 987-997	2.5	12
12	Structural simulations of prosthetic tri-leaflet aortic heart valves. <i>Journal of Biomechanics</i> , 2008 , 41, 1510-9	10.9	40
11	Microfabricated silicon nitride membranes for hepatocyte sandwich culture. <i>Biomaterials</i> , 2008 , 29, 3993-4002	14.0	21
10	Spatio-temporal flow analysis in bileaflet heart valve hinge regions: potential analysis for blood element damage. <i>Annals of Biomedical Engineering</i> , 2007 , 35, 1333-46	4.7	11
9	Fluid dynamic assessment of three polymeric heart valves using particle image velocimetry. <i>Annals of Biomedical Engineering</i> , 2006 , 34, 936-52	4.7	71
8	A comparison of flow field structures of two tri-leaflet polymeric heart valves. <i>Annals of Biomedical Engineering</i> , 2005 , 33, 429-43	4.7	30
7	Flow in a mechanical bileaflet heart valve at laminar and near-peak systole flow rates: CFD simulations and experiments. <i>Journal of Biomechanical Engineering</i> , 2005 , 127, 782-97	2.1	76
6	Comparison of the hinge flow fields of two bileaflet mechanical heart valves under aortic and mitral conditions. <i>Annals of Biomedical Engineering</i> , 2004 , 32, 1607-17	4.7	38
5	Microflow fields in the hinge region of the CarboMedics bileaflet mechanical heart valve design. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2002 , 124, 561-74	1.5	32
4	An analysis of turbulent shear stresses in leakage flow through a bileaflet mechanical prostheses. <i>Journal of Biomechanical Engineering</i> , 2002 , 124, 155-65	2.1	22
3	Bileaflet aortic valve prosthesis pivot geometry influences platelet secretion and anionic phospholipid exposure. <i>Annals of Biomedical Engineering</i> , 2001 , 29, 657-64	4.7	22
2	The angle-resolved velocity measurements in the impeller passages of a model biocentrifugal pump. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 2001 , 215, 547-568	1.3	6
1	Comparison of flow characteristics of enlarged blood pump models with different impeller design. <i>International Communications in Heat and Mass Transfer</i> , 1999 , 26, 369-378	5.8	3