

Derek K Jones

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7464603/derek-k-jones-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

166
papers

20,120
citations

56
h-index

141
g-index

186
ext. papers

23,303
ext. citations

5.3
avg, IF

7.3
L-index

#	Paper	IF	Citations
166	Toward more robust and reproducible diffusion kurtosis imaging. <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 1600-1613	4.4	7
165	Validating pore size estimates in a complex microfiber environment on a human MRI system. <i>Magnetic Resonance in Medicine</i> , 2021 , 86, 1514-1530	4.4	2
164	The impact of graph construction scheme and community detection algorithm on the repeatability of community and hub identification in structural brain networks. <i>Human Brain Mapping</i> , 2021 , 42, 4261-4280	5.9	3
163	Mapping Structural Connectivity Using Diffusion MRI: Challenges and Opportunities. <i>Journal of Magnetic Resonance Imaging</i> , 2021 , 53, 1666-1682	5.6	31
162	Predictors of training-related improvement in visuomotor performance in patients with multiple sclerosis: A behavioural and MRI study. <i>Multiple Sclerosis Journal</i> , 2021 , 27, 1088-1101	5	3
161	The sensitivity of diffusion MRI to microstructural properties and experimental factors. <i>Journal of Neuroscience Methods</i> , 2021 , 347, 108951	3	13
160	Computing and visualising intra-voxel orientation-specific relaxation-diffusion features in the human brain. <i>Human Brain Mapping</i> , 2021 , 42, 310-328	5.9	12
159	A comparative study of gradient nonlinearity correction strategies for processing diffusion data obtained with ultra-strong gradient MRI scanners. <i>Magnetic Resonance in Medicine</i> , 2021 , 85, 1104-1113	4.4	15
158	MICRA: Microstructural image compilation with repeated acquisitions. <i>NeuroImage</i> , 2021 , 225, 117406	7.9	9
157	Apparent propagator anisotropy from single-shell diffusion MRI acquisitions. <i>Magnetic Resonance in Medicine</i> , 2021 , 85, 2869-2881	4.4	2
156	The effect of gradient nonlinearities on fiber orientation estimates from spherical deconvolution of diffusion magnetic resonance imaging data. <i>Human Brain Mapping</i> , 2021 , 42, 367-383	5.9	4
155	Multi-compartment analysis of the complex gradient-echo signal quantifies myelin breakdown in premanifest Huntington's disease. <i>NeuroImage: Clinical</i> , 2021 , 30, 102658	5.3	1
154	Magnetic Resonance Imaging of (T ₂)- and Diffusion Anisotropy Using a Tiltable Receive Coil. <i>Mathematics and Visualization</i> , 2021 , 247-262	0.6	
153	Predicting MEG resting-state functional connectivity from microstructural information. <i>Network Neuroscience</i> , 2021 , 5, 477-504	5.6	8
152	The variability of MR axon radii estimates in the human white matter. <i>Human Brain Mapping</i> , 2021 , 42, 2201-2213	5.9	11
151	Resolving bundle-specific intra-axonal T values within a voxel using diffusion-relaxation tract-based estimation. <i>NeuroImage</i> , 2021 , 227, 117617	7.9	11
150	Computing the orientational-average of diffusion-weighted MRI signals: a comparison of different techniques. <i>Scientific Reports</i> , 2021 , 11, 14345	4.9	2

149	SPHERIOUSLY? The challenges of estimating sphere radius non-invasively in the human brain from diffusion MRI. <i>NeuroImage</i> , 2021 , 237, 118183	7.9	4
148	Measuring compartmental T-orientational dependence in human brain white matter using a tiltable RF coil and diffusion-T correlation MRI. <i>NeuroImage</i> , 2021 , 236, 117967	7.9	7
147	Detecting microstructural deviations in individuals with deep diffusion MRI tractometry. <i>Nature Computational Science</i> , 2021 , 1, 598-606		2
146	Full-field MRI measurements of in-vivo positional brain shift reveal the significance of intra-cranial geometry and head orientation for stereotactic surgery. <i>Scientific Reports</i> , 2021 , 11, 17684	4.9	2
145	On the generalizability of diffusion MRI signal representations across acquisition parameters, sequences and tissue types: Chronicles of the MEMENTO challenge. <i>NeuroImage</i> , 2021 , 240, 118367	7.9	3
144	Global Brain Flexibility During Working Memory Is Reduced in a High-Genetic-Risk Group for Schizophrenia. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021 , 6, 1176-1184	3.4	0
143	Q-Space Quantitative Diffusion MRI Measures Using a Stretched-Exponential Representation. <i>Mathematics and Visualization</i> , 2021 , 121-133	0.6	
142	Drumming Motor Sequence Training Induces Apparent Myelin Remodelling in Huntington's Disease: A Longitudinal Diffusion MRI and Quantitative Magnetization Transfer Study. <i>Journal of Huntington's Disease</i> , 2020 , 9, 303-320	1.9	2
141	Microscopic susceptibility anisotropy imaging. <i>Magnetic Resonance in Medicine</i> , 2020 , 84, 2739-2753	4.4	4
140	A Critical Review of White Matter Changes in Huntington's Disease. <i>Movement Disorders</i> , 2020 , 35, 1302-1311	7.1	16
139	Impact of b-value on estimates of apparent fibre density. <i>Human Brain Mapping</i> , 2020 , 41, 2583-2595	5.9	33
138	Strong diffusion gradients allow the separation of intra- and extra-axonal gradient-echo signals in the human brain. <i>NeuroImage</i> , 2020 , 217, 116793	7.9	11
137	Network diffusion modeling predicts neurodegeneration in traumatic brain injury. <i>Annals of Clinical and Translational Neurology</i> , 2020 , 7, 270-279	5.3	15
136	Direction-averaged diffusion-weighted MRI signal using different axisymmetric B-tensor encoding schemes. <i>Magnetic Resonance in Medicine</i> , 2020 , 84, 1579-1591	4.4	11
135	The dot-compartment revealed? Diffusion MRI with ultra-strong gradients and spherical tensor encoding in the living human brain. <i>NeuroImage</i> , 2020 , 210, 116534	7.9	39
134	Population neuroimaging: generation of a comprehensive data resource within the ALSPAC pregnancy and birth cohort. <i>Wellcome Open Research</i> , 2020 , 5, 203	4.8	1
133	Noninvasive quantification of axon radii using diffusion MRI. <i>eLife</i> , 2020 , 9,	8.9	67
132	Alternative Diffusion Anisotropy Metric from Reduced MRI Acquisitions. <i>Mathematics and Visualization</i> , 2020 , 13-24	0.6	

131	q-Space Novelty Detection with Variational Autoencoders. <i>Mathematics and Visualization</i> , 2020 , 113-124	0.6	7
130	DWI Simulation-Assisted Machine Learning Models for Microstructure Estimation. <i>Mathematics and Visualization</i> , 2020 , 125-134	0.6	1
129	Acquiring and Predicting Multidimensional Diffusion (MUDI) Data: An Open Challenge. <i>Mathematics and Visualization</i> , 2020 , 195-208	0.6	6
128	Tractography in the presence of multiple sclerosis lesions. <i>NeuroImage</i> , 2020 , 209, 116471	7.9	20
127	Cross-scanner and cross-protocol multi-shell diffusion MRI data harmonization: Algorithms and results. <i>NeuroImage</i> , 2020 , 221, 117128	7.9	17
126	Imaging Alzheimer's genetic risk using diffusion MRI: A systematic review. <i>NeuroImage: Clinical</i> , 2020 , 27, 102359	5.3	9
125	Comparison of Different Tensor Encoding Combinations in Microstructural Parameter Estimation 2019 ,		3
124	Estimating axon conduction velocity in vivo from microstructural MRI. <i>NeuroImage</i> , 2019 , 203, 116186	7.9	29
123	White matter organization in developmental coordination disorder: A pilot study exploring the added value of constrained spherical deconvolution. <i>NeuroImage: Clinical</i> , 2019 , 21, 101625	5.3	11
122	Cross-scanner and cross-protocol diffusion MRI data harmonisation: A benchmark database and evaluation of algorithms. <i>NeuroImage</i> , 2019 , 195, 285-299	7.9	46
121	Fornix white matter glia damage causes hippocampal gray matter damage during age-dependent limbic decline. <i>Scientific Reports</i> , 2019 , 9, 1060	4.9	25
120	Optimization of graph construction can significantly increase the power of structural brain network studies. <i>NeuroImage</i> , 2019 , 199, 495-511	7.9	19
119	Muti-shell Diffusion MRI Harmonisation and Enhancement Challenge (MUSHAC): Progress and Results. <i>Mathematics and Visualization</i> , 2019 , 217-224	0.6	10
118	Obtaining Representative Core Streamlines for White Matter Tractometry of the Human Brain. <i>Mathematics and Visualization</i> , 2019 , 359-366	0.6	3
117	Resolving degeneracy in diffusion MRI biophysical model parameter estimation using double diffusion encoding. <i>Magnetic Resonance in Medicine</i> , 2019 , 82, 395-410	4.4	37
116	Comparing MRI metrics to quantify white matter microstructural damage in multiple sclerosis. <i>Human Brain Mapping</i> , 2019 , 40, 2917-2932	5.9	23
115	Sex-specific effects of central adiposity and inflammatory markers on limbic microstructure. <i>NeuroImage</i> , 2019 , 189, 793-803	7.9	11
114	Genetic risk for schizophrenia and developmental delay is associated with shape and microstructure of midline white-matter structures. <i>Translational Psychiatry</i> , 2019 , 9, 102	8.6	11

113	Dimensionality reduction of diffusion MRI measures for improved tractometry of the human brain. <i>NeuroImage</i> , 2019 , 200, 89-100	7.9	38
112	The Superoanterior Fasciculus (SAF): A Novel White Matter Pathway in the Human Brain?. <i>Frontiers in Neuroanatomy</i> , 2019 , 13, 24	3.6	11
111	The structural connectome in traumatic brain injury: A meta-analysis of graph metrics. <i>Neuroscience and Biobehavioral Reviews</i> , 2019 , 99, 128-137	9	29
110	Neural self-representation in autistic women and association with compensatory camouflaging. <i>Autism</i> , 2019 , 23, 1210-1223	6.6	49
109	MRI Indices of Cortical Development in Young People With Psychotic Experiences: Influence of Genetic Risk and Persistence of Symptoms. <i>Schizophrenia Bulletin</i> , 2019 , 45, 169-179	1.3	6
108	Structural and Functional Neuroimaging of Polygenic Risk for Schizophrenia: A Recall-by-Genotype-Based Approach. <i>Schizophrenia Bulletin</i> , 2019 , 45, 405-414	1.3	17
107	Myelin Breakdown in Human Huntington's Disease: Multi-Modal Evidence from Diffusion MRI and Quantitative Magnetization Transfer. <i>Neuroscience</i> , 2019 , 403, 79-92	3.9	29
106	Evidence for Training-Dependent Structural Neuroplasticity in Brain-Injured Patients: A Critical Review. <i>Neurorehabilitation and Neural Repair</i> , 2018 , 32, 99-114	4.7	27
105	A diffusion model-free framework with echo time dependence for free-water elimination and brain tissue microstructure characterization. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 2155-2172	4.4	11
104	Meyer's loop tractography for image-guided surgery depends on imaging protocol and hardware. <i>NeuroImage: Clinical</i> , 2018 , 20, 458-465	5.3	21
103	Improving the Predictions of Computational Models of Convection-Enhanced Drug Delivery by Accounting for Diffusion Non-gaussianity. <i>Frontiers in Neurology</i> , 2018 , 9, 1092	4.1	1
102	Topographic separation of fornical fibers associated with the anterior and posterior hippocampus in the human brain: An MRI-diffusion study. <i>Brain and Behavior</i> , 2017 , 7, e00604	3.4	11
101	Dynamics of White Matter Plasticity Underlying Working Memory Training: Multimodal Evidence from Diffusion MRI and Relaxometry. <i>Journal of Cognitive Neuroscience</i> , 2017 , 29, 1509-1520	3.1	39
100	Interactive Computation and Visualization of Structural Connectomes in Real-Time. <i>Lecture Notes in Computer Science</i> , 2017 , 35-41	0.9	
99	Improving the Reliability of Network Metrics in Structural Brain Networks by Integrating Different Network Weighting Strategies into a Single Graph. <i>Frontiers in Neuroscience</i> , 2017 , 11, 694	5.1	32
98	Resolving relaxometry and diffusion properties within the same voxel in the presence of crossing fibres by combining inversion recovery and diffusion-weighted acquisitions. <i>Magnetic Resonance in Medicine</i> , 2016 , 75, 372-80	4.4	45
97	Relationships between cortical myeloarchitecture and electrophysiological networks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 13510-13515	11.5	63
96	Longitudinal in vivo MRI in a Huntington's disease mouse model: Global atrophy in the absence of white matter microstructural damage. <i>Scientific Reports</i> , 2016 , 6, 32423	4.9	12

95	Including diffusion time dependence in the extra-axonal space improves in vivo estimates of axonal diameter and density in human white matter. <i>NeuroImage</i> , 2016 , 130, 91-103	7.9	73
94	Mediation of Developmental Risk Factors for Psychosis by White Matter Microstructure in Young Adults With Psychotic Experiences. <i>JAMA Psychiatry</i> , 2016 , 73, 396-406	14.5	25
93	Task complexity and location specific changes of cortical thickness in executive and salience networks after working memory training. <i>NeuroImage</i> , 2016 , 130, 48-62	7.9	91
92	White Matter Microstructure and Cognitive Function in Young Women With Polycystic Ovary Syndrome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 314-23	5.6	28
91	Robust MR-based approaches to quantifying white matter structure and structure/function alterations in Huntington's disease. <i>Journal of Neuroscience Methods</i> , 2016 , 265, 2-12	3	13
90	Simultaneous Parameter Mapping, Modality Synthesis, and Anatomical Labeling of the Brain with MR Fingerprinting. <i>Lecture Notes in Computer Science</i> , 2016 , 579-586	0.9	3
89	Global Efficiency of Structural Networks Mediates Cognitive Control in Mild Cognitive Impairment. <i>Frontiers in Aging Neuroscience</i> , 2016 , 8, 292	5.3	30
88	Myelination of the right parahippocampal cingulum is associated with physical activity in young healthy adults. <i>Brain Structure and Function</i> , 2016 , 221, 4537-4548	4	18
87	Longitudinal data on cortical thickness before and after working memory training. <i>Data in Brief</i> , 2016 , 7, 1143-7	1.2	1
86	Dynamics of the Human Structural Connectome Underlying Working Memory Training. <i>Journal of Neuroscience</i> , 2016 , 36, 4056-66	6.6	57
85	Subgenual Cingulum Microstructure Supports Control of Emotional Conflict. <i>Cerebral Cortex</i> , 2016 , 26, 2850-62	5.1	23
84	Volumetric, relaxometric and diffusometric correlates of psychotic experiences in a non-clinical sample of young adults. <i>NeuroImage: Clinical</i> , 2016 , 12, 550-558	5.3	9
83	T1 relaxometry of crossing fibres in the human brain. <i>NeuroImage</i> , 2016 , 141, 133-142	7.9	38
82	Cholinergic basal forebrain structure influences the reconfiguration of white matter connections to support residual memory in mild cognitive impairment. <i>Journal of Neuroscience</i> , 2015 , 35, 739-47	6.6	32
81	ADHD severity is associated with white matter microstructure in the subgenual cingulum. <i>NeuroImage: Clinical</i> , 2015 , 7, 653-60	5.3	18
80	Schizophrenia-like topological changes in the structural connectome of individuals with subclinical psychotic experiences. <i>Human Brain Mapping</i> , 2015 , 36, 2629-43	5.9	50
79	Psychotic Experiences, Working Memory, and the Developing Brain: A Multimodal Neuroimaging Study. <i>Cerebral Cortex</i> , 2015 , 25, 4828-38	5.1	19
78	Limbic white matter microstructure plasticity reflects recovery from depression. <i>Journal of Affective Disorders</i> , 2015 , 170, 143-9	6.6	30

77	Exploring neural dysfunction in clinical high risk for psychosis: a quantitative review of fMRI studies. <i>Journal of Psychiatric Research</i> , 2015 , 61, 122-34	5.2	30
76	Emotion regulation deficits in euthymic bipolar I versus bipolar II disorder: a functional and diffusion-tensor imaging study. <i>Bipolar Disorders</i> , 2015 , 17, 461-70	3.8	77
75	In Vivo MRI Evidence that Neuropathology is Attenuated by Cognitive Enrichment in the Yac128 Huntington Disease Mouse Model. <i>Journal of Huntington Disease</i> , 2015 , 4, 149-60	1.9	5
74	Dissociable roles of the inferior longitudinal fasciculus and fornix in face and place perception. <i>ELife</i> , 2015 , 4,	8.9	26
73	Joint Reconstruction of Multi-Contrast MRI for Multiple Sclerosis Lesion Segmentation. <i>Informatik Aktuell</i> , 2015 , 155-160	0.3	1
72	Why diffusion tensor MRI does well only some of the time: variance and covariance of white matter tissue microstructure attributes in the living human brain. <i>NeuroImage</i> , 2014 , 89, 35-44	7.9	154
71	White matter microstructure predicts autistic traits in attention-deficit/hyperactivity disorder. <i>Journal of Autism and Developmental Disorders</i> , 2014 , 44, 2742-54	4.6	12
70	CSF contamination contributes to apparent microstructural alterations in mild cognitive impairment. <i>NeuroImage</i> , 2014 , 92, 27-35	7.9	51
69	Improved Executive Function and Callosal White Matter Microstructure after Rhythm Exercise in Huntington Disease. <i>Journal of Huntington Disease</i> , 2014 , 3, 273-83	1.9	24
68	Interindividual variation in fornix microstructure and macrostructure is related to visual discrimination accuracy for scenes but not faces. <i>Journal of Neuroscience</i> , 2014 , 34, 12121-6	6.6	24
67	Gaussian Modeling of the Diffusion Signal 2014 , 87-104		5
66	Investigating the prevalence of complex fiber configurations in white matter tissue with diffusion magnetic resonance imaging. <i>Human Brain Mapping</i> , 2013 , 34, 2747-66	5.9	635
65	The CONNECT project: Combining macro- and micro-structure. <i>NeuroImage</i> , 2013 , 80, 273-82	7.9	93
64	White matter integrity, fiber count, and other fallacies: the do's and don'ts of diffusion MRI. <i>NeuroImage</i> , 2013 , 73, 239-54	7.9	1584
63	Individual differences in fornix microstructure and body mass index. <i>PLoS ONE</i> , 2013 , 8, e59849	3.7	28
62	Using the biophysical CHARMED model to elucidate the underpinnings of contrast in diffusional kurtosis analysis of diffusion-weighted MRI. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2012 , 25, 267-76	2.8	24
61	A systematic review of diffusion tensor imaging findings in sports-related concussion. <i>Journal of Neurotrauma</i> , 2012 , 29, 2521-38	5.4	115
60	Cingulum white matter in young women at risk of depression: the effect of family history and anhedonia. <i>Biological Psychiatry</i> , 2012 , 72, 296-302	7.9	78

59	How and how not to correct for CSF-contamination in diffusion MRI. <i>NeuroImage</i> , 2012 , 59, 1394-403	7.9	208
58	The influence of complex white matter architecture on the mean diffusivity in diffusion tensor MRI of the human brain. <i>NeuroImage</i> , 2012 , 59, 2208-16	7.9	146
57	Neuroplasticity and functional recovery in multiple sclerosis. <i>Nature Reviews Neurology</i> , 2012 , 8, 635-46	15	100
56	Motion correction and registration of high b-value diffusion weighted images. <i>Magnetic Resonance in Medicine</i> , 2012 , 67, 1694-702	4.4	55
55	Cortical network for gaze control in humans revealed using multimodal MRI. <i>Cerebral Cortex</i> , 2012 , 22, 765-75	5.1	41
54	Temporal association tracts and the breakdown of episodic memory in mild cognitive impairment. <i>Neurology</i> , 2012 , 79, 2233-40	6.5	70
53	Cingulum microstructure predicts cognitive control in older age and mild cognitive impairment. <i>Journal of Neuroscience</i> , 2012 , 32, 17612-9	6.6	116
52	Partial volume effect as a hidden covariate in DTI analyses. <i>NeuroImage</i> , 2011 , 55, 1566-76	7.9	268
51	Spatial and orientational heterogeneity in the statistical sensitivity of skeleton-based analyses of diffusion tensor MR imaging data. <i>Journal of Neuroscience Methods</i> , 2011 , 201, 213-9	3	46
50	Diffusion tensor imaging. <i>Methods in Molecular Biology</i> , 2011 , 711, 127-44	1.4	154
49	Probabilistic fiber tracking using the residual bootstrap with constrained spherical deconvolution. <i>Human Brain Mapping</i> , 2011 , 32, 461-79	5.9	279
48	Frontotemporal connections in episodic memory and aging: a diffusion MRI tractography study. <i>Journal of Neuroscience</i> , 2011 , 31, 13236-45	6.6	165
47	Precision and accuracy in diffusion tensor magnetic resonance imaging. <i>Topics in Magnetic Resonance Imaging</i> , 2010 , 21, 87-99	2.3	59
46	Challenges and limitations of quantifying brain connectivity in vivo with diffusion MRI. <i>Imaging in Medicine</i> , 2010 , 2, 341-355	1	209
45	Visual gamma oscillations and evoked responses: variability, repeatability and structural MRI correlates. <i>NeuroImage</i> , 2010 , 49, 3349-57	7.9	128
44	White matter integrity in Asperger syndrome: a preliminary diffusion tensor magnetic resonance imaging study in adults. <i>Autism Research</i> , 2010 , 3, 203-13	5.1	65
43	White matter microstructure in 22q11 deletion syndrome: a pilot diffusion tensor imaging and voxel-based morphometry study of children and adolescents. <i>Journal of Neurodevelopmental Disorders</i> , 2010 , 2, 77-92	4.6	37
42	Twenty-five pitfalls in the analysis of diffusion MRI data. <i>NMR in Biomedicine</i> , 2010 , 23, 803-20	4.4	585

41	Resting GABA concentration predicts peak gamma frequency and fMRI amplitude in response to visual stimulation in humans. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 8356-61	11.5	440
40	The B-matrix must be rotated when correcting for subject motion in DTI data. <i>Magnetic Resonance in Medicine</i> , 2009 , 61, 1336-49	4.4	974
39	Microstructural organization of cerebellar tracts in schizophrenia. <i>Biological Psychiatry</i> , 2009 , 66, 1067-97.9		42
38	Diffusion tensor MRI of the corpus callosum and cognitive function in adults born preterm. <i>NeuroReport</i> , 2009 , 20, 424-8	1.7	64
37	Tractography gone wild: probabilistic fibre tracking using the wild bootstrap with diffusion tensor MRI. <i>IEEE Transactions on Medical Imaging</i> , 2008 , 27, 1268-74	11.7	105
36	Studying connections in the living human brain with diffusion MRI. <i>Cortex</i> , 2008 , 44, 936-52	3.8	373
35	Standardized structural magnetic resonance imaging in multicentre studies using quantitative T1 and T2 imaging at 1.5 T. <i>NeuroImage</i> , 2008 , 40, 662-671	7.9	97
34	Altered cerebellar feedback projections in Asperger syndrome. <i>NeuroImage</i> , 2008 , 41, 1184-91	7.9	222
33	Investigating exchange and multicomponent relaxation in fully-balanced steady-state free precession imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2008 , 27, 1421-9	5.6	34
32	Gleaning multicomponent T1 and T2 information from steady-state imaging data. <i>Magnetic Resonance in Medicine</i> , 2008 , 60, 1372-87	4.4	346
31	Investigating the effect of exchange and multicomponent T(1) relaxation on the short repetition time spoiled steady-state signal and the DESPOT1 T(1) quantification method. <i>Journal of Magnetic Resonance Imaging</i> , 2007 , 25, 570-8	5.6	21
30	Acquisition and voxelwise analysis of multi-subject diffusion data with tract-based spatial statistics. <i>Nature Protocols</i> , 2007 , 2, 499-503	18.8	472
29	Symmetries in human brain language pathways correlate with verbal recall. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 17163-8	11.5	480
28	A longitudinal study of diffusion tensor MRI in ALS. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2007 , 8, 348-55		65
27	A diffusion tensor imaging study of fasciculi in schizophrenia. <i>American Journal of Psychiatry</i> , 2007 , 164, 467-73	11.9	208
26	Parsimonious model selection for tissue segmentation and classification applications: a study using simulated and experimental DTI data. <i>IEEE Transactions on Medical Imaging</i> , 2007 , 26, 1576-84	11.7	22
25	Tract-specific anisotropy measurements in diffusion tensor imaging. <i>Psychiatry Research - Neuroimaging</i> , 2006 , 146, 73-82	2.9	132
24	Age effects on diffusion tensor magnetic resonance imaging tractography measures of frontal cortex connections in schizophrenia. <i>Human Brain Mapping</i> , 2006 , 27, 230-8	5.9	201

23	Just how much data need to be collected for reliable bootstrap DT-MRI?. <i>Magnetic Resonance in Medicine</i> , 2006 , 56, 884-90	4.4	18
22	The effect of filter size on VBM analyses of DT-MRI data. <i>NeuroImage</i> , 2005 , 26, 546-54	7.9	503
21	A Diffusion Tensor Magnetic Resonance Imaging Study of Frontal Cortex Connections in Very-Late-Onset Schizophrenia-Like Psychosis. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 1092-1099	6.5	64
20	Perisylvian language networks of the human brain. <i>Annals of Neurology</i> , 2005 , 57, 8-16	9.4	1404
19	RESTORE: robust estimation of tensors by outlier rejection. <i>Magnetic Resonance in Medicine</i> , 2005 , 53, 1088-95	4.4	476
18	Confidence mapping in diffusion tensor magnetic resonance imaging tractography using a bootstrap approach. <i>Magnetic Resonance in Medicine</i> , 2005 , 53, 1143-9	4.4	118
17	PASTA: pointwise assessment of streamline tractography attributes. <i>Magnetic Resonance in Medicine</i> , 2005 , 53, 1462-7	4.4	88
16	The effect of gradient sampling schemes on measures derived from diffusion tensor MRI: a Monte Carlo study. <i>Magnetic Resonance in Medicine</i> , 2004 , 51, 807-15	4.4	624
15	"Squashing peanuts and smashing pumpkins": how noise distorts diffusion-weighted MR data. <i>Magnetic Resonance in Medicine</i> , 2004 , 52, 979-93	4.4	444
14	Determining and visualizing uncertainty in estimates of fiber orientation from diffusion tensor MRI. <i>Magnetic Resonance in Medicine</i> , 2003 , 49, 7-12	4.4	296
13	Occipito-temporal connections in the human brain. <i>Brain</i> , 2003 , 126, 2093-107	11.2	698
12	Diffusion-tensor MRI: theory, experimental design and data analysis - a technical review. <i>NMR in Biomedicine</i> , 2002 , 15, 456-67	4.4	1114
11	Applications of diffusion-weighted and diffusion tensor MRI to white matter diseases - a review. <i>NMR in Biomedicine</i> , 2002 , 15, 570-7	4.4	370
10	The future for diffusion tensor imaging in neuropsychiatry. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2002 , 14, 1-5	2.7	24
9	Virtual in vivo interactive dissection of white matter fasciculi in the human brain. <i>NeuroImage</i> , 2002 , 17, 77-94	7.9	1288
8	Spatial Normalization and Averaging of Diffusion Tensor MRI Data Sets 2002 , 17, 592-592		29
7	MRI based diffusion and perfusion predictive model to estimate stroke evolution. <i>Magnetic Resonance Imaging</i> , 2001 , 19, 1043-53	3.3	43
6	Cluster analysis of diffusion tensor magnetic resonance images in human head injury. <i>Neurosurgery</i> , 2000 , 47, 306-13; discussion 313-4	3.2	53

5	Characterization of white matter damage in ischemic leukoaraiosis with diffusion tensor MRI. <i>Stroke</i> , 1999 , 30, 393-7	6.7	242
4	Application of diffusion tensor MRI to neurological segmentation. <i>International Journal of Imaging Systems and Technology</i> , 1999 , 10, 273-286	2.5	4
3	Non-invasive assessment of axonal fiber connectivity in the human brain via diffusion tensor MRI. <i>Magnetic Resonance in Medicine</i> , 1999 , 42, 37-41	4.4	493
2	Fundamentals of diffusion MR imaging44-67		
1	The Impact of Graph Construction Scheme and Community Detection Algorithm on the Repeatability of Community and Hub Identification in Structural Brain Networks		2