

Hiroyuki Mizuguchi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7465612/hiroyuki-mizuguchi-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

117
papers

2,546
citations

25
h-index

47
g-index

122
ext. papers

3,004
ext. citations

5.4
avg, IF

5.01
L-index

#	Paper	IF	Citations
117	Adenovirus Vector With ADP Gene Induces Cytopathic Effects in HEK293 Cells Without Significant Elevation of Virus Titers.. <i>Anticancer Research</i> , 2022 , 42, 1719-1727	2.3	
116	In Vivo Gene Expression Profile of Human Intestinal Epithelial Cells: From the Viewpoint of Drug Metabolism and Pharmacokinetics. <i>Drug Metabolism and Disposition</i> , 2021 , 49, 221-232	4	2
115	Oncolytic reovirus-mediated killing of mouse cancer-associated fibroblasts. <i>International Journal of Pharmaceutics</i> , 2021 , 610, 121269	6.5	0
114	Adenovirus vector-based vaccine for infectious diseases.. <i>Drug Metabolism and Pharmacokinetics</i> , 2021 , 42, 100432	2.2	8
113	miR-27b antagonizes BMP signaling in early differentiation of human induced pluripotent stem cells. <i>Scientific Reports</i> , 2021 , 11, 19820	4.9	0
112	Vinblastine treatment decreases the undifferentiated cell contamination of human iPSC-derived intestinal epithelial-like cells. <i>Molecular Therapy - Methods and Clinical Development</i> , 2021 , 20, 463-472	6.4	2
111	Efficient antitumor effects of a novel oncolytic adenovirus fully composed of species B adenovirus serotype 35. <i>Molecular Therapy - Oncolytics</i> , 2021 , 20, 399-409	6.4	4
110	Asymmetric profiles of infection and innate immunological responses in human iPS cell-derived small intestinal epithelial-like cell monolayers following infection with mammalian reovirus. <i>Virus Research</i> , 2021 , 296, 198334	6.4	
109	A TGF β Signaling Inhibitor, SB431542, Inhibits Reovirus-mediated Lysis of Human Hepatocellular Carcinoma Cells in a TGF β Independent Manner. <i>Anticancer Research</i> , 2021 , 41, 2431-2440	2.3	1
108	A selective cytotoxic adenovirus vector for concentration of pluripotent stem cells in human pluripotent stem cell-derived neural progenitor cells. <i>Scientific Reports</i> , 2021 , 11, 11407	4.9	0
107	Generation of tetracycline-controllable CYP3A4-expressing Caco-2 cells by the piggyBac transposon system. <i>Scientific Reports</i> , 2021 , 11, 11670	4.9	0
106	Adenovirus Vector-Induced IL-6 Promotes Leaky Adenoviral Gene Expression, Leading to Acute Hepatotoxicity. <i>Journal of Immunology</i> , 2021 , 206, 410-421	5.3	3
105	Fiber-Knob Region of Adenovirus Type 5 Vector Promotes Migration of A549 Cells. <i>BPB Reports</i> , 2021 , 4, 17-21	0.3	
104	Usability of Polydimethylsiloxane-Based Microfluidic Devices in Pharmaceutical Research Using Human Hepatocytes. <i>ACS Biomaterials Science and Engineering</i> , 2021 , 7, 3648-3657	5.5	7
103	Comparison of culture media for human intestinal organoids from the viewpoint of pharmacokinetic studies. <i>Biochemical and Biophysical Research Communications</i> , 2021 , 566, 115-122	3.4	1
102	Monolayer platform using human biopsy-derived duodenal organoids for pharmaceutical research. <i>Molecular Therapy - Methods and Clinical Development</i> , 2021 , 22, 263-278	6.4	1
101	Development of a 3D Cell Culture System Using Amphiphilic Polydepsipeptides and Its Application to Hepatic Differentiation.. <i>ACS Applied Bio Materials</i> , 2021 , 4, 7290-7299	4.1	0

100	Generation of Tetrafluoroethylene-Propylene Elastomer-Based Microfluidic Devices for Drug Toxicity and Metabolism Studies. <i>ACS Omega</i> , 2021 , 6, 24859-24865	3.9	4
99	Transduction Properties of an Adenovirus Vector Containing Sequences Complementary to a Liver-Specific microRNA, miR-122a, in the 3'Untranslated Region of the E4 Gene in Human Hepatocytes from Chimeric Mice with Humanized Liver. <i>Biological and Pharmaceutical Bulletin</i> , 2021 , 44, 1506-1513	2.3	
98	Optimization of an E1A Gene Expression Cassette in an Oncolytic Adenovirus for Efficient Tumor Cell Killing Activity. <i>Anticancer Research</i> , 2021 , 41, 773-782	2.3	0
97	Tolloid-Like 1 Negatively Regulates Hepatic Differentiation of Human Induced Pluripotent Stem Cells Through Transforming Growth Factor Beta Signaling. <i>Hepatology Communications</i> , 2020 , 4, 255-267 ⁶		1
96	Comparison of commercially available media for hepatic differentiation and hepatocyte maintenance. <i>PLoS ONE</i> , 2020 , 15, e0229654	3.7	6
95	Establishment of MDR1-knockout human induced pluripotent stem cell line. <i>Drug Metabolism and Pharmacokinetics</i> , 2020 , 35, 288-296	2.2	4
94	Immune Modulation by Telomerase-Specific Oncolytic Adenovirus Synergistically Enhances Antitumor Efficacy with Anti-PD1 Antibody. <i>Molecular Therapy</i> , 2020 , 28, 794-804	11.7	18
93	Oncolytic Virus-Mediated Targeting of the ERK Signaling Pathway Inhibits Invasive Propensity in Human Pancreatic Cancer. <i>Molecular Therapy - Oncolytics</i> , 2020 , 17, 107-117	6.4	11
92	Potential of human iPS cell-derived intestinal epithelial cells as a tool for pharmacokinetic assessment. <i>Drug Delivery System</i> , 2020 , 35, 309-318	0	
91	Development of a Novel Oncolytic Adenovirus Expressing a Short-hairpin RNA Against Cullin 4A. <i>Anticancer Research</i> , 2020 , 40, 161-168	2.3	3
90	Establishment of SLC15A1/PEPT1-Knockout Human-Induced Pluripotent Stem Cell Line for Intestinal Drug Absorption Studies. <i>Molecular Therapy - Methods and Clinical Development</i> , 2020 , 17, 49-57 ^{6,4}		9
89	Ablation of IL-17A leads to severe colitis in IL-10-deficient mice: implications of myeloid-derived suppressor cells and NO production. <i>International Immunology</i> , 2020 , 32, 187-201	4.9	2
88	Photoactivatable oncolytic adenovirus for optogenetic cancer therapy. <i>Cell Death and Disease</i> , 2020 , 11, 570	9.8	9
87	Generation of Human Induced Pluripotent Stem Cell-Derived Hepatocyte-Like Cells for Cellular Medicine. <i>Biological and Pharmaceutical Bulletin</i> , 2020 , 43, 608-615	2.3	2
86	miR-27b-mediated suppression of aquaporin-11 expression in hepatocytes reduces HCV genomic RNA levels but not viral titers. <i>Virology Journal</i> , 2019 , 16, 58	6.1	1
85	Modeling of Hepatic Drug Metabolism and Responses in CYP2C19 Poor Metabolizer Using Genetically Manipulated Human iPS cells. <i>Drug Metabolism and Disposition</i> , 2019 , 47, 632-638	4	12
84	Pharmaceutical Research for Inherited Metabolic Disorders of the Liver Using Human Induced Pluripotent Stem Cell and Genome Editing Technologies. <i>Biological and Pharmaceutical Bulletin</i> , 2019 , 42, 312-318	2.3	4
83	Development of selective cytotoxic viral vectors for concentration of undifferentiated cells in cardiomyocytes derived from human induced pluripotent stem cells. <i>Scientific Reports</i> , 2019 , 9, 3630	4.9	4

82	FGF signal is not required for hepatoblast differentiation of human iPS cells. <i>Scientific Reports</i> , 2019 , 9, 3713	4.9	9
81	Systemically Administered Reovirus-Induced Downregulation of Hypoxia Inducible Factor-1 α in Subcutaneous Tumors. <i>Molecular Therapy - Oncolytics</i> , 2019 , 12, 162-172	6.4	6
80	Efficient generation of adenovirus vectors carrying the Clustered regularly interspaced short palindromic repeat (CRISPR)-CRISPR associated proteins (Cas)12a system by suppressing Cas12a expression in packaging cells. <i>Journal of Biotechnology</i> , 2019 , 304, 1-9	3.7	3
79	Generation of Human iPSC-Derived Intestinal Epithelial Cell Monolayers by CDX2 Transduction. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2019 , 8, 513-526	7.9	17
78	Adenovirus Fiber can Distribute Itself to the Cell Surface without Membrane Damage. <i>BPB Reports</i> , 2019 , 2, 113-118	0.3	0
77	Human iPS Cell-based Liver-like Tissue Engineering at Extrahepatic Sites in Mice as a New Cell Therapy for Hemophilia B. <i>Cell Transplantation</i> , 2018 , 27, 299-309	4	8
76	Nanaomycin A Treatment Promotes Hepatoblast Differentiation from Human iPS Cells. <i>Stem Cells and Development</i> , 2018 , 27, 405-414	4.4	9
75	Billion-scale production of hepatocyte-like cells from human induced pluripotent stem cells. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 496, 1269-1275	3.4	25
74	Enrichment of high-functioning human iPS cell-derived hepatocyte-like cells for pharmaceutical research. <i>Biomaterials</i> , 2018 , 161, 24-32	15.6	29
73	Detection of circulating tumor cells in cervical cancer using a conditionally replicative adenovirus targeting telomerase-positive cells. <i>Cancer Science</i> , 2018 , 109, 231-240	6.9	14
72	Generation of Optogenetically Modified Adenovirus Vector for Spatiotemporally Controllable Gene Therapy. <i>ACS Chemical Biology</i> , 2018 , 13, 449-454	4.9	9
71	Oncolytic Reovirus Inhibits Immunosuppressive Activity of Myeloid-Derived Suppressor Cells in a TLR3-Dependent Manner. <i>Journal of Immunology</i> , 2018 , 200, 2987-2999	5.3	20
70	Occludin as a functional marker of vascular endothelial cells on tube-forming activity. <i>Journal of Cellular Physiology</i> , 2018 , 233, 1700-1711	7	3
69	Antibodies against adenovirus fiber and penton base proteins inhibit adenovirus vector-mediated transduction in the liver following systemic administration. <i>Scientific Reports</i> , 2018 , 8, 12315	4.9	5
68	Clinical features of squamous cell lung cancer with anaplastic lymphoma kinase (ALK)-rearrangement: a retrospective analysis and review. <i>Oncotarget</i> , 2018 , 9, 24000-24013	3.3	14
67	Efficient Generation of Small Intestinal Epithelial-like Cells from Human iPSCs for Drug Absorption and Metabolism Studies. <i>Stem Cell Reports</i> , 2018 , 11, 1539-1550	8	29
66	LY341495, an mGluR2/3 Antagonist, Regulates the Immunosuppressive Function of Myeloid-Derived Suppressor Cells and Inhibits Melanoma Tumor Growth. <i>Biological and Pharmaceutical Bulletin</i> , 2018 , 41, 1866-1869	2.3	5
65	Optimal human iPS cell culture method for efficient hepatic differentiation. <i>Differentiation</i> , 2018 , 104, 13-21	3.5	5

64	A Flow Cytometry-Based Method to Determine the Titer of Adenoviruses Expressing an Extraneous Gene. <i>Biological and Pharmaceutical Bulletin</i> , 2018 , 41, 1615-1619	2.3	1
63	Generation of the Adenovirus Vector-Mediated CRISPR/Cpf1 System and the Application for Primary Human Hepatocytes Prepared from Humanized Mice with Chimeric Liver. <i>Biological and Pharmaceutical Bulletin</i> , 2018 , 41, 1089-1095	2.3	8
62	Eradication of melanoma in vitro and in vivo via targeting with a Killer-Red-containing telomerase-dependent adenovirus. <i>Cell Cycle</i> , 2017 , 16, 1502-1508	4.7	4
61	Isolation and expansion of human pluripotent stem cell-derived hepatic progenitor cells by growth factor defined serum-free culture conditions. <i>Experimental Cell Research</i> , 2017 , 352, 333-345	4.2	11
60	Generation of a bile salt export pump deficiency model using patient-specific induced pluripotent stem cell-derived hepatocyte-like cells. <i>Scientific Reports</i> , 2017 , 7, 41806	4.9	23
59	Cationic liposome-mediated delivery of reovirus enhances the tumor cell-killing efficiencies of reovirus in reovirus-resistant tumor cells. <i>International Journal of Pharmaceutics</i> , 2017 , 524, 238-247	6.5	10
58	Human ESC/iPSC-Derived Hepatocyte-like Cells Achieve Zone-Specific Hepatic Properties by Modulation of WNT Signaling. <i>Molecular Therapy</i> , 2017 , 25, 1420-1433	11.7	15
57	Human induced-pluripotent stem cell-derived hepatocyte-like cells as an in vitro model of human hepatitis B virus infection. <i>Scientific Reports</i> , 2017 , 7, 45698	4.9	34
56	Type I Interferons Impede Short Hairpin RNA-Mediated RNAi via Inhibition of Dicer-Mediated Processing to Small Interfering RNA. <i>Molecular Therapy - Nucleic Acids</i> , 2017 , 6, 173-182	10.7	9
55	Highly efficient biallelic genome editing of human ES/iPS cells using a CRISPR/Cas9 or TALEN system. <i>Nucleic Acids Research</i> , 2017 , 45, 5198-5207	20.1	58
54	MicroRNA miR-27 Inhibits Adenovirus Infection by Suppressing the Expression of SNAP25 and TXN2. <i>Journal of Virology</i> , 2017 , 91,	6.6	18
53	Hepatocyte Nuclear Factor 4 Alpha Promotes Definitive Endoderm Differentiation from Human Induced Pluripotent Stem Cells. <i>Stem Cell Reviews and Reports</i> , 2017 , 13, 542-551	6.4	11
52	Sensitive detection of viable circulating tumor cells using a novel conditionally telomerase-selective replicating adenovirus in non-small cell lung cancer patients. <i>Oncotarget</i> , 2017 , 8, 34884-34895	3.3	29
51	Hepatitis C virus-induced innate immune responses in human iPS cell-derived hepatocyte-like cells. <i>Virus Research</i> , 2017 , 242, 7-15	6.4	11
50	Neonatal Gene Therapy for Hemophilia B by a Novel Adenovirus Vector Showing Reduced Leaky Expression of Viral Genes. <i>Molecular Therapy - Methods and Clinical Development</i> , 2017 , 6, 183-193	6.4	6
49	Adenovirus vector-mediated macrophage erythroblast attacher (MAEA) overexpression in primary mouse hepatocytes attenuates hepatic gluconeogenesis. <i>Biochemistry and Biophysics Reports</i> , 2017 , 10, 192-197	2.2	4
48	A mammalian mirtron miR-1224 promotes tube-formation of human primary endothelial cells by targeting anti-angiogenic factor epsin2. <i>Scientific Reports</i> , 2017 , 7, 5541	4.9	11
47	Direct conversion of human fibroblasts into hepatocyte-like cells by ATF5, PROX1, FOXA2, FOXA3, and HNF4A transduction. <i>Scientific Reports</i> , 2017 , 7, 16675	4.9	38

46	Suppression of Oncolytic Adenovirus-Mediated Hepatotoxicity by Liver-Specific Inhibition of NF- κ B. <i>Molecular Therapy - Oncolytics</i> , 2017 , 7, 76-85	6.4	2
45	Enhanced Oncolytic Activities of the Telomerase-Specific Replication-Competent Adenovirus Expressing Short-Hairpin RNA against Dicer. <i>Molecular Cancer Therapeutics</i> , 2017 , 16, 251-259	6.1	18
44	Generation of human pluripotent stem cell-derived hepatocyte-like cells for drug toxicity screening. <i>Drug Metabolism and Pharmacokinetics</i> , 2017 , 32, 12-20	2.2	20
43	Generation of safe and therapeutically effective human induced pluripotent stem cell-derived hepatocyte-like cells for regenerative medicine. <i>Hepatology Communications</i> , 2017 , 1, 1058-1069	6	43
42	T Helper 17 Promotes Induction of Antigen-Specific Gut-Mucosal Cytotoxic T Lymphocytes following Adenovirus Vector Vaccination. <i>Frontiers in Immunology</i> , 2017 , 8, 1456	8.4	6
41	Prediction of Differentiation Tendency Toward Hepatocytes from Gene Expression in Undifferentiated Human Pluripotent Stem Cells. <i>Stem Cells and Development</i> , 2016 , 25, 1884-1897	4.4	14
40	Expression of HIF-1 α domain fused canine caspase 3 by EGFR promoter-driven adenovirus vector induces cytotoxicity in canine breast tumor cells under hypoxia. <i>Veterinary Research Communications</i> , 2016 , 40, 131-139	2.9	3
39	Adenovirus vector-based incorporation of a photo-cross-linkable amino acid into proteins in human primary cells and cancerous cell lines. <i>Scientific Reports</i> , 2016 , 6, 36946	4.9	10
38	Efficient detection of human circulating tumor cells without significant production of false-positive cells by a novel conditionally replicating adenovirus. <i>Molecular Therapy - Methods and Clinical Development</i> , 2016 , 3, 16001	6.4	18
37	Hepatic maturation of human iPS cell-derived hepatocyte-like cells by ATF5, c/EBP β and PROX1 transduction. <i>Biochemical and Biophysical Research Communications</i> , 2016 , 469, 424-9	3.4	28
36	Targeted Photodynamic Virotherapy Armed with a Genetically Encoded Photosensitizer. <i>Molecular Cancer Therapeutics</i> , 2016 , 15, 199-208	6.1	11
35	Transplantation of a human iPSC-derived hepatocyte sheet increases survival in mice with acute liver failure. <i>Journal of Hepatology</i> , 2016 , 64, 1068-1075	13.4	91
34	TANK-binding kinase 1-dependent or -independent signaling elicits the cell-type-specific innate immune responses induced by the adenovirus vector. <i>International Immunology</i> , 2016 , 28, 105-115	4.9	9
33	Dicer functions as an antiviral system against human adenoviruses via cleavage of adenovirus-encoded noncoding RNA. <i>Scientific Reports</i> , 2016 , 6, 27598	4.9	18
32	Coating with spermine-pullulan polymer enhances adenoviral transduction of mesenchymal stem cells. <i>International Journal of Nanomedicine</i> , 2016 , 11, 6763-6769	7.3	4
31	Tumor-specific delivery of biologics by a novel T-cell line HOZOT. <i>Scientific Reports</i> , 2016 , 6, 38060	4.9	6
30	Modeling of drug-mediated CYP3A4 induction by using human iPS cell-derived enterocyte-like cells. <i>Biochemical and Biophysical Research Communications</i> , 2016 , 472, 631-6	3.4	33
29	Laminin 411 and 511 promote the cholangiocyte differentiation of human induced pluripotent stem cells. <i>Biochemical and Biophysical Research Communications</i> , 2016 , 474, 91-96	3.4	20

28	Reovirus double-stranded RNA genomes and polyI:C induce down-regulation of hypoxia-inducible factor 1 <i>Biochemical and Biophysical Research Communications</i> , 2015 , 460, 1041-6	3.4	6
27	Expression of coxsackievirus and adenovirus receptor separates hematopoietic and cardiac progenitor cells in fetal liver kinase 1-expressing mesoderm. <i>Stem Cells Translational Medicine</i> , 2015 , 4, 424-36	6.9	1
26	Generation of enterocyte-like cells from human induced pluripotent stem cells for drug absorption and metabolism studies in human small intestine. <i>Scientific Reports</i> , 2015 , 5, 16479	4.9	39
25	Efficient Gene Transduction of Dispersed Islet Cells in Culture Using Fiber-Modified Adenoviral Vectors. <i>Cell Medicine</i> , 2015 , 8, 31-8	4.9	
24	Proteolytic disassembly of viral outer capsid proteins is crucial for reovirus-mediated type-I interferon induction in both reovirus-susceptible and reovirus-refractory tumor cells. <i>BioMed Research International</i> , 2015 , 2015, 468457	3	7
23	Evaluation of transduction properties of an adenovirus vector in neonatal mice. <i>BioMed Research International</i> , 2015 , 2015, 685374	3	5
22	Generation of Brain Microvascular Endothelial-Like Cells from Human Induced Pluripotent Stem Cells by Co-Culture with C6 Glioma Cells. <i>PLoS ONE</i> , 2015 , 10, e0128890	3.7	34
21	Human Herpesvirus-6 U14 Induces Cell-Cycle Arrest in G2/M Phase by Associating with a Cellular Protein, EDD. <i>PLoS ONE</i> , 2015 , 10, e0137420	3.7	14
20	Protective mucosal immunity mediated by epithelial CD1d and IL-10. <i>Nature</i> , 2014 , 509, 497-502	50.4	143
19	Prediction of interindividual differences in hepatic functions and drug sensitivity by using human iPS-derived hepatocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 16772-7	11.5	139
18	Suppression of leaky expression of adenovirus genes by insertion of microRNA-targeted sequences in the replication-incompetent adenovirus vector genome. <i>Molecular Therapy - Methods and Clinical Development</i> , 2014 , 1, 14035	6.4	17
17	HHEX promotes hepatic-lineage specification through the negative regulation of eomesodermin. <i>PLoS ONE</i> , 2014 , 9, e90791	3.7	10
16	The early activation of CD8+ T cells is dependent on type I IFN signaling following intramuscular vaccination of adenovirus vector. <i>BioMed Research International</i> , 2014 , 2014, 158128	3	6
15	Polyethyleneimine-coating enhances adenoviral transduction of mesenchymal stem cells. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 447, 383-7	3.4	18
14	Ca(2+) spiking activity caused by the activation of store-operated Ca(2+) channels mediates TNF- α release from microglial cells under chronic purinergic stimulation. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2013 , 1833, 2573-2585	4.9	33
13	A targeted adenovirus vector displaying a human fibronectin type III domain-based monobody in a fiber protein. <i>Biomaterials</i> , 2013 , 34, 4191-4201	15.6	10
12	Further reduction in adenovirus vector-mediated liver transduction without largely affecting transgene expression in target organ by exploiting microRNA-mediated regulation and the Cre-loxP recombination system. <i>Molecular Pharmaceutics</i> , 2012 , 9, 3452-63	5.6	8
11	Correlation between adenovirus-neutralizing antibody titer and adenovirus vector-mediated transduction efficiency following intratumoral injection. <i>Anticancer Research</i> , 2012 , 32, 1145-52	2.3	13

10	Adenovirus vector-mediated efficient transduction into human embryonic and induced pluripotent stem cells. <i>Cellular Reprogramming</i> , 2010 , 12, 501-7	2.1	20
9	Efficient adenovirus vector-mediated PPAR gamma gene transfer into mouse embryoid bodies promotes adipocyte differentiation. <i>Journal of Gene Medicine</i> , 2008 , 10, 498-507	3.5	29
8	Modified adenoviral vectors ablated for coxsackievirus-adenovirus receptor, alphav integrin, and heparan sulfate binding reduce in vivo tissue transduction and toxicity. <i>Human Gene Therapy</i> , 2006 , 17, 264-79	4.8	58
7	Efficient gene transfer into mouse embryonic stem cells with adenovirus vectors. <i>Molecular Therapy</i> , 2005 , 12, 547-54	11.7	62
6	Characterization of in vitro and in vivo gene transfer properties of adenovirus serotype 35 vector. <i>Molecular Therapy</i> , 2003 , 8, 813-21	11.7	90
5	Generation of fiber-modified adenovirus vectors containing heterologous peptides in both the HI loop and C terminus of the fiber knob. <i>Journal of Gene Medicine</i> , 2003 , 5, 267-76	3.5	92
4	Optimization of transcriptional regulatory elements for constructing plasmid vectors. <i>Gene</i> , 2001 , 272, 149-56	3.8	155
3	A simple method for constructing E1- and E1/E4-deleted recombinant adenoviral vectors. <i>Human Gene Therapy</i> , 1999 , 10, 2013-7	4.8	227
2	Efficient Construction of a Recombinant Adenovirus Vector by an Improved In Vitro Ligation Method. <i>Human Gene Therapy</i> , 1998 , 9, 2577-2583	4.8	36
1	Efficient construction of a recombinant adenovirus vector by an improved in vitro ligation method. <i>Human Gene Therapy</i> , 1998 , 9, 2577-83	4.8	289