Yanqin Lin

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7466207/publications.pdf

Version: 2024-02-01

840585 996849 45 296 11 15 citations h-index g-index papers 46 46 46 167 times ranked all docs docs citations citing authors

#	Article	IF	CITATIONS
1	Improvement in Signal-to-Noise Ratio of Liquid-State NMR Spectroscopy via a Deep Neural Network DN-Unet. Analytical Chemistry, 2021, 93, 1377-1382.	3.2	25
2	Fast reconstruction of non-uniform sampling multidimensional NMR spectroscopy via a deep neural network. Journal of Magnetic Resonance, 2020, 317, 106772.	1.2	24
3	High-resolution methods for the measurement of scalar coupling constants. Progress in Nuclear Magnetic Resonance Spectroscopy, 2018, 109, 135-159.	3.9	20
4	Highâ€resolution MRS in the presence of field inhomogeneity via intermolecular doubleâ€quantum coherences on a 3â€7 wholeâ€body scanner. Magnetic Resonance in Medicine, 2010, 63, 303-311.	1.9	18
5	Ultrafast acquisition of localized two-dimensional magnetic resonance correlated spectra of inhomogeneous biological tissues with resolution improvements. Chemical Physics Letters, 2013, 581, 96-102.	1.2	18
6	Accurate measurements of small J coupling constants under inhomogeneous fields via intermolecular multiple-quantum coherences. Journal of Magnetic Resonance, 2008, 190, 298-306.	1.2	16
7	A single-scan method for NMR 2D J-resolved spectroscopy. Chemical Communications, 2015, 51, 1234-1236.	2.2	14
8	Measuring J HH values with a selective constant-time 2D NMR protocol. Journal of Magnetic Resonance, 2016, 272, 20-24.	1.2	12
9	A simultaneous multi-slice selective J -resolved experiment for fully resolved scalar coupling information. Journal of Magnetic Resonance, 2017, 282, 27-31.	1.2	12
10	An Intermolecular Single-Quantum Coherence Detection Scheme for High-Resolution Two-Dimensional <i>J</i> -resolved Spectroscopy in Inhomogeneous Fields. Applied Spectroscopy, 2010, 64, 235-240.	1.2	11
11	Partial homogeneity based high-resolution nuclear magnetic resonance spectra under inhomogeneous magnetic fields. Applied Physics Letters, 2014, 105, 132406.	1.5	11
12	High-resolution NMR spectra in inhomogeneous fields utilizing the CRAZED sequence without coherence selection gradients. Journal of Magnetic Resonance, 2008, 193, 94-101.	1.2	8
13	High-resolution absorptive intermolecular multiple-quantum coherence NMR spectroscopy under inhomogeneous fields. Journal of Magnetic Resonance, 2012, 214, 289-295.	1.2	8
14	Disturbance of thalamic metabolism and its association with regional neural dysfunction and cognitive impairment in minimal hepatic encephalopathy. European Journal of Radiology, 2020, 131, 109252.	1.2	7
15	High-resolution NMR spectra under inhomogeneous fields via intermolecular double-quantum coherences. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2008, 70, 1025-1028.	2.0	6
16	Line broadening interference for high-resolution nuclear magnetic resonance spectra under inhomogeneous magnetic fields. Journal of Chemical Physics, 2015, 142, 134202.	1.2	6
17	High-resolution nuclear magnetic resonance measurements in inhomogeneous magnetic fields: A fast two-dimensional <i>J</i> -resolved experiment. Journal of Chemical Physics, 2016, 144, 104202.	1.2	6
18	Fully Exploiting the Power of 2D NMR <i>J</i> -Resolved Spectroscopy. Analytical Chemistry, 2020, 92, 6893-6899.	3.2	6

#	Article	IF	CITATIONS
19	High Resolution Nuclear Magnetic Resonance Spectroscopy on Biological Tissue and Metabolomics. Current Medicinal Chemistry, 2019, 26, 2190-2207.	1.2	6
20	High-Resolution <i>J</i> -Scaling Nuclear Magnetic Resonance Spectra in Inhomogeneous Fields via Intermolecular Multiple-Quantum Coherences. Applied Spectroscopy, 2009, 63, 585-590.	1.2	5
21	Ultrafast localized twoâ€dimensional magnetic resonance correlated spectroscopy via spatially encoded technique. Magnetic Resonance in Medicine, 2014, 71, 903-910.	1.9	5
22	Highâ€resolution localized spatiotemporal encoding correlated spectra under inhomogeneous magnetic fields via asymmetrical gradient encoding/decoding. NMR in Biomedicine, 2015, 28, 210-216.	1.6	5
23	Ultrafast multidimensional nuclear magnetic resonance technique: A proof of concept based on inverse- <i>k</i> -space for convenient and efficient performance. Applied Physics Letters, 2016, 108, .	1.5	5
24	PE-SERF: A sensitivity-improved experiment to measure JHH in crowded spectra. Journal of Magnetic Resonance, 2019, 308, 106590.	1.2	5
25	Hadamard-encoded high-resolution NMR spectroscopy via intermolecular single-quantum coherences. Chemical Physics, 2014, 444, 61-65.	0.9	4
26	Fast Acquisition of High-Quality Nuclear Magnetic Resonance Pure Shift Spectroscopy via a Deep Neural Network. Journal of Physical Chemistry Letters, 2022, 13, 2101-2106.	2.1	4
27	Accurate Measurement of Small J Couplings. Annual Reports on NMR Spectroscopy, 2011, , 157-183.	0.7	3
28	Reverse detection for spectral width improvements in spatially encoded dimensions of ultrafast two-dimensional NMR spectra. Magnetic Resonance in Chemistry, 2014, 52, 680-685.	1.1	3
29	Localized oneâ€dimensional single voxel magnetic resonance spectroscopy without ⟨i⟩J⟨ i⟩ coupling modulations. Magnetic Resonance in Medicine, 2016, 76, 1661-1667.	1.9	3
30	Pushing resolution limits for extracting 1H–1H scalar coupling constants by a resolution-enhanced selective refocusing method. Journal of Chemical Physics, 2019, 150, 184202.	1.2	3
31	Unambiguous and accurate measurement of scalar coupling constants through a selective refocusing NMR experiment. Analytica Chimica Acta, 2021, 1159, 338429.	2.6	3
32	Signalâ€toâ€noise ratio enhancement of intermolecular doubleâ€quantum coherence MR spectroscopy in inhomogeneous fields with phased array coils on a 3 tesla wholeâ€body scanner. Journal of Magnetic Resonance Imaging, 2011, 33, 698-703.	1.9	2
33	High-resolution 2D NMR spectra in inhomogeneous fields via 3D acquisition. Chemical Physics Letters, 2014, 599, 44-50.	1.2	2
34	Boosting resolution in NMR spectroscopy by chemical shift upscaling. Analytica Chimica Acta, 2020, 1110, 109-114.	2.6	2
35	High-resolution MR spectroscopy via intermolecular double-quantum coherences in inhomogeneous BO and B1 fields. Magnetic Resonance Imaging, 2011, 29, 601-607.	1.0	1
36	Improving spectral resolution in spatial encoding dimension of single-scan nuclear magnetic resonance 2D spin echo correlated spectroscopy. Molecular Physics, 2014, 112, 2753-2760.	0.8	1

YANQIN LIN

#	Article	IF	CITATIONS
37	Hadamard-encoded localized high-resolution NMR spectroscopy via intermolecular double-quantum coherences. Chemical Physics Letters, 2015, 622, 63-68.	1.2	1
38	Fast acquisition of high-resolution 2D NMR spectroscopy in inhomogeneous magnetic fields. Chemical Physics Letters, 2016, 652, 62-67.	1,2	1
39	Highâ€resolution 2â€D NMR spectroscopy based on the Radon transform and pure shift technique for studying chemical shifts perturbations. Magnetic Resonance in Chemistry, 2021, 59, 346-353.	1.1	1
40	A simple data post-processing method for axial peaks free 2D PSYCHEDELIC NMR spectra. Journal of Magnetic Resonance, 2021, 325, 106938.	1.2	1
41	Evaluation of brown adipose tissue with intermolecular doubleâ€quantum coherence magnetic resonance spectroscopy at 3.0ÂT. NMR in Biomedicine, 2022, 35, e4676.	1.6	1
42	Simultaneous acquirement of pure shift 2D homonuclear correlation spectra. Journal of Magnetic Resonance, 2022, 339, 107229.	1.2	1
43	Indirect measurement of NMR scalar coupling constants under inhomogenous magnetic fields. , 2006,		0
44	Localised two-dimensional correlated spectroscopy based on Hadamard encoding technique. Molecular Physics, 2014, 112, 2602-2607.	0.8	0
45	High-resolution NMR spectroscopy via simultaneous acquisitions of intermolecular zero- and double-quantum coherence signals in inhomogeneous magnetic fields. Chemical Physics Letters, 2015, 625, 41-47.	1.2	0