

# Olaf Werner

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7468787/publications.pdf>

Version: 2024-02-01

65

papers

1,782

citations

257450

24

h-index

302126

39

g-index

83

all docs

83

docs citations

83

times ranked

1262

citing authors

#	ARTICLE	IF	CITATIONS
1	Herzog Vindicated: Integrative Taxonomy Reveals That <i>Trichostomum brachydontium</i> (Pottiaceae,) Tj ETQq1 1 0.784314 rgBT <sub>2</sub> /Overlock	1.0	
2	A New Extremotolerant Ecotype of the Fungus <i>Pseudotaeniolina globosa</i> Isolated from Djoser Pyramid, Memphis Necropolis, Egypt. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 104.	3.5	7
3	Implications of the Phytoremediation of Heavy Metal Contamination of Soils and Wild Plants in the Industrial Area of Haina, Dominican Republic. <i>Sustainability</i> , 2021, 13, 1403.	3.2	9
4	Revision of <i>Bryum glauculum</i> MÃ¼ll.Hal. nom. nud. reveals the second published record of <i>B. valparaisense</i> ThÃ¶rl. from Egypt. <i>Journal of Bryology</i> , 2020, 42, 390-392.	1.2	0
5	A Cost Reduced Variant of Epi-Genotyping by Sequencing for Studying DNA Methylation in Non-model Organisms. <i>Frontiers in Plant Science</i> , 2020, 11, 694.	3.6	12
6	< i>In vitro lead tolerance and accumulation in three < i>Chrysanthemum cultivars for phytoremediation purposes with ornamental plants. <i>International Journal of Phytoremediation</i> , 2020, 22, 1110-1121.	3.1	8
7	DNA Methylation Analysis of Dormancy Release in Almond ( <i>Prunus dulcis</i> ) Flower Buds Using Epi-Genotyping by Sequencing. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3542.	4.1	46
8	<i>Tortella mediterranea</i> (Pottiaceae), a new species from southern Europe, its molecular affinities, and taxonomic notes on <i>T. nitida</i> . <i>Bryologist</i> , 2018, 121, 560.	0.6	8
9	Environmental variation obscures species diversity in southern European populations of the moss genus < i>Ceratodon. <i>Taxon</i> , 2018, 67, 673-692.	0.7	11
10	Peripatric speciation associated with genome expansion and female-biased sex ratios in the moss genus < i>Ceratodon. <i>American Journal of Botany</i> , 2018, 105, 1009-1020.	1.7	12
11	The < i>Didymodon tophaceus Complex (Pottiaceae, Bryophyta) Revisited: New Data Support the Subspecific Rank of Currently Recognized Species. <i>Cryptogamie, Bryologie</i> , 2018, 39, 241-257.	0.2	15
12	Taxonomical and Nomenclatural Notes on the Moss < i>Ceratodon conicus (Ditrichaceae,) Tj ETQq0 0 0 rgBT <sub>0.2</sub> /Overlock 10 Tf 50 302	3	
13	Intra-specific variation in West African and Asian germplasm of okra ( <i>Abelmoschus</i> spp L.). <i>Annals of Agricultural Sciences</i> , 2017, 62, 131-138.	2.9	8
14	Characterization of ten polymorphic microsatellite loci for the threatened species <i>Grimmia curviseta</i> Bouman (Grimmiaceae, Musci). <i>Journal of Bryology</i> , 2017, 39, 16-22.	1.2	3
15	Genomic scanning using < i>AFLP to detect loci under selection in the moss < i>Funaria hygrometrica along a climate gradient in the Sierra Nevada Mountains, Spain. <i>Plant Biology</i> , 2016, 18, 280-288.	3.8	27
16	Molecular systematics of <i>Abelmoschus</i> (Malvaceae) and genetic diversity within the cultivated species of this genus based on nuclear ITS and chloroplast rpL16 sequence data. <i>Genetic Resources and Crop Evolution</i> , 2016, 63, 429-445.	1.6	8
17	Should ecomorphs be conserved? The case of <i>Nostoc flagelliforme</i> , an endangered extremophile cyanobacteria. <i>Journal for Nature Conservation</i> , 2016, 30, 52-64.	1.8	19
18	How to define nativeness in vagile organisms: lessons from the cosmopolitan moss < i>Bryum argenteum on the island of Tenerife (Canary Islands). <i>Plant Biology</i> , 2015, 17, 1057-1065.	3.8	6

#	ARTICLE	IF	CITATIONS
19	New data on the systematics of the European-Asian species of Leucodon (Leucodontaceae, Bryophyta). Nova Hedwigia, 2015, 100, 333-354.	0.4	6
20	How many species of <i>Isothecium</i> (Lembophyllaceae, Bryophyta) are there in Macaronesia? A survey using integrative taxonomy. Botanical Journal of the Linnean Society, 2015, 177, 418-438.	1.6	25
21	On the systematic position of <i>Tortella arctica</i> and <i>Trichostomum arcticum</i> (Bryophyta, Pottiaceae). Nova Hedwigia, 2014, 98, 273-293.	0.4	14
22	Updated Checklist of the Bryophytes from the Sierra Nevada Mountains (S of Spain). Cryptogamie, Bryologie, 2014, 35, 261-311.	0.2	13
23	The cosmopolitan moss <i>Bryum argenteum</i> in Antarctica: recent colonisation or in situ survival?. Polar Biology, 2014, 37, 1469-1477.	1.2	55
24	Fragen zur Evolution., 2014, , 109-127.		0
25	1000 Fragen aus Zoologie und Botanik., 2014, , .		0
26	Elevational patterns of genetic variation in the cosmopolitan moss <i>Bryum argenteum</i> (Bryaceae). American Journal of Botany, 2013, 100, 2000-2008.	1.7	26
27	New Data on the Moss Genus <i>Hymenoloma</i> (Bryophyta), with Special Reference to <i>H. mulahaceni</i> . Cryptogamie, Bryologie, 2013, 34, 13-30.	0.2	14
28	Mosses of the Mediterranean, an Annotated Checklist. Cryptogamie, Bryologie, 2013, 34, 99.	0.2	311
29	Origin and fate of the singleâ€island endemic moss <i>Orthotrichum handiense</i> . Journal of Biogeography, 2013, 40, 857-868.	3.0	27
30	Partial generic revision of <i>Barbula</i> (Muscic: Pottiaceae): Reâ€“establishment of <i>Hydrogonium</i> and <i>Streblotrichum</i> , and the new genus <i>Gymnobarbula</i> . Taxon, 2013, 62, 21-39.	0.7	33
31	Applying the IUCN Red List criteria to small-sized plants on oceanic islands: conservation implications for threatened bryophytes in the Canary Islands. Biodiversity and Conservation, 2012, 21, 3613-3636.	2.6	19
32	Phylogeny of haplolepidous mosses â€“ challenges and perspectives. Journal of Bryology, 2012, 34, 173-186.	1.2	48
33	Phylogeographic Relationships between the Mosses <i>Exsertotheca intermedia</i> from Macaronesian Islands and <i>Neckera baetica</i> from Southern Glacial Refugia of the Iberian Peninsula. Annales Botanici Fennici, 2011, 48, 133-141.	0.1	9
34	Morphology, fine structure, life cycle and phylogenetic analysis of <i>Phyllosiphon arisari</i> , a siphonous parasitic green alga. European Journal of Phycology, 2011, 46, 181-192.	2.0	26
35	Phylogenetic inference in <i>Leucodon</i> SchwÃ¤gr. subg. <i>Leucodon</i> (Leucodontaceae,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 0.7 31		
36	The impact of forest disturbance on the genetic diversity and population structure of a late-successional moss. Journal of Bryology, 2010, 32, 220-231.	1.2	15

#	ARTICLE	IF	CITATIONS
37	The taxonomic status and the geographical relationships of the Macaronesian endemic moss <i>Fissidens luisieri</i> (Fissidentaceae) based on DNA sequence data. <i>Bryologist</i> , 2009, 112, 315-324.	0.6	27
38	Molecular and morphological studies on the <i>&lt; i&gt;Didymodon tophaceus&lt;/i&gt;</i> complex. <i>Plant Biosystems</i> , 2009, 143, S136-S145.	1.6	15
39	Phylogeny and classification of the Grimmiaceae/Ptychomitriaceae complex (Bryophyta) inferred from cpDNA. <i>Molecular Phylogenetics and Evolution</i> , 2008, 46, 863-877.	2.7	44
40	A reconsideration of the systematic position of <i>Goniomitrium</i> (Funariaceae) based on chloroplast sequence markers. <i>Bryologist</i> , 2007, 110, 108-114.	0.6	13
41	<i>Tortella alpicola</i> (Pottiaceae) from Spain, new to western Europe. <i>Bryologist</i> , 2006, 109, 404-407.	0.6	8
42	Distribution and Phylogenetic Significance of the 71-kb Inversion in the Plastid Genome in Funariidae (Bryophyta). <i>Annals of Botany</i> , 2006, 99, 747-753.	2.9	39
43	Preliminary Investigation of the Systematics of <i>&lt; i&gt;Didymodon&lt;/i&gt;</i> (Pottiaceae, Musci) Based on nrITS Sequence Data. <i>Systematic Botany</i> , 2005, 30, 461-470.	0.5	30
44	A morphological and molecular study of the <i>Syntrichia laevipila</i> complex (Pottiaceae) in Portugal. <i>Nova Hedwigia</i> , 2005, 80, 301-322.	0.4	6
45	A morphometric and molecular study in <i>Tortula subulata</i> complex (Pottiaceae, Bryophyta). <i>Botanical Journal of the Linnean Society</i> , 2005, 149, 333-350.	1.6	21
46	Genetic diversity of <i>Pohlia bolanderi</i> (Mniaceae), a rare and threatened moss in Sierra Nevada (Spain), estimated by ISSR molecular markers. <i>Nova Hedwigia</i> , 2005, 81, 413-420.	0.4	2
47	Molecular phylogeny of Trichostomoideae (Pottiaceae, Bryophyta) based on nrITS sequence data. <i>Taxon</i> , 2005, 54, 361-368.	0.7	56
48	<i>Pohlia bolanderi</i> from Sierra Nevada, Spain, New to the European Bryophyte Flora. <i>Bryologist</i> , 2004, 107, 312-315.	0.6	5
49	The Systematic Position of the Moss <i>Kingiobryum paramicola</i> (Pottiaceae) Based on Molecular and Morphological Data. <i>Bryologist</i> , 2004, 107, 215-221.	0.6	13
50	Molecular Phylogeography of the Moss <i>Tortula muralis</i> Hedw. (Pottiaceae) Based on Chloroplast rps4 Gene Sequence Data. <i>Plant Biology</i> , 2004, 6, 147-157.	3.8	31
51	Molecular phylogeny of Pottiaceae (Musci) based on chloroplast rps 4 sequence data. <i>Plant Systematics and Evolution</i> , 2004, 243, 147-164.	0.9	58
52	Intercontinental Mediterranean disjunct mosses: morphological and molecular patterns. <i>American Journal of Botany</i> , 2003, 90, 540-550.	1.7	83
53	Genetic variations and migration pathway of <i>Juniperus thurifera</i> L. (Cupressaceae) in the western Mediterranean region. <i>Israel Journal of Plant Sciences</i> , 2003, 51, 11-22.	0.5	26
54	On the systematic position of <i>Tortula inermis</i> and <i>Tortula bolanderi</i> (Pottiaceae, Musci) based on chloroplast rps4 sequences. <i>Nova Hedwigia</i> , 2003, 76, 137-145.	0.4	8

#	ARTICLE	IF	CITATIONS
55	Evaluation of genetic diversity in <i>Pistacia lentiscus</i> L. (Anacardiaceae) from the southern Iberian Peninsula and North Africa using RAPD assay. Implications for reafforestation policy. Israel Journal of Plant Sciences, 2002, 50, 11-18.	0.5	10
56	Direct amplification and NaOH extraction: two rapid and simple methods for preparing bryophyte DNA for polymerase chain reaction (PCR). Journal of Bryology, 2002, 24, 127-131.	1.2	52
57	Phylogeography and Phylodemography. Bryologist, 2002, 105, 373-383.	0.6	57
58	Title is missing!. Plant Systematics and Evolution, 2002, 235, 197-207.	0.9	23
59	Genetic variability in a narrow endemic snapdragon ( <i>Antirrhinum subbaeticum</i> , Scrophulariaceae) using RAPD markers. Heredity, 2002, 89, 387-393.	2.6	35
60	Identification of <i>Pistacia</i> —saportae Burnat (Anacardiaceae) by RAPD analysis and morphological characters. Scientia Horticulturae, 2001, 91, 179-186.	3.6	18
61	The influence of ABA and IAA on in vivo phosphorylation of proteins in <i>Funaria hygrometrica</i> Hedw.. Journal of Plant Physiology, 1993, 141, 93-97.	3.5	15
62	Abscisic Acid and Desiccation Tolerance in Mosses. Botanica Acta, 1993, 106, 103-106.	1.6	69
63	Abscisic-acid-induced drought tolerance in <i>Funaria hygrometrica</i> Hedw.. Planta, 1991, 186, 99-103.	3.2	121
64	Indole-3-acetic acid uptake in isolated protoplasts of the moss <i>Funaria hygrometrica</i> . Physiologia Plantarum, 1990, 80, 584-592.	5.2	16
65	Indole-3-acetic acid uptake in isolated protoplasts of the moss <i>Funaria hygrometrica</i> . Physiologia Plantarum, 1990, 80, 584-592.	5.2	4