

Eui-Kyung Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7468972/publications.pdf>

Version: 2024-02-01

68
papers

675
citations

623574

14
h-index

713332

21
g-index

68
all docs

68
docs citations

68
times ranked

1303
citing authors

#	ARTICLE	IF	CITATIONS
1	Importance of a usual source of care in choosing low-priced generic drugs: a cross-sectional study. <i>Family Practice</i> , 2022, , .	0.8	1
2	Adherence is an optimal factor for maximizing the effective and safe use of oral anticoagulants in patients with atrial fibrillation. <i>Scientific Reports</i> , 2022, 12, 3413.	1.6	3
3	Value-Based Pricing and Budget Impact Analysis for Multi-Indication Drugs: A Case Study of Immunotherapies. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 4105.	1.2	2
4	Healthcare resource utilization and medical costs in patients with terminal cancer during best supportive care. <i>PLoS ONE</i> , 2022, 17, e0269565.	1.1	2
5	Clinical manifestation, economic burden, and mortality in patients with transthyretin cardiac amyloidosis. <i>Orphanet Journal of Rare Diseases</i> , 2022, 17, .	1.2	3
6	Cost-effectiveness of antiviral treatment in adult patients with immune-tolerant phase chronic hepatitis B. <i>Gut</i> , 2021, 70, 2172-2182.	6.1	30
7	Cost-Effectiveness of Tiotropium in Elderly Patients with Severe Asthma Using Real-World Data. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021, 9, 1939-1947.e7.	2.0	11
8	Real-world data analysis of the clinical and economic burden and risk factors in patients with major depressive disorder with an inadequate response to initial antidepressants. <i>Journal of Medical Economics</i> , 2021, 24, 589-597.	1.0	5
9	Analysis of Medical Use and Treatment Costs of Hepatocellular Carcinoma Patients Using National Patient Sample Data. <i>Korean Journal of Clinical Pharmacy</i> , 2021, 31, 153-159.	0.0	0
10	Development and Validation of a Trigger Tool for Identifying Drug-Related Emergency Department Visits. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8572.	1.2	1
11	Therapeutic efficacy of new botulinum toxin identified in CCUG 7968 strain. <i>Applied Microbiology and Biotechnology</i> , 2021, 105, 8727-8737.	1.7	3
12	Cost-Effectiveness of Adjuvant Immunotherapy With Cytokine-Induced Killer Cell for Hepatocellular Carcinoma Based on a Randomized Controlled Trial and Real-World Data. <i>Frontiers in Oncology</i> , 2021, 11, 728740.	1.3	4
13	A Systematic Review of Economic Evaluations of Active Tuberculosis Treatments. <i>Frontiers in Pharmacology</i> , 2021, 12, 736986.	1.6	4
14	Cost implications of adverse drug event-related emergency department visits â€” a multicenter study in South Korea. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2020, 20, 139-146.	0.7	3
15	Haematological cancer versus solid tumour end-of-life care: a longitudinal data analysis. <i>BMJ Supportive and Palliative Care</i> , 2020, , bmjspcare-2020-002453.	0.8	4
16	Does Early Retrograde Intrarenal Surgery Improve the Cost-Effectiveness of Renal Stone Management?. <i>Yonsei Medical Journal</i> , 2020, 61, 515.	0.9	6
17	A Comparison of Leukotriene Receptor Antagonists to Low-Dose Inhaled Corticosteroids in the Elderly with Mild Asthma. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019, 7, 2642-2652.e3.	2.0	7
18	Beyond uncertainty: Negative findings for the association between the use of proton pump inhibitors and risk of dementia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 2135-2143.	1.4	13

#	ARTICLE	IF	CITATIONS
19	Cost-Utility Analysis of Sacubitril/Valsartan Use Compared With Standard Care in Chronic Heart Failure Patients With Reduced Ejection Fraction in South Korea. <i>Clinical Therapeutics</i> , 2019, 41, 1066-1079.	1.1	23
20	Differences in the risk of mood disorders in patients with asthma-COPD overlap and in patients with COPD alone: a nationwide population-based retrospective cohort study in Korea. <i>Respiratory Research</i> , 2019, 20, 80.	1.4	9
21	Risk of neuropsychiatric adverse events associated with the use of oseltamivir: a nationwide population-based case-crossover studyâ€”authorsâ€™ response. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 1764-1765.	1.3	1
22	Protonâ€pump inhibitors and the risk of <i>Clostridium difficile</i> â€associated diarrhea in highâ€risk antibiotics users: A populationâ€based caseâ€crossover study. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 479-488.	0.9	5
23	Estimation of Health Utilities Based on the Response to Treatment in Atopic Dermatitis: a Population-based Study. <i>Clinical Therapeutics</i> , 2019, 41, 700-713.	1.1	0
24	Regulatory effect of decreasing therapeutic duplication of respiratory drugs using a prescription database between 2012 and 2015. <i>Regulatory Toxicology and Pharmacology</i> , 2019, 103, 218-228.	1.3	2
25	FRIO374â€...THE RISK OF INFECTION BY TUMOR NECROSIS FACTOR INHIBITORS AND ITS ASSOCIATED FACTORS IN PATIENTS WITH ANKYLOSING SPONDYLITIS: RESULT FROM KOREAN NATIONAL HEALTH INSURANCE DATA. , 2019, , .		0
26	Risk of neuropsychiatric adverse events associated with the use of oseltamivir: a nationwide population-based case-crossover study. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 453-461.	1.3	18
27	Current status of pharmacovigilance regulatory structures, processes, and outcomes in the Asiaâ€Pacific region: Survey results from 15 countries. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 362-369.	0.9	6
28	Magnetic Resonance Imaging Is Costâ€Effective for Hepatocellular Carcinoma Surveillance in Highâ€Risk Patients With Cirrhosis. <i>Hepatology</i> , 2019, 69, 1599-1613.	3.6	70
29	Easy cuts, easy rebound: Drug expenditures with massive price cuts in Korea. <i>Health Policy</i> , 2019, 123, 388-392.	1.4	19
30	Development of Agenda for Pharmaceutical Care Service Research and Development using the Analytical Hierarchy Process. <i>Korean Journal of Clinical Pharmacy</i> , 2019, 29, 45-55.	0.0	0
31	Estimation of cost savings between 2011 and 2014 attributed to infliximab biosimilar in the South Korean healthcare market: realâ€world evidence using a nationwide database. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 1227-1236.	0.9	10
32	Risk factors of asthma exacerbation based on asthma severity: a nationwide population-based observational study in South Korea. <i>BMJ Open</i> , 2018, 8, e020825.	0.8	48
33	Persistence of biologic disease-modifying antirheumatic drugs in patients with rheumatoid arthritis: An analysis of the South Korean National Health Insurance Database. <i>Seminars in Arthritis and Rheumatism</i> , 2018, 47, 485-491.	1.6	14
34	Patient and provider characteristics related with prescribing of ADHD medication: Nationwide health insurance claims database study in Korea. <i>Asia-Pacific Psychiatry</i> , 2018, 10, e12289.	1.2	5
35	Signal detection of benzodiazepine use and risk of dementia: sequence symmetry analysis using South Korean national healthcare database. <i>International Journal of Clinical Pharmacy</i> , 2018, 40, 1568-1576.	1.0	12
36	The Utility of 5 Hypothetical Health States in Heart Failure Using Time Trade-Off (TTO) and EQ-5D-5L in Korea. <i>Clinical Drug Investigation</i> , 2018, 38, 727-736.	1.1	7

#	ARTICLE	IF	CITATIONS
37	Projection of future pharmacy service fees using the dispensing claims in hospital and clinic outpatient pharmacies: national health insurance database between 2006 and 2012. <i>BMC Health Services Research</i> , 2018, 18, 327.	0.9	2
38	Comparative Analysis of Ethical-the-counter Drugs and Over-the-counter Drugs for the Adverse Events from the Community Pharmacy. <i>Korean Journal of Clinical Pharmacy</i> , 2018, 28, 230-237.	0.0	0
39	Prevalence and predictors of hypoglycemia in South Korea. <i>American Journal of Managed Care</i> , 2018, 24, 278-286.	0.8	9
40	Development of a transformation model to derive general population-based utility: Mapping the pruritus visual analog scale (VAS) to the EQ-5D utility. <i>Journal of Evaluation in Clinical Practice</i> , 2017, 23, 755-761.	0.9	8
41	Health Care Utilization and Direct Costs in Mild, Moderate, and Severe Adult Asthma: A Descriptive Study Using the 2014 South Korean Health Insurance Database. <i>Clinical Therapeutics</i> , 2017, 39, 527-536.	1.1	24
42	Prediction of Change in Prescription Ingredient Costs and Co-payment Rates under a Reference Pricing System in South Korea. <i>Value in Health Regional Issues</i> , 2017, 12, 7-19.	0.5	1
43	National reimbursement listing determinants of new cancer drugs: a retrospective analysis of 58 cancer treatment appraisals in 2007-2016 in South Korea. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2017, 17, 401-409.	0.7	11
44	Eliciting societal preferences of reimbursement decision criteria for anti cancer drugs in South Korea. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2017, 17, 411-419.	0.7	15
45	Use pattern and predictors of use of highly caffeinated energy drinks among South Korean adolescents: a study using the Health Belief Model. <i>BMJ Open</i> , 2017, 7, e017224.	0.8	8
46	Healthcare Costs for Acute Hospitalized and Chronic Heart Failure in South Korea: A Multi-Center Retrospective Cohort Study. <i>Yonsei Medical Journal</i> , 2017, 58, 944.	0.9	9
47	Prescribing Pattern and Safety Analysis of Nonsteroidal Anti-inflammatory Drug and Gastro-Protective Agent following Reimbursement Guidelines Relaxation. <i>Korean Journal of Clinical Pharmacy</i> , 2017, 27, 250-257.	0.0	2
48	A comparison of discontinuation rates of tofacitinib and biologic disease-modifying anti-rheumatic drugs in rheumatoid arthritis: a systematic review and Bayesian network meta-analysis. <i>Clinical and Experimental Rheumatology</i> , 2017, 35, 689-699.	0.4	5
49	Comparison of benefit–risk preferences of patients and physicians regarding cyclooxygenase-2 inhibitors using discrete choice experiments. <i>Patient Preference and Adherence</i> , 2016, 10, 641.	0.8	8
50	A benefit–risk assessment model for statins using multicriteria decision analysis based on a discrete choice experiment in Korean patients. <i>Therapeutics and Clinical Risk Management</i> , 2016, 12, 965.	0.9	1
51	Economic Burden of Hypoglycemia in Patients with Type 2 Diabetes Mellitus from Korea. <i>PLoS ONE</i> , 2016, 11, e0151282.	1.1	12
52	Higher prevalence of dementia in patients with schizophrenia: A nationwide population-based study. <i>Asia-Pacific Psychiatry</i> , 2016, 8, 145-153.	1.2	13
53	Effect of sex and age on the association between suicidal behaviour and obesity in Korean adults: a cross-sectional nationwide study. <i>BMJ Open</i> , 2016, 6, e010183.	0.8	8
54	Mapping health assessment questionnaire disability index (HAQ-DI) score, pain visual analog scale (VAS), and disease activity score in 28 joints (DAS28) onto the EuroQol-5D (EQ-5D) utility score with the KORean Observational study Network for Arthritis (KORONA) registry data. <i>Rheumatology International</i> , 2016, 36, 505-513.	1.5	18

#	ARTICLE	IF	CITATIONS
55	Factors influencing the difference between forecasted and actual drug sales volumes under the price-volume agreement in South Korea. <i>Health Policy</i> , 2016, 120, 867-874.	1.4	12
56	Assessment of the Price-Volume Agreement Program in South Korea. <i>Health Policy</i> , 2016, 120, 1209-1215.	1.4	9
57	Comparison of Effectiveness Between Delamanid and Bedaquiline Among Patients with Multidrug-Resistant Tuberculosis: A Markov Model Simulation Study. <i>Clinical Drug Investigation</i> , 2016, 36, 957-968.	1.1	6
58	Cost-effectiveness Analysis of Treatment Sequence Initiating With Etanercept Compared With Leflunomide in Rheumatoid Arthritis: Impact of Reduced Etanercept Cost With Patent Expiration in South Korea. <i>Clinical Therapeutics</i> , 2016, 38, 2430-2446.e3.	1.1	11
59	Incremental impact of body mass status with modifiable unhealthy lifestyle behaviors on pharmaceutical expenditure. <i>Research in Social and Administrative Pharmacy</i> , 2016, 12, 990-1003.	1.5	1
60	The effect of the introduction of a nationwide DUR system where local DUR systems are operating-The Korean experience. <i>International Journal of Medical Informatics</i> , 2015, 84, 912-919.	1.6	15
61	Cost-benefit Analysis of Posaconazole Versus Fluconazole or Itraconazole as a Primary Antifungal Prophylaxis in High-risk Hematologic Patients: A Propensity Score-matched Analysis. <i>Clinical Therapeutics</i> , 2015, 37, 2019-2027.	1.1	11
62	Lifetime effectiveness of mifamurtide addition to chemotherapy in nonmetastatic and metastatic osteosarcoma: a Markov process model analysis. <i>Tumor Biology</i> , 2015, 36, 6773-6779.	0.8	5
63	Cost-effectiveness of Tofacitinib in the Treatment of Moderate to Severe Rheumatoid Arthritis in South Korea. <i>Clinical Therapeutics</i> , 2015, 37, 1662-1676.e2.	1.1	20
64	Effects of computerized physician order entry on medication turnaround time and orders requiring pharmacist intervention. <i>Research in Social and Administrative Pharmacy</i> , 2014, 10, 756-767.	1.5	15
65	Cost-effectiveness of Tolvaptan for Euvolemic or Hypervolemic Hyponatremia. <i>Clinical Therapeutics</i> , 2014, 36, 1183-1194.	1.1	6
66	Food away from home and body mass outcomes: Taking heterogeneity into account enhances quality of results. <i>Nutrition</i> , 2014, 30, 1015-1021.	1.1	25
67	The utility score of epilepsy with partial seizure measured by TTO, VAS, and EQ-5D in the general Korean population. <i>Epilepsy Research</i> , 2014, 108, 963-971.	0.8	16
68	Evaluation of the pilot program on the real-time drug utilization review system in South Korea. <i>International Journal of Medical Informatics</i> , 2013, 82, 987-995.	1.6	18