

Assen Jablensky

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7469406/assen-jablensky-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

221
papers

19,946
citations

55
h-index

139
g-index

247
ext. papers

23,090
ext. citations

5.8
avg. IF

7.91
L-index

#	Paper	IF	Citations
221	Genetic copy number variants, cognition and psychosis: a meta-analysis and a family study. <i>Molecular Psychiatry</i> , 2021 , 26, 5307-5319	15.1	5
220	Mental health recovery and physical health outcomes in psychotic illness: Longitudinal data from the Western Australian survey of high impact psychosis catchments. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 55, 711-728	2.6	1
219	A comparison of trajectories of offending among people with psychotic disorders, other mental disorders and no mental disorders: Evidence from a whole-of-population birth cohort study. <i>Criminal Behaviour and Mental Health</i> , 2021 , 31, 231-247	1.4	0
218	Genetic Overlap Profiles of Cognitive Ability in Psychotic and Affective Illnesses: A Multisite Study of Multiplex Pedigrees. <i>Biological Psychiatry</i> , 2021 , 90, 373-384	7.9	1
217	Parsing components of risk of premature mortality in the children of mothers with severe mental illness. <i>Schizophrenia Research</i> , 2020 , 218, 180-187	3.6	2
216	Wnt receptor gene was associated with schizophrenia in genome-wide SNP analysis of the Australian Schizophrenia Research Bank cohort. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020 , 54, 902-908	2.6	4
215	Impact of substance use and other risk factor exposures on conviction rates by people with a psychotic illness and other mental disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 517-525	4.5	1
214	Use of the Communication Checklist - Self Report (Cc-Sr) in Schizophrenia: Language Impairments Correlate with Poor Premorbid Social Adjustment. <i>Psychiatria Danubina</i> , 2020 , 32, 88-92	1.8	
213	Rediscovering the value of families for psychiatric genetics research. <i>Molecular Psychiatry</i> , 2019 , 24, 523-535	5.5	30
212	Invited response to commentary. Small numbers are not predictive: Congenital blindness may or may not be protective for schizophrenia. <i>Schizophrenia Research</i> , 2019 , 209, 272-273	3.6	
211	Are familial liability for schizophrenia and obstetric complications independently associated with risk of psychotic illness, after adjusting for other environmental stressors in childhood?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019 , 53, 1105-1115	2.6	6
210	Innovations and changes in the ICD-11 classification of mental, behavioural and neurodevelopmental disorders. <i>World Psychiatry</i> , 2019 , 18, 3-19	14.4	312
209	No association between common genetic variation in FOXP2 and language impairment in schizophrenia. <i>Psychiatry Research</i> , 2019 , 271, 590-597	9.9	5
208	Reply to: New Meta- and Mega-analyses of Magnetic Resonance Imaging Findings in Schizophrenia: Do They Really Increase Our Knowledge About the Nature of the Disease Process?. <i>Biological Psychiatry</i> , 2019 , 85, e35-e39	7.9	4
207	Assessment of Cognition and Personality as Potential Endophenotypes in the Western Australian Family Study of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018 , 44, 908-921	1.3	8
206	Whole genome sequencing of 91 multiplex schizophrenia families reveals increased burden of rare, exonic copy number variation in schizophrenia probands and genetic heterogeneity. <i>Schizophrenia Research</i> , 2018 , 197, 337-345	3.6	10
205	The Network Structure of Schizotypal Personality Traits. <i>Schizophrenia Bulletin</i> , 2018 , 44, S468-S479	1.3	41

204	Comparisons of schizotypal traits across 12 countries: Results from the International Consortium for Schizotypy Research. <i>Schizophrenia Research</i> , 2018 , 199, 128-134	3.6	21
203	The longevity gene Klotho is differentially associated with cognition in subtypes of schizophrenia. <i>Schizophrenia Research</i> , 2018 , 193, 348-353	3.6	8
202	A polygenic risk score analysis of psychosis endophenotypes across brain functional, structural, and cognitive domains. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018 , 177, 21-34	3.5	39
201	Congenital blindness is protective for schizophrenia and other psychotic illness. A whole-population study. <i>Schizophrenia Research</i> , 2018 , 202, 414-416	3.6	11
200	Use of schizophrenia and bipolar disorder polygenic risk scores to identify psychotic disorders. <i>British Journal of Psychiatry</i> , 2018 , 213, 535-541	5.4	21
199	Brief assessment of schizotypal traits: A multinational study. <i>Schizophrenia Research</i> , 2018 , 197, 182-191	3.6	33
198	Intellectual Disability and Psychotic Disorders in Children: Association With Maternal Severe Mental Illness and Exposure to Obstetric Complications in a Whole-Population Cohort. <i>American Journal of Psychiatry</i> , 2018 , 175, 1232-1242	11.9	8
197	The dialectic of quantity and quality in psychopathology. <i>World Psychiatry</i> , 2018 , 17, 300-301	14.4	5
196	Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. <i>Biological Psychiatry</i> , 2018 , 84, 644-654	7.9	325
195	Academic Performance in Children of Mothers With Schizophrenia and Other Severe Mental Illness, and Risk for Subsequent Development of Psychosis: A Population-Based Study. <i>Schizophrenia Bulletin</i> , 2017 , 43, 205-213	1.3	15
194	Responding to challenges for people with psychotic illness: Updated evidence from the Survey of High Impact Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 124-140	2.6	53
193	Longevity Klotho gene polymorphism and the risk of dementia in older men. <i>Maturitas</i> , 2017 , 101, 1-5	5	11
192	Impact of social disadvantage and parental offending on rates of criminal offending among offspring of women with severe mental illness. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 1032-1040	2.6	5
191	Exome array analysis suggests an increased variant burden in families with schizophrenia. <i>Schizophrenia Research</i> , 2017 , 185, 9-16	3.6	17
190	The 2016 Royal Australian and New Zealand College of Psychiatrists guidelines for the management of schizophrenia and related disorders. <i>Medical Journal of Australia</i> , 2017 , 206, 501-505	4	17
189	The 2016 RANZCP Guidelines for the Management of Schizophrenia and Related Disorders - what's next?. <i>Australasian Psychiatry</i> , 2017 , 25, 600-602	1.7	3
188	Action (verb) fluency deficits in schizophrenia spectrum disorders: linking language, cognition and interpersonal functioning. <i>Psychiatry Research</i> , 2017 , 257, 203-211	9.9	11
187	Commentary on McGorry PD (2017), Back to the future: Schizophrenia in retrospect and prospect. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 1052-1053	2.6	

186	Barbara Fish and a Short History of the Neurodevelopmental Hypothesis of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2017 , 43, 1158-1163	1.3	16
185	Psychotropic Medication and Substance Use during Pregnancy by Women with Severe Mental Illness. <i>Frontiers in Psychiatry</i> , 2017 , 8, 28	5	4
184	The Prophet of Psychiatry: In Search of Reginald Ellery By Robert M. Kaplan Robert Kaplan Pty Limited. 2015. £21.95 (pb). 356 pp. ISBN 9780992457914. <i>British Journal of Psychiatry</i> , 2016 , 208, 595-595.4	5.4	
183	Integrity of genome-wide genotype data from low passage lymphoblastoid cell lines. <i>Genomics Data</i> , 2016 , 9, 18-21		5
182	Sociodemographic, clinical and childhood correlates of adult violent victimisation in a large, national survey sample of people with psychotic disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 269-79	4.5	17
181	Royal Australian and New Zealand College of Psychiatrists clinical practice guidelines for the management of schizophrenia and related disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016 , 50, 410-72	2.6	409
180	Psychiatric classifications: validity and utility. <i>World Psychiatry</i> , 2016 , 15, 26-31	14.4	112
179	No additive effect of cannabis on cognition in schizophrenia. <i>Schizophrenia Research</i> , 2015 , 168, 245-51	3.6	14
178	Loneliness in psychotic disorders and its association with cognitive function and symptom profile. <i>Schizophrenia Research</i> , 2015 , 169, 268-273	3.6	77
177	Intact speed of processing in a community-based sample of adults with high schizotypy: A marker of reduced psychosis risk?. <i>Psychiatry Research</i> , 2015 , 228, 531-7	9.9	10
176	Schneider, Kurt (1887-1967) 2015 , 1-6		
175	Biological insights from 108 schizophrenia-associated genetic loci. <i>Nature</i> , 2014 , 511, 421-7	50.4	5249
174	Age at initiation of amphetamine use and age at onset of psychosis: the Australian Survey of High Impact Psychosis. <i>Schizophrenia Research</i> , 2014 , 152, 300-2	3.6	16
173	A genome-wide association analysis of a broad psychosis phenotype identifies three loci for further investigation. <i>Biological Psychiatry</i> , 2014 , 75, 386-97	7.9	36
172	Deficits in agency in schizophrenia, and additional deficits in body image, body schema, and internal timing, in passivity symptoms. <i>Frontiers in Psychiatry</i> , 2014 , 5, 126	5	32
171	RDoC: a roadmap to pathogenesis?. <i>World Psychiatry</i> , 2014 , 13, 43-4	14.4	10
170	Psychosis prevalence and physical, metabolic and cognitive co-morbidity: data from the second Australian national survey of psychosis. <i>Psychological Medicine</i> , 2014 , 44, 2163-76	6.9	124
169	Common variant at 16p11.2 conferring risk of psychosis. <i>Molecular Psychiatry</i> , 2014 , 19, 108-14	15.1	67

168	The effect of drug use on the age at onset of psychotic disorders in an Australian cohort. <i>Schizophrenia Research</i> , 2014 , 156, 211-6	3.6	23
167	Analysis of schizophrenia data using a nonlinear threshold index logistic model. <i>PLoS ONE</i> , 2014 , 9, e109454	3.5	3
166	Genome-wide association analysis identifies 13 new risk loci for schizophrenia. <i>Nature Genetics</i> , 2013 , 45, 1150-9	36.3	1153
165	Schizophrenia in DSM-5: assets and liabilities. <i>Schizophrenia Research</i> , 2013 , 150, 36-7	3.6	5
164	Reliability of clinical judgements of insight in patients with psychoses. <i>Psychiatry Research</i> , 2013 , 208, 291-2	9.9	1
163	Genome-wide supported variant MIR137 and severe negative symptoms predict membership of an impaired cognitive subtype of schizophrenia. <i>Molecular Psychiatry</i> , 2013 , 18, 774-80	15.1	113
162	Age at initiation of cannabis use predicts age at onset of psychosis: the 7- to 8-year trend. <i>Schizophrenia Bulletin</i> , 2013 , 39, 251-4	1.3	65
161	Does accumulating exposure to illicit drugs bring forward the age at onset in schizophrenia?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013 , 47, 51-8	2.6	15
160	Karl Jaspers: psychiatrist, philosopher, humanist. <i>Schizophrenia Bulletin</i> , 2013 , 39, 239-41	1.3	7
159	A whole-of-population study of the prevalence and patterns of criminal offending in people with schizophrenia and other mental illness. <i>Psychological Medicine</i> , 2013 , 43, 1869-80	6.9	22
158	Schizophrenia genetic variants are not associated with intelligence. <i>Psychological Medicine</i> , 2013 , 43, 2563-70	6.9	34
157	Promoter polymorphisms in two overlapping 6p25 genes implicate mitochondrial proteins in cognitive deficit in schizophrenia. <i>Molecular Psychiatry</i> , 2012 , 17, 1328-39	15.1	14
156	Prototypes, syndromes and dimensions of psychopathology: an open agenda for research. <i>World Psychiatry</i> , 2012 , 11, 22-3	14.4	8
155	People living with psychotic illness in 2010: the second Australian national survey of psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012 , 46, 735-52	2.6	347
154	Deleterious GRM1 mutations in schizophrenia. <i>PLoS ONE</i> , 2012 , 7, e32849	3.7	45
153	Impact of the Reelin signaling cascade (ligands-receptors-adaptor complex) on cognition in schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 392-404	3.5	23
152	The disease entity in psychiatry: fact or fiction?. <i>Epidemiology and Psychiatric Sciences</i> , 2012 , 21, 255-64	5.1	12
151	Evidence of aberrant DNA damage response signalling but normal rates of DNA repair in dividing lymphoblasts from patients with schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2012 , 13, 114-25	3.8	18

150	Medication for psychosis--consumption and consequences: the second Australian national survey of psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012 , 46, 762-73	2.6	44
149	Intellectual disability and other neuropsychiatric outcomes in high-risk children of mothers with schizophrenia, bipolar disorder and unipolar major depression. <i>British Journal of Psychiatry</i> , 2012 , 200, 282-9	5.4	55
148	Genome-wide association study identifies five new schizophrenia loci. <i>Nature Genetics</i> , 2011 , 43, 969-76	36.3	1508
147	Action (verb) fluency in schizophrenia: getting a grip on odd speech. <i>Schizophrenia Research</i> , 2011 , 126, 138-43	3.6	16
146	Revisiting the suitability of antisaccade performance as an endophenotype in schizophrenia. <i>Brain and Cognition</i> , 2011 , 77, 223-30	2.7	19
145	Evidence of abnormalities in mid-latency auditory evoked responses (MLAER) in cognitive subtypes of patients with schizophrenia. <i>Psychiatry Research</i> , 2011 , 187, 317-23	9.9	17
144	Daily variations in sleep-wake patterns and severity of psychopathology: a pilot study in community-dwelling individuals with chronic schizophrenia. <i>Psychiatry Research</i> , 2011 , 187, 304-6	9.9	42
143	Diagnosis and Revision of the Classification Systems 2011 , 1-30		2
142	Schizophrenia: The Epidemiological Horizon 2011 , 185-225		5
141	'Social dysmetria' in first-episode psychosis patients. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 123, 475-84	6.5	7
140	Polymorphisms associated with normal memory variation also affect memory impairment in schizophrenia. <i>Genes, Brain and Behavior</i> , 2011 , 10, 410-7	3.6	35
139	Neuregulin 3 (NRG3) as a susceptibility gene in a schizophrenia subtype with florid delusions and relatively spared cognition. <i>Molecular Psychiatry</i> , 2011 , 16, 860-6	15.1	60
138	Inherited balanced translocation t(9;17)(q33.2;q25.3) concomitant with a 16p13.1 duplication in a patient with schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156, 204-14	3.5	13
137	Kraepelin's concept of psychiatric illness. <i>Psychological Medicine</i> , 2011 , 41, 1119-26	6.9	24
136	Cohort Profile: Pathways of risk from conception to disease: the Western Australian schizophrenia high-risk e-Cohort. <i>International Journal of Epidemiology</i> , 2011 , 40, 1477-85	7.8	18
135	Diagnosing psychotic disorders: validity, reliability and applications of the Diagnostic Interview for Psychosis (DIP). Italian version. <i>Epidemiologia E Psichiatria Sociale</i> , 2010 , 19, 33-43		4
134	Psychosis susceptibility gene ZNF804A and cognitive performance in schizophrenia. <i>Archives of General Psychiatry</i> , 2010 , 67, 692-700		120
133	Psychiatry in crisis? Back to fundamentals. <i>World Psychiatry</i> , 2010 , 9, 29	14.4	7

132	Impaired spatial working memory maintenance in schizophrenia involves both spatial coordinates and spatial reference frames. <i>Psychiatry Research</i> , 2010 , 179, 253-8	9.9	13
131	From inventory to benchmark: quality of psychiatric case registers in research. <i>British Journal of Psychiatry</i> , 2010 , 197, 8-10	5.4	21
130	A cross-sectional community study of serum iron measures and cognitive status in older adults. <i>Journal of Alzheimers Disease</i> , 2010 , 20, 617-23	4.3	16
129	Mosaicism of a missense SCN1A mutation and Dravet syndrome in a Roma/Gypsy family. <i>Epileptic Disorders</i> , 2010 , 12, 117-24	1.9	14
128	Impact of Neuritin 1 (NRN1) polymorphisms on fluid intelligence in schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 428-437	3.5	16
127	Australian Schizophrenia Research Bank: a database of comprehensive clinical, endophenotypic and genetic data for aetiological studies of schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010 , 44, 1029-35	2.6	75
126	The diagnostic concept of schizophrenia: its history, evolution, and future prospects. <i>Dialogues in Clinical Neuroscience</i> , 2010 , 12, 271-87	5.7	131
125	A meta-commentary on the proposal for a meta-structure for DSM-V and ICD-11. <i>Psychological Medicine</i> , 2009 , 39, 2099-103	6.9	13
124	Bipolar disorder in the Bulgarian Gypsies: genetic heterogeneity in a young founder population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009 , 150B, 191-201	3.5	9
123	Partial epilepsy syndrome in a Gypsy family linked to 5q31.3-q32. <i>Epilepsia</i> , 2009 , 50, 1679-88	6.4	15
122	Time discrimination deficits in schizophrenia patients with first-rank (passivity) symptoms. <i>Psychiatry Research</i> , 2009 , 167, 12-20	9.9	42
121	Electrophysiological brain activity and antisaccade performance in schizophrenia patients with first-rank (passivity) symptoms. <i>Psychiatry Research</i> , 2009 , 170, 140-9	9.9	12
120	Neuropsychological functioning in schizophrenia patients with first-rank (passivity) symptoms. <i>Psychopathology</i> , 2009 , 42, 47-58	3.4	17
119	Schizophrenia: from the brain to peripheral markers. A consensus paper of the WFSBP task force on biological markers. <i>World Journal of Biological Psychiatry</i> , 2009 , 10, 127-55	3.8	54
118	Towards ICD-11 and DSM-V: issues beyond 'harmonisation'. <i>British Journal of Psychiatry</i> , 2009 , 195, 379-84	5.1	12
117	Challenging the Genetic Complexity of Schizophrenia by Use of Intermediate Phenotypes 2009 , 41-56		2
116	Healthy babies for mothers with serious mental illness: a case management framework for mental health clinicians. <i>International Journal of Mental Health Nursing</i> , 2008 , 17, 383-91	3.8	27
115	Examining encoding imprecision in spatial working memory in schizophrenia. <i>Schizophrenia Research</i> , 2008 , 100, 144-52	3.6	41

114	Do women express and experience psychosis differently from men? Epidemiological evidence from the Australian National Study of Low Prevalence (Psychotic) Disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008 , 42, 74-82	2.6	113
113	Intellectual disability co-occurring with schizophrenia and other psychiatric illness: population-based study. <i>British Journal of Psychiatry</i> , 2008 , 193, 364-72	5.4	226
112	Estimating premorbid intelligence in schizophrenia patients: demographically based approach. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008 , 42, 814-8	2.6	3
111	Severe neuropsychiatric symptoms in two siblings with intermediate type of Niemann-Pick disease. <i>Journal of Neurology</i> , 2008 , 255, 1434-5	5.5	
110	Comprehensive analysis of tagging sequence variants in DTNBP1 shows no association with schizophrenia or with its composite neurocognitive endophenotypes. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 1159-66	3.5	31
109	What did the WHO studies really find?. <i>Schizophrenia Bulletin</i> , 2008 , 34, 253-5	1.3	49
108	The genetic deconstruction of psychosis. <i>Schizophrenia Bulletin</i> , 2007 , 33, 905-11	1.3	215
107	Living in a Kraepelinian world: Kraepelin's impact on modern psychiatry. <i>History of Psychiatry</i> , 2007 , 18, 381-8	0.6	24
106	The first genomewide interaction and locus-heterogeneity linkage scan in bipolar affective disorder: strong evidence of epistatic effects between loci on chromosomes 2q and 6q. <i>American Journal of Human Genetics</i> , 2007 , 81, 974-86	11	34
105	Does psychiatry need an overarching concept of "mental disorder"?. <i>World Psychiatry</i> , 2007 , 6, 157-8	14.4	6
104	Modifiable risk factors for hospitalization among people with psychosis: evidence from the National Study of Low Prevalence (Psychotic) Disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006 , 40, 683-90	2.6	8
103	A multivariate electrophysiological endophenotype, from a unitary cohort, shows greater research utility than any single feature in the Western Australian family study of schizophrenia. <i>Biological Psychiatry</i> , 2006 , 60, 1-10	7.9	106
102	The diagnostic interview for psychoses (DIP): development, reliability and applications. <i>Psychological Medicine</i> , 2006 , 36, 69-80	6.9	285
101	Subtyping schizophrenia: implications for genetic research. <i>Molecular Psychiatry</i> , 2006 , 11, 815-36	15.1	191
100	Categories, dimensions and prototypes: critical issues for psychiatric classification. <i>Psychopathology</i> , 2005 , 38, 201-5	3.4	40
99	Genetic evidence for a distinct subtype of schizophrenia characterized by pervasive cognitive deficit. <i>American Journal of Human Genetics</i> , 2005 , 77, 468-76	11	134
98	Genomewide scan and fine-mapping linkage studies in four European samples with bipolar affective disorder suggest a new susceptibility locus on chromosome 1p35-p36 and provides further evidence of loci on chromosome 4q31 and 6q24. <i>American Journal of Human Genetics</i> , 2005 , 77, 1102-11	11	49
97	Schizotypy and mixed-handedness revisited. <i>Psychiatry Research</i> , 2005 , 136, 143-52	9.9	22

96	Boundaries of mental disorders. <i>Current Opinion in Psychiatry</i> , 2005 , 18, 653-8	4.9	8
95	The epidemiology of bipolar disorder: sociodemographic, disability and service utilization data from the Australian National Study of Low Prevalence (Psychotic) Disorders. <i>Bipolar Disorders</i> , 2005 , 7, 326-37 ^{3.8}		91
94	Dimensions of intelligence in schizophrenia: evidence from patients with preserved, deteriorated and compromised intellect. <i>Journal of Psychiatric Research</i> , 2005 , 39, 11-9	5.2	56
93	Laterality phenotypes in patients with schizophrenia, their siblings and controls: associations with clinical and cognitive variables. <i>British Journal of Psychiatry</i> , 2005 , 187, 221-8	5.4	13
92	Psychiatric out-patients seen once only in South Verona and Western Australia: a comparative case-register study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005 , 39, 414-22	2.6	7
91	Pregnancy, delivery, and neonatal complications in a population cohort of women with schizophrenia and major affective disorders. <i>American Journal of Psychiatry</i> , 2005 , 162, 79-91	11.9	373
90	Re: mortality and mental illness. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005 , 39, 1048	2.6	1
89	Speed of processing and individual differences in IQ in schizophrenia: General or specific cognitive deficits?. <i>Cognitive Neuropsychiatry</i> , 2004 , 9, 233-47	2	13
88	Researching psychiatry in Western Australia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2004 , 38, 306-15	2.6	12
87	Differential impairment of working memory performance in first-degree relatives of individuals with schizophrenia. <i>Acta Neuropsychiatrica</i> , 2004 , 16, 149-53	3.9	0
86	A novel mouse Chr5 locus Diht controls dopamine-induced hypothermia. <i>Mammalian Genome</i> , 2004 , 15, 901-13	3.2	2
85	Demographic and clinical correlates of comorbid substance use disorders in psychosis: multivariate analyses from an epidemiological sample. <i>Schizophrenia Research</i> , 2004 , 66, 115-24	3.6	146
84	Linkage analysis in bipolar pedigrees adds support for a susceptibility locus on 21q22. <i>Psychiatric Genetics</i> , 2004 , 14, 101-6	2.9	9
83	The syndrome--an antidote to spurious comorbidity?. <i>World Psychiatry</i> , 2004 , 3, 24-5	14.4	4
82	Distinguishing between the validity and utility of psychiatric diagnoses. <i>American Journal of Psychiatry</i> , 2003 , 160, 4-12	11.9	846
81	Genetic epidemiology of schizophrenia: phenotypes, risk factors, and reproductive behavior. <i>American Journal of Psychiatry</i> , 2003 , 160, 425-9	11.9	31
80	Death rate from ischaemic heart disease in Western Australian psychiatric patients 1980-1998. <i>British Journal of Psychiatry</i> , 2003 , 182, 31-6	5.4	208
79	Linkage analysis of candidate regions using a composite neurocognitive phenotype correlated with schizophrenia. <i>Molecular Psychiatry</i> , 2003 , 8, 511-23	15.1	40

78	Association between reduced duration mismatch negativity (MMN) and raised temporal discrimination thresholds in schizophrenia. <i>Clinical Neurophysiology</i> , 2003 , 114, 2061-70	4.3	62
77	Psychotic disorders in Australia: patients respond to national survey results. <i>European Psychiatry</i> , 2003 , 18, 142	6	1
76	Research methods in psychiatric epidemiology: an overview. <i>Australian and New Zealand Journal of Psychiatry</i> , 2002 , 36, 297-310	2.6	18
75	Antipsychotic use in Australia: the patients' perspective. <i>Australian and New Zealand Journal of Psychiatry</i> , 2002 , 36, 633-41	2.6	38
74	The Australian National Survey of Psychotic Disorders: profile of psychosocial disability and its risk factors. <i>Psychological Medicine</i> , 2002 , 32, 639-47	6.9	41
73	The classification of personality disorders: critical review and need for rethinking. <i>Psychopathology</i> , 2002 , 35, 112-6	3.4	13
72	Duration mismatch negativity in biological relatives of patients with schizophrenia spectrum disorders. <i>Biological Psychiatry</i> , 2002 , 52, 749-58	7.9	147
71	Schizophrenia and cancer: is there a need to invoke a protective gene?. <i>Archives of General Psychiatry</i> , 2001 , 58, 579-80		32
70	Classification of nonschizophrenic psychotic disorders: a historical perspective. <i>Current Psychiatry Reports</i> , 2001 , 3, 326-31	9.1	25
69	Defining disability in psychosis: performance of the diagnostic interview for psychosis-disability module (DIP-DIS) in the Australian National Survey of Psychotic Disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2001 , 35, 846-51	2.6	11
68	Season of birth in schizophrenia and affective psychoses in Western Australia 1916-61. <i>Acta Psychiatrica Scandinavica</i> , 2001 , 104, 138-47	6.5	12
67	Increasing rates of suicide in Western Australian psychiatric patients: a record linkage study. <i>Acta Psychiatrica Scandinavica</i> , 2001 , 104, 443-51	6.5	37
66	Do loudness cues contribute to duration mismatch negativity reduction in schizophrenia?. <i>NeuroReport</i> , 2001 , 12, 4069-73	1.7	14
65	Suicide and attempted suicide among older adults in Western Australia. <i>Psychological Medicine</i> , 2000 , 30, 813-21	6.9	63
64	Prevalence and incidence of schizophrenia spectrum disorders: implications for prevention. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, S26-S34	2.6	7
63	Phenotypic markers as risk factors in schizophrenia: neurocognitive functions. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, S74-S85	2.6	32
62	Linkage of mood disorders with D2, D3 and TH genes: a multicenter study. <i>Journal of Affective Disorders</i> , 2000 , 58, 51-61	6.6	24
61	Epidemiology of schizophrenia: the global burden of disease and disability. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2000 , 250, 274-85	5.1	288

60	Mortality in Western Australian psychiatric patients. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2000 , 35, 341-7	4.5	72
59	Phenotypic markers as risk factors in schizophrenia: neurocognitive functions. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34 Suppl, S74-85	2.6	28
58	Psychotic disorders in urban areas: an overview of the Study on Low Prevalence Disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, 221-36	2.6	306
57	Prevalence and incidence of schizophrenia spectrum disorders: implications for prevention. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34 Suppl, S26-34; discussion S35-8	2.6	37
56	Auditory sensory memory in schizophrenia: inadequate trace formation?. <i>Psychiatry Research</i> , 2000 , 96, 99-115	9.9	53
55	Duration and frequency mismatch negativity in schizophrenia. <i>Clinical Neurophysiology</i> , 2000 , 111, 1054-65	4.5	140
54	Handicap and disability: words versus concepts. <i>Disability and Rehabilitation</i> , 2000 , 22, 513-4; discussion 526-7	2.4	3
53	Excess cancer mortality in Western Australian psychiatric patients due to higher case fatality rates. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 101, 382-8	6.5	134
52	Need for More Rigorous Preliminary Reporting. <i>British Journal of Psychiatry</i> , 1999 , 174, 555-555	5.4	
51	Psychiatric Epidemiology and the Global Public Health Agenda. <i>International Journal of Mental Health</i> , 1999 , 28, 6-14	1.4	3
50	The nature of psychiatric classification: issues beyond ICD-10 and DSM-IV. <i>Australian and New Zealand Journal of Psychiatry</i> , 1999 , 33, 137-44	2.6	51
49	Suicide rates in psychiatric in-patients: an application of record linkage to mental health research. <i>Australian and New Zealand Journal of Public Health</i> , 1999 , 23, 468-70	2.3	29
48	The conflict of the nosologists: views on schizophrenia and manic-depressive illness in the early part of the 20th century. <i>Schizophrenia Research</i> , 1999 , 39, 95-100; discussion 159	3.6	42
47	Epidemiologic Strategies to Address World Mental Health Problems in Underserved Populations. <i>International Journal of Mental Health</i> , 1999 , 28, 15-37	1.4	2
46	The Concept of Somatoform Disorders: A Comment on the Mind-Body Problem in Psychiatry 1999 , 3-10		8
45	Schizophrenia: epidemiology. <i>Current Opinion in Psychiatry</i> , 1999 , 12, 19-28	4.9	17
44	European Collaborative Project on Affective Disorders: interactions between genetic and psychosocial vulnerability factors. <i>Psychiatric Genetics</i> , 1998 , 8, 197-205	2.9	40
43	A linkage study of affective disorders in two Bulgarian Gypsy families: results for candidate regions on chromosomes 18 and 21. <i>Psychiatric Genetics</i> , 1998 , 8, 245-9	2.9	8

42	High Risk, Low Prediction: Implications for Early Intervention. <i>British Journal of Psychiatry</i> , 1998 , 172, 314-314	5.4	1
41	Definition of "altlose" <i>Psychiatric Bulletin</i> , 1998 , 22, 326-326		
40	Is the earlier age at onset of schizophrenia in males a confounded finding? Results from a cross-cultural investigation. <i>British Journal of Psychiatry</i> , 1997 , 170, 234-40	5.4	91
39	Influenza epidemics and incidence of schizophrenia, affective disorders and mental retardation in Western Australia: no evidence of a major effect. <i>Schizophrenia Research</i> , 1997 , 26, 25-39	3.6	76
38	The 100-year epidemiology of schizophrenia. <i>Schizophrenia Research</i> , 1997 , 28, 111-25	3.6	122
37	Grade of Membership Analysis as a Tool of Psychiatric Nosology. <i>European Psychiatry</i> , 1997 , 12, 135s-135s		
36	Organic Origins of Psychoses. <i>Brain Pathology</i> , 1997 , 7, 1043-1045	6	78
35	Schizophrenia: recent epidemiologic issues. <i>Epidemiologic Reviews</i> , 1995 , 17, 10-20	4.1	80
34	Dementia praecox and manic-depressive insanity in 1908: a Grade of Membership analysis of the Kraepelinian dichotomy. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1995 , 245, 202-9	5.1	25
33	Symptom profiles of psychiatric disorders based on graded disease classes: an illustration using data from the WHO International Pilot Study of Schizophrenia. <i>Psychological Medicine</i> , 1994 , 24, 133-44	6.9	61
32	Discussion of B.P. Dhorenwend: "Psychology, psychologists and psychiatric epidemiology" <i>Acta Psychiatrica Scandinavica</i> , 1994 , 90, 23-24	6.5	
31	The epidemiology of schizophrenia. <i>Current Opinion in Psychiatry</i> , 1993 , 6, 43-52	4.9	19
30	Kraepelin revisited: a reassessment and statistical analysis of dementia praecox and manic-depressive insanity in 1908. <i>Psychological Medicine</i> , 1993 , 23, 843-58	6.9	55
29	CONFERENCE AND SYMPOSIUM REPORTS: The International Conference on the Mental Health and Wellbeing of the World's Refugees and Displaced Persons, Stockholm, Sweden, 6-11 October, 1991. <i>Journal of Refugee Studies</i> , 1992 , 5, 172-184	1.4	3
28	Politics and mental health I. <i>International Journal of Social Psychiatry</i> , 1992 , 38, 24-9	8.5	5
27	The International Pilot Study of Schizophrenia: five-year follow-up findings. <i>Psychological Medicine</i> , 1992 , 22, 131-45	6.9	268
26	Cancer Incidence of Schizophrenic Patients Results of Record Linkage Studies in Three Countries. <i>British Journal of Psychiatry</i> , 1992 , 161, 75-83	5.4	84
25	Relatives' expressed emotion and the course of schizophrenia in Chandigarh. A two-year follow-up of a first-contact sample. <i>British Journal of Psychiatry</i> , 1990 , 156, 351-6	5.4	99

24	I. Introducing a New Instrument for Rating Observed Behaviour* and the Rationale of the Psychological Impairment Concept. <i>British Journal of Psychiatry</i> , 1989 , 155, 68-70	5.4	50
23	Epidemiology and Cross-Cultural Aspects of Schizophrenia. <i>Psychiatric Annals</i> , 1989 , 19, 516-524	0.5	10
22	On the expression of psychosis in different cultures: schizophrenia in an Indian and in a Nigerian community. <i>Culture, Medicine and Psychiatry</i> , 1988 , 12, 331-55	2.5	36
21	Is schizophrenia universal?. <i>Acta Psychiatrica Scandinavica</i> , 1988 , 344, 65-70	6.5	23
20	Prediction of the course and outcome of depression. <i>Psychological Medicine</i> , 1987 , 17, 1-9	6.9	44
19	Expressed emotion and schizophrenia in north India. I. Cross-cultural transfer of ratings of relatives' expressed emotion. <i>British Journal of Psychiatry</i> , 1987 , 151, 156-60	5.4	65
18	Incidence worldwide of schizophrenia. <i>British Journal of Psychiatry</i> , 1987 , 151, 408-9	5.4	19
17	Stressful life events preceding the acute onset of schizophrenia: a cross-national study from the World Health Organization. <i>Culture, Medicine and Psychiatry</i> , 1987 , 11, 123-205	2.5	162
16	Early manifestations and first-contact incidence of schizophrenia in different cultures. A preliminary report on the initial evaluation phase of the WHO Collaborative Study on determinants of outcome of severe mental disorders. <i>Psychological Medicine</i> , 1986 , 16, 909-28	6.9	756
15	Epidemiology of schizophrenia: a European perspective. <i>Schizophrenia Bulletin</i> , 1986 , 12, 52-73	1.3	69
14	Epidemiological and clinical research as a guide in the search for risk factors and biological markers. <i>Journal of Psychiatric Research</i> , 1984 , 18, 541-56	5.2	6
13	Characteristics of depressive patients contacting psychiatric services in four cultures. A report from the who collaborative study on the assessment of depressive disorders. <i>Acta Psychiatrica Scandinavica</i> , 1981 , 63, 367-83	6.5	56
12	WHO collaborative study on impairments and disabilities associated with schizophrenic disorders. <i>Acta Psychiatrica Scandinavica</i> , 1980 , 62, 152-163	6.5	154
11	Application of WHO scales for the assessment of depressive states in different cultures. <i>Acta Psychiatrica Scandinavica</i> , 1980 , 62, 204-211	6.5	10
10	Cross-cultural differences in the short-term prognosis of schizophrenic psychoses. <i>Schizophrenia Bulletin</i> , 1978 , 4, 102-13	1.3	113
9	Two-year follow-up of the patients included in the WHO International Pilot Study of Schizophrenia. <i>Psychological Medicine</i> , 1977 , 7, 529-41	6.9	109
8	Schizophrenia succeeded by affective illness; catamnestic study and statistical enquiry. <i>Psychological Medicine</i> , 1977 , 7, 619-24	6.9	52
7	Culture and schizophrenia. <i>Psychological Medicine</i> , 1975 , 5, 113-24	6.9	33

6 Current approaches to classification39-52

5 Schizophrenia and related psychoses207-223

2

4 Criteria for Assessing a Classification in Psychiatry1-24

18

3 Psychiatric Out-Patients Seen Once Only in South Verona and Western Australia: A Comparative Case-Register Study

2

2 Psychotic Disorders in Urban Areas: An Overview of the Study on Low Prevalence Disorders

21

1 Treatment gaps and knowledge gaps in mental health403-423

1