Ian P J Alwayn

List of Publications by Citations

Source: https://exaly.com/author-pdf/7470036/ian-p-j-alwayn-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,796 76 25 41 h-index g-index citations papers 81 4.26 2,014 3.3 L-index avg, IF ext. papers ext. citations

#	Paper	IF	Citations
76	Evidence-based approach to cholangiocarcinoma: a systematic review of the current literature. Journal of the American College of Surgeons, 2009, 208, 134-47	4.4	173
75	Omega-3 fatty acid supplementation prevents hepatic steatosis in a murine model of nonalcoholic fatty liver disease. <i>Pediatric Research</i> , 2005 , 57, 445-52	3.2	167
74	Donor-derived mesenchymal stem cells suppress alloreactivity of kidney transplant patients. <i>Transplantation</i> , 2009 , 87, 896-906	1.8	85
73	Prolonged warm ischemia time is associated with graft failure and mortality after kidney transplantation. <i>Kidney International</i> , 2016 , 89, 648-58	9.9	77
72	Adult porcine islet transplantation in baboons treated with conventional immunosuppression or a non-myeloablative regimen and CD154 blockade. <i>Xenotransplantation</i> , 2002 , 9, 3-13	2.8	76
71	The problem of anti-pig antibodies in pig-to-primate xenografting: current and novel methods of depletion and/or suppression of production of anti-pig antibodies. <i>Xenotransplantation</i> , 1999 , 6, 157-68	3 ^{2.8}	73
70	Prevention of intra-abdominal adhesions using the antiangiogenic COX-2 inhibitor celecoxib. <i>Annals of Surgery</i> , 2005 , 242, 140-6	7.8	62
69	Complex vascular anatomy in live kidney donation: imaging and consequences for clinical outcome. <i>Transplantation</i> , 2008 , 85, 1760-5	1.8	60
68	Omega-3 fatty acids improve hepatic steatosis in a murine model: potential implications for the marginal steatotic liver donor. <i>Transplantation</i> , 2005 , 79, 606-8	1.8	59
67	Laparoscopic donor nephrectomy: a plea for the right-sided approach. <i>Transplantation</i> , 2009 , 87, 745-5	01.8	51
66	The route of lipid administration affects parenteral nutrition-induced hepatic steatosis in a mouse model. <i>Journal of Pediatric Surgery</i> , 2005 , 40, 1446-53	2.6	51
65	Effects of specific anti-B and/or anti-plasma cell immunotherapy on antibody production in baboons: depletion of CD20- and CD22-positive B cells does not result in significantly decreased production of anti-alphaGal antibody. <i>Xenotransplantation</i> , 2001 , 8, 157-71	2.8	48
64	Clearance of mobilized porcine peripheral blood progenitor cells is delayed by depletion of the phagocytic reticuloendothelial system in baboons. <i>Transplantation</i> , 2001 , 72, 1278-85	1.8	46
63	Hepatic steatosis is not always a contraindication for cadaveric liver transplantation. <i>Hpb</i> , 2011 , 13, 417	7-35	45
62	Donor nephrectomy: mini-incision muscle-splitting open approach versus laparoscopy. <i>Transplantation</i> , 2006 , 81, 881-7	1.8	44
61	Inhibition of platelet aggregation in baboons: therapeutic implications for xenotransplantation. <i>Xenotransplantation</i> , 2000 , 7, 247-57	2.8	40
60	Severe COVID-19 in a renal transplant recipient: A focus on pharmacokinetics. <i>American Journal of Transplantation</i> , 2020 , 20, 1896-1901	8.7	36

(2020-2001)

Mechanisms of thrombotic microangiopathy following xenogeneic hematopoietic progenitor cell transplantation. <i>Transplantation</i> , 2001 , 71, 1601-9	1.8	36
Anti-CD154 monoclonal antibody and thromboembolism. <i>Transplantation</i> , 2001 , 71, 491	1.8	36
Radiofrequency ablation in patients with primary and secondary hepatic malignancies. <i>Journal of Gastrointestinal Surgery</i> , 2006 , 10, 960-73	3.3	34
Psychosocial and physical impairment after mini-incision open and laparoscopic donor nephrectomy: A prospective study. <i>Transplantation</i> , 2006 , 82, 1291-7	1.8	33
A critical role for matrix metalloproteinases in liver regeneration. <i>Journal of Surgical Research</i> , 2008 , 145, 192-8	2.5	32
Simultaneous liver kidney transplantation: a medical decision analysis. <i>Transplantation</i> , 2011 , 91, 121-7	1.8	31
Porcine hematopoietic cell xenotransplantation in nonhuman primates is complicated by thrombotic microangiopathy. <i>Bone Marrow Transplantation</i> , 2001 , 27, 1227-36	4.4	27
CD40-CD154 pathway blockade requires host macrophages to induce humoral unresponsiveness to pig hematopoietic cells in baboons. <i>Transplantation</i> , 2001 , 72, 1759-68	1.8	24
Optimizing left-sided live kidney donation: hand-assisted retroperitoneoscopic as alternative to standard laparoscopic donor nephrectomy. <i>Transplant International</i> , 2010 , 23, 358-63	3	23
Modulation of platelet aggregation in baboons: implications for mixed chimerism in xenotransplantation. I. The roles of individual components of a transplantation conditioning regimen and of pig peripheral blood progenitor cells. <i>Transplantation</i> , 2001 , 72, 1299-305	1.8	21
Do polyunsaturated fatty acids ameliorate hepatic steatosis in obese mice by SREPB-1 suppression or by correcting essential fatty acid deficiency. <i>Hepatology</i> , 2004 , 39, 1176-7; author reply 1177-8	11.2	19
Xenotransplantation: the challenge to current psychosocial attitudes. <i>Progress in Transplantation</i> , 2000 , 10, 217-25	1.1	15
Depletion of anti-Gal antibodies by the intravenous infusion of Gal type 2 and 6 glycoconjugates in baboons. <i>Xenotransplantation</i> , 2003 , 10, 357-67	2.8	14
The effect of laparoscopic and open donor nephrectomy on the long-term renal function in donor and recipient: a retrospective study. <i>Transplantation</i> , 2005 , 80, 700-3	1.8	13
Validation of the Model for End-stage Liver Disease sodium (MELD-Na) score in the Eurotransplant region. <i>American Journal of Transplantation</i> , 2021 , 21, 229-240	8.7	13
Modulation of platelet aggregation in baboons: implications for mixed chimerism in xenotransplantation. II. The effects of cyclophosphamide on pig peripheral blood progenitor cell-induced aggregation. <i>Transplantation</i> , 2001 , 72, 1306-10	1.8	12
Mini-incision open donor nephrectomy as an alternative to classic lumbotomy: evolution of the open approach. <i>Transplant International</i> , 2006 , 19, 500-5	3	10
Abdominal Normothermic Regional Perfusion in Donation After Circulatory Death: A Systematic Review and Critical Appraisal. <i>Transplantation</i> , 2020 , 104, 1776-1791	1.8	10
	Anti-CD154 monoclonal antibody and thromboembolism. <i>Transplantation</i> , 2001, 71, 491 Radiofrequency ablation in patients with primary and secondary hepatic malignancies. <i>Journal of Gastrointestinal Surgery</i> , 2006, 10, 960-73 Psychosocial and physical impairment after mini-incision open and laparoscopic donor nephrectomy: A prospective study. <i>Transplantation</i> , 2006, 82, 1291-7 A critical role for matrix metalloproteinases in liver regeneration. <i>Journal of Surgical Research</i> , 2008, 145, 192-8 Simultaneous liver kidney transplantation: a medical decision analysis. <i>Transplantation</i> , 2011, 91, 121-7 Porcine hematopoietic cell xenotransplantation in nonhuman primates is complicated by thrombotic microangiopathy. <i>Bone Marrow Transplantation</i> , 2001, 27, 1227-36 CD40-CD154 pathway blockade requires host macrophages to induce humoral unresponsiveness to pig hematopoietic cells in baboons. <i>Transplantation</i> , 2001, 72, 1759-68 Optimizing left-sided live kidney donation: hand-assisted retroperitoneoscopic as alternative to standard laparoscopic donor nephrectomy. <i>Transplant International</i> , 2010, 23, 358-63 Modulation of platelet aggregation in baboons: implications for mixed chimerism in xenotransplantation. The roles of individual components of a transplantation conditioning regimen and of pig peripheral blood progenitor cells. <i>Transplantation</i> , 2001, 72, 1299-305 Do polyunsaturated fatty acids ameliorate hepatic steatosis in obese mice by SREPB-1 suppression or by correcting essential fatty acid deficiency. <i>Hepatology</i> , 2004, 39, 1176-7; author reply 1177-8 Xenotransplantation: the challenge to current psychosocial attitudes. <i>Progress in Transplantation</i> , 2000, 10, 217-25 Depletion of anti-Gal antibodies by the intravenous infusion of Gal type 2 and 6 glycoconjugates in baboons. <i>Xenotransplantation</i> , 2003, 10, 357-67 The effect of laparoscopic and open donor nephrectomy on the long-term renal function in donor and recipient: a retrospective study. <i>Transplantation</i> , 2005, 80, 700-3 Validation of pla	Anti-CD154 monoclonal antibody and thromboembolism. <i>Transplantation</i> , 2001, 71, 491 1.8 Radiofrequency ablation in patients with primary and secondary hepatic malignancies. <i>Journal of Gastrointestinal Surgery</i> , 2006, 10, 960-73 Psychosocial and physical impairment after mini-incision open and laparoscopic donor nephrectomy. A prospective study. <i>Transplantation</i> , 2006, 82, 1291-7 A critical role for matrix metalloproteinases in liver regeneration. <i>Journal of Surgical Research</i> , 2008 2.5 Simultaneous liver kidney transplantation: a medical decision analysis. <i>Transplantation</i> , 2011, 91, 121-7 1.8 Porcine hematopoietic cell xenotransplantation in nonhuman primates is complicated by thrombotic microangiopathy. <i>Bone Marrow Transplantation</i> , 2001, 27, 1227-36 4.4 CD40-CD154 pathway blockade requires host macrophages to induce humoral unresponsiveness to pig hematopoietic cells in baboons. <i>Transplantation</i> , 2001, 72, 1759-68 Optimizing left-sided live kidney donation: hand-assisted retroperitoneoscopic as alternative to standard laparoscopic donor nephrectomy. <i>Transplant International</i> , 2010, 23, 358-63 Modulation of platelet aggregation in baboons: implications for mixed chimerism in xenotransplantation. I. The roles of individual components of a transplantation conditioning regimen and of pig peripheral blood progenitor cells. <i>Transplantation</i> , 2001, 77, 1299-305 Do polyunsaturated fatty acids ameliorate hepatic steatosis in obese mice by SREPB-1 suppression or by correcting essential fatty acid deficiency. <i>Hepatology</i> , 2004, 39, 1176-7; author reply 1177-8 2.8 Explication of anti-Gal antibodies by the intravenous infusion of Gal type 2 and 6 glycoconjugates in baboons. <i>Xenotransplantation</i> , 2003, 10, 357-67 The effect of laparoscopic and open donor nephrectomy on the long-term renal function in donor and recipient: a retrospective study. <i>Transplantation</i> , 2005, 80, 700-3 Validation of the Model for End-stage Liver Disease sodium (MELD-Na) score in the Eurotransplant region. <i>Transplantat</i>

41	Laparoscopic donor nephrectomy in obese donors: easier to implement in overweight women?. <i>Transplant International</i> , 2007 , 20, 956-61	3	9
40	Evaluation of Liver Graft Donation After Euthanasia. <i>JAMA Surgery</i> , 2020 , 155, 917-924	5.4	9
39	Beneficial effects of a new fluid regime on kidney function of donor and recipient during laparoscopic v open donor nephrectomy. <i>Journal of Endourology</i> , 2007 , 21, 1509-15	2.7	8
38	Improving outcomes for donation after circulatory death kidney transplantation: Science of the times. <i>PLoS ONE</i> , 2020 , 15, e0236662	3.7	8
37	Effects of mTOR Inhibitors in Prevention of Abdominal Adhesions. <i>Journal of Investigative Surgery</i> , 2016 , 29, 275-81	1.2	7
36	Hyperacute rejection in the guinea pig-to-rat model without formation of the membrane attack complex. <i>Transplant Immunology</i> , 1999 , 7, 177-82	1.7	7
35	Canadian Forum on Combined Organ Transplantation. <i>Transplantation</i> , 2016 , 100, 1339-48	1.8	7
34	Optimizing the Use of Geriatric Livers for Transplantation in the Eurotransplant Region. <i>Liver Transplantation</i> , 2019 , 25, 260-274	4.5	7
33	Factors Associated With Prolonged Warm Ischemia Time Among Deceased Donor Kidney Transplant Recipients. <i>Transplantation Direct</i> , 2018 , 4, e342	2.3	7
32	Modulation of the in vivo primate anti-Gal response through administration of anti-idiotypic antibodies. <i>Xenotransplantation</i> , 2002 , 9, 106-14	2.8	6
31	Pharmacotherapeutic agents in xenotransplantation. Expert Opinion on Pharmacotherapy, 2000, 1, 757-	69	6
30	Surgical Drains Do Not Decrease Complication Rates But Are Associated with a Reduced Need for Imaging After Kidney Transplant Surgery. <i>Annals of Transplantation</i> , 2016 , 21, 216-21	1.4	6
29	Refitting the Model for End-Stage Liver Disease for the Eurotransplant Region. <i>Hepatology</i> , 2021 , 74, 351-363	11.2	6
28	Towards human organ perfusion models to elucidate drug pharmacokinetics in health and disease. <i>Drug Metabolism Reviews</i> , 2020 , 52, 438-454	7	5
27	Laparoscopic kidney donation: The impact of adhesions. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2008 , 22, 1321-5	5.2	5
26	Cryopreservation and mycophenolate therapy are detrimental to hematopoietic progenitor cells. <i>Transplantation</i> , 2002 , 74, 1159-66	1.8	5
25	Assessment of methotrexate as a potential immunosuppressive agent in baboons. <i>Journal of Heart and Lung Transplantation</i> , 2001 , 20, 1335-9	5.8	5
24	Deep neuromuscular block does not improve surgical conditions in patients receiving sevoflurane anaesthesia for laparoscopic renal surgery. <i>British Journal of Anaesthesia</i> , 2021 , 126, 377-385	5.4	5

(2020-2016)

23	Epidermal Growth Factor Receptor-Specific Nanoprobe Biodistribution in Mouse Models. <i>Journal of Pharmaceutical Sciences</i> , 2016 , 105, 25-30	3.9	4
22	Depletion of natural anti-pig antibodies by the continuous infusion of oligosaccharides in a pig-to-baboon model. <i>Transplantation Proceedings</i> , 2002 , 34, 2757-8	1.1	4
21	Aorta transplantation as a model to study hyperacute, acute, and chronic rejection of xenografts. <i>Xenotransplantation</i> , 1996 , 3, 231-236	2.8	4
20	Liver retransplantation in adult recipients: analysis of a 38-year experience in the Netherlands. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020 , 27, 26-33	2.8	4
19	Selected liver grafts from donation after circulatory death can be safely used for retransplantation - a multicenter retrospective study. <i>Transplant International</i> , 2020 , 33, 667-674	3	3
18	Preclinical models versus clinical renal ischemia reperfusion injury: A systematic review based on metabolic signatures. <i>American Journal of Transplantation</i> , 2021 ,	8.7	3
17	Metabolic needs of the kidney graft undergoing normothermic machine perfusion. <i>Kidney International</i> , 2021 , 100, 301-310	9.9	3
16	Impact of Temporary Portocaval Shunting and Initial Arterial Reperfusion in Orthotopic Liver Transplantation, 2019 , 25, 1690-1699	4.5	2
15	Donor diabetes mellitus is a risk factor for diminished outcome after liver transplantation: a nationwide retrospective cohort study. <i>Transplant International</i> , 2021 , 34, 110-117	3	2
14	Does high MHC class II gene expression in normal lungs account for the strong immunogenicity of lung allografts?. <i>Transplant International</i> , 1994 , 7, 43-6	3	2
13	Risk analysis of extended pancreas donor selection criteria. <i>Pancreatology</i> , 2019 , 19, 994-999	3.8	1
12	Effect of B cell/plasma cell depletion or suppression on anti-Gal antibody in the baboon. <i>Transplantation Proceedings</i> , 2000 , 32, 1009	1.1	1
11	Immunosuppression for pig-to-nonhuman primate organ grafting. <i>Current Opinion in Organ Transplantation</i> , 2001 , 6, 19-25	2.5	1
10	Joint modeling of liver transplant candidates outperforms the model for end-stage liver disease: The effect of disease development over time on patient outcome. <i>American Journal of Transplantation</i> , 2021 , 21, 3583-3592	8.7	1
9	Timing of Nephrectomy and Renal Transplantation in Patients with Autosomal Dominant Polycystic Kidney Disease (ADPKD) in the Era of Living Kidney Donation. <i>Transplantology</i> , 2020 , 1, 43-54	1	О
8	Invited response to "MELD calibration". American Journal of Transplantation, 2021, 21, 440-441	8.7	О
7	Laparoscopic Versus Open Donor Nephrectomy. <i>Transplantation</i> , 2006 , 82, 1243-1244	1.8	
6	Reply to: Balancing Cost and Efficiency in Screening Potential Organ Donors With Whole Body CT. <i>Transplantation Direct</i> , 2020 , 6, e623	2.3	

Development and validation of a dynamic survival prediction model for patients with acute-on-chronic liver failure. *JHEP Reports*, **2021**, 3, 100369

10.3

- Improving outcomes for donation after circulatory death kidney transplantation: Science of the times **2020**, 15, e0236662
- Improving outcomes for donation after circulatory death kidney transplantation: Science of the times **2020**, 15, e0236662
- Improving outcomes for donation after circulatory death kidney transplantation: Science of the times **2020**, 15, e0236662
- Improving outcomes for donation after circulatory death kidney transplantation: Science of the times **2020**, 15, e0236662