

Consuelo Gajate

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7470360/consuelo-gajate-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

79
papers

4,540
citations

40
h-index

66
g-index

84
ext. papers

5,021
ext. citations

6
avg, IF

5.73
L-index

#	Paper	IF	Citations
79	Identification of new FK866 analogues with potent anticancer activity against pancreatic cancer. <i>European Journal of Medicinal Chemistry</i> , 2022 , 114504	6.8	1
78	Mitochondrial Targeting Involving Cholesterol-Rich Lipid Rafts in the Mechanism of Action of the Antitumor Ether Lipid and Alkylphospholipid Analog Edelfosine. <i>Pharmaceutics</i> , 2021 , 13,	6.4	4
77	Neutrophils drive endoplasmic reticulum stress-mediated apoptosis in cancer cells through arginase-1 release. <i>Scientific Reports</i> , 2021 , 11, 12574	4.9	5
76	Methylsulfanylpyridine based diheteroaryl isocombretastatin analogs as potent anti-proliferative agents. <i>European Journal of Medicinal Chemistry</i> , 2021 , 209, 112933	6.8	2
75	Direct Endoplasmic Reticulum Targeting by the Selective Alkylphospholipid Analog and Antitumor Ether Lipid Edelfosine as a Therapeutic Approach in Pancreatic Cancer. <i>Cancers</i> , 2021 , 13,	6.6	2
74	Lipid Raft Isolation by Sucrose Gradient Centrifugation and Visualization of Raft-Located Proteins by Fluorescence Microscopy: The Use of Combined Techniques to Assess Fas/CD95 Location in Rafts During Apoptosis Triggering. <i>Methods in Molecular Biology</i> , 2021 , 2187, 147-186	1.4	2
73	Potent colchicine-site ligands with improved intrinsic solubility by replacement of the 3,4,5-trimethoxyphenyl ring with a 2-methylsulfanyl-6-methoxypyridine ring. <i>Bioorganic Chemistry</i> , 2020 , 98, 103755	5.1	7
72	Lipid rafts as signaling hubs in cancer cell survival/death and invasion: implications in tumor progression and therapy: Thematic Review Series: Biology of Lipid Rafts. <i>Journal of Lipid Research</i> , 2020 , 61, 611-635	6.3	60
71	A Potent Isoprenylcysteine Carboxymethyltransferase (ICMT) Inhibitor Improves Survival in Ras-Driven Acute Myeloid Leukemia. <i>Journal of Medicinal Chemistry</i> , 2019 , 62, 6035-6046	8.3	20
70	Induction of cell killing and autophagy by amphiphilic pyrrolidine derivatives on human pancreatic cancer cells. <i>European Journal of Medicinal Chemistry</i> , 2018 , 150, 457-478	6.8	4
69	Antitumor activity of <i>Lepidium latifolium</i> and identification of the epithionitrile 1-cyano-2,3-epithiopropene as its major active component. <i>Molecular Carcinogenesis</i> , 2018 , 57, 347-360	5	14
68	Substitution at the indole 3 position yields highly potent indolecombretastatins against human tumor cells. <i>European Journal of Medicinal Chemistry</i> , 2018 , 158, 167-183	6.8	8
67	Isolation of Lipid Rafts Through Discontinuous Sucrose Gradient Centrifugation and Fas/CD95 Death Receptor Localization in Raft Fractions. <i>Methods in Molecular Biology</i> , 2017 , 1557, 125-138	1.4	9
66	Mitochondria and lipid raft-located FOF1-ATP synthase as major therapeutic targets in the antileishmanial and anticancer activities of ether lipid edelfosine. <i>PLoS Neglected Tropical Diseases</i> , 2017 , 11, e0005805	4.8	24
65	Development of a Nucleotide Exchange Inhibitor That Impairs Ras Oncogenic Signaling. <i>Chemistry - A European Journal</i> , 2017 , 23, 1676-1685	4.8	10
64	Fas/CD95, Lipid Rafts, and Cancer. <i>Resistance To Targeted Anti-cancer Therapeutics</i> , 2017 , 187-227	0.3	1
63	Alkyl ether lipids, ion channels and lipid raft reorganization in cancer therapy. <i>Pharmacology & Therapeutics</i> , 2016 , 165, 114-31	13.9	47

62	The alkylphospholipid edelfosine shows activity against <i>Strongyloides venezuelensis</i> and induces apoptosis-like cell death. <i>Acta Tropica</i> , 2016 , 162, 180-187	3.2	6
61	Lipid rafts and raft-mediated supramolecular entities in the regulation of CD95 death receptor apoptotic signaling. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2015 , 20, 584-606	5.4	39
60	Lipid raft-mediated Fas/CD95 apoptotic signaling in leukemic cells and normal leukocytes and therapeutic implications. <i>Journal of Leukocyte Biology</i> , 2015 , 98, 739-59	6.5	30
59	Lipid rafts as major platforms for signaling regulation in cancer. <i>Advances in Biological Regulation</i> , 2015 , 57, 130-46	6.2	194
58	Endoplasmic reticulum targeting in Ewing sarcoma by the alkylphospholipid analog edelfosine. <i>Oncotarget</i> , 2015 , 6, 14596-613	3.3	14
57	Lipid rafts, endoplasmic reticulum and mitochondria in the antitumor action of the alkylphospholipid analog edelfosine. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2014 , 14, 509-27	2.2	41
56	Drug uptake, lipid rafts, and vesicle trafficking modulate resistance to an anticancer lysophosphatidylcholine analogue in yeast. <i>Journal of Biological Chemistry</i> , 2013 , 288, 8405-8418	5.4	29
55	Rapid human melanoma cell death induced by sanguinarine through oxidative stress. <i>European Journal of Pharmacology</i> , 2013 , 705, 109-18	5.3	31
54	Lipid raft-mediated Akt signaling as a therapeutic target in mantle cell lymphoma. <i>Blood Cancer Journal</i> , 2013 , 3, e118	7	62
53	Antitumor alkyl-lysophospholipid analog edelfosine induces apoptosis in pancreatic cancer by targeting endoplasmic reticulum. <i>Oncogene</i> , 2012 , 31, 2627-39	9.2	52
52	Apoptotic mechanisms are involved in the death of <i>Strongyloides venezuelensis</i> after triggering of nitric oxide. <i>Parasite Immunology</i> , 2012 , 34, 570-80	2.2	7
51	Involvement of mitochondrial and B-RAF/ERK signaling pathways in berberine-induced apoptosis in human melanoma cells. <i>Anti-Cancer Drugs</i> , 2011 , 22, 507-18	2.4	39
50	Lipid rafts and Fas/CD95 signaling in cancer chemotherapy. <i>Recent Patents on Anti-Cancer Drug Discovery</i> , 2011 , 6, 274-83	2.6	31
49	Involvement of lipid rafts in the localization and dysfunction effect of the antitumor ether phospholipid edelfosine in mitochondria. <i>Cell Death and Disease</i> , 2011 , 2, e158	9.8	46
48	Lipid raft-targeted therapy in multiple myeloma. <i>Oncogene</i> , 2010 , 29, 3748-57	9.2	83
47	In vitro and In vivo selective antitumor activity of Edelfosine against mantle cell lymphoma and chronic lymphocytic leukemia involving lipid rafts. <i>Clinical Cancer Research</i> , 2010 , 16, 2046-54	12.9	73
46	Lipid rafts and clusters of apoptotic signaling molecule-enriched rafts in cancer therapy. <i>Future Oncology</i> , 2010 , 6, 811-21	3.6	40
45	Novel anti-inflammatory action of edelfosine lacking toxicity with protective effect in experimental colitis. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009 , 329, 439-49	4.7	28

44	Involvement of mitochondria and recruitment of Fas/CD95 signaling in lipid rafts in resveratrol-mediated antimyeloma and antileukemia actions. <i>Oncogene</i> , 2009 , 28, 3221-34	9.2	69
43	Lipid raft connection between extrinsic and intrinsic apoptotic pathways. <i>Biochemical and Biophysical Research Communications</i> , 2009 , 380, 780-4	3.4	74
42	Antitumor alkyl ether lipid edelfosine: tissue distribution and pharmacokinetic behavior in healthy and tumor-bearing immunosuppressed mice. <i>Clinical Cancer Research</i> , 2009 , 15, 858-64	12.9	29
41	Involvement of raft aggregates enriched in Fas/CD95 death-inducing signaling complex in the antileukemic action of edelfosine in Jurkat cells. <i>PLoS ONE</i> , 2009 , 4, e5044	3.7	77
40	Proapoptotic role of Hsp90 by its interaction with c-Jun N-terminal kinase in lipid rafts in edelfosine-mediated antileukemic therapy. <i>Oncogene</i> , 2008 , 27, 1779-87	9.2	44
39	Edelfosine is incorporated into rafts and alters their organization. <i>Journal of Physical Chemistry B</i> , 2008 , 112, 11643-54	3.4	55
38	Differential gene expression patterns coupled to commitment and acquisition of phenotypic hallmarks during neutrophil differentiation of human leukaemia HL-60 cells. <i>Gene</i> , 2008 , 419, 16-26	3.8	34
37	Aplidin, a marine organism-derived compound with potent antimyeloma activity in vitro and in vivo. <i>Cancer Research</i> , 2008 , 68, 5216-25	10.1	79
36	Endoplasmic reticulum stress in the proapoptotic action of edelfosine in solid tumor cells. <i>Cancer Research</i> , 2007 , 67, 10368-78	10.1	77
35	Mitochondrial-derived ROS in edelfosine-induced apoptosis in yeasts and tumor cells. <i>Acta Pharmacologica Sinica</i> , 2007 , 28, 888-94	8	24
34	Edelfosine and perifosine induce selective apoptosis in multiple myeloma by recruitment of death receptors and downstream signaling molecules into lipid rafts. <i>Blood</i> , 2007 , 109, 711-9	2.2	212
33	Combinatorial SNARE complexes modulate the secretion of cytoplasmic granules in human neutrophils. <i>Journal of Immunology</i> , 2006 , 177, 2831-41	5.3	93
32	FasL-Independent Activation of Fas 2006 , 13-27		12
31	Differential targets and subcellular localization of antitumor alkyl-lysophospholipid in leukemic versus solid tumor cells. <i>Journal of Biological Chemistry</i> , 2006 , 281, 14833-40	5.4	47
30	Fas/CD95 death receptor and lipid rafts: new targets for apoptosis-directed cancer therapy. <i>Drug Resistance Updates</i> , 2006 , 9, 51-73	23.2	109
29	Effects of the anti-neoplastic agent ET-18-OCH3 and some analogs on the biophysical properties of model membranes. <i>International Journal of Pharmaceutics</i> , 2006 , 318, 28-40	6.5	12
28	Cytoskeleton-mediated death receptor and ligand concentration in lipid rafts forms apoptosis-promoting clusters in cancer chemotherapy. <i>Journal of Biological Chemistry</i> , 2005 , 280, 11641-74	5.4	131
27	DNA and non-DNA targets in the mechanism of action of the antitumor drug trabectedin. <i>Chemistry and Biology</i> , 2005 , 12, 1201-10		55

26	Further naphthylcombretastatins. An investigation on the role of the naphthalene moiety. <i>Journal of Medicinal Chemistry</i> , 2005 , 48, 556-68	8.3	88
25	Cytotoxicity of an anti-cancer lysophospholipid through selective modification of lipid raft composition. <i>Journal of Biological Chemistry</i> , 2005 , 280, 38047-58	5.4	67
24	ET-18-OCH ₃ (edelfosine): a selective antitumour lipid targeting apoptosis through intracellular activation of Fas/CD95 death receptor. <i>Current Medicinal Chemistry</i> , 2004 , 11, 3163-84	4.3	94
23	Intracellular triggering of Fas aggregation and recruitment of apoptotic molecules into Fas-enriched rafts in selective tumor cell apoptosis. <i>Journal of Experimental Medicine</i> , 2004 , 200, 353-65	16.6	167
22	Fluorescent phenylpolyene analogues of the ether phospholipid edelfosine for the selective labeling of cancer cells. <i>Journal of Medicinal Chemistry</i> , 2004 , 47, 5333-5	8.3	24
21	Synthesis and biological evaluation of new selective cytotoxic cyclolignans derived from podophyllotoxin. <i>Journal of Medicinal Chemistry</i> , 2004 , 47, 1214-22	8.3	45
20	Microtubules, microtubule-interfering agents and apoptosis. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2003 , 8, 413-50	5.4	382
19	Rapid and selective apoptosis in human leukemic cells induced by Aplidine through a Fas/CD95- and mitochondrial-mediated mechanism. <i>Clinical Cancer Research</i> , 2003 , 9, 1535-45	12.9	49
18	Differential cytostatic and apoptotic effects of ecteinascidin-743 in cancer cells. Transcription-dependent cell cycle arrest and transcription-independent JNK and mitochondrial mediated apoptosis. <i>Journal of Biological Chemistry</i> , 2002 , 277, 41580-9	5.4	63
17	Biological activities, mechanisms of action and biomedical prospect of the antitumor ether phospholipid ET-18-OCH ₃ (edelfosine), a proapoptotic agent in tumor cells. <i>Current Drug Metabolism</i> , 2002 , 3, 491-525	3.5	140
16	The antitumor ether lipid ET-18-OCH ₃ induces apoptosis through translocation and capping of Fas/CD95 into membrane rafts in human leukemic cells. <i>Blood</i> , 2001 , 98, 3860-3	2.2	225
15	Intracellular triggering of Fas, independently of FasL, as a new mechanism of antitumor ether lipid-induced apoptosis. <i>International Journal of Cancer</i> , 2000 , 85, 674-82	7.5	103
14	Involvement of mitochondria and caspase-3 in ET-18-OCH ₃ -induced apoptosis of human leukemic cells. <i>International Journal of Cancer</i> , 2000 , 86, 208-18	7.5	86
13	Induction of apoptosis in leukemic cells by the reversible microtubule-disrupting agent 2-methoxy-5-(2-(4-(4-trimethoxyphenyl)-2,4,6-cycloheptatrien-1-yl)oxy)phenyl)-1-one: protection by Bcl-2 and Bcl-X(L) and cell cycle arrest. <i>Cancer Research</i> , 2000 , 60, 2651-9	10.1	50
12	Induction of apoptosis in human mitogen-activated peripheral blood T-lymphocytes by the ether phospholipid ET-18-OCH ₃ : involvement of the Fas receptor/ligand system. <i>British Journal of Pharmacology</i> , 1999 , 127, 813-25	8.6	40
11	The Human Leukemia Cell Line HL-60 as a Cell Culture Model To Study Neutrophil Functions and Inflammatory Cell Responses 1998 , 264-297		15
10	Involvement of c-Jun NH ₂ -terminal kinase activation and c-Jun in the induction of apoptosis by the ether phospholipid 1-O-octadecyl-2-O-methyl-rac-glycero-3-phosphocholine. <i>Molecular Pharmacology</i> , 1998 , 53, 602-12	4.3	80
9	Major co-localization of the extracellular-matrix degradative enzymes heparanase and gelatinase in tertiary granules of human neutrophils. <i>Biochemical Journal</i> , 1997 , 327 (Pt 3), 917-23	3.8	91

8	Dissociation of the effects of the antitumour ether lipid ET-18-OCH ₃ on cytosolic calcium and on apoptosis. <i>British Journal of Pharmacology</i> , 1997 , 121, 1364-8	8.6	14
7	Selective induction of apoptosis in cancer cells by the ether lipid ET-18-OCH ₃ (Edelfosine): molecular structure requirements, cellular uptake, and protection by Bcl-2 and Bcl-X(L). <i>Cancer Research</i> , 1997 , 57, 1320-8	10.1	148
6	C-Fos is not essential for apoptosis. <i>Biochemical and Biophysical Research Communications</i> , 1996 , 218, 267-72	3.4	40
5	The ether lipid 1-octadecyl-2-methyl-rac-glycero-3-phosphocholine induces expression of fos and jun proto-oncogenes and activates AP-1 transcription factor in human leukaemic cells. <i>Biochemical Journal</i> , 1994 , 302 (Pt 2), 325-9	3.8	32
4	Involvement of phospholipase D in the activation of transcription factor AP-1 in human T lymphoid Jurkat cells. <i>Journal of Immunology</i> , 1994 , 153, 2457-69	5.3	50
3	Differences in expression of transcription factor AP-1 in human promyelocytic HL-60 cells during differentiation towards macrophages versus granulocytes. <i>Biochemical Journal</i> , 1993 , 294 (Pt 1), 137-44	3.8	63
2	Localization of rap1 and rap2 proteins in the gelatinase-containing granules of human neutrophils. <i>FEBS Letters</i> , 1993 , 326, 209-14	3.8	25
1	Cytochrome b co-fractionates with gelatinase-containing granules in human neutrophils. <i>Molecular and Cellular Biochemistry</i> , 1991 , 105, 49-60	4.2	21