

Joseph Craine

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/747038/joseph-craigne-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

132
papers

15,612
citations

55
h-index

124
g-index

156
ext. papers

18,760
ext. citations

8.4
avg, IF

6.49
L-index

#	Paper	IF	Citations
132	Evidence, causes, and consequences of declining nitrogen availability in terrestrial ecosystems.. <i>Science</i> , 2022 , 376, eabh3767	33.3	5
131	Climatic and soil factors explain the two-dimensional spectrum of global plant trait variation.. <i>Nature Ecology and Evolution</i> , 2021 ,	12.3	6
130	DNA metabarcoding of the phytoplankton of Great Salt Lake–Gilbert Bay: Spatiotemporal assemblage changes and comparisons to microscopy. <i>Journal of Great Lakes Research</i> , 2021 , 48, 110-110 ³		3
129	Global root traits (GRooT) database. <i>Global Ecology and Biogeography</i> , 2021 , 30, 25-37	6.1	28
128	Seasonal patterns of bison diet across climate gradients in North America. <i>Scientific Reports</i> , 2021 , 11, 6829	4.9	2
127	Looking back in time to reconstruct nitrogen availability trajectories. <i>Global Change Biology</i> , 2020 , 26, 5353-5355	11.4	2
126	Global plant trait relationships extend to the climatic extremes of the tundra biome. <i>Nature Communications</i> , 2020 , 11, 1351	17.4	19
125	Mischaracterization of bison migratory patterns in Yellowstone National Park: Consequences for the Green Wave Hypothesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 9169-9170	11.5	1
124	TRY plant trait database - enhanced coverage and open access. <i>Global Change Biology</i> , 2020 , 26, 119-188	11.4	399
123	Climate structures bison dietary quality and composition at the continental scale. <i>Environmental DNA</i> , 2020 , 2, 77-90	7.6	3
122	The functional trait spectrum of European temperate grasslands. <i>Journal of Vegetation Science</i> , 2019 , 30, 777-788	3.1	8
121	Leaf shape and size track habitat transitions across forest-grassland boundaries in the grass family (Poaceae). <i>Evolution; International Journal of Organic Evolution</i> , 2019 , 73, 927-946	3.8	27
120	Reply to: Data do not support large-scale oligotrophication of terrestrial ecosystems. <i>Nature Ecology and Evolution</i> , 2019 , 3, 1287-1288	12.3	3
119	Foraging plasticity allows a large herbivore to persist in a sheltering forest habitat: DNA metabarcoding diet analysis of the European bison. <i>Forest Ecology and Management</i> , 2019 , 449, 117474	3.9	25
118	Robustness of trait connections across environmental gradients and growth forms. <i>Global Ecology and Biogeography</i> , 2019 , 28, 1806-1826	6.1	19
117	Inter- and intraspecific variation in leaf economic traits in wheat and maize. <i>AoB PLANTS</i> , 2018 , 10, ply006	6.9	15
116	Multiple facets of biodiversity drive the diversity-stability relationship. <i>Nature Ecology and Evolution</i> , 2018 , 2, 1579-1587	12.3	140

115	Identifying the diet of a declining prairie grouse using DNA metabarcoding. <i>Auk</i> , 2018 , 135, 583-608	2.1	27
114	A 250 plastome phylogeny of the grass family (Poaceae): topological support under different data partitions. <i>PeerJ</i> , 2018 , 6, e4299	3.1	94
113	Correspondence between $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ in soils suggests coordinated fractionation processes for soil C and N. <i>Plant and Soil</i> , 2018 , 423, 257-271	4.2	14
112	A methodology to derive global maps of leaf traits using remote sensing and climate data. <i>Remote Sensing of Environment</i> , 2018 , 218, 69-88	13.2	58
111	Plant functional trait change across a warming tundra biome. <i>Nature</i> , 2018 , 562, 57-62	50.4	264
110	Isotopic evidence for oligotrophication of terrestrial ecosystems. <i>Nature Ecology and Evolution</i> , 2018 , 2, 1735-1744	12.3	82
109	Increased C3 productivity in Midwestern lawns since 1982 revealed by carbon isotopes in <i>Amanita thiersii</i> . <i>Journal of Geophysical Research G: Biogeosciences</i> , 2017 , 122, 280-288	3.7	4
108	Climate, soil and plant functional types as drivers of global fine-root trait variation. <i>Journal of Ecology</i> , 2017 , 105, 1182-1196	6	155
107	Biodiversity-ecosystem function relationships change through primary succession. <i>Oikos</i> , 2017 , 126, 1637-1649	4	23
106	Centennial-scale reductions in nitrogen availability in temperate forests of the United States. <i>Scientific Reports</i> , 2017 , 7, 7856	4.9	38
105	Continental scale variability of foliar nitrogen and carbon isotopes in <i>Populus balsamifera</i> and their relationships with climate. <i>Scientific Reports</i> , 2017 , 7, 7759	4.9	9
104	Long-term declines in dietary nutritional quality for North American cattle. <i>Environmental Research Letters</i> , 2017 , 12, 044019	6.2	19
103	Mapping local and global variability in plant trait distributions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E10937-E10946	11.5	103
102	Molecular analysis of environmental plant DNA in house dust across the United States. <i>Aerobiologia</i> , 2017 , 33, 71-86	2.4	19
101	Dynamic microbial populations along the Cuyahoga River. <i>PLoS ONE</i> , 2017 , 12, e0186290	3.7	4
100	Soil properties control decomposition of soil organic carbon: Results from data-assimilation analysis. <i>Geoderma</i> , 2016 , 262, 235-242	6.7	104
99	Cohort variation in individual body mass dissipates with age in large herbivores. <i>Ecological Monographs</i> , 2016 , 86, 517-543	9	30
98	Earlier springs are causing reduced nitrogen availability in North American eastern deciduous forests. <i>Nature Plants</i> , 2016 , 2, 16133	11.5	33

97	Isolation-driven functional assembly of plant communities on islands. <i>Ecography</i> , 2016 , 39, 1066-1077	6.5	21
96	Natural and anthropogenic drivers of calcium depletion in a northern forest during the last millennium. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 6934-8	11.5	15
95	A Critical Examination of Timing of Burning in the Kansas Flint Hills. <i>Rangeland Ecology and Management</i> , 2016 , 69, 28-34	2.2	7
94	Continental-Scale Patterns Reveal Potential for Warming-Induced Shifts in Cattle Diet. <i>PLoS ONE</i> , 2016 , 11, e0161511	3.7	14
93	Evolutionary relationships in Panicoid grasses based on plastome phylogenomics (Panicoideae; Poaceae). <i>BMC Plant Biology</i> , 2016 , 16, 140	5.3	49
92	Corrigendum to: New handbook for standardised measurement of plant functional traits worldwide. <i>Australian Journal of Botany</i> , 2016 , 64, 715	1.2	166
91	Ecological interpretations of nitrogen isotope ratios of terrestrial plants and soils. <i>Plant and Soil</i> , 2015 , 396, 1-26	4.2	291
90	Climatic warming and the future of bison as grazers. <i>Scientific Reports</i> , 2015 , 5, 16738	4.9	49
89	Intra-annual bison body mass trajectories in a tallgrass prairie. <i>Mammal Research</i> , 2015 , 60, 263-270	1.8	4
88	Seasonal Shifts in Diet and Gut Microbiota of the American Bison (<i>Bison bison</i>). <i>PLoS ONE</i> , 2015 , 10, e0142409	3.7	64
87	Convergence of soil nitrogen isotopes across global climate gradients. <i>Scientific Reports</i> , 2015 , 5, 8280	4.9	90
86	Cessation of Burning Dries Soils Long Term in a Tallgrass Prairie. <i>Ecosystems</i> , 2014 , 17, 54-65	3.9	8
85	Fifty thousand years of Arctic vegetation and megafaunal diet. <i>Nature</i> , 2014 , 506, 47-51	50.4	351
84	Global relationship of wood and leaf litter decomposability: the role of functional traits within and across plant organs. <i>Global Ecology and Biogeography</i> , 2014 , 23, 1046-1057	6.1	100
83	Lack of eutrophication in a tallgrass prairie ecosystem over 27 years. <i>Ecology</i> , 2014 , 95, 1225-35	4.6	10
82	Ecological consequences of shifting the timing of burning tallgrass prairie. <i>PLoS ONE</i> , 2014 , 9, e103423	3.7	23
81	Precipitation timing and grazer performance in a tallgrass prairie. <i>Oikos</i> , 2013 , 122, 191-198	4	27
80	The importance of precipitation timing for grassland productivity. <i>Plant Ecology</i> , 2013 , 214, 1085-1089	1.7	13

79	Changes in global nitrogen cycling during the Holocene epoch. <i>Nature</i> , 2013 , 495, 352-5	50.4	84
78	Mechanisms of plant competition for nutrients, water and light. <i>Functional Ecology</i> , 2013 , 27, 833-840	5.6	291
77	New handbook for standardised measurement of plant functional traits worldwide. <i>Australian Journal of Botany</i> , 2013 , 61, 167	1.2	1983
76	Reduction of the temperature sensitivity of soil organic matter decomposition with sustained temperature increase. <i>Biogeochemistry</i> , 2013 , 113, 359-368	3.8	26
75	Global diversity of drought tolerance and grassland climate-change resilience. <i>Nature Climate Change</i> , 2013 , 3, 63-67	21.4	173
74	Teaching Biogeochemistry and Ecosystem Ecology in the United States: Survey Results. <i>Bulletin of the Ecological Society of America</i> , 2013 , 94, 105-106	0.7	
73	Relationships between Biological and Thermal Indices of Soil Organic Matter Stability Differ with Soil Organic Carbon Level. <i>Soil Science Society of America Journal</i> , 2013 , 77, 2020-2028	2.5	45
72	Long-term climate sensitivity of grazer performance: a cross-site study. <i>PLoS ONE</i> , 2013 , 8, e67065	3.7	15
71	Improved characterization of soil organic matter by thermal analysis using CO ₂ /H ₂ O evolved gas analysis. <i>Environmental Science & Technology</i> , 2012 , 46, 8921-7	10.3	45
70	Which traits determine shifts in the abundance of tree species in a fire-prone savanna?. <i>Journal of Ecology</i> , 2012 , 100, 1400-1410	6	50
69	The roles of shifting and filtering in generating community-level flowering phenology. <i>Ecography</i> , 2012 , 35, 1033-1038	6.5	16
68	The moisture response of soil heterotrophic respiration: interaction with soil properties. <i>Biogeosciences</i> , 2012 , 9, 1173-1182	4.6	176
67	Species-specific trajectories of nitrogen isotopes in Indiana hardwood forests, USA. <i>Biogeosciences</i> , 2012 , 9, 867-874	4.6	17
66	Root characteristics of C4 grasses limit reliance on deep soil water in tallgrass prairie. <i>Plant and Soil</i> , 2012 , 355, 385-394	4.2	72
65	Community traitscape of foliar nitrogen isotopes reveals N availability patterns in a tallgrass prairie. <i>Plant and Soil</i> , 2012 , 356, 395-403	4.2	29
64	Flowering phenology as a functional trait in a tallgrass prairie. <i>New Phytologist</i> , 2012 , 193, 673-682	9.8	61
63	Consistent effects of nitrogen amendments on soil microbial communities and processes across biomes. <i>Global Change Biology</i> , 2012 , 18, 1918-1927	11.4	715
62	Resource limitation, tolerance, and the future of ecological plant classification. <i>Frontiers in Plant Science</i> , 2012 , 3, 246	6.2	37

61	Timing of climate variability and grassland productivity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 3401-5	11.5	207
60	Maternal allocation in bison: co-occurrence of senescence, cost of reproduction, and individual quality 2012 , 22, 1628-39		28
59	A multi-isotope ($\delta^{13}\text{C}$, $\delta^{15}\text{N}$, $\delta^2\text{H}$) feather isoscape to assign Afrotropical migrant birds to origins. <i>Ecosphere</i> , 2012 , 3, art44	3.1	62
58	Physiological drought tolerance and the structuring of tallgrass prairie assemblages. <i>Ecosphere</i> , 2011 , 2, art48	3.1	45
57	Do grazers alter nitrogen dynamics on grazing lawns in a South African savannah?. <i>African Journal of Ecology</i> , 2011 , 49, 62-69	0.8	32
56	TRY is a global database of plant traits. <i>Global Change Biology</i> , 2011 , 17, 2905-2935	11.4	1623
55	Soil moisture controls on temperature sensitivity of soil organic carbon decomposition for a mesic grassland. <i>Soil Biology and Biochemistry</i> , 2011 , 43, 455-457	7.5	94
54	Spectroscopic Analysis of Canopy Nitrogen and Nitrogen Isotopes in Managed Pastures and Hay Land. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2011 , 49, 2491-2498	8.1	9
53	Functional consequences of climate change-induced plant species loss in a tallgrass prairie. <i>Oecologia</i> , 2011 , 165, 1109-17	2.9	29
52	Interannual variability of pollen productivity and transport in mid-North America from 1997 to 2009. <i>Aerobiologia</i> , 2011 , 27, 181-189	2.4	13
51	Thirteen decades of foliar isotopes indicate declining nitrogen availability in central North American grasslands. <i>New Phytologist</i> , 2010 , 187, 1135-1145	9.8	58
50	Climate change and cattle nutritional stress. <i>Global Change Biology</i> , 2010 , 16, 2901-2911	11.4	89
49	Widespread coupling between the rate and temperature sensitivity of organic matter decay. <i>Nature Geoscience</i> , 2010 , 3, 854-857	18.3	247
48	Changes through time: integrating microorganisms into the study of succession. <i>Research in Microbiology</i> , 2010 , 161, 635-42	4	232
47	Climate controls on grass culm production over a quarter century in a tallgrass prairie. <i>Ecology</i> , 2010 , 91, 2132-40	4.6	39
46	Plant nitrogen and phosphorus limitation in 98 North American grassland soils. <i>Plant and Soil</i> , 2010 , 334, 73-84	4.2	54
45	High leaf tissue density grassland species consistently more abundant across topographic and disturbance contrasts in a North American tallgrass prairie. <i>Plant and Soil</i> , 2010 , 337, 193-203	4.2	12
44	Landscape-level variation in temperature sensitivity of soil organic carbon decomposition. <i>Soil Biology and Biochemistry</i> , 2010 , 42, 373-375	7.5	50

43	Nitrogen fertilization inhibits soil microbial respiration regardless of the form of nitrogen applied. <i>Soil Biology and Biochemistry</i> , 2010 , 42, 2336-2338	7.5	204
42	Consequences of climate variability for the performance of bison in tallgrass prairie. <i>Global Change Biology</i> , 2009 , 15, 772-779	11.4	43
41	Grazing and landscape controls on nitrogen availability across 330 South African savanna sites. <i>Austral Ecology</i> , 2009 , 34, 731-740	1.5	36
40	Global patterns of foliar nitrogen isotopes and their relationships with climate, mycorrhizal fungi, foliar nutrient concentrations, and nitrogen availability. <i>New Phytologist</i> , 2009 , 183, 980-992	9.8	606
39	Resource Strategies of Wild Plants 2009 ,		139
38	Nutrient concentration ratios and co-limitation in South African grasslands. <i>New Phytologist</i> , 2008 , 179, 829-836	9.8	115
37	Microbial nitrogen limitation increases decomposition. <i>Ecology</i> , 2007 , 88, 2105-13	4.6	562
36	Building EDENs: The Rise of Environmentally Distributed Ecological Networks. <i>BioScience</i> , 2007 , 57, 45-54.7		19
35	Plant strategy theories: replies to Grime and Tilman. <i>Journal of Ecology</i> , 2007 , 95, 235-240	6	15
34	Changes in nitrogen cycling during the past century in a northern hardwood forest. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 7466-70	11.5	87
33	The Context of Plant Invasions in New Zealand: Evolutionary History and Novel Niches 2006 , 167-177		6
32	Decline in alkali meadow vegetation cover in California: the effects of groundwater extraction and drought. <i>Journal of Applied Ecology</i> , 2006 , 43, 770-779	5.8	84
31	Competition for Nutrients and Optimal Root Allocation. <i>Plant and Soil</i> , 2006 , 285, 171-185	4.2	95
30	Supply pre-emption, not concentration reduction, is the mechanism of competition for nutrients. <i>New Phytologist</i> , 2005 , 166, 933-40	9.8	85
29	Reconciling plant strategy theories of Grime and Tilman. <i>Journal of Ecology</i> , 2005 , 93, 1041-1052	6	294
28	Leaf-level light compensation points in shade-tolerant woody seedlings. <i>New Phytologist</i> , 2005 , 166, 710-3	9.8	68
27	Linking leaf and root trait syndromes among 39 grassland and savannah species. <i>New Phytologist</i> , 2005 , 167, 493-508	9.8	356
26	ENVIRONMENTAL CONSTRAINTS ON A GLOBAL RELATIONSHIP AMONG LEAF AND ROOT TRAITS OF GRASSES. <i>Ecology</i> , 2005 , 86, 12-19	4.6	165

25	LITTER QUALITY AND THE TEMPERATURE SENSITIVITY OF DECOMPOSITION. <i>Ecology</i> , 2005 , 86, 320-326	4.6	479
24	The influence of biotic drivers on North American palaeorecords: alternatives to climate. <i>Holocene</i> , 2004 , 14, 787-791	2.6	17
23	Plant structural defences against browsing birds: a legacy of New Zealand's extinct moas. <i>Oikos</i> , 2004 , 104, 500-508	4	102
22	Species and functional group diversity independently influence biomass accumulation and its response to CO ₂ and N. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 10101-6	11.5	200
21	Relationship between the structure of root systems and resource use for 11 North American grassland plants. <i>Plant Ecology</i> , 2003 , 165, 85-100	1.7	110
20	The dependence of root system properties on root system biomass of 10 North American grassland species. <i>Plant and Soil</i> , 2003 , 250, 39-47	4.2	23
19	Covariation in leaf and root traits for native and non-native grasses along an altitudinal gradient in New Zealand. <i>Oecologia</i> , 2003 , 134, 471-8	2.9	122
18	The resource economics of chemical and structural defenses across nitrogen supply gradients. <i>Oecologia</i> , 2003 , 137, 547-56	2.9	22
17	The role of plant species in biomass production and response to elevated CO ₂ and N. <i>Ecology Letters</i> , 2003 , 6, 623-625	10	48
16	Functional traits, productivity and effects on nitrogen cycling of 33 grassland species. <i>Functional Ecology</i> , 2002 , 16, 563-574	5.6	285
15	Determinants of growing season soil CO ₂ flux in a Minnesota grassland. <i>Biogeochemistry</i> , 2002 , 59, 303-318	3.1	31
14	The response of soil CO ₂ flux to changes in atmospheric CO ₂ , nitrogen supply and plant diversity. <i>Global Change Biology</i> , 2001 , 7, 947-953	11.4	65
13	Grassland species effects on soil CO ₂ flux track the effects of elevated CO ₂ and nitrogen. <i>New Phytologist</i> , 2001 , 150, 425-434	9.8	21
12	Do species and functional groups differ in acquisition and use of C, N and water under varying atmospheric CO ₂ and N availability regimes? A field test with 16 grassland species. <i>New Phytologist</i> , 2001 , 150, 435-448	9.8	217
11	Elevated CO ₂ and nitrogen supply alter leaf longevity of grassland species. <i>New Phytologist</i> , 2001 , 150, 397-403	9.8	30
10	The relationships among root and leaf traits of 76 grassland species and relative abundance along fertility and disturbance gradients. <i>Oikos</i> , 2001 , 93, 274-285	4	279
9	Plant diversity enhances ecosystem responses to elevated CO ₂ and nitrogen deposition. <i>Nature</i> , 2001 , 410, 809-12	50.4	469
8	correction: Plant diversity enhances ecosystem responses to elevated CO ₂ and nitrogen deposition. <i>Nature</i> , 2001 , 411, 824	50.4	12

7	Measurement of leaf longevity of 14 species of grasses and forbs using a novel approach. <i>New Phytologist</i> , 1999 , 142, 475-481	9.8	39
6	Predominance of ecophysiological controls on soil CO ₂ flux in a Minnesota grassland. <i>Plant and Soil</i> , 1998 , 207, 77-86	4.2	195
5	Nutrients in Senesced Leaves: Comment. <i>Ecology</i> , 1998 , 79, 1818	4.6	
4	NUTRIENTS IN SENESCED LEAVES:COMMENT. <i>Ecology</i> , 1998 , 79, 1818-1820	4.6	17
3	Species-specific trajectories of nitrogen isotopes in Indiana hardwood forests, USA		1
2	Global Root Traits (GRoot) Database		2
1	DNA metabarcoding potentially reveals multi-assembly eutrophication responses in an eastern North American river		1