Pedro M G Soares

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7471134/pedro-m-g-soares-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92 2,193 28 42 g-index

94 2,599 4.8 4.43 L-index

#	Paper	IF	Citations
92	Anti-inflammatory and anti-necrotic effects of lectins from Canavalia ensiformis and Canavalia brasiliensis in experimental acute pancreatitis <i>Glycoconjugate Journal</i> , 2022 , 1	3	О
91	MODULATORY ROLE OF CARBON MONOXIDE ON THE INFLAMMATORY RESPONSE AND OXIDATIVE STRESS LINKED TO GASTROINTESTINAL DISORDERS. <i>Antioxidants and Redox Signaling</i> , 2021 ,	8.4	1
90	McN-A-343, a muscarinic agonist, reduces inflammation and oxidative stress in an experimental model of ulcerative colitis. <i>Life Sciences</i> , 2021 , 272, 119194	6.8	2
89	Sulfated polysaccharide extracted from seaweed Gracilaria caudata attenuates acetic acid-induced ulcerative colitis. <i>Food Hydrocolloids</i> , 2021 , 111, 106221	10.6	8
88	Euterpe oleracea Mart. (ABDattenuates experimental colitis in rats: involvement of TLR4/COX-2/NF-B. <i>Inflammopharmacology</i> , 2021 , 29, 193-204	5.1	2
87	The Alpha-Lipoic Acid Improves Survival and Prevents Irinotecan-Induced Inflammation and Intestinal Dysmotility in Mice. <i>Pharmaceuticals</i> , 2020 , 13,	5.2	2
86	Sulfated polysaccharide from Gracilaria caudata reduces hypernociception and inflammatory response during arthritis in rodents. <i>International Journal of Biological Macromolecules</i> , 2020 , 161, 1061	-7069	5
85	Sulfated Polysaccharide from Digenea simplex Decreases Intestinal Inflammation in Rats. <i>Revista Brasileira De Farmacognosia</i> , 2020 , 30, 388-396	2	2
84	Gabapentin attenuates intestinal inflammation: Role of PPAR-gamma receptor. <i>European Journal of Pharmacology</i> , 2020 , 873, 172974	5.3	13
83	Polysaccharide from Gracilaria caudata protects the human esophageal mucosal barrier: A differential topical effect and structural dependence. <i>International Journal of Biological Macromolecules</i> , 2020 , 150, 354-361	7.9	2
82	Macromolecule extracted from Gracilaria caudata reduces inflammation and restores hepatic function in nimesulide-induced hepatic damage. <i>Journal of Applied Phycology</i> , 2020 , 32, 1511-1520	3.2	3
81	Design of novel monoamine oxidase-B inhibitors based on piperine scaffold: Structure-activity-toxicity, drug-likeness and efflux transport studies. <i>European Journal of Medicinal Chemistry</i> , 2020 , 185, 111770	6.8	16
80	Probiotic mixture containing and attenuates 5-fluorouracil-induced intestinal mucositis in mice. <i>Nutrition and Cancer</i> , 2020 , 72, 1355-1365	2.8	13
79	Polysaccharides derived from Morinda citrifolia Linn reduce inflammatory markers during experimental colitis. <i>Journal of Ethnopharmacology</i> , 2020 , 248, 112303	5	18
78	Modulation of 5-fluorouracil activation of toll-like/MyD88/NF- B /MAPK pathway by Saccharomyces boulardii CNCM I-745 probiotic. <i>Cytokine</i> , 2020 , 125, 154791	4	12
77	Galactomannan from the seeds of Caesalpinia pulcherrima prevents indomethacin-induced gastrointestinal damage via neutrophil migration. <i>International Journal of Biological Macromolecules</i> , 2019 , 141, 68-75	7.9	11
76	Gastroprotective effects of N-acylarylhydrazone derivatives on ethanol-induced gastric lesions in mice are dependent on the NO/cGMP/K pathway. <i>Biochemical Pharmacology</i> , 2019 , 169, 113629	6	5

75	Cashew gum, a biopolymer, topically protects oesophageal mucosa in non erosive reflux disease: A promising translational study. <i>Carbohydrate Polymers</i> , 2019 , 226, 115205	10.3	6
74	LASSBio-596 protects gastric mucosa against the development of ethanol-induced gastric lesions in mice. <i>European Journal of Pharmacology</i> , 2019 , 863, 172662	5.3	3
73	Role of TRPV1 receptor in inflammation and impairment of esophageal mucosal integrity in a murine model of nonerosive reflux disease. <i>Neurogastroenterology and Motility</i> , 2018 , 30, e13340	4	16
7 2	Implementation and impact of an audit and feedback antimicrobial stewardship intervention in the orthopaedics department of a tertiary-care hospital: a controlled interrupted time series study. <i>International Journal of Antimicrobial Agents</i> , 2018 , 51, 925-931	14.3	7
71	Thioamide substitution to probe the hydroxyproline recognition of VHL ligands. <i>Bioorganic and Medicinal Chemistry</i> , 2018 , 26, 2992-2995	3.4	8
7º	Topical protection of mice laryngeal mucosa using the natural product cashew gum. <i>Laryngoscope</i> , 2018 , 128, 1157-1162	3.6	6
69	Group-Based Optimization of Potent and Cell-Active Inhibitors of the von Hippel-Lindau (VHL) E3 Ubiquitin Ligase: Structure-Activity Relationships Leading to the Chemical Probe (2S,4R)-1-((S)-2-(1-Cyanocyclopropanecarboxamido)-3,3-dimethylbutanoyl)-4-hydroxy-N-(4-(4-methylthi	8.3 azol-5-	67 ·yl)benzy
68	Ximenia americana heteropolysaccharides ameliorate inflammation and visceral hypernociception in murine caerulein-induced acute pancreatitis: Involvement of CB2 receptors. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 106, 1317-1324	7.5	7
67	Calcium-dependent relaxant effect of carvacrol on gastric fundus smooth muscle. <i>FASEB Journal</i> , 2018 , 32, lb362	0.9	
66	Disruption of mitochondrial function as mechanism for anti-cancer activity of a novel mitochondriotropic menadione derivative. <i>Toxicology</i> , 2018 , 393, 123-139	4.4	25
65	The polysaccharide-rich tea of Ximenia americana barks prevents indomethacin-induced gastrointestinal damage via neutrophil inhibition. <i>Journal of Ethnopharmacology</i> , 2018 , 224, 195-201	5	4
64	Lycopene rich extract from red guava (Psidium guajava L.) displays anti-inflammatory and antioxidant profile by reducing suggestive hallmarks of acute inflammatory response in mice. <i>Food Research International</i> , 2017 , 99, 959-968	7	24
63	Morinda citrifolia lipid transfer protein 1 exhibits anti-inflammatory activity by modulation of pro- and anti-inflammatory cytokines. <i>International Journal of Biological Macromolecules</i> , 2017 , 103, 1121-11	2 99	5
62	Prevalence of abacavir-associated hypersensitivity syndrome and HLA-B*5701 allele in a Portuguese HIV-positive population. <i>Porto Biomedical Journal</i> , 2017 , 2, 59-62	1.1	4
61	A novel murine model of esophageal nonerosive reflux disease: from inflammation to impairment in mucosal integrity. <i>American Journal of Physiology - Renal Physiology</i> , 2017 , 312, G658-G665	5.1	7
60	Development of a Mitochondriotropic Antioxidant Based on Caffeic Acid: Proof of Concept on Cellular and Mitochondrial Oxidative Stress Models. <i>Journal of Medicinal Chemistry</i> , 2017 , 60, 7084-7098	3 ^{8.3}	34
59	Nitric Oxide and Hydrogen Sulfide Interact When Modulating Gastric Physiological Functions in Rodents. <i>Digestive Diseases and Sciences</i> , 2017 , 62, 93-104	4	18
58	Effect of Remote Ischemic Preconditioning on Systemic Toxicity and Ototoxicity Induced by Cisplatin in Rats: Role of TNF-land Nitric Oxide. Orl, 2017, 79, 336-346	2	3

57	Sulfated polysaccharide from the marine algae Hypnea musciformis inhibits TNBS-induced intestinal damage in rats. <i>Carbohydrate Polymers</i> , 2016 , 151, 957-964	10.3	34
56	Synthesis of 6-aryl/heteroaryl-4-oxo-4H-chromene-2-carboxylic ethyl ester derivatives. <i>Tetrahedron Letters</i> , 2016 , 57, 3006-3010	2	5
55	A novel N-acetyl-glucosamine lectin of Lonchocarpus araripensis attenuates acute cellular inflammation in mice. <i>Inflammation Research</i> , 2016 , 65, 43-52	7.2	16
54	Protective Effects of Simvastatin Against Alendronate-Induced Gastric Mucosal Injury in Rats. <i>Digestive Diseases and Sciences</i> , 2016 , 61, 400-9	4	7
53	Polysaccharide extract of Mimosa tenuiflora stem barks stimulates acute inflammatory response via nitric oxide. <i>Acta Scientiarum - Biological Sciences</i> , 2016 , 38, 473	0.3	1
52	Effects of passive inhalation of cigarette smoke on structural and functional parameters in the respiratory system of guinea pigs. <i>Jornal Brasileiro De Pneumologia</i> , 2016 , 42, 333-340	1.1	1
51	Sulfated polysaccharide fraction from marine algae Solieria filiformis: Structural characterization, gastroprotective and antioxidant effects. <i>Carbohydrate Polymers</i> , 2016 , 152, 140-148	10.3	41
50	Discovery of neurotrophic agents based on hydroxycinnamic acid scaffold. <i>Chemical Biology and Drug Design</i> , 2016 , 88, 926-937	2.9	10
49	Fine-tuning of the hydrophobicity of caffeic acid: studies on the antimicrobial activity against Staphylococcus aureus and Escherichia coli. <i>RSC Advances</i> , 2015 , 5, 53915-53925	3.7	35
48	Regulatory role of Lactobacillus acidophilus on inflammation and gastric dysmotility in intestinal mucositis induced by 5-fluorouracil in mice. <i>Cancer Chemotherapy and Pharmacology</i> , 2015 , 75, 559-67	3.5	56
47	Red propolis ameliorates ischemic-reperfusion acute kidney injury. <i>Phytomedicine</i> , 2015 , 22, 787-95	6.5	27
46	Microwave-Assisted Synthesis of 5-Phenyl-2-hydroxyacetophenone Derivatives by a Green Suzuki Coupling Reaction. <i>Journal of Chemical Education</i> , 2015 , 92, 575-578	2.4	20
45	The galactose-binding lectin isolated from Bauhinia bauhinioides Mart seeds inhibits neutrophil rolling and adhesion via primary cytokines. <i>Journal of Molecular Recognition</i> , 2015 , 28, 285-92	2.6	6
44	The nitric oxide donor cis-[Ru(bpy)2(SO3)NO](PF6) increases gastric mucosa protection in miceinvolvement of the soluble guanylate cyclase/K(ATP) pathway. <i>Nitric Oxide - Biology and Chemistry</i> , 2015 , 45, 35-42	5	21
43	Evaluation of mucositis induced by irinotecan after microbial colonization in germ-free mice. <i>Microbiology (United Kingdom)</i> , 2015 , 161, 1950-1960	2.9	54
42	Sulfated-polysaccharide fraction extracted from red algae Gracilaria birdiae ameliorates trinitrobenzenesulfonic acid-induced colitis in rats. <i>Journal of Pharmacy and Pharmacology</i> , 2014 , 66, 1161-70	4.8	35
41	Structure-guided design and optimization of small molecules targeting the protein-protein interaction between the von Hippel-Lindau (VHL) E3 ubiquitin ligase and the hypoxia inducible factor (HIF) alpha subunit with in vitro nanomolar affinities. <i>Journal of Medicinal Chemistry</i> , 2014 ,	8.3	194
40	57, 8657-63 Alendronate induces gastric damage by reducing nitric oxide synthase expression and NO/cGMP/K(ATP) signaling pathway. <i>Nitric Oxide - Biology and Chemistry</i> , 2014 , 40, 22-30	5	22

39	Colitis generates remote antinociception in rats: the role of the L-arginine/NO/cGMP/PKG/KATP pathway and involvement of cannabinoid and opioid systems. <i>Inflammation Research</i> , 2014 , 63, 969-77	7.2	1
38	Treatment with Saccharomyces boulardii reduces the inflammation and dysfunction of the gastrointestinal tract in 5-fluorouracil-induced intestinal mucositis in mice. <i>British Journal of Nutrition</i> , 2014 , 111, 1611-21	3.6	69
37	Protective effects of fucoidan, a P- and L-selectin inhibitor, in murine acute pancreatitis. <i>Pancreas</i> , 2014 , 43, 82-7	2.6	30
36	Nanotechnology and antioxidant therapy: an emerging approach for neurodegenerative diseases. <i>Current Medicinal Chemistry</i> , 2014 , 21, 4311-27	4.3	15
35	Crystal structure of Dioclea violacea lectin and a comparative study of vasorelaxant properties with Dioclea rostrata lectin. <i>International Journal of Biochemistry and Cell Biology</i> , 2013 , 45, 807-15	5.6	25
34	New di(hetero)arylethers and di(hetero)arylamines in the thieno[3,2-b]pyridine series: synthesis, growth inhibitory activity on human tumor cell lines and non-tumor cells, effects on cell cycle and on programmed cell death. <i>European Journal of Medicinal Chemistry</i> , 2013 , 69, 855-62	6.8	19
33	Antioxidant therapy: still in search of the Snagic bulletS Mitochondrion, 2013, 13, 427-35	4.9	43
32	Immunohistochemical approach reveals localization of cystathionine-Elyase and cystathionine-Esynthetase in ethanol-induced gastric mucosa damage in mice. <i>Arquivos De Gastroenterologia</i> , 2013 , 50, 157-60	1.3	12
31	Role of soluble guanylate cyclase activation in the gastroprotective effect of the HO-1/CO pathway against alendronate-induced gastric damage in rats. <i>European Journal of Pharmacology</i> , 2013 , 700, 51-9	5.3	28
30	Inflammatory intestinal damage induced by 5-fluorouracil requires IL-4. <i>Cytokine</i> , 2013 , 61, 46-9	4	49
29	Oxidative stress in acute pancreatitis: lost in translation?. Free Radical Research, 2013, 47, 917-33	4	36
28	Effects of 5-fluorouracil in nuclear and cellular morphology, proliferation, cell cycle, apoptosis, cytoskeletal and caveolar distribution in primary cultures of smooth muscle cells. <i>PLoS ONE</i> , 2013 , 8, e63177	3.7	19
27	The hydrogen sulfide donor, Lawesson's reagent, prevents alendronate-induced gastric damage in rats. <i>Brazilian Journal of Medical and Biological Research</i> , 2013 , 46, 708-14	2.8	28
26	Comparative study of the anti-edematogenic effects of anethole and estragole. <i>Pharmacological Reports</i> , 2012 , 64, 984-90	3.9	35
25	Rational discovery and development of a mitochondria-targeted antioxidant based on cinnamic acid scaffold. <i>Free Radical Research</i> , 2012 , 46, 600-11	4	23
24	Relaxant effects of the essential oil of Mentha pulegium L. in rat isolated trachea and urinary bladder. <i>Journal of Pharmacy and Pharmacology</i> , 2012 , 64, 1777-84	4.8	10
23	Role of KATP channels and TRPV1 receptors in hydrogen sulfide-enhanced gastric emptying of liquid in awake mice. <i>European Journal of Pharmacology</i> , 2012 , 693, 57-63	5.3	30
22	The role of endothelium in the vasorelaxant effects of the essential oil of Ocimum gratissimum in aorta and mesenteric vascular bed of rats. <i>Canadian Journal of Physiology and Pharmacology</i> , 2012 , 90, 1380-5	2.4	10

21	Monocrotaline: histological damage and oxidant activity in brain areas of mice. <i>Oxidative Medicine and Cellular Longevity</i> , 2012 , 2012, 697541	6.7	10
20	A sulfated-polysaccharide fraction from seaweed Gracilaria birdiae prevents naproxen-induced gastrointestinal damage in rats. <i>Marine Drugs</i> , 2012 , 10, 2618-33	6	27
19	Gastroprotective activity of Zanthoxylum rhoifolium Lam. in animal models. <i>Journal of Ethnopharmacology</i> , 2011 , 137, 700-8	5	16
18	Methotrexate-induced intestinal mucositis delays gastric emptying and gastrointestinal transit of liquids in awake rats. <i>Arquivos De Gastroenterologia</i> , 2011 , 48, 80-5	1.3	9
17	Vascular smooth muscle relaxation by a lectin from Pisum arvense: evidences of endothelial NOS pathway. <i>Protein and Peptide Letters</i> , 2011 , 18, 1107-11	1.9	8
16	Inhaled 1,8-cineole reduces inflammatory parameters in airways of ovalbumin-challenged Guinea pigs. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2011 , 108, 34-9	3.1	54
15	(-)-EBisabolol-induced gastroprotection is associated with reduction in lipid peroxidation, superoxide dismutase activity and neutrophil migration. <i>European Journal of Pharmaceutical Sciences</i> , 2011 , 44, 455-61	5.1	61
14	Role of platelet-activating factor in the pathogenesis of 5-fluorouracil-induced intestinal mucositis in mice. <i>Cancer Chemotherapy and Pharmacology</i> , 2011 , 68, 713-20	3.5	32
13	Antispasmodic effect of Mentha piperita essential oil on tracheal smooth muscle of rats. <i>Journal of Ethnopharmacology</i> , 2010 , 130, 433-6	5	36
12	Bryothamnion seaforthii lectin relaxes vascular smooth muscle: involvement of endothelium and NO synthase. <i>Protein and Peptide Letters</i> , 2010 , 17, 305-10	1.9	4
11	Mechanisms involved in the gastroprotective activity of esculin on acute gastric lesions in mice. <i>Chemico-Biological Interactions</i> , 2010 , 188, 246-54	5	42
10	Hydrogen sulfide prevents ethanol-induced gastric damage in mice: role of ATP-sensitive potassium channels and capsaicin-sensitive primary afferent neurons. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009 , 330, 764-70	4.7	77
9	Role of the NO/cGMP/K(ATP) pathway in the protective effects of sildenafil against ethanol-induced gastric damage in rats. <i>British Journal of Pharmacology</i> , 2008 , 153, 721-7	8.6	82
8	Role of cytokines (TNF-alpha, IL-1beta and KC) in the pathogenesis of CPT-11-induced intestinal mucositis in mice: effect of pentoxifylline and thalidomide. <i>Cancer Chemotherapy and Pharmacology</i> , 2008 , 61, 775-84	3.5	80
7	Gastrointestinal dysmotility in 5-fluorouracil-induced intestinal mucositis outlasts inflammatory process resolution. <i>Cancer Chemotherapy and Pharmacology</i> , 2008 , 63, 91-8	3.5	99
6	Amifostine (Wr-2721) prevents indomethacin-induced gastric damage in rats: role of non-protein sulfhydryl groups and leukocyte adherence. <i>Digestive Diseases and Sciences</i> , 2007 , 52, 119-25	4	11
5	Effects of anethole and structural analogues on the contractility of rat isolated aorta: Involvement of voltage-dependent Ca2+-channels. <i>Life Sciences</i> , 2007 , 81, 1085-93	6.8	47
4	Temporal variation of chemical composition and relaxant action of the essential oil of Ocimum gratissimum L. (Labiatae) on guinea-pig ileum. <i>Phytomedicine</i> , 2005 , 12, 506-9	6.5	16

LIST OF PUBLICATIONS

3	Inhibitory effects of the essential oil of Mentha pulegium on the isolated rat myometrium. <i>Planta Medica</i> , 2005 , 71, 214-8	3.1	19
2	Effects of chloride channel blockers on hypotonicity-induced contractions of the rat trachea. <i>British Journal of Pharmacology</i> , 2004 , 141, 367-73	8.6	6
1	Vatairea macrocarpa lectin induces paw edema with leukocyte infiltration. <i>Protein and Peptide Letters</i> , 2004 , 11, 195-200	1.9	31