

Gunther Sperk

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/747269/gunther-sperk-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

149
papers

8,833
citations

56
h-index

90
g-index

158
ext. papers

9,611
ext. citations

5.7
avg, IF

5.79
L-index

#	Paper	IF	Citations
149	Silencing of hippocampal somatostatin interneurons induces recurrent spontaneous limbic seizures in mice.. <i>Neuroscience</i> , 2022 , 487, 155-155	3.9	0
148	Lipid mediator n-3 docosapentaenoic acid-derived protectin D1 enhances synaptic inhibition of hippocampal principal neurons by interaction with a G-protein-coupled receptor.. <i>FASEB Journal</i> , 2022 , 36, e22203	0.9	3
147	Increased expression of GABA receptor subunits associated with tonic inhibition in patients with temporal lobe epilepsy. <i>Brain Communications</i> , 2021 , 3, fcab239	4.5	1
146	Regulation of Parvalbumin Interactome in the Perilesional Cortex after Experimental Traumatic Brain Injury. <i>Neuroscience</i> , 2021 , 475, 52-72	3.9	1
145	Immunohistochemical distribution of 10 GABA receptor subunits in the forebrain of the rhesus monkey <i>Macaca mulatta</i> . <i>Journal of Comparative Neurology</i> , 2020 , 528, 2551-2568	3.4	9
144	Distinct gradients of various neurotransmitter markers in caudate nucleus and putamen of the human brain. <i>Journal of Neurochemistry</i> , 2020 , 152, 650-662	6	7
143	Structural and Functional Remodeling of Amygdala GABAergic Synapses in Associative Fear Learning. <i>Neuron</i> , 2019 , 104, 781-794.e4	13.9	10
142	Amygdala NPY Circuits Promote the Development of Accelerated Obesity under Chronic Stress Conditions. <i>Cell Metabolism</i> , 2019 , 30, 111-128.e6	24.6	52
141	Laudatio anlässlich der Vergabe des Alfred-Hauptmann-Preises 2019 an Professor Dr. med. Hajo Hamer, Dr. med. Johannes Lang und Professor Dr. rer. med. Karel Kostev. <i>Zeitschrift Fur Epileptologie</i> , 2019 , 32, 239-241	0.1	
140	Role of neuropeptide Y (NPY) in the differentiation of Trpm-5-positive olfactory microvillar cells. <i>Neuropeptides</i> , 2018 , 68, 90-98	3.3	6
139	Neuropeptide Y2 receptors in anteroventral BNST control remote fear memory depending on extinction training. <i>Neurobiology of Learning and Memory</i> , 2018 , 149, 144-153	3.1	11
138	Arcuate nucleus and lateral hypothalamic CART neurons in the mouse brain exert opposing effects on energy expenditure. <i>ELife</i> , 2018 , 7,	8.9	19
137	Effects of galanin receptor 2 and receptor 3 knockout in mouse models of acute seizures. <i>Epilepsia</i> , 2018 , 59, e166-e171	6.4	4
136	Hypothalamic CNTF volume transmission shapes cortical noradrenergic excitability upon acute stress. <i>EMBO Journal</i> , 2018 , 37,	13	15
135	Effective G-protein coupling of Y2 receptors along axonal fiber tracts and its relevance for epilepsy. <i>Neuropeptides</i> , 2017 , 61, 49-55	3.3	7
134	Selective Silencing of Hippocampal Parvalbumin Interneurons Induces Development of Recurrent Spontaneous Limbic Seizures in Mice. <i>Journal of Neuroscience</i> , 2017 , 37, 8166-8179	6.6	38
133	The role of Neuropeptide Y in fear conditioning and extinction. <i>Neuropeptides</i> , 2016 , 55, 111-26	3.3	66

132	Hunger Promotes Fear Extinction by Activation of an Amygdala Microcircuit. <i>Neuropsychopharmacology</i> , 2016 , 41, 431-9	8.7	34
131	Structure and function of the amygdaloid NPY system: NPY Y2 receptors regulate excitatory and inhibitory synaptic transmission in the centromedial amygdala. <i>Brain Structure and Function</i> , 2016 , 221, 3373-91	4	37
130	Hunger promotes fear extinction by activation of an amygdala microcircuit. <i>Neuropeptides</i> , 2016 , 55, 19-20	3.3	
129	Pancreatic polypeptide and its central Y4 receptors are essential for cued fear extinction and permanent suppression of fear. <i>British Journal of Pharmacology</i> , 2016 , 173, 1925-38	8.6	13
128	Expression of class II histone deacetylases in two mouse models of temporal lobe epilepsy. <i>Journal of Neurochemistry</i> , 2016 , 136, 717-730	6	17
127	Expression of GABA receptor subunits in the hippocampus and thalamus after experimental traumatic brain injury. <i>Neuropharmacology</i> , 2015 , 88, 122-33	5.5	54
126	Rapid changes in expression of class I and IV histone deacetylases during epileptogenesis in mouse models of temporal lobe epilepsy. <i>Experimental Neurology</i> , 2015 , 273, 92-104	5.7	24
125	NPY Y2 receptors in the central amygdala reduce cued but not contextual fear. <i>Neuropharmacology</i> , 2015 , 99, 665-74	5.5	19
124	Calcium-binding proteins in focal cortical dysplasia. <i>Epilepsia</i> , 2015 , 56, 1207-16	6.4	13
123	GAL3 receptor KO mice exhibit an anxiety-like phenotype. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 7138-43	11.5	52
122	Arcuate NPY controls sympathetic output and BAT function via a relay of tyrosine hydroxylase neurons in the PVN. <i>Cell Metabolism</i> , 2013 , 17, 236-48	24.6	175
121	Patterns of mRNA and protein expression for 12 GABAA receptor subunits in the mouse brain. <i>Neuroscience</i> , 2013 , 236, 345-72	3.9	147
120	Changes in the expression of GABAA receptor subunit mRNAs in parahippocampal areas after kainic acid induced seizures. <i>Frontiers in Neural Circuits</i> , 2013 , 7, 142	3.5	37
119	Glutamate decarboxylase 67 is expressed in hippocampal mossy fibers of temporal lobe epilepsy patients. <i>Hippocampus</i> , 2012 , 22, 590-603	3.5	24
118	Distribution of alarin immunoreactivity in the mouse brain. <i>Journal of Molecular Neuroscience</i> , 2012 , 46, 18-32	3.3	26
117	NPY controls fear conditioning and fear extinction by combined action on Y ₁ and Y ₂ receptors. <i>British Journal of Pharmacology</i> , 2012 , 166, 1461-73	8.6	55
116	Sequel of spontaneous seizures after kainic acid-induced status epilepticus and associated neuropathological changes in the subiculum and entorhinal cortex. <i>Neuropharmacology</i> , 2012 , 63, 806-17	5.5	55
115	Secretoneurin, substance P and neuropeptide Y in the oxygen-induced retinopathy in C57Bl/6N mice. <i>Peptides</i> , 2012 , 37, 252-7	3.8	10

114	Neuropeptide Y modulates fear and fear extinction in distinct nuclei of the amygdala. <i>BMC Pharmacology & Toxicology</i> , 2012 , 13,	2.6	78
113	Somatostatin and neuropeptide Y neurons undergo different plasticity in parahippocampal regions in kainic acid-induced epilepsy. <i>Journal of Neuropathology and Experimental Neurology</i> , 2012 , 71, 312-29	3.1	22
112	Neuropeptide Y-Y2 receptor knockout mice: influence of genetic background on anxiety-related behaviors. <i>Neuroscience</i> , 2011 , 176, 420-30	3.9	27
111	Altered GABA transmission in a mouse model of increased trait anxiety. <i>Neuroscience</i> , 2011 , 183, 71-80	3.9	61
110	Parvalbumin interneurons and calretinin fibers arising from the thalamic nucleus reuniens degenerate in the subiculum after kainic acid-induced seizures. <i>Neuroscience</i> , 2011 , 189, 316-29	3.9	50
109	Progressive loss of phasic, but not tonic, GABA _A receptor-mediated inhibition in dentate granule cells in a model of post-traumatic epilepsy in rats. <i>Neuroscience</i> , 2011 , 194, 208-19	3.9	80
108	Sex-dependent control of murine emotional-affective behaviour in health and colitis by peptide YY and neuropeptide Y. <i>British Journal of Pharmacology</i> , 2011 , 163, 1302-14	8.6	65
107	Neurodegeneration and histochemical plasticity in the rat subiculum after kainic acid-induced epilepsy. <i>BMC Pharmacology</i> , 2011 , 11,		78
106	Neuropeptide Y Y2 receptors modulate trace fear conditioning and spatial memory in the dorsal hippocampus. <i>BMC Pharmacology</i> , 2011 , 11,		78
105	Fear learning induces structural and functional plasticity at GABAergic synapses in the basolateral amygdala. <i>BMC Pharmacology</i> , 2011 , 11, A42		78
104	Anticonvulsant effects and behavioural outcomes of rAAV serotype 1 vector-mediated neuropeptide Y overexpression in rat hippocampus. <i>Gene Therapy</i> , 2010 , 17, 643-52	4	56
103	Delayed stress-induced differences in locomotor and depression-related behaviour in female neuropeptide-Y Y1 receptor knockout mice. <i>Journal of Psychopharmacology</i> , 2010 , 24, 1541-9	4.6	22
102	The central and basolateral amygdala are critical sites of neuropeptide Y/Y2 receptor-mediated regulation of anxiety and depression. <i>Journal of Neuroscience</i> , 2010 , 30, 6282-90	6.6	114
101	Enhancement of GABA(A)-current run-down in the hippocampus occurs at the first spontaneous seizure in a model of temporal lobe epilepsy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 3180-5	11.5	43
100	Neuropeptide Y in the basolateral amygdala modulates the acquisition of conditioned fear. <i>BMC Pharmacology</i> , 2010 , 10,		78
99	Dynamic up-regulation of prodynorphin transcription in temporal lobe epilepsy. <i>Hippocampus</i> , 2009 , 19, 1051-4	3.5	16
98	Effect of neuropeptide Y Y2 receptor deletion on emotional stress-induced neuronal activation in mice. <i>Synapse</i> , 2009 , 63, 236-46	2.4	10
97	Neuronal plasticity in animal models and the epileptic human hippocampus. <i>Epilepsia</i> , 2009 , 50 Suppl 12, 29-31	6.4	110

96	Afamin is synthesized by cerebrovascular endothelial cells and mediates alpha-tocopherol transport across an in vitro model of the blood-brain barrier. <i>Journal of Neurochemistry</i> , 2009 , 108, 707-18	6	40
95	Neuropeptide Y overexpression using recombinant adeno-associated viral vectors. <i>Neurotherapeutics</i> , 2009 , 6, 300-6	6.4	31
94	Increased novelty-induced motor activity and reduced depression-like behavior in neuropeptide Y (NPY)-Y4 receptor knockout mice. <i>Neuroscience</i> , 2009 , 158, 1717-30	3.9	67
93	Neuropeptide Y gene therapy decreases chronic spontaneous seizures in a rat model of temporal lobe epilepsy. <i>Brain</i> , 2008 , 131, 1506-15	11.2	134
92	Increased novelty-induced motor activity and reduced depression-like behavior in NPY Y4 receptor knockout mice. <i>BMC Pharmacology</i> , 2008 , 8,		78
91	Neurodegeneration and plastic changes in parahippocampal regions of the rat after kainic acid-induced epilepsy. <i>BMC Pharmacology</i> , 2008 , 8,		78
90	Establishing a new mouse model for investigating the function of amygdala neurons in anxiety. <i>BMC Pharmacology</i> , 2008 , 8, A35		78
89	Long-term depression-like effect of a single immune challenge in neuropeptide Y Y2 and Y4 receptor knockout mice. <i>BMC Pharmacology</i> , 2008 , 8,		78
88	Experiments to localize the site for the anxiogenic action of NPY mediated by Y2 receptors in the mouse brain. <i>BMC Pharmacology</i> , 2007 , 7, A14		2
87	Changes in GABAA receptors in status epilepticus. <i>Epilepsia</i> , 2007 , 48 Suppl 8, 11-3	6.4	33
86	Gene therapy in epilepsy: the focus on NPY. <i>Peptides</i> , 2007 , 28, 377-83	3.8	49
85	Neuropeptide Y in the dentate gyrus. <i>Progress in Brain Research</i> , 2007 , 163, 285-97	2.9	94
84	Epilepsy, Brain Injury and Cell Death 2007 , 363-374		
83	Selective increase of dark phase water intake in neuropeptide-Y Y2 and Y4 receptor knockout mice. <i>Behavioural Brain Research</i> , 2006 , 168, 255-60	3.4	9
82	Mesiale Temporallappenepilepsie: Morphologische und neurochemische Plastizität des Hippokampus. <i>E-Neuroforum</i> , 2006 , 12, 144-151		
81	Current topics in brain dopamine research: a tribute to Professor Oleh Hornykiewicz. <i>Wiener Klinische Wochenschrift</i> , 2006 , 118, 563-5	2.3	0
80	Altered expression of GABA(A) and GABA(B) receptor subunit mRNAs in the hippocampus after kindling and electrically induced status epilepticus. <i>Neuroscience</i> , 2005 , 134, 691-704	3.9	76
79	Somatostatin receptor type 2 undergoes plastic changes in the human epileptic dentate gyrus. <i>Journal of Neuropathology and Experimental Neurology</i> , 2005 , 64, 956-69	3.1	28

78	The anti-epileptic actions of neuropeptide Y in the hippocampus are mediated by Y and not Y receptors. <i>European Journal of Neuroscience</i> , 2005 , 22, 1417-30	3.5	108
77	Neuropeptide Y and Its Receptors in Kindling Epileptogenesis 2005 , 249-261		
76	Multiple and plastic receptors mediate tonic GABAA receptor currents in the hippocampus. <i>Journal of Neuroscience</i> , 2005 , 25, 10016-24	6.6	192
75	GABA and its receptors in epilepsy. <i>Advances in Experimental Medicine and Biology</i> , 2004 , 548, 92-103	3.6	112
74	Anticonvulsant and antiepileptogenic effects mediated by adeno-associated virus vector neuropeptide Y expression in the rat hippocampus. <i>Journal of Neuroscience</i> , 2004 , 24, 3051-9	6.6	209
73	Increased expression of Nogo-A in hippocampal neurons of patients with temporal lobe epilepsy. <i>European Journal of Neuroscience</i> , 2004 , 20, 195-206	3.5	39
72	Overexpression of NPY and Y2 receptors in epileptic brain tissue: an endogenous neuroprotective mechanism in temporal lobe epilepsy?. <i>Neuropeptides</i> , 2004 , 38, 245-52	3.3	135
71	Increased expression of GABA(A) receptor beta-subunits in the hippocampus of patients with temporal lobe epilepsy. <i>Journal of Neuropathology and Experimental Neurology</i> , 2003 , 62, 820-34	3.1	64
70	Plastische Veränderungen von Neuropeptiden bei Patienten mit Temporallappenepilepsie. <i>Zeitschrift Fur Epileptologie</i> , 2003 , 16, 235-242	0.1	
69	Expression of plasma membrane GABA transporters but not of the vesicular GABA transporter in dentate granule cells after kainic acid seizures. <i>Hippocampus</i> , 2003 , 13, 806-15	3.5	58
68	Reduced anxiety and improved stress coping ability in mice lacking NPY-Y2 receptors. <i>European Journal of Neuroscience</i> , 2003 , 18, 143-8	3.5	158
67	Increased expression of gamma-aminobutyric acid type B receptors in the hippocampus of patients with temporal lobe epilepsy. <i>Neuroscience Letters</i> , 2003 , 352, 141-5	3.3	33
66	Altered expression of GABAB receptors in the hippocampus after kainic-acid-induced seizures in rats. <i>Molecular Brain Research</i> , 2003 , 113, 107-15		38
65	Important role of hypothalamic Y2 receptors in body weight regulation revealed in conditional knockout mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 8938-43	11.5	213
64	Seizure susceptibility and epileptogenesis are decreased in transgenic rats overexpressing neuropeptide Y. <i>Neuroscience</i> , 2002 , 110, 237-43	3.9	87
63	Distribution of the major gamma-aminobutyric acid(A) receptor subunits in the basal ganglia and associated limbic brain areas of the adult rat. <i>Journal of Comparative Neurology</i> , 2001 , 433, 526-49	3.4	142
62	Chromogranins as markers of altered hippocampal circuitry in temporal lobe epilepsy. <i>Annals of Neurology</i> , 2001 , 50, 216-26	9.4	28
61	Changes in the GABA-ergic system induced by trimethyltin application in the rat. <i>Molecular Brain Research</i> , 2001 , 97, 1-6		28

60	Plasticity of Y1 and Y2 receptors and neuropeptide Y fibers in patients with temporal lobe epilepsy. <i>Journal of Neuroscience</i> , 2001 , 21, 5804-12	6.6	121
59	Chromogranins in temporal lobe epilepsy. <i>Epilepsia</i> , 2000 , 41 Suppl 6, S111-4	6.4	10
58	Reduction of A1 adenosine receptors in rat hippocampus after kainic acid-induced limbic seizures. <i>Neuroscience Letters</i> , 2000 , 284, 49-52	3.3	47
57	Altered hippocampal expression of neuropeptide Y, somatostatin, and glutamate decarboxylase in ItharaS epileptic rats and spontaneously epileptic rats. <i>Neuroscience Letters</i> , 2000 , 287, 105-8	3.3	17
56	Powerful anticonvulsant action of IL-1 receptor antagonist on intracerebral injection and astrocytic overexpression in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 11534-9	11.5	368
55	Neuropeptide Y: emerging evidence for a functional role in seizure modulation. <i>Trends in Neurosciences</i> , 1999 , 22, 25-30	13.3	411
54	Trimethyltin-induced expression of neuropeptide Y Y2 receptors in rat dentate gyrus. <i>Neurotoxicology and Teratology</i> , 1998 , 20, 607-10	3.9	7
53	Glutamate-stimulated neuropeptide Y mRNA expression in the rat dentate gyrus: a prominent role of metabotropic glutamate receptors. <i>Hippocampus</i> , 1998 , 8, 274-88	3.5	25
52	Trimethyltin intoxication induces marked changes in neuropeptide expression in the rat hippocampus. <i>Synapse</i> , 1998 , 29, 333-42	2.4	25
51	Perception of species-specific vocalizations in rats: role of the cholinergic septo-hippocampal pathway and aging. <i>International Journal of Developmental Neuroscience</i> , 1998 , 16, 715-27	2.7	1
50	Distinct changes in peptide YY binding to, and mRNA levels of, Y1 and Y2 receptors in the rat hippocampus associated with kindling epileptogenesis. <i>Journal of Neurochemistry</i> , 1998 , 70, 1615-22	6	66
49	Metabotropic glutamate receptors mediate activation of NPY-Y2 receptor expression in the rat dentate gyrus. <i>NeuroReport</i> , 1998 , 9, 2347-51	1.7	9
48	Up-regulation of neuropeptide Y-Y2 receptors in an animal model of temporal lobe epilepsy. <i>Molecular Pharmacology</i> , 1998 , 53, 6-13	4.3	79
47	Somatostatin-and Neuropeptide Y-Mediated Neurotransmission in Kindling Epileptogenesis. <i>Advances in Behavioral Biology</i> , 1998 , 313-325		2
46	Altered expression of NPY-Y1 receptors in kainic acid induced epilepsy in rats. <i>Neuroscience Letters</i> , 1997 , 230, 129-32	3.3	61
45	Secretoneurin: A marker in rat hippocampal pathways 1997 , 377, 29-40		15
44	Secretoneurin: A marker in rat hippocampal pathways 1997 , 377, 29		1
43	Autoradiographic analysis of neuropeptide Y receptor binding sites in the rat hippocampus after kainic acid-induced limbic seizures. <i>Neuroscience</i> , 1996 , 70, 47-55	3.9	67

42	Neuropeptides-immunoreactivity and their mRNA expression in kindling: functional implications for limbic epileptogenesis. <i>Brain Research Reviews</i> , 1996 , 22, 27-50		121
41	Neuropeptide Y and somatostatin immunoreactivity in the rat hippocampus after moderate hypoxia. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1996 , 354, 67-71	3.4	10
40	Functional changes in somatostatin and neuropeptide Y containing neurons in the rat hippocampus in chronic models of limbic seizures. <i>Epilepsy Research</i> , 1996 , 26, 267-79	3	58
39	Neurochemical characterization of preprotachykinin B(50-79) immunoreactivity in the rat. <i>Regulatory Peptides</i> , 1995 , 57, 183-92		8
38	Somatostatin, neuropeptide Y, neurokinin B and cholecystokinin immunoreactivity in two chronic models of temporal lobe epilepsy. <i>Neuroscience</i> , 1995 , 69, 831-45	3.9	146
37	Differential NPY mRNA expression in granule cells and interneurons of the rat dentate gyrus after kainic acid injection. <i>Hippocampus</i> , 1994 , 4, 474-82	3.5	93
36	Kainic acid seizures in the rat. <i>Progress in Neurobiology</i> , 1994 , 42, 1-32	10.9	609
35	Neuropeptide Y inhibits potassium-stimulated glutamate release through Y2 receptors in rat hippocampal slices in vitro. <i>British Journal of Pharmacology</i> , 1994 , 113, 737-40	8.6	173
34	Kainic acid induced seizures cause a marked increase in the expression of neurokinin-3 receptor mRNA in the rat cerebellum. <i>Neuroscience Letters</i> , 1994 , 181, 158-60	3.3	10
33	Effects of antidepressant drug treatment on levels of NPY or prepro-NPY-mRNA in the rat brain. <i>Neurochemistry International</i> , 1993 , 22, 183-7	4.4	27
32	Kainic acid seizures cause enhanced expression of cholecystokinin-octapeptide in the cortex and hippocampus of the rat. <i>Synapse</i> , 1993 , 15, 221-8	2.4	26
31	Electrical kindling of the hippocampus is associated with functional activation of neuropeptide Y-containing neurons. <i>European Journal of Neuroscience</i> , 1993 , 5, 1534-8	3.5	65
30	Functional changes in neuropeptide Y- and somatostatin-containing neurons induced by limbic seizures in the rat. <i>Neuroscience</i> , 1992 , 50, 831-46	3.9	233
29	Temporal lobe epilepsy of the rat: differential expression of mRNAs of chromogranin B, secretogranin II, synaptin/synaptophysin and p65 in subfield of the hippocampus. <i>Molecular Brain Research</i> , 1992 , 16, 1-12		69
28	Quantitative determination of neuroactive substances in the CNS of the spider <i>Cupiennius salei</i> keys. <i>Comparative Biochemistry and Physiology Part C: Comparative Pharmacology</i> , 1992 , 102, 447-450		3
27	Distribution of neurons expressing neurokinin B in the rat brain: immunohistochemistry and in situ hybridization. <i>Journal of Comparative Neurology</i> , 1992 , 317, 341-56	3.4	129
26	Enhanced rate of expression and biosynthesis of neuropeptide Y after kainic acid-induced seizures. <i>Journal of Neurochemistry</i> , 1991 , 56, 525-30	6	97
25	Purification and Characterization of Neuroendocrine Peptides from Rat Brain: Prosomatostatin Isolation. <i>Methods in Neurosciences</i> , 1991 , 306-321		

24	Neuropeptide Levels after Pentylentetrazol Kindling in the Rat. <i>European Journal of Neuroscience</i> , 1990 , 2, 98-103	3.5	50
23	Cholinergic deficit induced by ethylcholine aziridinium (AF64A) transiently affects somatostatin and neuropeptide Y levels in rat brain. <i>Journal of Neurochemistry</i> , 1990 , 54, 1608-13	6	24
22	Neuropeptide Y biosynthesis is markedly induced in mossy fibers during temporal lobe epilepsy of the rat. <i>Neuroscience Letters</i> , 1990 , 112, 143-8	3.3	136
21	Effect of anticonvulsant treatment on kainic acid-induced increases in peptide levels. <i>European Journal of Pharmacology</i> , 1990 , 181, 241-6	5.3	22
20	Chromogranins in rat brain: characterization, topographical distribution and regulation of synthesis. <i>Brain Research</i> , 1990 , 532, 87-94	3.7	78
19	Differential increases in brain levels of neuropeptide Y and vasoactive intestinal polypeptide after kainic acid-induced seizures in the rat. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1989 , 339, 173-74	3.4	47
18	Effect of local injection of cysteamine and cystamine on somatostatin and neuropeptide Y levels in the rat striatum. <i>Journal of Neurochemistry</i> , 1988 , 50, 1682-6	6	8
17	Cysteamine-induced decrease of somatostatin in rat brain synaptosomes in vitro. <i>Endocrinology</i> , 1987 , 121, 1383-9	4.8	15
16	Increased brain levels of cholecystokinin octapeptide after kainic acid-induced seizures in the rat. <i>Neuroscience Letters</i> , 1986 , 69, 208-11	3.3	29
15	Somatostatin precursor in the rat striatum: changes after local injection of kainic acid. <i>Journal of Neurochemistry</i> , 1985 , 45, 1441-7	6	51
14	Alpha 2-adrenoceptors modulate kainic acid-induced limbic seizures. <i>European Journal of Pharmacology</i> , 1985 , 113, 263-9	5.3	36
13	Synthesis and biological evaluation of 14-alkoxymorphinans. 1. Highly potent opioid agonists in the series of (-)-14-methoxy-N-methylmorphinan-6-ones. <i>Journal of Medicinal Chemistry</i> , 1984 , 27, 1575-9	8.3	55
12	In vivo synthesis of substance P in the corpus striatum of the rat and its transport to the substantia nigra. <i>Brain Research</i> , 1982 , 238, 127-35	3.7	32
11	An orally effective, long-acting dopaminergic prodrug: (-)-10,11-methylenedioxy-N-propylnoraporphine. <i>European Journal of Pharmacology</i> , 1982 , 77, 87-8	5.3	22
10	Simultaneous determination of serotonin, 5-hydroxyindoleacetic acid, 3,4-dihydroxyphenylacetic acid and homovanillic acid by high performance liquid chromatography with electrochemical detection. <i>Journal of Neurochemistry</i> , 1982 , 38, 840-3	6	131
9	Capsaicin does not change tissue levels of glutamic acid, its uptake, or release in the rat spinal cord. <i>Journal of Neurochemistry</i> , 1982 , 38, 1383-6	6	19
8	Serotonergic denervation partially protects rat striatum from kainic acid toxicity. <i>Nature</i> , 1982 , 299, 254-6	5.4	27
7	Kainic acid-induced changes of serotonin and dopamine metabolism in the striatum and substantia nigra of the rat. <i>European Journal of Pharmacology</i> , 1981 , 74, 279-86	5.3	82

6	Evidence for neuronal localization of histamine-N-methyltransferase in rat brain. <i>Journal of Neurochemistry</i> , 1981 , 37, 525-6	6	8
5	A sensitive and reliable assay for dopamine beta-hydroxylase in tissue. <i>Journal of Neurochemistry</i> , 1980 , 35, 972-6	6	36
4	Biochemical, behavioral, and pharmacologic studies of the effects of dihydroxytryptamines in the rodent brain. <i>Annals of the New York Academy of Sciences</i> , 1978 , 305, 198-207	6.5	10
3	Evidence for an endogenous factor interfering with 3H-diazepam binding to rat brain membranes. <i>European Journal of Pharmacology</i> , 1978 , 49, 323-6	5.3	58
2	Differences between Adenosine Triphosphatases from Monocotylous and Dicotylous Plants. <i>Plant Physiology</i> , 1977 , 59, 155-7	6.6	11
1	A low-molecular-weight ATPase from wheat-seedling mitochondria. <i>FEBS Journal</i> , 1976 , 68, 13-9		9