

Udeni B R Balasuriya

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7472743/publications.pdf>

Version: 2024-02-01

132
papers

4,336
citations

94433

37
h-index

149698

56
g-index

138
all docs

138
docs citations

138
times ranked

3247
citing authors

#	ARTICLE	IF	CITATIONS
1	Infection and transmission of ancestral SARS-CoV-2 and its alpha variant in pregnant white-tailed deer. <i>Emerging Microbes and Infections</i> , 2022, 11, 95-112.	6.5	77
2	Susceptibility of sheep to experimental co-infection with the ancestral lineage of SARS-CoV-2 and its alpha variant. <i>Emerging Microbes and Infections</i> , 2022, 11, 662-675.	6.5	21
3	Fatal Neurodissemination and SARS-CoV-2 Tropism in K18-hACE2 Mice Is Only Partially Dependent on hACE2 Expression. <i>Viruses</i> , 2022, 14, 535.	3.3	47
4	Development of a TaqMan® Allelic Discrimination qPCR Assay for Rapid Detection of Equine CXCL16 Allelic Variants Associated With the Establishment of Long-Term Equine Arteritis Virus Carrier State in Stallions. <i>Frontiers in Genetics</i> , 2022, 13, 871875.	2.3	1
5	An outbreak of visna-maedi in a flock of sheep in Southern Brazil. <i>Brazilian Journal of Microbiology</i> , 2022, , .	2.0	3
6	Experimental challenge of a North American bat species, big brown bat (<i>Eptesicus fuscus</i>), with SARS-CoV-2. <i>Transboundary and Emerging Diseases</i> , 2021, 68, 3443-3452.	3.0	54
7	Experimental re-infected cats do not transmit SARS-CoV-2. <i>Emerging Microbes and Infections</i> , 2021, 10, 638-650.	6.5	48
8	Development and validation of a one-step reverse transcription loop-mediated isothermal amplification (RT-LAMP) for rapid detection of ZIKV in patient samples from Brazil. <i>Scientific Reports</i> , 2021, 11, 4111.	3.3	6
9	Pathologic and immunohistochemical findings in an outbreak of systemic toxoplasmosis in a mob of red kangaroos. <i>Journal of Veterinary Diagnostic Investigation</i> , 2021, 33, 554-565.	1.1	10
10	Paternally expressed retrotransposon Gag-like 1 gene, RTL1, is one of the crucial elements for placental angiogenesis in horses. <i>Biology of Reproduction</i> , 2021, 104, 1386-1399.	2.7	5
11	ICTV Virus Taxonomy Profile: Arteriviridae 2021. <i>Journal of General Virology</i> , 2021, 102, .	2.9	64
12	Uterine responses and equine chorionic gonadotropin concentrations after two intrauterine infusions with kerosene post early fetal loss in mares. <i>Theriogenology</i> , 2020, 147, 202-210.	2.1	10
13	The effect of equine herpesvirus type 4 on type-I interferon signaling molecules. <i>Veterinary Immunology and Immunopathology</i> , 2020, 219, 109971.	1.2	2
14	SARS-CoV-2 infection, disease and transmission in domestic cats. <i>Emerging Microbes and Infections</i> , 2020, 9, 2322-2332.	6.5	215
15	Susceptibility of swine cells and domestic pigs to SARS-CoV-2. <i>Emerging Microbes and Infections</i> , 2020, 9, 2278-2288.	6.5	84
16	Detection of SARS-CoV-2 by RNAscope® in situ hybridization and immunohistochemistry techniques. <i>Archives of Virology</i> , 2020, 165, 2373-2377.	2.1	33
17	Viral Diseases that Affect Donkeys and Mules. <i>Animals</i> , 2020, 10, 2203.	2.3	9
18	Genome-wide association study for host genetic factors associated with equine herpesvirus type-1 induced myeloencephalopathy. <i>Equine Veterinary Journal</i> , 2020, 52, 794-798.	1.7	5

#	ARTICLE	IF	CITATIONS
19	Type A Influenza Virus Detection from Horses by Real-Time RT-qPCR and Insulated Isothermal RT-PCR. <i>Methods in Molecular Biology</i> , 2020, 2123, 383-392.	0.9	7
20	RNA Extraction from Equine Samples for Equine Influenza Virus. <i>Methods in Molecular Biology</i> , 2020, 2123, 369-382.	0.9	1
21	Equine arteritis virus long-term persistence is orchestrated by CD8+ T lymphocyte transcription factors, inhibitory receptors, and the CXCL16/CXCR6 axis. <i>PLoS Pathogens</i> , 2019, 15, e1007950.	4.7	20
22	Development and evaluation of a one-step multiplex real-time TaqMan [®] RT-qPCR assay for the detection and genotyping of equine G3 and G14 rotaviruses in fecal samples. <i>Virology Journal</i> , 2019, 16, 49.	3.4	8
23	Intrahost Selection Pressure Drives Equine Arteritis Virus Evolution during Persistent Infection in the Stallion Reproductive Tract. <i>Journal of Virology</i> , 2019, 93, .	3.4	6
24	Equid Herpesvirus 1 Targets the Sensitization and Induction Steps To Inhibit the Type I Interferon Response in Equine Endothelial Cells. <i>Journal of Virology</i> , 2019, 93, .	3.4	12
25	Rapid detection of equine infectious anaemia virus nucleic acid by insulated isothermal RT-qPCR assay to aid diagnosis under field conditions. <i>Equine Veterinary Journal</i> , 2019, 51, 489-494.	1.7	7
26	Absence of relationship between type-I interferon suppression and neuropathogenicity of EHV-1. <i>Veterinary Immunology and Immunopathology</i> , 2018, 197, 24-30.	1.2	5
27	Systemic equid alphaherpesvirus 9 in a Grant's zebra. <i>Journal of Veterinary Diagnostic Investigation</i> , 2018, 30, 580-583.	1.1	1
28	Downregulation of MicroRNA eca-mir-128 in Seminal Exosomes and Enhanced Expression of CXCL16 in the Stallion Reproductive Tract Are Associated with Long-Term Persistence of Equine Arteritis Virus. <i>Journal of Virology</i> , 2018, 92, .	3.4	14
29	Equine viral arteritis: A respiratory and reproductive disease of significant economic importance to the equine industry. <i>Equine Veterinary Education</i> , 2018, 30, 497-512.	0.6	24
30	Detection, molecular characterization and phylogenetic analysis of G3P[12] and G14P[12] equine rotavirus strains co-circulating in central Kentucky. <i>Virus Research</i> , 2018, 255, 39-54.	2.2	10
31	Equine Arteritis Virus Has Specific Tropism for Stromal Cells and CD8 ⁺ T and CD21 ⁺ B Lymphocytes but Not for Glandular Epithelium at the Primary Site of Persistent Infection in the Stallion Reproductive Tract. <i>Journal of Virology</i> , 2017, 91, .	3.4	18
32	Coronavirus infections in horses in Saudi Arabia and Oman. <i>Transboundary and Emerging Diseases</i> , 2017, 64, 2093-2103.	3.0	35
33	Translation of a laboratory-validated equine herpesvirus-1 specific real-time PCR assay into an insulated isothermal polymerase chain reaction (iiPCR) assay for point-of-need diagnosis using POKIT [®] nucleic acid analyzer. <i>Journal of Virological Methods</i> , 2017, 241, 58-63.	2.1	11
34	Equine Arteritis Virus Elicits a Mucosal Antibody Response in the Reproductive Tract of Persistently Infected Stallions. <i>Vaccine Journal</i> , 2017, 24, .	3.1	8
35	Evaluation and Clinical Validation of Two Field-Deployable Reverse Transcription-Insulated Isothermal PCR Assays for the Detection of the Middle East Respiratory Syndrome Coronavirus. <i>Journal of Molecular Diagnostics</i> , 2017, 19, 817-827.	2.8	35
36	Evaluation of a field-deployable reverse transcription-insulated isothermal PCR for rapid and sensitive on-site detection of Zika virus. <i>BMC Infectious Diseases</i> , 2017, 17, 778.	2.9	21

#	ARTICLE	IF	CITATIONS
37	Reproductive effects of arteriviruses: equine arteritis virus and porcine reproductive and respiratory syndrome virus infections. <i>Current Opinion in Virology</i> , 2017, 27, 57-70.	5.4	30
38	Development and Characterization of an Infectious cDNA Clone of Equine Arteritis Virus. <i>Methods in Molecular Biology</i> , 2017, 1602, 11-28.	0.9	0
39	A Pan-Dengue Virus Reverse Transcription-Insulated Isothermal PCR Assay Intended for Point-of-Need Diagnosis of Dengue Virus Infection by Use of the POKKIT Nucleic Acid Analyzer. <i>Journal of Clinical Microbiology</i> , 2016, 54, 1528-1535.	3.9	32
40	Host Factors that Contribute to Equine Arteritis Virus Persistence in the Stallion: an Update. <i>Journal of Equine Veterinary Science</i> , 2016, 43, S11-S17.	0.9	10
41	Detection of equine arteritis virus by two chromogenic RNA in situ hybridization assays (conventional and RNAscope [®]) and assessment of their performance in tissues from aborted equine fetuses. <i>Archives of Virology</i> , 2016, 161, 3125-3136.	2.1	17
42	Conserved arginine residues in the carboxyl terminus of the equine arteritis virus E protein may play a role in heparin binding but may not affect viral infectivity in equine endothelial cells. <i>Archives of Virology</i> , 2016, 161, 873-886.	2.1	6
43	Development and evaluation of a reverse transcription-insulated isothermal polymerase chain reaction (RT-iiPCR) assay for detection of equine arteritis virus in equine semen and tissue samples using the POKKIT [®] system. <i>Journal of Virological Methods</i> , 2016, 234, 7-15.	2.1	26
44	Equine herpesvirus-1 infection disrupts interferon regulatory factor-3 (IRF-3) signaling pathways in equine endothelial cells. <i>Veterinary Immunology and Immunopathology</i> , 2016, 173, 1-9.	1.2	10
45	The neuropathogenic T953 strain of equine herpesvirus-1 inhibits type-I IFN mediated antiviral activity in equine endothelial cells. <i>Veterinary Microbiology</i> , 2016, 183, 110-118.	1.9	9
46	Further evaluation and validation of a commercially available competitive ELISA (cELISA) for the detection of antibodies specific to equine arteritis virus (EAV). <i>Veterinary Record</i> , 2016, 178, 95-95.	0.3	4
47	Equine Arteritis Virus Uses Equine CXCL16 as an Entry Receptor. <i>Journal of Virology</i> , 2016, 90, 3366-3384.	3.4	19
48	Development and characterization of a synthetic infectious cDNA clone of the virulent Bucyrus strain of equine arteritis virus expressing mCherry (red fluorescent protein). <i>Archives of Virology</i> , 2016, 161, 821-832.	2.1	6
49	Allelic Variation in CXCL16 Determines CD3+ T Lymphocyte Susceptibility to Equine Arteritis Virus Infection and Establishment of Long-Term Carrier State in the Stallion. <i>PLoS Genetics</i> , 2016, 12, e1006467.	3.5	18
50	Complete Genome Sequences of Three Clinical Isolates of Dengue Virus Serotype 1 from South Korean Travelers. <i>Genome Announcements</i> , 2015, 3, .	0.8	2
51	Complete Genome Sequences of Three Laboratory Strains of Dengue Virus (Serotypes 2, 3, and 4) Available in South Korea. <i>Genome Announcements</i> , 2015, 3, .	0.8	5
52	In vivo assessment of equine arteritis virus vaccine improvement by disabling the deubiquitinase activity of papain-like protease 2. <i>Veterinary Microbiology</i> , 2015, 178, 132-137.	1.9	10
53	Enhanced sensitivity of an antibody competitive blocking enzyme-linked immunosorbent assay using <i>Equine arteritis virus</i> purified by anion-exchange membrane chromatography. <i>Journal of Veterinary Diagnostic Investigation</i> , 2015, 27, 728-738.	1.1	2
54	A review of traditional and contemporary assays for direct and indirect detection of <i>Equid herpesvirus 1</i> in clinical samples. <i>Journal of Veterinary Diagnostic Investigation</i> , 2015, 27, 673-687.	1.1	25

#	ARTICLE	IF	CITATIONS
55	Complete Genome Sequence of Noncytopathic Bovine Viral Diarrhea Virus 1 Contaminating a High-Passage RK-13 Cell Line. <i>Genome Announcements</i> , 2015, 3, .	0.8	3
56	Equine herpesvirus-1 suppresses type-I interferon induction in equine endothelial cells. <i>Veterinary Immunology and Immunopathology</i> , 2015, 167, 122-129.	1.2	23
57	Zoonotic encephalitides caused by arboviruses: transmission and epidemiology of alphaviruses and flaviviruses. <i>Clinical and Experimental Vaccine Research</i> , 2014, 3, 58.	2.2	157
58	Animal Arterivirus Infections. <i>BioMed Research International</i> , 2014, 2014, 1-2.	1.9	5
59	Equine Arteritis Virus Does Not Induce Interferon Production in Equine Endothelial Cells: Identification of Nonstructural Protein 1 as a Main Interferon Antagonist. <i>BioMed Research International</i> , 2014, 2014, 1-13.	1.9	14
60	Equine Viral Arteritis. , 2014, , 169-181.e5.		3
61	Equine Viral Arteritis. <i>Veterinary Clinics of North America Equine Practice</i> , 2014, 30, 543-560.	0.7	35
62	Rapid detection of equine influenza virus H3N8 subtype by insulated isothermal RT-PCR (iiRT-PCR) assay using the POCKITâ„¢ Nucleic Acid Analyzer. <i>Journal of Virological Methods</i> , 2014, 207, 66-72.	2.1	39
63	Semen quality of stallions challenged with the Kentucky 84 strain of equine arteritis virus. <i>Theriogenology</i> , 2014, 82, 1068-1079.	2.1	16
64	Experiences with infectious cDNA clones of equine arteritis virus: Lessons learned and insights gained. <i>Virology</i> , 2014, 462-463, 388-403.	2.4	14
65	First detection of equine coronavirus (ECoV) in Europe. <i>Veterinary Microbiology</i> , 2014, 171, 206-209.	1.9	48
66	Type A Influenza Virus Detection from Horses by Real-Time RT-PCR and Insulated Isothermal RT-PCR. <i>Methods in Molecular Biology</i> , 2014, 1161, 393-402.	0.9	12
67	RNA Extraction from Equine Samples for Equine Influenza Virus. <i>Methods in Molecular Biology</i> , 2014, 1161, 379-392.	0.9	0
68	Validation of an improved competitive enzyme-linked immunosorbent assay to detect Equine arteritis virus antibody. <i>Journal of Veterinary Diagnostic Investigation</i> , 2013, 25, 727-735.	1.1	10
69	Equine arteritis virus. <i>Veterinary Microbiology</i> , 2013, 167, 93-122.	1.9	71
70	Evidence that <i>In Vitro</i> Susceptibility of CD3 ⁺ T Lymphocytes to Equine Arteritis Virus Infection Reflects Genetic Predisposition of Naturally Infected Stallions To Become Carriers of the Virus. <i>Journal of Virology</i> , 2012, 86, 12407-12410.	3.4	21
71	Development and Characterization of an Infectious cDNA Clone of the Modified Live Virus Vaccine Strain of Equine Arteritis Virus. <i>Vaccine Journal</i> , 2012, 19, 1312-1321.	3.1	12
72	Chimeric viruses containing the N-terminal ectodomains of GP5 and M proteins of porcine reproductive and respiratory syndrome virus do not change the cellular tropism of equine arteritis virus. <i>Virology</i> , 2012, 432, 99-109.	2.4	17

#	ARTICLE	IF	CITATIONS
73	New Real-Time PCR Assay Using Allelic Discrimination for Detection and Differentiation of Equine Herpesvirus-1 Strains with A ²²⁵⁴ and G ²²⁵⁴ Polymorphisms. <i>Journal of Clinical Microbiology</i> , 2012, 50, 1981-1988.	3.9	32
74	Assessment of correlation between in vitro CD3+ T cell susceptibility to EAV infection and clinical outcome following experimental infection. <i>Veterinary Microbiology</i> , 2012, 157, 220-225.	1.9	21
75	Emergence of novel equine arteritis virus (EAV) variants during persistent infection in the stallion: Origin of the 2007 French EAV outbreak was linked to an EAV strain present in the semen of a persistently infected carrier stallion. <i>Virology</i> , 2012, 423, 165-174.	2.4	29
76	Infection of embryos following insemination of donor mares with equine arteritis virus infective semen. <i>Theriogenology</i> , 2011, 76, 47-60.	2.1	22
77	Genetic heterogeneity and variation in viral load during equid herpesvirus-2 infection of foals. <i>Veterinary Microbiology</i> , 2011, 147, 253-261.	1.9	26
78	Characterization of Equine Humoral Antibody Response to the Nonstructural Proteins of Equine Arteritis Virus. <i>Vaccine Journal</i> , 2011, 18, 268-279.	3.1	15
79	Evaluation of the safety of vaccinating mares against equine viral arteritis during mid or late gestation or during the immediate postpartum period. <i>Journal of the American Veterinary Medical Association</i> , 2011, 238, 741-750.	0.5	22
80	Evaluation of Two Magnetic-Bead-Based Viral Nucleic Acid Purification Kits and Three Real-Time Reverse Transcription-PCR Reagent Systems in Two TaqMan Assays for Equine Arteritis Virus Detection in Semen. <i>Journal of Clinical Microbiology</i> , 2011, 49, 3694-3696.	3.9	19
81	Genome-Wide Association Study among Four Horse Breeds Identifies a Common Haplotype Associated with <i>In Vitro</i> CD3 ⁺ T Cell Susceptibility/Resistance to Equine Arteritis Virus Infection. <i>Journal of Virology</i> , 2011, 85, 13174-13184.	3.4	39
82	Discovery of a small arterivirus gene that overlaps the GP5 coding sequence and is important for virus production. <i>Journal of General Virology</i> , 2011, 92, 1097-1106.	2.9	247
83	The increased prevalence of neuropathogenic strains of EHV-1 in equine abortions. <i>Veterinary Microbiology</i> , 2010, 141, 5-11.	1.9	71
84	Molecular epidemiology and genetic characterization of equine arteritis virus isolates associated with the 2006-2007 multi-state disease occurrence in the USA. <i>Journal of General Virology</i> , 2010, 91, 2286-2301.	2.9	35
85	Complex Interactions between the Major and Minor Envelope Proteins of Equine Arteritis Virus Determine Its Tropism for Equine CD3 ⁺ T Lymphocytes and CD14 ⁺ Monocytes. <i>Journal of Virology</i> , 2010, 84, 4898-4911.	3.4	27
86	Curing of HeLa cells persistently infected with equine arteritis virus by a peptide-conjugated morpholino oligomer. <i>Virus Research</i> , 2010, 150, 138-142.	2.2	10
87	Description of the first recorded major occurrence of equine viral arteritis in France. <i>Equine Veterinary Journal</i> , 2010, 42, 713-720.	1.7	36
88	Relationship between equine herpesvirus-1 myeloencephalopathy and viral genotype. <i>Equine Veterinary Journal</i> , 2010, 42, 672-674.	1.7	31
89	Diagnostic Application of H3N8-Specific Equine Influenza Real-Time Reverse Transcription Polymerase Chain Reaction Assays for the Detection of Canine Influenza Virus in Clinical Specimens. <i>Journal of Veterinary Diagnostic Investigation</i> , 2010, 22, 942-945.	1.1	13
90	Development and Evaluation of One-Step TaqMan Real-Time Reverse Transcription-PCR Assays Targeting Nucleoprotein, Matrix, and Hemagglutinin Genes of Equine Influenza Virus. <i>Journal of Clinical Microbiology</i> , 2009, 47, 3907-3913.	3.9	39

#	ARTICLE	IF	CITATIONS
91	The NS3 proteins of global strains of bluetongue virus evolve into regional topotypes through negative (purifying) selection. <i>Veterinary Microbiology</i> , 2008, 126, 91-100.	1.9	67
92	Isolation of a gammaherpesvirus similar to asinine herpesvirus-2 (AHV-2) from a mule and a survey of mules and donkeys for AHV-2 infection by real-time PCR. <i>Veterinary Microbiology</i> , 2008, 130, 176-183.	1.9	23
93	Amino acid substitutions in the structural or nonstructural proteins of a vaccine strain of equine arteritis virus are associated with its attenuation. <i>Virology</i> , 2008, 378, 355-362.	2.4	22
94	Identification of an additional neutralization determinant of equine arteritis virus. <i>Virus Research</i> , 2008, 138, 150-153.	2.2	8
95	Equine viral arteritis: Current status and prevention. <i>Theriogenology</i> , 2008, 70, 403-414.	2.1	47
96	Comparison of two real-time reverse transcription polymerase chain reaction assays for the detection of Equine arteritis virus nucleic acid in equine semen and tissue culture fluid. <i>Journal of Veterinary Diagnostic Investigation</i> , 2008, 20, 147-155.	1.1	31
97	Development of a Fluorescent-Microsphere Immunoassay for Detection of Antibodies Specific to Equine Arteritis Virus and Comparison with the Virus Neutralization Test. <i>Vaccine Journal</i> , 2008, 15, 76-87.	3.1	17
98	Persistent Equine Arteritis Virus Infection in HeLa Cells. <i>Journal of Virology</i> , 2008, 82, 8456-8464.	3.4	20
99	Development and characterization of an infectious cDNA clone of the virulent Bucyrus strain of Equine arteritis virus. <i>Journal of General Virology</i> , 2007, 88, 918-924.	2.9	44
100	Genomic characterization of equine coronavirus. <i>Virology</i> , 2007, 369, 92-104.	2.4	77
101	Genetic variation and phylogenetic analysis of 22 French isolates of equine arteritis virus. <i>Archives of Virology</i> , 2007, 152, 1977-1994.	2.1	24
102	Equine Viral Arteritis. <i>Clinical Techniques in Equine Practice</i> , 2006, 5, 233-238.	0.5	7
103	Temporal detection of equine herpesvirus infections of a cohort of mares and their foals. <i>Veterinary Microbiology</i> , 2006, 116, 249-257.	1.9	99
104	Isolation of Equine Herpesvirus-5 from Blood Mononuclear Cells of a Gelding. <i>Journal of Veterinary Diagnostic Investigation</i> , 2006, 18, 472-475.	1.1	38
105	Detection of Antibodies to West Nile Virus in Equine Sera Using Microsphere Immunoassay. <i>Journal of Veterinary Diagnostic Investigation</i> , 2006, 18, 392-395.	1.1	35
106	Genetic characterization of equine arteritis virus during persistent infection of stallions. <i>Journal of General Virology</i> , 2004, 85, 379-390.	2.9	48
107	Characterization of the neutralization determinants of equine arteritis virus using recombinant chimeric viruses and site-specific mutagenesis of an infectious cDNA clone. <i>Virology</i> , 2004, 321, 235-246.	2.4	35
108	The immune response to equine arteritis virus: potential lessons for other arteriviruses. <i>Veterinary Immunology and Immunopathology</i> , 2004, 102, 107-129.	1.2	74

#	ARTICLE	IF	CITATIONS
109	Virulent and avirulent strains of equine arteritis virus induce different quantities of TNF- α and other proinflammatory cytokines in alveolar and blood-derived equine macrophages. <i>Virology</i> , 2003, 314, 662-670.	2.4	31
110	The serologic response of horses to equine arteritis virus as determined by competitive enzyme-linked immunosorbent assays (c-ELISAs) to structural and non-structural viral proteins. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2003, 26, 251-260.	1.6	27
111	Differentiation of strains of equine arteritis virus of differing virulence to horses by growth in equine endothelial cells. <i>American Journal of Veterinary Research</i> , 2003, 64, 779-784.	0.6	24
112	Lateral transmission of equine arteritis virus among Lipizzaner stallions in South Africa. <i>Equine Veterinary Journal</i> , 2003, 35, 596-600.	1.7	45
113	Alphavirus replicon particles expressing the two major envelope proteins of equine arteritis virus induce high level protection against challenge with virulent virus in vaccinated horses. <i>Vaccine</i> , 2002, 20, 1609-1617.	3.8	78
114	Detection of equine arteritis virus by real-time TaqMan [®] reverse transcription-PCR assay. <i>Journal of Virological Methods</i> , 2002, 101, 21-28.	2.1	72
115	Growth Characteristics of a Highly Virulent, a Moderately Virulent, and an Avirulent Strain of Equine Arteritis Virus in Primary Equine Endothelial Cells Are Predictive of Their Virulence to Horses. <i>Virology</i> , 2002, 298, 39-44.	2.4	35
116	Genetic Variation of ORFs 3 and 4 of Equine Arteritis Virus. <i>Advances in Experimental Medicine and Biology</i> , 2001, 494, 69-72.	1.6	10
117	Expression of the Two Major Envelope Proteins of Equine Arteritis Virus as a Heterodimer Is Necessary for Induction of Neutralizing Antibodies in Mice Immunized with Recombinant Venezuelan Equine Encephalitis Virus Replicon Particles. <i>Journal of Virology</i> , 2000, 74, 10623-10630.	3.4	59
118	Equine Arteritis Virus Derived from an Infectious cDNA Clone Is Attenuated and Genetically Stable in Infected Stallions. <i>Virology</i> , 1999, 260, 201-208.	2.4	52
119	The Open Reading Frame 3 of Equine Arteritis Virus Encodes an Immunogenic Glycosylated, Integral Membrane Protein. <i>Virology</i> , 1999, 264, 92-98.	2.4	30
120	Phylogenetic characterization of a highly attenuated strain of equine arteritis virus from the semen of a persistently infected Standardbred stallion. <i>Archives of Virology</i> , 1999, 144, 817-827.	2.1	40
121	Genetic stability of equine arteritis virus during horizontal and vertical transmission in an outbreak of equine viral arteritis. <i>Journal of General Virology</i> , 1999, 80, 1949-1958.	2.9	61
122	Genetic Divergence with Emergence of Novel Phenotypic Variants of Equine Arteritis Virus during Persistent Infection of Stallions. <i>Journal of Virology</i> , 1999, 73, 3672-3681.	3.4	79
123	Detection of antibodies to equine arteritis virus by enzyme linked immunosorbant assays utilizing GL, M and N proteins expressed from recombinant baculoviruses. <i>Journal of Virological Methods</i> , 1998, 76, 127-137.	2.1	27
124	Phylogenetic analysis of the S10 gene of field and laboratory strains of bluetongue virus from the United States. <i>Virus Research</i> , 1998, 55, 15-27.	2.2	43
125	Serologic Response of Horses to the Structural Proteins of Equine Arteritis Virus. <i>Journal of Veterinary Diagnostic Investigation</i> , 1998, 10, 229-236.	1.1	50
126	Neutralization Determinants of Laboratory Strains and Field Isolates of Equine Arteritis Virus: Identification of Four Neutralization Sites in the Amino-Terminal Ectodomain of the GLEnvelope Glycoprotein. <i>Virology</i> , 1997, 232, 114-128.	2.4	80

#	ARTICLE	IF	CITATIONS
127	Genetic variation in open reading frame 2 of field isolates and laboratory strains of equine arteritis virus. <i>Virus Research</i> , 1996, 42, 41-52.	2.2	34
128	Fatal Experimental Equine Arteritis Virus Infection of a Pregnant Mare: Immunohistochemical Staining of Viral Antigens. <i>Journal of Veterinary Diagnostic Investigation</i> , 1996, 8, 367-374.	1.1	52
129	Phylogenetic Analysis of Open Reading Frame 5 of Field Isolates of Equine Arteritis Virus and Identification of Conserved and Nonconserved Regions in the GLEnvelope Glycoprotein. <i>Virology</i> , 1995, 214, 690-697.	2.4	75
130	Identification of a Neutralization Site in the Major Envelope Glycoprotein (GL) of Equine Arteritis Virus. <i>Virology</i> , 1995, 207, 518-527.	2.4	86
131	A 29K envelope glycoprotein of equine arteritis virus expresses neutralization determinants recognized by murine monoclonal antibodies. <i>Journal of General Virology</i> , 1993, 74, 2525-2529.	2.9	61
132	Clinical, virological, imaging and pathological findings in a SARS CoV-2 antibody positive cat. <i>Journal of Veterinary Science</i> , 0, 23, .	1.3	1