

Ying Y Dai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7473640/publications.pdf>

Version: 2024-02-01

67
papers

1,536
citations

279701
23
h-index

302012
39
g-index

67
all docs

67
docs citations

67
times ranked

1985
citing authors

#	ARTICLE	IF	CITATIONS
1	Structures and enhanced electrocaloric effect in Fe-doped (Ba _{0.904} Ca _{0.096})(Zr _{0.136} Ti _{0.864})O ₃ thin films. <i>Journal of Alloys and Compounds</i> , 2022, 896, 163132.	2.8	2
2	Hierarchically porous β -Ti ₃ O ₅ hollow nanospheres as an effective sulfur host for long-life lithium-sulfur batteries. <i>Applied Surface Science</i> , 2022, 579, 152178.	3.1	8
3	The role of CuO addition in the phase evolution and properties of BaTi ₅ O ₁₁ microwave dielectric ceramics prepared by the solid-state reaction method. <i>Journal of Materials Science: Materials in Electronics</i> , 2022, 33, 16406-16413.	1.1	3
4	Transitions of component, physical, rheological and self-healing properties of petroleum bitumen from the loose bituminous mixture after UV irradiation. <i>Fuel</i> , 2020, 262, 116507.	3.4	26
5	Diffuse phase transition in Nb-doped BaTi ₂ O ₅ thin films. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 14424-14429.	1.1	3
6	Three-dimensional hollow reduced graphene oxide spheres with a hierarchically porous structure for high-performance lithium-sulfur batteries. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 2528-2538.	3.0	7
7	Aging degradation of asphalt binder by narrow-band UV radiations with a range of dominant wavelengths. <i>Construction and Building Materials</i> , 2019, 220, 637-650.	3.2	56
8	Field evaluation of LDHs effect on the aging resistance of asphalt concrete after four years of road service. <i>Construction and Building Materials</i> , 2019, 208, 192-203.	3.2	23
9	Aging effects of ultraviolet lights with same dominant wavelength and different wavelength ranges on a hydrocarbon-based polymer (asphalt). <i>Polymer Testing</i> , 2019, 75, 64-75.	2.3	46
10	Investigation of sodium stearate organically modified LDHs effect on the anti aging properties of asphalt binder. <i>Construction and Building Materials</i> , 2018, 172, 509-518.	3.2	57
11	Laboratory and field evaluation of sodium stearate organically modified LDHs effect on the anti aging performance of asphalt mixtures. <i>Construction and Building Materials</i> , 2018, 189, 366-374.	3.2	15
12	Diffuse phase transition of sol-gel deposited BaFe _x Ti _{2-x} O ₅ thin films. <i>Journal of Alloys and Compounds</i> , 2017, 727, 370-374.	2.8	4
13	Enhanced ferroelectric and piezoelectric properties of (1-x)BaZr _{0.2} Ti _{0.8} O ₃ â€“xBa _{0.7} Ca _{0.3} TiO ₃ thin films by solâ€“gel process. <i>Applied Surface Science</i> , 2016, 388, 35-39.	3.1	16
14	Structure and ferroelectric property of low concentration iron-doped solâ€“gel BaTiO ₃ thin films. <i>Ceramics International</i> , 2016, 42, 9046-9050.	2.3	10
15	Leakage Current Characterization of BaTi ₂ O ₅ Nanowires. <i>Key Engineering Materials</i> , 2015, 655, 168-173.	0.4	0
16	Enhancement of ethanol gas sensing response based on ordered V ₂ O ₅ nanowire microyarns. <i>Sensors and Actuators B: Chemical</i> , 2015, 206, 284-290.	4.0	74
17	Preparation of Size Controllable BaTiO ₃ Nanoparticles in Microemulsion at Low Temperature. <i>Advanced Materials Research</i> , 2014, 1004-1005, 63-68.	0.3	1
18	Enhanced ethanol sensing characteristics by decorating dispersed Pd nanoparticles on vanadium oxide nanotubes. <i>Materials Letters</i> , 2014, 128, 362-365.	1.3	14

#	ARTICLE	IF	CITATIONS
19	Preparation and gas sensing property of Ag-supported vanadium oxide nanotubes. Functional Materials Letters, 2014, 07, 1450031.	0.7	14
20	Properties of Individually Addressable Ferroelectric Nanocapacitor Arrays Fabricated by Focused Ion Beam Milling. Journal of Nanoscience and Nanotechnology, 2013, 13, 5542-5546.	0.9	1
21	Leakage Current and Dielectric Properties of Integrated Ferroelectric Capacitor Etched in Non-Crystalline Phase. Integrated Ferroelectrics, 2012, 132, 107-113.	0.3	1
22	Effect of top electrode thickness on the piezoresponse of polycrystalline ferroelectric capacitors. Journal Physics D: Applied Physics, 2012, 45, 505302.	1.3	3
23	Addressable Metal-Ferroelectric-Metal Nanocapacitor Arrays Fabricated by Focused Ion Beam Milling. Integrated Ferroelectrics, 2012, 132, 99-106.	0.3	0
24	Synthesis and Characterization of Ni(OH) ₂ /Multiwalled Carbon Nanotubes Nanocomposites for Electrochemical Capacitors. Advanced Materials Research, 2011, 239-242, 2968-2971.	0.3	1
25	V ₂ O ₅ /Polypyrrole Core-Shell Nanotubes for Gas Sensor. Journal of Nanoscience and Nanotechnology, 2011, 11, 10834-10838.	0.9	19
26	Photocatalytic Decompositions of Gaseous HCHO over Ag/TiO ₂ Nanotube Arrays. Journal of Nanoscience and Nanotechnology, 2011, 11, 10691-10695.	0.9	2
27	The Influence of One-dimensional TiO ₂ with Different Morphology on Photocatalytic Degradation of Gaseous Benzene. IOP Conference Series: Materials Science and Engineering, 2011, 18, 082016.	0.3	0
28	Highly efficient photocatalytic activity of boron-doped TiO ₂ for gas phase degradation of benzene. Rare Metals, 2011, 30, 243-248.	3.6	10
29	Hydrothermal synthesis of porous TiO ₂ microspheres and their photocatalytic degradation of gaseous benzene. Chemical Engineering Journal, 2011, 170, 53-58.	6.6	48
30	The effect of surface morphology on the response of Fe ₂ O ₃ -loaded vanadium oxide nanotubes gas sensor. Applied Surface Science, 2011, 257, 7071-7075.	3.1	17
31	Effects of TiO ₂ Doping Fe-Mn-Cu-Co Spinel on the Physical Properties of Diesel Oil. IOP Conference Series: Materials Science and Engineering, 2011, 18, 202029.	0.3	2
32	Solvothermal Synthesis of Nanostructured Ni(OH) ₂ / Mesoporous Carbon Composites for Supercapacitors. Advanced Materials Research, 2011, 239-242, 1227-1230.	0.3	0
33	Electrochemical Deposited Nanoflakes Co(OH) ₂ Porous Films for Electrochemical Capacitors. Journal of the Chinese Chemical Society, 2010, 57, 423-428.	0.8	11
34	Measuring the transport property of ZnO tetrapod using in situ nanoprobe. Chemical Physics Letters, 2010, 484, 96-99.	1.2	26
35	Synthesis and Characterization of Bowl-Like Single-Crystalline BaTiO ₃ Nanoparticles. Nanoscale Research Letters, 2010, 5, 1217-1221.	3.1	86
36	Synthesis and gas sensing properties of Fe ₂ O ₃ nanoparticles activated V ₂ O ₅ nanotubes. Sensors and Actuators B: Chemical, 2010, 145, 211-215.	4.0	66

#	ARTICLE	IF	CITATIONS
37	V ₂ O ₅ /polypyrrole core-shell nanotubes for Gas sensor. , 2010, , .		1
38	Synthesis and Characterization of Single-Crystalline BaTi ₂ O ₅ Nanowires. Journal of Physical Chemistry C, 2010, 114, 1748-1751.	1.5	27
39	Photocatalytic decompositions of gaseous HCHO over Ag/TiO ₂ nanotube arrays. , 2010, , .		0
40	Nanoscale and Spatial Variations Investigation of Etch Damage in Integrated Ferroelectric Capacitor Side Wall by Piezoresponse Force Microscopy. Japanese Journal of Applied Physics, 2009, 48, 011401.	0.8	2
41	Controlled Synthesize of BaTi ₃ Nanoparticles and BaCO ₃ Nanowires through the Reverse Micelle System. Advanced Materials Research, 2009, 66, 171-174.	0.3	0
42	Large Scale Synthesis of BaTi ₃ Nanorods by a Template Way. Advanced Materials Research, 2009, 79-82, 373-376.	0.3	1
43	Low-Temperature Sintering and Microwave Dielectric Properties of the Zn ₂ SiO ₄ Ceramics. Advanced Materials Research, 2009, 66, 104-107.	0.3	3
44	Orientated Langmuir~Blodgett Assembly of VO ₂ Nanowires. Nano Letters, 2009, 9, 826-830.	4.5	73
45	Selected-control hydrothermal synthesis and formation mechanism of 1D ammonium vanadate. Journal of Solid State Chemistry, 2008, 181, 652-657.	1.4	37
46	Effects of MCAS glass additives on dielectric properties of Al ₂ O ₃ ~TiO ₂ ceramics. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2008, 475, 76-80.	2.6	10
47	Synthesis, luminescent, and magnetic properties of LaVO ₄ :Eu nanorods. Materials Letters, 2008, 62, 109-112.	1.3	31
48	Synthesis of one-dimensional ZnO nanoneedles using thermal oxidation process in the air and its application as filed emitters. Materials Letters, 2008, 62, 2783-2786.	1.3	22
49	Modulated Structure Assisted Growth and Properties of Fe ₃ O ₄ Nanoneedle Films Using a Thermal Oxidation Process in the Air. Journal of Physical Chemistry C, 2008, 112, 902-910.	1.5	13
50	Field Emission from V ₂ O ₅ ~H ₂ O Nanorod Arrays. Journal of Physical Chemistry C, 2008, 112, 2262-2265.	1.5	31
51	Nanoscale investigation of side wall and surface domain structures in multilayer PbTiO ₃ /PbZr _{0.3} Ti _{0.7} O ₃ /PbTiO ₃ thin films. Journal Physics D: Applied Physics, 2008, 41, 135401.	1.3	1
52	Synthesis and Field Emission Property of V ₂ O ₅ ~H ₂ O Nanotube Arrays. Journal of Physical Chemistry C, 2007, 111, 8202-8205.	1.5	40
53	Fabrication and characterization of ZnO comb-like nanostructures. Ceramics International, 2006, 32, 561-566.	2.3	36
54	Formation of double-side teetthed nanocombs of ZnO and self-catalysis of Zn-terminated polar surface. Chemical Physics Letters, 2006, 417, 358-362.	1.2	80

#	ARTICLE	IF	CITATIONS
55	One-dimensional nanomaterials of vanadium and molybdenum oxides. Journal of Physics and Chemistry of Solids, 2006, 67, 896-902.	1.9	33
56	Morphology, structures and properties of ZnO nanobelts fabricated by Zn-powder evaporation without catalyst at lower temperature. Journal of Materials Science, 2006, 41, 3057-3062.	1.7	68
57	Quasi One-dimensional ZnO Nanostructures Fabricated without Catalyst at Lower Temperature. Frontiers of Physics in China, 2006, 1, 72-84.	1.0	9
58	Morphology and Properties of Tetraleg ZnO Nanostructures Fabricated by Zn-Powder Evaporation without Catalysts at Lower Temperature. Materials Research Society Symposia Proceedings, 2005, 879, 1.	0.1	1
59	Highly Oriented Plate-like Rod/Tube Arrays of ZnO. Materials Research Society Symposia Proceedings, 2005, 876, 1.	0.1	0
60	Bicrystalline zinc oxide nanowires. Chemical Physics Letters, 2003, 375, 96-101.	1.2	137
61	Surface passivant effects on electronic states of the band edge in Si-nanocrystals. Solid State Communications, 2003, 126, 103-106.	0.9	30
62	The octa-twin tetraleg ZnO nanostructures. Solid State Communications, 2003, 126, 629-633.	0.9	167
63	Synthesis of Co_2O_4 Microspheres by Hydrothermal-Precipitation for Electrochemical Supercapacitors. Advanced Materials Research, 0, 66, 280-283.	0.3	5
64	Microwave Dielectric Properties of $\text{Ca}(\text{Li}_{1/3}\text{Nb}_{2/3})\text{O}_3$ Ceramics with ZnO Additive. Materials Science Forum, 0, 687, 144-150.	0.3	0
65	Synthesis and Characterization of Nanoflakes $\text{Ni}(\text{OH})_2$ Microspheres for Supercapacitors. Advanced Materials Research, 0, 230-232, 306-309.	0.3	2
66	Effect of V_2O_5 and ZnO Additives on the Sintering Temperature and Microwave Dielectric Properties of $\text{Ca}[(\text{Li}_{1/3}\text{Nb}_{2/3})\text{O}_3]_{0.8}\text{Ti}_{0.2}\text{O}_3$ Ceramics. Advanced Materials Research, 0, 239-242, 77-80.	0.3	1
67	Enhanced microwave dielectric properties of Bi6B10O24 ceramics as ultra-low temperature co-fired ceramics materials. Journal of Materials Science: Materials in Electronics, 0, , .	1.1	3