

# Ying Y Dai

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7473640/publications.pdf>

Version: 2024-02-01

67  
papers

1,536  
citations

318942

23  
h-index

340414

39  
g-index

67  
all docs

67  
docs citations

67  
times ranked

2292  
citing authors

#	ARTICLE	IF	CITATIONS
1	Structures and enhanced electrocaloric effect in Fe-doped (Ba <sub>0.904</sub> Ca <sub>0.096</sub> )(Zr <sub>0.136</sub> Ti <sub>0.864</sub> )O <sub>3</sub> thin films. <i>Journal of Alloys and Compounds</i> , 2022, 896, 163132.	2.8	2
2	Hierarchically porous $\text{Ti}_3\text{Ti}_3\text{O}_5$ hollow nanospheres as an effective sulfur host for long-life lithium-sulfur batteries. <i>Applied Surface Science</i> , 2022, 579, 152178.	3.1	8
3	The role of CuO addition in the phase evolution and properties of BaTi <sub>5</sub> O <sub>11</sub> microwave dielectric ceramics prepared by the solid-state reaction method. <i>Journal of Materials Science: Materials in Electronics</i> , 2022, 33, 16406-16413.	1.1	3
4	Transitions of component, physical, rheological and self-healing properties of petroleum bitumen from the loose bituminous mixture after UV irradiation. <i>Fuel</i> , 2020, 262, 116507.	3.4	26
5	Diffuse phase transition in Nb-doped BaTi <sub>2</sub> O <sub>5</sub> thin films. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 14424-14429.	1.1	3
6	Three-dimensional hollow reduced graphene oxide spheres with a hierarchically porous structure for high-performance lithium-sulfur batteries. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 2528-2538.	3.0	7
7	Aging degradation of asphalt binder by narrow-band UV radiations with a range of dominant wavelengths. <i>Construction and Building Materials</i> , 2019, 220, 637-650.	3.2	56
8	Field evaluation of LDHs effect on the aging resistance of asphalt concrete after four years of road service. <i>Construction and Building Materials</i> , 2019, 208, 192-203.	3.2	23
9	Aging effects of ultraviolet lights with same dominant wavelength and different wavelength ranges on a hydrocarbon-based polymer (asphalt). <i>Polymer Testing</i> , 2019, 75, 64-75.	2.3	46
10	Investigation of sodium stearate organically modified LDHs effect on the anti aging properties of asphalt binder. <i>Construction and Building Materials</i> , 2018, 172, 509-518.	3.2	57
11	Laboratory and field evaluation of sodium stearate organically modified LDHs effect on the anti aging performance of asphalt mixtures. <i>Construction and Building Materials</i> , 2018, 189, 366-374.	3.2	15
12	Diffuse phase transition of sol-gel deposited BaFe <sub>x</sub> Ti <sub>2-x</sub> O <sub>5</sub> thin films. <i>Journal of Alloys and Compounds</i> , 2017, 727, 370-374.	2.8	4
13	Enhanced ferroelectric and piezoelectric properties of (1-x)BaZr <sub>0.2</sub> Ti <sub>0.8</sub> O <sub>3</sub> -xBa <sub>0.7</sub> Ca <sub>0.3</sub> TiO <sub>3</sub> thin films by sol-gel process. <i>Applied Surface Science</i> , 2016, 388, 35-39.	3.1	16
14	Structure and ferroelectric property of low concentration iron-doped sol-gel BaTiO <sub>3</sub> thin films. <i>Ceramics International</i> , 2016, 42, 9046-9050.	2.3	10
15	Leakage Current Characterization of BaTi <sub>2</sub> O <sub>5</sub> Nanowires. <i>Key Engineering Materials</i> , 2015, 655, 168-173.	0.4	0
16	Enhancement of ethanol gas sensing response based on ordered V <sub>2</sub> O <sub>5</sub> nanowire microyarns. <i>Sensors and Actuators B: Chemical</i> , 2015, 206, 284-290.	4.0	74
17	Preparation of Size Controllable BaTiO <sub>3</sub> Nanoparticles in Microemulsion at Low Temperature. <i>Advanced Materials Research</i> , 2014, 1004-1005, 63-68.	0.3	1
18	Enhanced ethanol sensing characteristics by decorating dispersed Pd nanoparticles on vanadium oxide nanotubes. <i>Materials Letters</i> , 2014, 128, 362-365.	1.3	14

#	ARTICLE	IF	CITATIONS
19	Preparation and gas sensing property of Ag-supported vanadium oxide nanotubes. <i>Functional Materials Letters</i> , 2014, 07, 1450031.	0.7	14
20	Properties of Individually Addressable Ferroelectric Nanocapacitor Arrays Fabricated by Focused Ion Beam Milling. <i>Journal of Nanoscience and Nanotechnology</i> , 2013, 13, 5542-5546.	0.9	1
21	Leakage Current and Dielectric Properties of Integrated Ferroelectric Capacitor Etched in Non-Crystalline Phase. <i>Integrated Ferroelectrics</i> , 2012, 132, 107-113.	0.3	1
22	Effect of top electrode thickness on the piezoresponse of polycrystalline ferroelectric capacitors. <i>Journal Physics D: Applied Physics</i> , 2012, 45, 505302.	1.3	3
23	Addressable Metal-Ferroelectric-Metal Nanocapacitor Arrays Fabricated by Focused Ion Beam Milling. <i>Integrated Ferroelectrics</i> , 2012, 132, 99-106.	0.3	0
24	Synthesis and Characterization of Ni(OH) <sub>2</sub> /Multiwalled Carbon Nanotubes Nanocomposites for Electrochemical Capacitors. <i>Advanced Materials Research</i> , 2011, 239-242, 2968-2971.	0.3	1
25	V <sub>2</sub> O <sub>5</sub> /Polypyrrole Core-Shell Nanotubes for Gas Sensor. <i>Journal of Nanoscience and Nanotechnology</i> , 2011, 11, 10834-10838.	0.9	19
26	Photocatalytic Decompositions of Gaseous HCHO over Ag/TiO <sub>2</sub> Nanotube Arrays. <i>Journal of Nanoscience and Nanotechnology</i> , 2011, 11, 10691-10695.	0.9	2
27	The Influence of One-dimensional TiO <sub>2</sub> with Different Morphology on Photocatalytic Degradation of Gaseous Benzene. <i>IOP Conference Series: Materials Science and Engineering</i> , 2011, 18, 082016.	0.3	0
28	Highly efficient photocatalytic activity of boron-doped TiO <sub>2</sub> for gas phase degradation of benzene. <i>Rare Metals</i> , 2011, 30, 243-248.	3.6	10
29	Hydrothermal synthesis of porous TiO <sub>2</sub> microspheres and their photocatalytic degradation of gaseous benzene. <i>Chemical Engineering Journal</i> , 2011, 170, 53-58.	6.6	48
30	The effect of surface morphology on the response of Fe <sub>2</sub> O <sub>3</sub> -loaded vanadium oxide nanotubes gas sensor. <i>Applied Surface Science</i> , 2011, 257, 7071-7075.	3.1	17
31	Effects of TiO <sub>2</sub> Doping Fe-Mn-Cu-Co Spinel on the Physical Properties of Diesel Oil. <i>IOP Conference Series: Materials Science and Engineering</i> , 2011, 18, 202029.	0.3	2
32	Solvothermal Synthesis of Nanostructured Ni(OH) <sub>2</sub> /Mesoporous Carbon Composites for Supercapacitors. <i>Advanced Materials Research</i> , 2011, 239-242, 1227-1230.	0.3	0
33	Electrochemical Deposited Nanoflakes Co(OH) <sub>2</sub> Porous Films for Electrochemical Capacitors. <i>Journal of the Chinese Chemical Society</i> , 2010, 57, 423-428.	0.8	11
34	Measuring the transport property of ZnO tetrapod using in situ nanoprobe. <i>Chemical Physics Letters</i> , 2010, 484, 96-99.	1.2	26
35	Synthesis and Characterization of Bowl-Like Single-Crystalline BaTiO <sub>3</sub> Nanoparticles. <i>Nanoscale Research Letters</i> , 2010, 5, 1217-1221.	3.1	86
36	Synthesis and gas sensing properties of Fe <sub>2</sub> O <sub>3</sub> nanoparticles activated V <sub>2</sub> O <sub>5</sub> nanotubes. <i>Sensors and Actuators B: Chemical</i> , 2010, 145, 211-215.	4.0	66

#	ARTICLE	IF	CITATIONS
37	V <sub>2</sub> O <sub>5</sub> /polypyrrole core-shell nanotubes for Gas sensor. , 2010, , .		1
38	Synthesis and Characterization of Single-Crystalline BaTi <sub>2</sub> O <sub>5</sub> Nanowires. Journal of Physical Chemistry C, 2010, 114, 1748-1751.	1.5	27
39	Photocatalytic decompositions of gaseous HCHO over Ag/TiO <sub>2</sub> nanotube arrays. , 2010, , .		0
40	Nanoscale and Spatial Variations Investigation of Etch Damage in Integrated Ferroelectric Capacitor Side Wall by Piezoresponse Force Microscopy. Japanese Journal of Applied Physics, 2009, 48, 011401.	0.8	2
41	Controlled Synthesize of BaTiO <sub>3</sub> Nanoparticles and BaCO <sub>3</sub> Nanowires through the Reverse Micelle System. Advanced Materials Research, 2009, 66, 171-174.	0.3	0
42	Large Scale Synthesis of BaTiO <sub>3</sub> Nanorods by a Template Way. Advanced Materials Research, 2009, 79-82, 373-376.	0.3	1
43	Low-Temperature Sintering and Microwave Dielectric Properties of the Zn <sub>2</sub> SiO <sub>4</sub> Ceramics. Advanced Materials Research, 2009, 66, 104-107.	0.3	3
44	Orientated Langmuir-Blodgett Assembly of VO <sub>2</sub> Nanowires. Nano Letters, 2009, 9, 826-830.	4.5	73
45	Selected-control hydrothermal synthesis and formation mechanism of 1D ammonium vanadate. Journal of Solid State Chemistry, 2008, 181, 652-657.	1.4	37
46	Effects of MCAS glass additives on dielectric properties of Al <sub>2</sub> O <sub>3</sub> -TiO <sub>2</sub> ceramics. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2008, 475, 76-80.	2.6	10
47	Synthesis, luminescent, and magnetic properties of LaVO <sub>4</sub> :Eu nanorods. Materials Letters, 2008, 62, 109-112.	1.3	31
48	Synthesis of one-dimensional ZnO nanoneedles using thermal oxidation process in the air and its application as filed emitters. Materials Letters, 2008, 62, 2783-2786.	1.3	22
49	Modulated Structure Assisted Growth and Properties of Fe <sub>3</sub> O <sub>4</sub> Nanoneedle Films Using a Thermal Oxidation Process in the Air. Journal of Physical Chemistry C, 2008, 112, 902-910.	1.5	13
50	Field Emission from V <sub>2</sub> O <sub>5</sub> Nanorod Arrays. Journal of Physical Chemistry C, 2008, 112, 2262-2265.	1.5	31
51	Nanoscale investigation of side wall and surface domain structures in multilayer PbTiO <sub>3</sub> /PbZr <sub>0.3</sub> Ti <sub>0.7</sub> O <sub>3</sub> /PbTiO <sub>3</sub> thin films. Journal Physics D: Applied Physics, 2008, 41, 135401.	1.3	1
52	Synthesis and Field Emission Property of V <sub>2</sub> O <sub>5</sub> -H <sub>2</sub> O Nanotube Arrays. Journal of Physical Chemistry C, 2007, 111, 8202-8205.	1.5	40
53	Fabrication and characterization of ZnO comb-like nanostructures. Ceramics International, 2006, 32, 561-566.	2.3	36
54	Formation of double-side teethed nanocombs of ZnO and self-catalysis of Zn-terminated polar surface. Chemical Physics Letters, 2006, 417, 358-362.	1.2	80

#	ARTICLE	IF	CITATIONS
55	One-dimensional nanomaterials of vanadium and molybdenum oxides. Journal of Physics and Chemistry of Solids, 2006, 67, 896-902.	1.9	33
56	Morphology, structures and properties of ZnO nanobelts fabricated by Zn-powder evaporation without catalyst at lower temperature. Journal of Materials Science, 2006, 41, 3057-3062.	1.7	68
57	Quasi One-dimensional ZnO Nanostructures Fabricated without Catalyst at Lower Temperature. Frontiers of Physics in China, 2006, 1, 72-84.	1.0	9
58	Morphology and Properties of Tetraleg ZnO Nanostructures Fabricated by Zn-Powder Evaporation without Catalysts at Lower Temperature. Materials Research Society Symposia Proceedings, 2005, 879, 1.	0.1	1
59	Highly Oriented Plate-like Rod/Tube Arrays of ZnO. Materials Research Society Symposia Proceedings, 2005, 876, 1.	0.1	0
60	Bicrystalline zinc oxide nanowires. Chemical Physics Letters, 2003, 375, 96-101.	1.2	137
61	Surface passivant effects on electronic states of the band edge in Si-nanocrystals. Solid State Communications, 2003, 126, 103-106.	0.9	30
62	The octa-twin tetraleg ZnO nanostructures. Solid State Communications, 2003, 126, 629-633.	0.9	167
63	Synthesis of $\text{Co}_2\text{O}_4$ Microspheres by Hydrothermal-Precipitation for Electrochemical Supercapacitors. Advanced Materials Research, 0, 66, 280-283.	0.3	5
64	Microwave Dielectric Properties of $\text{Ca}(\text{Li}_{1/3}\text{Nb}_{2/3})\text{O}_3$ Ceramics with ZnO Additive. Materials Science Forum, 0, 687, 144-150.	0.3	0
65	Synthesis and Characterization of Nanoflakes $\text{Ni}(\text{OH})_2$ Microspheres for Supercapacitors. Advanced Materials Research, 0, 230-232, 306-309.	0.3	2
66	Effect of $\text{V}_2\text{O}_5$ and ZnO Additives on the Sintering Temperature and Microwave Dielectric Properties of $\text{Ca}[(\text{Li}_{1/3}\text{Nb}_{2/3})\text{O}_3]_{0.8}\text{Ti}_{0.2}\text{O}_3$ Ceramics. Advanced Materials Research, 0, 239-242, 77-80.	0.3	1
67	Enhanced microwave dielectric properties of $\text{Bi}_6\text{B}_{10}\text{O}_{24}$ ceramics as ultra-low temperature co-fired ceramics materials. Journal of Materials Science: Materials in Electronics, 0, , .	1.1	3