

Peter R Rijnbeek

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7478254/publications.pdf>

Version: 2024-02-01

58
papers

2,904
citations

279487

23
h-index

197535

49
g-index

75
all docs

75
docs citations

75
times ranked

4718
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Observational Health Data Sciences and Informatics (OHDSI): Opportunities for Observational Researchers. <i>Studies in Health Technology and Informatics</i> , 2015, 216, 574-8. | 0.2 | 533 |
| 2 | The role of explainability in creating trustworthy artificial intelligence for health care: A comprehensive survey of the terminology, design choices, and evaluation strategies. <i>Journal of Biomedical Informatics</i> , 2021, 113, 103655. | 2.5 | 259 |
| 3 | Prediction of RNA-protein sequence and structure binding preferences using deep convolutional and recurrent neural networks. <i>BMC Genomics</i> , 2018, 19, 511. | 1.2 | 197 |
| 4 | Normal values of the electrocardiogram for ages 16–90years. <i>Journal of Electrocardiology</i> , 2014, 47, 914-921. | 0.4 | 136 |
| 5 | Design and implementation of a standardized framework to generate and evaluate patient-level prediction models using observational healthcare data. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2018, 25, 969-975. | 2.2 | 131 |
| 6 | Risk of hydroxychloroquine alone and in combination with azithromycin in the treatment of rheumatoid arthritis: a multinational, retrospective study. <i>Lancet Rheumatology</i> , The, 2020, 2, e698-e711. | 2.2 | 117 |
| 7 | Characterising the background incidence rates of adverse events of special interest for covid-19 vaccines in eight countries: multinational network cohort study. <i>BMJ</i> , The, 0, , n1435. | 3.0 | 112 |
| 8 | Renin–angiotensin system blockers and susceptibility to COVID-19: an international, open science, cohort analysis. <i>The Lancet Digital Health</i> , 2021, 3, e98-e114. | 5.9 | 94 |
| 9 | Chronic obstructive pulmonary disease and sudden cardiac death: the Rotterdam study. <i>European Heart Journal</i> , 2015, 36, 1754-1761. | 1.0 | 91 |
| 10 | Thyroid Function and Sudden Cardiac Death. <i>Circulation</i> , 2016, 134, 713-722. | 1.6 | 89 |
| 11 | Deep phenotyping of 34,128 adult patients hospitalised with COVID-19 in an international network study. <i>Nature Communications</i> , 2020, 11, 5009. | 5.8 | 86 |
| 12 | Normal Values of Corrected Heart-Rate Variability in 10-Second Electrocardiograms for All Ages. <i>Frontiers in Physiology</i> , 2018, 9, 424. | 1.3 | 73 |
| 13 | Venous or arterial thrombosis and deaths among COVID-19 cases: a European network cohort study. <i>Lancet Infectious Diseases</i> , The, 2022, 22, 1142-1152. | 4.6 | 60 |
| 14 | Use of repurposed and adjuvant drugs in hospital patients with covid-19: multinational network cohort study. <i>BMJ</i> , The, 2021, 373, n1038. | 3.0 | 50 |
| 15 | Dementia prevalence and incidence in a federation of European Electronic Health Record databases: The European Medical Informatics Framework resource. <i>Alzheimer's and Dementia</i> , 2018, 14, 130-139. | 0.4 | 44 |
| 16 | Short-term QT variability markers for the prediction of ventricular arrhythmias and sudden cardiac death: a systematic review. <i>Heart</i> , 2014, 100, 1831-1836. | 1.2 | 43 |
| 17 | Data Extraction And Management In Networks Of Observational Health Care Databases For Scientific Research: A Comparison Among EU-ADR, OMOP, Mini-Sentinel And MATRICE Strategies. <i>EGEMS (Washington, DC)</i> , 2017, 4, 2. | 2.0 | 43 |
| 18 | Increasing trust in real-world evidence through evaluation of observational data quality. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2021, 28, 2251-2257. | 2.2 | 43 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Use of azithromycin and risk of ventricular arrhythmia. <i>Cmaj</i> , 2017, 189, E560-E568. | 0.9 | 42 |
| 20 | Common Problems, Common Data Model Solutions: Evidence Generation for Health Technology Assessment. <i>Pharmacoeconomics</i> , 2021, 39, 275-285. | 1.7 | 42 |
| 21 | COVID-19 in patients with autoimmune diseases: characteristics and outcomes in a multinational network of cohorts across three countries. <i>Rheumatology</i> , 2021, 60, SI37-SI50. | 0.9 | 37 |
| 22 | Electrocardiographic Criteria for Left Ventricular Hypertrophy in Children. <i>Pediatric Cardiology</i> , 2008, 29, 923-928. | 0.6 | 36 |
| 23 | Thirty-Day Outcomes of Children and Adolescents With COVID-19: An International Experience. <i>Pediatrics</i> , 2021, 148, . | 1.0 | 35 |
| 24 | Predictive approaches to heterogeneous treatment effects: a scoping review. <i>BMC Medical Research Methodology</i> , 2020, 20, 264. | 1.4 | 32 |
| 25 | Background rates of five thrombosis with thrombocytopenia syndromes of special interest for COVID-19 vaccine safety surveillance: Incidence between 2017 and 2019 and patient profiles from 38.6 million people in six European countries. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, 31, 495-510. | 0.9 | 32 |
| 26 | Data Resource Profile: The Integrated Primary Care Information (IPCI) database, The Netherlands. <i>International Journal of Epidemiology</i> , 2022, 51, e314-e323. | 0.9 | 26 |
| 27 | Converting to a Common Data Model: What is Lost in Translation?. <i>Drug Safety</i> , 2014, 37, 893-896. | 1.4 | 23 |
| 28 | Comparative safety and effectiveness of alendronate versus raloxifene in women with osteoporosis. <i>Scientific Reports</i> , 2020, 10, 11115. | 1.6 | 23 |
| 29 | Feasibility and evaluation of a large-scale external validation approach for patient-level prediction in an international data network: validation of models predicting stroke in female patients newly diagnosed with atrial fibrillation. <i>BMC Medical Research Methodology</i> , 2020, 20, 102. | 1.4 | 22 |
| 30 | Trends in the conduct and reporting of clinical prediction model development and validation: a systematic review. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2022, 29, 983-989. | 2.2 | 21 |
| 31 | Identifying Cases of Type 2 Diabetes in Heterogeneous Data Sources: Strategy from the EMIF Project. <i>PLoS ONE</i> , 2016, 11, e0160648. | 1.1 | 20 |
| 32 | Characteristics and outcomes of 627 044 COVID-19 patients living with and without obesity in the United States, Spain, and the United Kingdom. <i>International Journal of Obesity</i> , 2021, 45, 2347-2357. | 1.6 | 20 |
| 33 | Risk of depression, suicide and psychosis with hydroxychloroquine treatment for rheumatoid arthritis: a multinational network cohort study. <i>Rheumatology</i> , 2021, 60, 3222-3234. | 0.9 | 20 |
| 34 | Use of unstructured text in prognostic clinical prediction models: a systematic review. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2022, 29, 1292-1302. | 2.2 | 19 |
| 35 | A standardized analytics pipeline for reliable and rapid development and validation of prediction models using observational health data. <i>Computer Methods and Programs in Biomedicine</i> , 2021, 211, 106394. | 2.6 | 18 |
| 36 | Finding a short and accurate decision rule in disjunctive normal form by exhaustive search. <i>Machine Learning</i> , 2010, 80, 33-62. | 3.4 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Seek COVER: using a disease proxy to rapidly develop and validate a personalized risk calculator for COVID-19 outcomes in an international network. BMC Medical Research Methodology, 2022, 22, 35. | 1.4 | 13 |
| 38 | Prediction of Major Depressive Disorder Following Beta-Blocker Therapy in Patients with Cardiovascular Diseases. Journal of Personalized Medicine, 2020, 10, 288. | 1.1 | 11 |
| 39 | Female Reproductive Performance and Maternal Birth Month: A Comprehensive Meta-Analysis Exploring Multiple Seasonal Mechanisms. Scientific Reports, 2020, 10, 555. | 1.6 | 11 |
| 40 | Implementation of the COVID-19 Vulnerability Index Across an International Network of Health Care Data Sets: Collaborative External Validation Study. JMIR Medical Informatics, 2021, 9, e21547. | 1.3 | 11 |
| 41 | Unraveling COVID-19: A Large-Scale Characterization of 4.5 Million COVID-19 Cases Using CHARYBDIS. Clinical Epidemiology, 2022, Volume 14, 369-384. | 1.5 | 11 |
| 42 | Characteristics and outcomes of patients with COVID-19 with and without prevalent hypertension: a multinational cohort study. BMJ Open, 2021, 11, e057632. | 0.8 | 8 |
| 43 | Factors Influencing Background Incidence Rate Calculation: Systematic Empirical Evaluation Across an International Network of Observational Databases. Frontiers in Pharmacology, 2022, 13, 814198. | 1.6 | 8 |
| 44 | Development and external validation of prediction models for adverse health outcomes in rheumatoid arthritis: A multinational real-world cohort analysis. Seminars in Arthritis and Rheumatism, 2022, 56, 152050. | 1.6 | 8 |
| 45 | Validation of automatic measurement of QT interval variability. PLoS ONE, 2017, 12, e0175087. | 1.1 | 6 |
| 46 | Investigating the impact of development and internal validation design when training prognostic models using a retrospective cohort in big US observational healthcare data. BMJ Open, 2021, 11, e050146. | 0.8 | 6 |
| 47 | An empirical analysis of dealing with patients who are lost to follow-up when developing prognostic models using a cohort design. BMC Medical Informatics and Decision Making, 2021, 21, 43. | 1.5 | 5 |
| 48 | Trajectories: a framework for detecting temporal clinical event sequences from health data standardized to the Observational Medical Outcomes Partnership (OMOP) Common Data Model. JAMIA Open, 2022, 5, ooac021. | 1.0 | 5 |
| 49 | Logistic regression models for patient-level prediction based on massive observational data: Do we need all data?. International Journal of Medical Informatics, 2022, 163, 104762. | 1.6 | 5 |
| 50 | Applying Machine Learning in Distributed Data Networks for Pharmacoepidemiologic and Pharmacovigilance Studies: Opportunities, Challenges, and Considerations. Drug Safety, 2022, 45, 493-510. | 1.4 | 5 |
| 51 | Using Iterative Pairwise External Validation to Contextualize Prediction Model Performance: A Use Case Predicting 1-Year Heart Failure Risk in Patients with Diabetes Across Five Data Sources. Drug Safety, 2022, 45, 563-570. | 1.4 | 5 |
| 52 | Using the Data Quality Dashboard to Improve the EH DEN Network. Applied Sciences (Switzerland), 2021, 11, 11920. | 1.3 | 4 |
| 53 | Impact of different assumptions on estimates of childhood diseases obtained from health care data: A retrospective cohort study. Pharmacoepidemiology and Drug Safety, 2018, 27, 612-620. | 0.9 | 3 |
| 54 | Treatment pathway analysis of newly diagnosed dementia patients in four electronic health record databases in Europe. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 409-416. | 1.6 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | A Methodology to Perform Semi-automatic Distributed EHR Database Queries. , 2018, , . | | 2 |
| 56 | [P4â€“341]: LEVELS OF BLOOD PRESSURE, BODY MASS INDEX AND TOTAL SERUM CHOLESTEROL AT DIFFERENT TIME POINTS PRIOR TO DEMENTIA DIAGNOSIS: A CASE CONTROL STUDY OF OVER 28 MILLION ELECTRONIC HEALTH RECORDS FROM THE EMIF EHR DATA RESOURCE. Alzheimer's and Dementia, 2017, 13, P1420. | 0.4 | 1 |
| 57 | Exploring the Value of Electronic Health Records from Multiple Datasets. Communications in Computer and Information Science, 2019, , 367-383. | 0.4 | 1 |
| 58 | O2â€“05â€“02: Dementia Prevalence and Incidence in a Combination of European Electronic Health Records Databases: the EMIFâ€“ad EHR Resource. Alzheimer's and Dementia, 2016, 12, P232. | 0.4 | 0 |