

Andrea Ardizzoni

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7479329/publications.pdf>

Version: 2024-02-01

72
papers

3,454
citations

218662

26
h-index

144002

57
g-index

73
all docs

73
docs citations

73
times ranked

5038
citing authors

#	ARTICLE	IF	CITATIONS
1	Skin Toxicities with Cyclin-Dependent Kinase 4/6 Inhibitors in Breast Cancer: Signals from Disproportionality Analysis of the FDA Adverse Event Reporting System. <i>American Journal of Clinical Dermatology</i> , 2022, 23, 247-255.	6.7	18
2	A phase II, open-label, single-arm trial of carboplatin plus etoposide with bevacizumab and atezolizumab in patients with extended-stage small-cell lung cancer (CeLEBrATE study): background, design and rationale. <i>Future Oncology</i> , 2022, 18, 771-779.	2.4	3
3	Psychiatric Adverse Reactions to Anaplastic Lymphoma Kinase Inhibitors in Non-Small-Cell Lung Cancer: Analysis of Spontaneous Reports Submitted to the FDA Adverse Event Reporting System. <i>Targeted Oncology</i> , 2022, 17, 43-51.	3.6	11
4	The autocrine loop of ALK receptor and ALKAL2 ligand is an actionable target in consensus molecular subtype 1 colon cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2022, 41, 113.	8.6	9
5	Interobserver agreement of PD-L1 (SP263) assessment in advanced NSCLC on cytological smears and histological samples. <i>Pathology Research and Practice</i> , 2022, 233, 153893.	2.3	3
6	The Changing Face of Drug-induced Adrenal Insufficiency in the Food and Drug Administration Adverse Event Reporting System. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e3107-e3114.	3.6	7
7	Bilateral radiation recall pneumonitis during immunotherapy for an advanced renal cell carcinoma: A challenging case enhances the need for a multidisciplinary approach. <i>European Journal of Cancer</i> , 2021, 143, 75-77.	2.8	7
8	Cyclin-dependent kinase 4/6 inhibitors and interstitial lung disease in the FDA adverse event reporting system: a pharmacovigilance assessment. <i>Breast Cancer Research and Treatment</i> , 2021, 186, 219-227.	2.5	59
9	Influenza Vaccination and Myo-Pericarditis in Patients Receiving Immune Checkpoint Inhibitors: Investigating the Likelihood of Interaction through the Vaccine Adverse Event Reporting System and VigiBase. <i>Vaccines</i> , 2021, 9, 19.	4.4	11
10	Primary results from TAIL: a global single-arm safety study of atezolizumab monotherapy in a diverse population of patients with previously treated advanced non-small cell lung cancer. , 2021, 9, e001865.		31
11	Single-agent carboplatin in extensive disease small-cell lung cancer patient with liver failure. <i>Anti-Cancer Drugs</i> , 2021, Publish Ahead of Print, 755-757.	1.4	0
12	PD-1/PD-L1 inhibitor monotherapy or in combination with chemotherapy as upfront treatment for advanced NSCLC with PD-L1 expression $\geq 50\%$: Selecting the best strategy. <i>Critical Reviews in Oncology/Hematology</i> , 2021, 160, 103302.	4.4	18
13	Thromboembolic Events with Cyclin-Dependent Kinase 4/6 Inhibitors in the FDA Adverse Event Reporting System. <i>Cancers</i> , 2021, 13, 1758.	3.7	19
14	Bone fracture as a novel immune-related adverse event with immune checkpoint inhibitors: Case series and large-scale pharmacovigilance analysis. <i>International Journal of Cancer</i> , 2021, 149, 675-683.	5.1	11
15	Genetic Characterization of Cancer of Unknown Primary Using Liquid Biopsy Approaches. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 666156.	3.7	12
16	MicroRNA expression profiling with a droplet digital PCR assay enables molecular diagnosis and prognosis of cancers of unknown primary. <i>Molecular Oncology</i> , 2021, 15, 2732-2751.	4.6	14
17	Afatinib versus erlotinib as second-line treatment of patients with advanced squamous cell carcinoma of the lung: Final analysis of the randomised phase 3 LUX-Lung 8 trial. <i>EClinicalMedicine</i> , 2021, 37, 100940.	7.1	11
18	Programmed Cell Death Protein-1 Inhibitors Versus Programmed Death-Ligand 1 Inhibitors in Addition to Chemotherapy for the First-Line Treatment of Advanced NSCLC: A Systematic Review and Meta-Analysis. <i>JTO Clinical and Research Reports</i> , 2021, 2, 100214.	1.1	3

#	ARTICLE	IF	CITATIONS
19	Should we test cancer susceptibility genes in routinely used multigene panels? A case of synchronous lung adenocarcinoma and breast cancer associated with germline CHEK2 mutation. <i>Clinical Lung Cancer</i> , 2021, , .	2.6	2
20	Third- and later-line treatment in advanced or metastatic gastric cancer: a systematic review and meta-analysis. <i>Future Oncology</i> , 2020, 16, 4409-4418.	2.4	54
21	The Complex Management of Atrial Fibrillation and Cancer in the COVID-19 Era: Drug Interactions, Thromboembolic Risk, and Proarrhythmia. <i>Current Heart Failure Reports</i> , 2020, 17, 365-383.	3.3	17
22	Beyond EGFR, ALK and ROS1: Current evidence and future perspectives on newly targetable oncogenic drivers in lung adenocarcinoma. <i>Critical Reviews in Oncology/Hematology</i> , 2020, 156, 103119.	4.4	97
23	Pulmonary adenocarcinoma with psammoma bodies is associated with a specific endobronchial ultrasound pattern and a high prevalence of actionable driver mutations. <i>Lung Cancer</i> , 2020, 147, 204-208.	2.0	2
24	CEA and CYFRA 21-1 as prognostic biomarker and as a tool for treatment monitoring in advanced NSCLC treated with immune checkpoint inhibitors. <i>Therapeutic Advances in Medical Oncology</i> , 2020, 12, 175883592095299.	3.2	23
25	Lessons to be Learnt from Real-World Studies on Immune-Related Adverse Events with Checkpoint Inhibitors: A Clinical Perspective from Pharmacovigilance. <i>Targeted Oncology</i> , 2020, 15, 449-466.	3.6	86
26	The Mechanisms of PD-L1 Regulation in Non-Small-Cell Lung Cancer (NSCLC): Which Are the Involved Players?. <i>Cancers</i> , 2020, 12, 3129.	3.7	29
27	New disappearance of complicated atheromatous plaques on rechallenge with PD-1/PD-L1 axis blockade in non-small cell lung cancer patient: follow up of an unexpected event. <i>Therapeutic Advances in Medical Oncology</i> , 2020, 12, 175883592091380.	3.2	10
28	A Case of Response to Immunotherapy in a Patient With MSI Metastatic Colorectal Cancer and Autoimmune Disease Receiving Steroid Therapy. <i>Journal of Immunotherapy</i> , 2020, 43, 153-155.	2.4	4
29	Pemetrexed Enhances Membrane PD-L1 Expression and Potentiates T Cell-Mediated Cytotoxicity by Anti-PD-L1 Antibody Therapy in Non-Small-Cell Lung Cancer. <i>Cancers</i> , 2020, 12, 666.	3.7	24
30	First-line pembrolizumab in advanced non-“small cell lung cancer patients with poor performance status. <i>European Journal of Cancer</i> , 2020, 130, 155-167.	2.8	98
31	CheckMate 171: A phase 2 trial of nivolumab in patients with previously treated advanced squamous non-small cell lung cancer, including ECOG PS 2 and elderly populations. <i>European Journal of Cancer</i> , 2020, 127, 160-172.	2.8	112
32	Phase 2 study of NAB-paclitaxel in SensiTivE and refractory relapsed small cell lung cancer (SCLC) (NABSTER TRIAL). <i>British Journal of Cancer</i> , 2020, 123, 26-32.	6.4	17
33	ECOG performance status “2 as a prognostic factor in patients with advanced non small cell lung cancer treated with immune checkpoint inhibitors” A systematic review and meta-analysis of real world data. <i>Lung Cancer</i> , 2020, 145, 95-104.	2.0	96
34	Anti-programmed cell death-1 and anti-programmed cell death ligand-1 immune-related liver diseases: from clinical pivotal studies to real-life experience. <i>Expert Opinion on Biological Therapy</i> , 2020, 20, 1047-1059.	3.1	9
35	Randomized Pilot Trial of Percutaneous Posterior Tibial Nerve Stimulation Versus Medical Therapy for the Treatment of Low Anterior Resection Syndrome: One-Year Follow-up. <i>Diseases of the Colon and Rectum</i> , 2020, 63, 1602-1609.	1.3	13
36	Fighting cancer in coronavirus disease era: organization of work in medical oncology departments in Emilia Romagna region of Italy. <i>Future Oncology</i> , 2020, 16, 1433-1439.	2.4	14

#	ARTICLE	IF	CITATIONS
37	Immune microenvironment profiling of gastrointestinal stromal tumors (GIST) shows gene expression patterns associated to immune checkpoint inhibitors response. <i>OncImmunology</i> , 2019, 8, e1617588.	4.6	41
38	Clinical significance of ROS1 5â€™ deletions in non-small cell lung cancer. <i>Lung Cancer</i> , 2019, 135, 88-91.	2.0	10
39	Cardiac Toxicity From Afatinib in EGFR-Mutated NSCLC: A Rare But Possible Side Effect. <i>Journal of Thoracic Oncology</i> , 2019, 14, e145-e146.	1.1	12
40	The evolving landscape of immunotherapy in small-cell lung cancer: A focus on predictive biomarkers. <i>Cancer Treatment Reviews</i> , 2019, 79, 101887.	7.7	49
41	Emerging therapies in malignant pleural mesothelioma. <i>Critical Reviews in Oncology/Hematology</i> , 2019, 144, 102815.	4.4	17
42	Complete Recalcification Following Arterial Embolization of Massive Osteolytic Bone Metastasis From NSCLC. <i>Journal of Thoracic Oncology</i> , 2019, 14, 141-143.	1.1	2
43	Expanding the Arsenal of FGFR Inhibitors: A Novel Chloroacetamide Derivative as a New Irreversible Agent With Anti-proliferative Activity Against FGFR1-Amplified Lung Cancer Cell Lines. <i>Frontiers in Oncology</i> , 2019, 9, 179.	2.8	34
44	Serious Cutaneous Toxicities with Immune Checkpoint Inhibitors in the U.S. Food and Drug Administration Adverse Event Reporting System. <i>Oncologist</i> , 2019, 24, e1228-e1231.	3.7	30
45	Italian Cohort of Nivolumab Expanded Access Program in Squamous Non-Small Cell Lung Cancer: Results from a Real-World Population. <i>Oncologist</i> , 2019, 24, e1165-e1171.	3.7	35
46	KRAS and ERBB-family genetic alterations affect response to PD-1 inhibitors in metastatic nonsquamous NSCLC. <i>Therapeutic Advances in Medical Oncology</i> , 2019, 11, 175883591988554.	3.2	25
47	MYC Amplification as a Potential Mechanism of Primary Resistance to Crizotinib in ALK-Rearranged Non-Small Cell Lung Cancer: A Brief Report. <i>Translational Oncology</i> , 2019, 12, 116-121.	3.7	37
48	Immune-mediated cholangitis: is it always nivolumabâ€™s fault?. <i>Cancer Immunology, Immunotherapy</i> , 2018, 67, 1325-1327.	4.2	5
49	Distinguishing between immune-related pneumonitis and disease progression in advanced Non Small Cell Lung Cancer treated with PD-1 inhibitors: Can serum tumour markers have a role?. <i>European Journal of Cancer</i> , 2018, 95, 127-129.	2.8	6
50	A case of nivolumab-related cholangitis and literature review: how to look for the right tools for a correct diagnosis of this rare immune-related adverse event. <i>Investigational New Drugs</i> , 2018, 36, 144-146.	2.6	42
51	Osteoblastic bone response mimicking bone progression during treatment with pembrolizumab in advanced cutaneous melanoma. <i>Anti-Cancer Drugs</i> , 2018, 29, 1026-1029.	1.4	4
52	Chemotherapy treatment in malignant pleural mesothelioma: a difficult history. <i>Journal of Thoracic Disease</i> , 2018, 10, S304-S310.	1.4	14
53	Arterial Embolization During Programmed Death-1 Inhibitor Treatment: An Unexpected Finding. <i>Journal of Thoracic Oncology</i> , 2018, 13, e247-e248.	1.1	1
54	A Novel Role for the Interleukin-1 Receptor Axis in Resistance to Anti-EGFR Therapy. <i>Cancers</i> , 2018, 10, 355.	3.7	22

#	ARTICLE	IF	CITATIONS
55	Validation of the immunohistochemical expression of programmed death ligand 1 (PD-L1) on cytological smears in advanced non small cell lung cancer. <i>Lung Cancer</i> , 2018, 126, 9-14.	2.0	29
56	Heterotopic auxiliary segment 2â€³ liver transplantation with delayed total hepatectomy: New strategies for nonresectable colorectal liver metastases. <i>Surgery</i> , 2018, 164, 601-603.	1.9	20
57	Association of <i>ERBB</i> Mutations With Clinical Outcomes of Afatinib- or Erlotinib-Treated Patients With Lung Squamous Cell Carcinoma. <i>JAMA Oncology</i> , 2018, 4, 1189.	7.1	53
58	Italian, Multicenter, Phase III, Randomized Study of Cisplatin Plus Etoposide With or Without Bevacizumab as First-Line Treatment in Extensive-Disease Small-Cell Lung Cancer: The GOIRC-AIFA FARM6PMFJM Trial. <i>Journal of Clinical Oncology</i> , 2017, 35, 1281-1287.	1.6	126
59	Evaluation of the VeriStrat Â® serum protein test in patients with advanced squamous cell carcinoma of the lung treated with second-line afatinib or erlotinib in the phase III LUX-Lung 8 study. <i>Lung Cancer</i> , 2017, 109, 101-108.	2.0	25
60	MET DNA Alterations in NSCLCâ€”Letter. <i>Clinical Cancer Research</i> , 2016, 22, 3697-3698.	7.0	1
61	11C-Choline PET/CT for restaging prostate cancer. Results from 4,426 scans in a single-centre patient series. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 1971-1979.	6.4	79
62	11C-Choline PET/CT in castration-resistant prostate cancer patients treated with docetaxel. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 84-91.	6.4	77
63	Concurrent Chemoradiation with Concomitant Boost in Locally Advanced Rectal Cancer: A Phase II Study. <i>Anticancer Research</i> , 2016, 36, 4081-7.	1.1	7
64	Afatinib versus erlotinib as second-line treatment of patients with advanced squamous cell carcinoma of the lung (LUX-Lung 8): an open-label randomised controlled phase 3 trial. <i>Lancet Oncology</i> , The, 2015, 16, 897-907.	10.7	389
65	Afatinib (A) vs erlotinib (E) as second-line therapy of patients (pts) with advanced squamous cell carcinoma (SCC) of the lung following platinum-based chemotherapy: Overall survival (OS) analysis from the global phase III trial LUX-Lung 8 (LL8).. <i>Journal of Clinical Oncology</i> , 2015, 33, 8002-8002.	1.6	8
66	Afatinib (A) vs erlotinib (E) as second-line treatment of patients (pts) with advanced squamous cell carcinoma (SCC) of the lung following first-line platinum-based chemotherapy: Patient-reported outcome (PRO) data from the LUX-Lung 8 Phase III global trial.. <i>Journal of Clinical Oncology</i> , 2015, 33, 8100-8100.	1.6	0
67	Correlation between erlotinib pharmacokinetics, cutaneous toxicity and clinical outcomes in patients with advanced non-small cell lung cancer (NSCLC). <i>Lung Cancer</i> , 2014, 83, 265-271.	2.0	39
68	Validation of standard definition of sensitive versus refractory relapsed small cell lung cancer: A pooled analysis of topotecan second-line trials. <i>European Journal of Cancer</i> , 2014, 50, 2211-2218.	2.8	46
69	Cisplatin- Versus Carboplatin-Based Chemotherapy in First-Line Treatment of Advanced Non-Small-Cell Lung Cancer: An Individual Patient Data Meta-analysis. <i>Journal of the National Cancer Institute</i> , 2007, 99, 847-857.	6.3	574
70	Short Hydration Regimen and Nephrotoxicity of Intermediate to High-Dose Cisplatin-Based Chemotherapy for Outpatient Treatment in Lung Cancer and Mesothelioma. <i>Tumori</i> , 2007, 93, 138-144.	1.1	65
71	Decline in serum carcinoembryonic antigen and cytokeratin 19 fragment during chemotherapy predicts objective response and survival in patients with advanced nonsmall cell lung cancer. <i>Cancer</i> , 2006, 107, 2842-2849.	4.1	98
72	Topotecan in the Treatment of Recurrent Small Cell Lung Cancer: An Update. <i>Oncologist</i> , 2004, 9, 4-13.	3.7	478