

Tsutomu Fujii,, Facs

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7480138/tsutomu-fujii-facs-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

217
papers

4,171
citations

35
h-index

56
g-index

258
ext. papers

5,018
ext. citations

3.4
avg, IF

4.99
L-index

#	Paper	IF	Citations
217	Epithelial-to-mesenchymal transition and integrin-linked kinase mediate sensitivity to epidermal growth factor receptor inhibition in human hepatoma cells. <i>Cancer Research</i> , 2008 , 68, 2391-9	10.1	268
216	Epidermal growth factor receptor inhibition attenuates liver fibrosis and development of hepatocellular carcinoma. <i>Hepatology</i> , 2014 , 59, 1577-90	11.2	216
215	Indications and techniques of extended resection for pancreatic cancer. <i>World Journal of Surgery</i> , 2006 , 30, 976-82; discussion 983-4	3.3	146
214	Mouse model of carbon tetrachloride induced liver fibrosis: Histopathological changes and expression of CD133 and epidermal growth factor. <i>BMC Gastroenterology</i> , 2010 , 10, 79	3	121
213	Randomized phase II/III trial of neoadjuvant chemotherapy with gemcitabine and S-1 versus upfront surgery for resectable pancreatic cancer (Prep-02/JSAP-05).. <i>Journal of Clinical Oncology</i> , 2019 , 37, 189-189	22.3	115
212	Modified Blumgart anastomosis for pancreaticojejunostomy: technical improvement in matched historical control study. <i>Journal of Gastrointestinal Surgery</i> , 2014 , 18, 1108-15	3.3	108
211	Meflin-Positive Cancer-Associated Fibroblasts Inhibit Pancreatic Carcinogenesis. <i>Cancer Research</i> , 2019 , 79, 5367-5381	10.1	85
210	Multicenter comparative study of laparoscopic and open distal pancreatectomy using propensity score-matching. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2015 , 22, 731-6	2.8	76
209	Nutritional predictors for postoperative short-term and long-term outcomes of patients with gastric cancer. <i>Medicine (United States)</i> , 2016 , 95, e3781	1.8	75
208	Proposed Nomogram Predicting the Individual Risk of Malignancy in the Patients With Branch Duct Type Intraductal Papillary Mucinous Neoplasms of the Pancreas. <i>Annals of Surgery</i> , 2017 , 266, 1062-1068	7.8	71
207	Clinical Implication of Inflammation-Based Prognostic Score in Pancreatic Cancer: Glasgow Prognostic Score Is the Most Reliable Parameter. <i>Medicine (United States)</i> , 2016 , 95, e3582	1.8	70
206	Overexpression of pituitary tumor transforming gene 1 in HCC is associated with angiogenesis and poor prognosis. <i>Hepatology</i> , 2006 , 43, 1267-75	11.2	66
205	Epidermal growth factor-containing fibulin-like extracellular matrix protein 1, EFEMP1, a novel tumor-suppressor gene detected in hepatocellular carcinoma using double combination array analysis. <i>Annals of Surgical Oncology</i> , 2010 , 17, 923-32	3.1	62
204	Multicenter Phase II Study of Intravenous and Intraperitoneal Paclitaxel With S-1 for Pancreatic Ductal Adenocarcinoma Patients With Peritoneal Metastasis. <i>Annals of Surgery</i> , 2017 , 265, 397-401	7.8	60
203	Intraperitoneal Administration of Plasma-Activated Medium: Proposal of a Novel Treatment Option for Peritoneal Metastasis From Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2017 , 24, 1188-1194	3.1	56
202	Identification of the collagen type 1 $\alpha 1$ gene (COL1A1) as a candidate survival-related factor associated with hepatocellular carcinoma. <i>BMC Cancer</i> , 2014 , 14, 108	4.8	56
201	Significance of SYT8 For the Detection, Prediction, and Treatment of Peritoneal Metastasis From Gastric Cancer. <i>Annals of Surgery</i> , 2018 , 267, 495-503	7.8	52

200	Preservation of the pyloric ring has little value in surgery for pancreatic head cancer: a comparative study comparing three surgical procedures. <i>Annals of Surgical Oncology</i> , 2012 , 19, 176-83	3.1	50
199	Invasion of the splenic artery is a crucial prognostic factor in carcinoma of the body and tail of the pancreas. <i>Annals of Surgery</i> , 2010 , 251, 483-7	7.8	50
198	Classification of the celiac axis stenosis owing to median arcuate ligament compression, based on severity of the stenosis with subsequent proposals for management during pancreatoduodenectomy. <i>Surgery</i> , 2012 , 151, 543-9	3.6	48
197	Epithelial-to-mesenchymal transition predicts prognosis in clinical gastric cancer. <i>Journal of Surgical Oncology</i> , 2014 , 109, 684-9	2.8	48
196	Clinical Impact of Neoadjuvant Chemotherapy and Chemoradiotherapy in Borderline Resectable Pancreatic Cancer: Analysis of 884 Patients at Facilities Specializing in Pancreatic Surgery. <i>Annals of Surgical Oncology</i> , 2019 , 26, 1629-1636	3.1	46
195	Function and diagnostic value of Anosmin-1 in gastric cancer progression. <i>International Journal of Cancer</i> , 2016 , 138, 721-30	7.5	45
194	Clinical impact of sarcopenia on prognosis in pancreatic ductal adenocarcinoma: A retrospective cohort study. <i>International Journal of Surgery</i> , 2017 , 39, 45-51	7.5	44
193	Reduced expression of reelin (RELN) gene is associated with high recurrence rate of hepatocellular carcinoma. <i>Annals of Surgical Oncology</i> , 2011 , 18, 572-9	3.1	43
192	Epithelial to mesenchymal transition correlates with tumor budding and predicts prognosis in esophageal squamous cell carcinoma. <i>Journal of Surgical Oncology</i> , 2014 , 110, 764-9	2.8	42
191	Clinical implications of peritoneal cytology in potentially resectable pancreatic cancer: positive peritoneal cytology may not confer an adverse prognosis. <i>Annals of Surgery</i> , 2007 , 246, 254-8	7.8	41
190	Prognostic impact of expression and methylation status of DENN/MADD domain-containing protein 2D in gastric cancer. <i>Gastric Cancer</i> , 2015 , 18, 288-96	7.6	40
189	Comparison of the international consensus guidelines for predicting malignancy in intraductal papillary mucinous neoplasms. <i>Surgery</i> , 2016 , 159, 878-84	3.6	40
188	Proposal of the Coagulation Score as a Predictor for Short-Term and Long-Term Outcomes of Patients with Resectable Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2017 , 24, 502-509	3.1	40
187	Inverse Probability of Treatment Weighting Analysis of Upfront Surgery Versus Neoadjuvant Chemoradiotherapy Followed by Surgery for Pancreatic Adenocarcinoma with Arterial Abutment. <i>Medicine (United States)</i> , 2015 , 94, e1647	1.8	40
186	Metastatic pathway-specific transcriptome analysis identifies MFSD4 as a putative tumor suppressor and biomarker for hepatic metastasis in patients with gastric cancer. <i>Oncotarget</i> , 2016 , 7, 13667-79	3.3	40
185	Vein resections >3 cm during pancreatectomy are associated with poor 1-year patency rates. <i>Surgery</i> , 2015 , 157, 708-15	3.6	39
184	Dihydropyrimidinase-like 3 facilitates malignant behavior of gastric cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2014 , 33, 66	12.8	39
183	Combination of the serum carbohydrate antigen 19-9 and carcinoembryonic antigen is a simple and accurate predictor of mortality in pancreatic cancer patients. <i>Surgery Today</i> , 2014 , 44, 1692-701	3	39

182	Clinical implication of morphological subtypes in management of intraductal papillary mucinous neoplasm. <i>Annals of Surgical Oncology</i> , 2014 , 21, 2444-52	3.1	35
181	Clinical benefits of neoadjuvant chemoradiotherapy for adenocarcinoma of the pancreatic head: an observational study using inverse probability of treatment weighting. <i>Journal of Gastroenterology</i> , 2017 , 52, 81-93	6.9	34
180	Tumor Infiltrative Pattern Predicts Sites of Recurrence After Curative Gastrectomy for Stages 2 and 3 Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2016 , 23, 1934-40	3.1	34
179	The Expression of Melanoma-Associated Antigen D2 Both in Surgically Resected and Serum Samples Serves as Clinically Relevant Biomarker of Gastric Cancer Progression. <i>Annals of Surgical Oncology</i> , 2016 , 23 Suppl 2, S214-21	3.1	33
178	Epigenetic suppression of the immunoregulator MZB1 is associated with the malignant phenotype of gastric cancer. <i>International Journal of Cancer</i> , 2016 , 139, 2290-8	7.5	33
177	Protein arginine methyltransferase 5 is associated with malignant phenotype and peritoneal metastasis in gastric cancer. <i>International Journal of Oncology</i> , 2016 , 49, 1195-202	4.4	32
176	Adverse Effects of Intraoperative Blood Loss on Long-Term Outcomes after Curative Gastrectomy of Patients with Stage II/III Gastric Cancer. <i>Digestive Surgery</i> , 2016 , 33, 121-8	2.5	32
175	Combination therapy of oncolytic herpes simplex virus HF10 and bevacizumab against experimental model of human breast carcinoma xenograft. <i>International Journal of Cancer</i> , 2015 , 136, 1718-30	7.5	32
174	The impact of dose/time modification in irinotecan- and oxaliplatin-based chemotherapies on outcomes in metastatic colorectal cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2014 , 73, 847-55	3.5	31
173	Adverse impact of low skeletal muscle index on the prognosis of hepatocellular carcinoma after hepatic resection. <i>International Journal of Surgery</i> , 2016 , 30, 136-42	7.5	31
172	Clinical utility of the platelet-lymphocyte ratio as a predictor of postoperative complications after radical gastrectomy for clinical T2-4 gastric cancer. <i>World Journal of Gastroenterology</i> , 2017 , 23, 2519-2526	5.6	30
171	Estimated pancreatic parenchymal remnant volume accurately predicts clinically relevant pancreatic fistula after pancreatoduodenectomy. <i>Surgery</i> , 2014 , 156, 601-10	3.6	28
170	Clinical significance of expression and epigenetic profiling of TUSC1 in gastric cancer. <i>Journal of Surgical Oncology</i> , 2014 , 110, 136-44	2.8	28
169	Decreased expression of prenyl diphosphate synthase subunit 2 correlates with reduced survival of patients with gastric cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2014 , 33, 88	12.8	25
168	Dynamin 3: a new candidate tumor suppressor gene in hepatocellular carcinoma detected by triple combination array analysis. <i>OncoTargets and Therapy</i> , 2013 , 6, 1417-24	4.4	25
167	Influence of Food Intake on the Healing Process of Postoperative Pancreatic Fistula After Pancreatoduodenectomy: A Multi-institutional Randomized Controlled Trial. <i>Annals of Surgical Oncology</i> , 2015 , 22, 3905-12	3.1	23
166	Epithelial to mesenchymal transition might be induced via CD44 isoform switching in colorectal cancer. <i>Journal of Surgical Oncology</i> , 2014 , 110, 745-51	2.8	23
165	MAPLE-PD trial (Mesenteric Approach vs. Conventional Approach for Pancreatic Cancer during Pancreatoduodenectomy): study protocol for a multicenter randomized controlled trial of 354 patients with pancreatic ductal adenocarcinoma. <i>Trials</i> , 2018 , 19, 613	2.8	23

164	The Charlson age comorbidity index predicts prognosis in patients with resected pancreatic cancer. <i>International Journal of Surgery</i> , 2017 , 39, 169-175	7.5	22
163	Reduced Expression of Adherens Junctions Associated Protein 1 Predicts Recurrence of Hepatocellular Carcinoma After Curative Hepatectomy. <i>Annals of Surgical Oncology</i> , 2015 , 22 Suppl 3, S1499-507	3.1	22
162	Evaluation and proposal of novel resectability criteria for pancreatic cancer established by the Japan Pancreas Society. <i>Surgery</i> , 2017 , 162, 784-791	3.6	22
161	Identification of the bleomycin hydrolase gene as a methylated tumor suppressor gene in hepatocellular carcinoma using a novel triple-combination array method. <i>Cancer Letters</i> , 2011 , 312, 150-7	7.9	22
160	Preoperative Identification of a Prognostic Factor for Pancreatic Neuroendocrine Tumors Using Multiphase Contrast-Enhanced Computed Tomography. <i>Pancreas</i> , 2016 , 45, 198-203	2.6	22
159	Lymph node ratio as parameter of regional lymph node involvement in pancreatic cancer. <i>Langenbeck's Archives of Surgery</i> , 2016 , 401, 1143-1152	3.4	22
158	Resection for recurrent pancreatic cancer in the remnant pancreas after pancreatectomy is clinically promising: Results of a project study for pancreatic surgery by the Japanese Society of Hepato-Biliary-Pancreatic Surgery. <i>Surgery</i> , 2018 , 164, 1049-1056	3.6	21
157	Significance of the Splenic Vein and Its Branches in Pancreatoduodenectomy with Resection of the Portal Vein System. <i>Digestive Surgery</i> , 2015 , 32, 382-8	2.5	21
156	Preoperative Albumin-Bilirubin Grade Predicts Recurrences After Radical Gastrectomy in Patients with pT2-4 Gastric Cancer. <i>World Journal of Surgery</i> , 2018 , 42, 773-781	3.3	21
155	Prognostic Value of Long Non-Coding RNA HULC and MALAT1 Following the Curative Resection of Hepatocellular Carcinoma. <i>Scientific Reports</i> , 2017 , 7, 16142	4.9	20
154	Overexpression of L1CAM is associated with tumor progression and prognosis via ERK signaling in gastric cancer. <i>Annals of Surgical Oncology</i> , 2014 , 21, 560-8	3.1	20
153	Reduced expression of DENND2D through promoter hypermethylation is an adverse prognostic factor in squamous cell carcinoma of the esophagus. <i>Oncology Reports</i> , 2014 , 31, 693-700	3.5	20
152	GPR155 Serves as a Predictive Biomarker for Hematogenous Metastasis in Patients with Gastric Cancer. <i>Scientific Reports</i> , 2017 , 7, 42089	4.9	19
151	Clinical Implications of Lysyl Oxidase-Like Protein 2 Expression in Pancreatic Cancer. <i>Scientific Reports</i> , 2018 , 8, 9846	4.9	19
150	Clinical Impact of Neoadjuvant Therapy on Nutritional Status in Pancreatic Cancer. <i>Annals of Surgical Oncology</i> , 2018 , 25, 3365-3371	3.1	19
149	Identification of intragenic methylation in the TUSC1 gene as a novel prognostic marker of hepatocellular carcinoma. <i>Oncology Reports</i> , 2014 , 31, 1305-13	3.5	19
148	Evaluation of MAGE-D4 expression in hepatocellular carcinoma in Japanese patients. <i>Journal of Surgical Oncology</i> , 2013 , 108, 557-62	2.8	19
147	FAM46C Serves as a Predictor of Hepatic Recurrence in Patients with Resectable Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2017 , 24, 3438-3445	3.1	19

146	Factors related to occurrence and aggravation of pancreatic fistula after radical gastrectomy for gastric cancer. <i>Journal of Surgical Oncology</i> , 2015 , 112, 381-6	2.8	19
145	Reinforced staplers for distal pancreatectomy. <i>Langenbeck's Archives of Surgery</i> , 2017 , 402, 1197-1204	3.4	18
144	NRAGE promotes the malignant phenotype of hepatocellular carcinoma. <i>Oncology Letters</i> , 2016 , 11, 1847-1854	2.6	18
143	Evaluation of the efficacy of daikenchuto (TJ -100) for the prevention of paralytic ileus after pancreaticoduodenectomy: A multicenter, double-blind, randomized, placebo-controlled trial. <i>Surgery</i> , 2016 , 159, 1333-41	3.6	17
142	Combination treatment of human pancreatic cancer xenograft models with the epidermal growth factor receptor tyrosine kinase inhibitor erlotinib and oncolytic herpes simplex virus HF10. <i>Annals of Surgical Oncology</i> , 2014 , 21, 691-8	3.1	17
141	The protein arginine methyltransferase 5 promotes malignant phenotype of hepatocellular carcinoma cells and is associated with adverse patient outcomes after curative hepatectomy. <i>International Journal of Oncology</i> , 2017 , 50, 381-386	4.4	16
140	Prognostic importance of peritoneal washing cytology in patients with otherwise resectable pancreatic ductal adenocarcinoma who underwent pancreatectomy: A nationwide, cancer registry-based study from the Japan Pancreas Society. <i>Surgery</i> , 2019 , 166, 997-1003	3.6	16
139	FBXO50 Enhances the Malignant Behavior of Gastric Cancer Cells. <i>Annals of Surgical Oncology</i> , 2017 , 24, 3771-3779	3.1	16
138	Predictive value of drain amylase content for peripancreatic inflammatory fluid collections after laparoscopic (assisted) distal gastrectomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016 , 30, 4353-62	5.2	16
137	Neurotrophin Receptor-Interacting Melanoma Antigen-Encoding Gene Homolog is Associated with Malignant Phenotype of Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2016 , 23, 532-539	3.1	16
136	The Prognostic Relevance of Subcarinal Lymph Node Dissection in Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2016 , 23, 611-8	3.1	15
135	Aberrant expression of melanoma-associated antigen-D2 serves as a prognostic indicator of hepatocellular carcinoma outcome following curative hepatectomy. <i>Oncology Letters</i> , 2015 , 9, 1201-1206	2.6	15
134	Phase I study of chemoradiotherapy using gemcitabine plus nab-paclitaxel for unresectable locally advanced pancreatic cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2018 , 81, 815-821	3.5	15
133	The significance of relative dose intensity in adjuvant chemotherapy of pancreatic ductal adenocarcinoma-including the analysis of clinicopathological factors influencing relative dose intensity. <i>Medicine (United States)</i> , 2016 , 95, e4282	1.8	15
132	Left-sided Portal Hypertension After Pancreaticoduodenectomy With Resection of the Portal Vein/Superior Mesenteric Vein Confluence in Patients With Pancreatic Cancer: A Project Study by the Japanese Society of Hepato-Biliary-Pancreatic Surgery. <i>Annals of Surgery</i> , 2021 , 274, e36-e44	7.8	15
131	Clinical implication of Frizzled 2 expression and its association with epithelial-to-mesenchymal transition in hepatocellular carcinoma. <i>International Journal of Oncology</i> , 2017 , 50, 1647-1654	4.4	14
130	Modified Blumgart Suturing Technique for Remnant Closure After Distal Pancreatectomy: a Propensity Score-Matched Analysis. <i>Journal of Gastrointestinal Surgery</i> , 2016 , 20, 374-84	3.3	14
129	Usefulness of endoscopic ultrasonography-elastography as a predictive tool for the occurrence of pancreatic fistula after pancreatoduodenectomy. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2017 , 24, 649-656	2.8	14

128	Usefulness of preoperative estimated glomerular filtration rate to predict complications after curative gastrectomy in patients with clinical T2-4 gastric cancer. <i>Gastric Cancer</i> , 2017 , 20, 736-743	7.6	14
127	The effect of neoadjuvant chemotherapy with gemcitabine and S-1 for resectable pancreatic cancer (randomized phase II/III trial; Prep-02/JSAP-05).. <i>Journal of Clinical Oncology</i> , 2019 , 37, 4126-4126	2.2	14
126	Gastric venous congestion and bleeding in association with total pancreatectomy. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2018 , 25, 150-154	2.8	14
125	Suppression of SAMS1 Expression is Associated with the Malignant Phenotype of Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2015 , 22 Suppl 3, S1453-60	3.1	13
124	Clinicopathological Characteristics of Young Patients With Pancreatic Cancer: An Analysis of Data From Pancreatic Cancer Registry of Japan Pancreas Society. <i>Pancreas</i> , 2016 , 45, 1411-1417	2.6	13
123	Detection of doublecortin domain-containing 2 (DCDC2), a new candidate tumor suppressor gene of hepatocellular carcinoma, by triple combination array analysis. <i>Journal of Experimental and Clinical Cancer Research</i> , 2013 , 32, 65	12.8	13
122	CD44 single nucleotide polymorphism and isoform switching may predict gastric cancer recurrence. <i>Journal of Surgical Oncology</i> , 2015 , 112, 622-8	2.8	13
121	A functional polymorphism in the epidermal growth factor gene predicts hepatocellular carcinoma risk in Japanese hepatitis C patients. <i>OncoTargets and Therapy</i> , 2013 , 6, 1805-12	4.4	13
120	S-1 plus nab-paclitaxel is a promising regimen for pancreatic cancer in a preclinical model. <i>Journal of Surgical Oncology</i> , 2016 , 113, 413-9	2.8	13
119	Prognostic relevance of expression in gastric cancer. <i>Oncology Letters</i> , 2016 , 12, 4708-4716	2.6	13
118	Comparison of the Survival Outcomes of Pancreatic Cancer and Intraductal Papillary Mucinous Neoplasms. <i>Pancreas</i> , 2018 , 47, 974-979	2.6	13
117	Prognostic significance of AKR1B10 gene expression in hepatocellular carcinoma and surrounding non-tumorous liver tissue. <i>Oncology Letters</i> , 2016 , 12, 4821-4828	2.6	12
116	PAX5 gene as a novel methylation marker that predicts both clinical outcome and cisplatin sensitivity in esophageal squamous cell carcinoma. <i>Epigenetics</i> , 2017 , 12, 865-874	5.7	12
115	Is pancreaticogastrostomy safer than pancreaticojejunostomy?. <i>Journal of Hepato-Biliary-Pancreatic Surgery</i> , 2006 , 13, 202-6		12
114	Association of Inflammasome Components in Background Liver with Poor Prognosis After Curatively-resected Hepatocellular Carcinoma. <i>Anticancer Research</i> , 2017 , 37, 293-300	2.3	12
113	Spontaneous mesenteric hematoma of the sigmoid colon associated with rivaroxaban: A case report. <i>International Journal of Surgery Case Reports</i> , 2018 , 44, 33-37	0.8	11
112	Extended lymphadenectomy in pancreatic cancer is crucial. <i>World Journal of Surgery</i> , 2013 , 37, 1778-81	3.3	11
111	Developing better practices at the institutional level leads to better outcomes after pancreaticoduodenectomy in 3,378 patients: domestic audit of the Japanese Society of Pancreatic Surgery. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2017 , 24, 501-510	2.8	11

110	The efficacy and safety of CapeOX plus bevacizumab therapy followed by capecitabine plus bevacizumab maintenance therapy in patients with metastatic colorectal cancer: a multi-center, single-arm, phase II study (CCOG-0902). <i>BMC Cancer</i> , 2017 , 17, 243	4.8	11
109	The efficacy and safety of bevacizumab beyond first progression in patients treated with first-line mFOLFOX6 followed by second-line FOLFIRI in advanced colorectal cancer: a multicenter, single-arm, phase II trial (CCOG-0801). <i>Cancer Chemotherapy and Pharmacology</i> , 2012 , 70, 575-81	3.5	11
108	Combination of continuous paravertebral block and epidural anesthesia in postoperative pain control after esophagectomy. <i>Esophagus</i> , 2016 , 13, 42-47	5.4	10
107	A double-blind randomized comparative clinical trial to evaluate the safety and efficacy of dendritic cell vaccine loaded with WT1 peptides (TLP0-001) in combination with S-1 in patients with advanced pancreatic cancer refractory to standard chemotherapy. <i>Trials</i> , 2019 , 20, 242	2.8	10
106	Perioperative Serum Carcinoembryonic Antigen Levels Predict Recurrence and Survival of Patients with Pathological T2-4 Gastric Cancer Treated with Curative Gastrectomy. <i>Digestive Surgery</i> , 2018 , 35, 55-63	2.5	10
105	Translational implication of Kallmann syndrome-1 gene expression in hepatocellular carcinoma. <i>International Journal of Oncology</i> , 2015 , 46, 2546-54	4.4	10
104	Significance of Lysyl oxidase-like α gene expression on the epithelial-mesenchymal status of hepatocellular carcinoma. <i>Oncology Reports</i> , 2018 , 39, 2664-2672	3.5	10
103	Expression analysis of THOP1 in background liver, a prognostic predictive factor in hepatocellular carcinoma, extracted by multiarray analysis. <i>Annals of Surgical Oncology</i> , 2014 , 21 Suppl 3, S443-50	3.1	9
102	Novel implications of combined arterial resection for locally advanced pancreatic cancer in the era of newer chemo-regimens. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 1895-1900	3.6	8
101	Downregulation of GPR155 as a prognostic factor after curative resection of hepatocellular carcinoma. <i>BMC Cancer</i> , 2017 , 17, 610	4.8	8
100	Preservation of the pyloric ring confers little benefit in patients undergoing total pancreatectomy. <i>World Journal of Surgery</i> , 2014 , 38, 1807-13	3.3	8
99	Identification of as an epigenetically regulated tumor suppressor and biomarker for malignant phenotypes of squamous cell carcinoma of the esophagus. <i>Oncology Letters</i> , 2017 , 14, 4822-4828	2.6	8
98	Oral Food Intake Versus Fasting on Postoperative Pancreatic Fistula After Distal Pancreatectomy: A Multi-Institutional Randomized Controlled Trial. <i>Medicine (United States)</i> , 2015 , 94, e2398	1.8	8
97	Impact of Preoperative Occult-Bacterial Translocation on Surgical Site Infection in Patients Undergoing Pancreatoduodenectomy. <i>Journal of the American College of Surgeons</i> , 2021 , 232, 298-306	4.4	8
96	Risk factors for postoperative pneumonia after general and digestive surgery: a retrospective single-center study. <i>Surgery Today</i> , 2020 , 50, 460-468	3	7
95	Prognosis of Immune-related Adverse Events in Patients With Advanced Gastric Cancer Treated With Nivolumab or Pembrolizumab: A Multicenter Retrospective Analysis. <i>In Vivo</i> , 2021 , 35, 475-482	2.3	7
94	Dual-center randomized clinical trial exploring the optimal duration of antimicrobial prophylaxis in patients undergoing pancreaticoduodenectomy following biliary drainage. <i>Annals of Gastroenterological Surgery</i> , 2018 , 2, 442-450	4.3	7
93	Splenic vein resection together with the pancreatic parenchyma versus separated resection after isolation of the parenchyma during distal pancreatectomy (COSMOS-DP trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2018 , 19, 369	2.8	6

92	FOLFIRINOX-induced reversible dysarthria: A case report and review of previous cases. <i>Oncology Letters</i> , 2015 , 10, 2662-2664	2.6	6
91	PRAME as a Potential Biomarker for Liver Metastasis of Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2020 , 27, 2071-2080	3.1	6
90	Prognostic Impact of Portal System Invasion in Pancreatic Cancer Based on Image Classification. <i>Pancreas</i> , 2018 , 47, 1350-1356	2.6	6
89	Randomized Phase II Trial of CapOX plus Bevacizumab and CapIRI plus Bevacizumab as First-Line Treatment for Japanese Patients with Metastatic Colorectal Cancer (CCOG-1201 Study). <i>Oncologist</i> , 2018 , 23, 919-927	5.7	5
88	Risk prediction for malignant intraductal papillary mucinous neoplasm of the pancreas: logistic regression versus machine learning. <i>Scientific Reports</i> , 2020 , 10, 20140	4.9	5
87	Modified two-dimensional response as surrogate marker of overall survival in patients with metastatic colorectal cancer. <i>Cancer Science</i> , 2016 , 107, 1492-1498	6.9	5
86	Effects of duration of initial treatment on postoperative complications in pancreatic cancer. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2019 , 26, 235-241	2.8	4
85	Chromobox 2 Expression Predicts Prognosis After Curative Resection of Oesophageal Squamous Cell Carcinoma. <i>Cancer Genomics and Proteomics</i> , 2020 , 17, 391-400	3.3	4
84	Expression as a Potential Biomarker for Hematogenous Recurrence of Esophageal Squamous Cell Carcinoma. <i>Anticancer Research</i> , 2019 , 39, 5943-5951	2.3	4
83	Optimal Preoperative Multidisciplinary Treatment in Borderline Resectable Pancreatic Cancer. <i>Cancers</i> , 2020 , 13,	6.6	4
82	Peritoneal Lavage Tumor DNA as a Novel Biomarker for Predicting Peritoneal Recurrence in Pancreatic Ductal Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2021 , 28, 2277-2286	3.1	4
81	Tumor marker recovery rather than major pathological response is a preferable prognostic factor in patients with pancreatic ductal adenocarcinoma with preoperative therapy. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020 , 27, 487-495	2.8	3
80	Characteristics of Lung Metastasis as an Initial Recurrence Pattern After Curative Resection of Pancreatic Cancer. <i>Pancreas</i> , 2020 , 49, 699-705	2.6	3
79	Optimal Treatment for Octogenarians With Resectable and Borderline Resectable Pancreatic Ductal Adenocarcinoma: A Multicenter Retrospective Study. <i>Pancreas</i> , 2020 , 49, 837-844	2.6	3
78	Expression and Malignant Potential of B4GALNT4 in Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2020 , 27, 3247-3256	3.1	3
77	The efficacy of polyglycolic acid felt reinforcement in preventing postoperative pancreatic fistula after pancreaticojejunostomy in patients with main pancreatic duct less than 3 mm in diameter and soft pancreas undergoing pancreatoduodenectomy (PLANET-PJ trial): study protocol for a multicentre randomized phase III trial in Japan and Korea. <i>Trials</i> , 2019 , 20, 490	2.8	3
76	Matrix remodeling-associated protein 8 is a marker of a subset of cancer-associated fibroblasts in pancreatic cancer.. <i>Pathology International</i> , 2022 ,	1.8	3
75	Neoadjuvant chemoradiotherapy with S-1 in patients with borderline resectable pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 302-302	2.2	3

74	Phase II study of chemoradiotherapy combined with gemcitabine plus nab-paclitaxel for unresectable locally advanced pancreatic ductal adenocarcinoma (NUPAT 05 Trial): study protocol for a single arm phase II study. <i>Nagoya Journal of Medical Science</i> , 2019 , 81, 233-239	0.7	3
73	Novel Prognostic Implications of DUPAN-2 in the Era of Initial Systemic Therapy for Pancreatic Cancer. <i>Annals of Surgical Oncology</i> , 2020 , 27, 2081-2089	3.1	3
72	Safety of Combined Division vs Separate Division of the Splenic Vein in Patients Undergoing Distal Pancreatectomy: A Noninferiority Randomized Clinical Trial. <i>JAMA Surgery</i> , 2021 , 156, 418-428	5.4	3
71	Survival of detached cancer cells is regulated by movement of intracellular Na,K-ATPase. <i>IScience</i> , 2021 , 24, 102412	6.1	3
70	Mediastinoscopic salvage esophagectomy for recurrent esophageal squamous cell carcinoma after definitive chemoradiotherapy in a previously pneumonectomized patient. <i>Asian Journal of Endoscopic Surgery</i> , 2019 , 12, 452-456	1.4	3
69	Impact of Qualitative and Quantitative Biliary Contamination Status on the Incidence of Postoperative Infection Complications in Patients Undergoing Pancreatoduodenectomy. <i>Annals of Surgical Oncology</i> , 2021 , 28, 560-569	3.1	3
68	Multicenter randomized phase II trial of prophylactic right-half dissection of superior mesenteric artery nerve plexus in pancreatoduodenectomy for pancreatic head cancer. <i>Annals of Gastroenterological Surgery</i> , 2021 , 5, 111-118	4.3	3
67	Limited resection vs. pancreaticoduodenectomy for primary duodenal adenocarcinoma: a systematic review and meta-analysis. <i>International Journal of Clinical Oncology</i> , 2021 , 26, 450-460	4.2	3
66	The efficacy of steroids for postoperative persistent inflammatory reaction in a patient with barium peritonitis: A case report. <i>International Journal of Surgery Case Reports</i> , 2017 , 36, 38-41	0.8	2
65	An outcome analysis of predictive factors for portal or splenic vein thrombosis after distal pancreatectomy. <i>Surgery Today</i> , 2020 , 50, 1282-1289	3	2
64	Pathophysiological properties of CLIC3 chloride channel in human gastric cancer cells. <i>Journal of Physiological Sciences</i> , 2020 , 70, 15	2.3	2
63	Metachronous rupture of a residual pancreaticoduodenal aneurysm after release of the median arcuate ligament: a case report. <i>Surgical Case Reports</i> , 2020 , 6, 34	0.8	2
62	A case of pancreatic arteriovenous malformation caused acute pancreatitis. <i>Clinical Journal of Gastroenterology</i> , 2021 , 14, 364-369	1.1	2
61	Stapling an extracorporeal Billroth-I anastomosis by the complete double stapling technique after laparoscopy-assisted distal gastrectomy. <i>Asian Journal of Endoscopic Surgery</i> , 2017 , 10, 137-142	1.4	1
60	A vascular endothelial growth factor gene polymorphism predicts malignant potential in intraductal papillary mucinous neoplasm. <i>Pancreas</i> , 2015 , 44, 608-14	2.6	1
59	Surgical results of non-ampullary duodenal cancer: a nationwide survey in Japan.. <i>Journal of Gastroenterology</i> , 2022 , 57, 70	6.9	1
58	Randomized phase III trial of intravenous and intraperitoneal paclitaxel with S-1 versus gemcitabine plus nab-paclitaxel for pancreatic ductal adenocarcinoma with peritoneal metastasis (SP study).. <i>Trials</i> , 2022 , 23, 119	2.8	1
57	Clinical implication of inflammation-based prognostic score and perioperative nutrition control in pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 390-390	2.2	1

56	Intraoperative Treatment by Expandable Metallic Stent for the Torsion of the Portal Vein after Right Hepatectomy. <i>Japanese Journal of Gastroenterological Surgery</i> , 2020 , 53, 504-511	0.1	1
55	Preoperative Risk Assessment of Emergency Gastrointestinal Surgeries in Elderly Patients over 90 Years of Age. <i>Japanese Journal of Gastroenterological Surgery</i> , 2020 , 53, 549-557	0.1	1
54	Early ambulation after general and digestive surgery: a retrospective single-center study. <i>Langenbeck's Archives of Surgery</i> , 2020 , 405, 613-622	3.4	1
53	Clinical study of modulated electro-hyperthermia for advanced metastatic breast cancer. <i>Molecular and Clinical Oncology</i> , 2021 , 14, 103	1.6	1
52	Conversion surgery in patients with pancreatic cancer and peritoneal metastasis. <i>Journal of Gastrointestinal Oncology</i> , 2021 , 12, S110-S117	2.8	1
51	Transition of serum cytokines following pancreaticoduodenectomy: A subsidiary study of JAPAN-PD. <i>Oncology Letters</i> , 2018 , 16, 6847-6853	2.6	1
50	TCR function analysis using a novel system reveals the multiple unconventional tumor-reactive T cells in human breast cancer-infiltrating lymphocytes. <i>European Journal of Immunology</i> , 2021 , 51, 2306-2316	6.1	1
49	Relationship between T cell receptor clonotype and PD-1 expression of tumor-infiltrating lymphocytes in colorectal cancer. <i>European Journal of Immunology</i> , 2020 , 50, 1580-1590	6.1	1
48	SLC7A9 as a Potential Biomarker for Lymph Node Metastasis of Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2021 , 1	3.1	0
47	Clinical impact of additional therapy for residual pancreatic cancer. <i>Surgery Today</i> , 2020 , 50, 440-448	3	0
46	Expression of laminin-5 gamma 2 chain predicts invasion of extramammary Paget disease cell. <i>Apmis</i> , 2021 , 129, 3-8	3.4	0
45	The impact of early tumor shrinkage on conversion surgery and the survival in patients with unresectable locally advanced pancreatic cancer. <i>Surgery Today</i> , 2021 , 51, 1099-1107	3	0
44	Abietane diterpenes from <i>Abies spectabilis</i> and their anti-pancreatic cancer activity against the MIA PaCa-2 cell line.. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2022 , 66, 128723	2.9	0
43	ASO Author Reflections: Expression and Malignant Potential of B4GALNT4 in Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2020 , 27, 3257-3258	3.1	
42	ASO Visual Abstract: SLC7A9 as a Potential Biomarker for Lymph Node Metastasis of Esophageal Squamous Cell Carcinoma.. <i>Annals of Surgical Oncology</i> , 2022 , 29, 2710	3.1	
41	Optimal preoperative multidisciplinary treatment in borderline resectable pancreatic cancer: Results of a dual-center study.. <i>Journal of Clinical Oncology</i> , 2022 , 40, 530-530	2.2	
40	Efficacy of active hexose correlated compound on survival of patients with resectable/borderline resectable pancreatic cancer: a study protocol for a double-blind randomized phase II study.. <i>Trials</i> , 2022 , 23, 135	2.8	
39	A Case of Paget Disease Developed after Nipple-sparing Mastectomy and Implant Breast Reconstruction. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)</i> , 2020 , 81, 1471-1475	1.9	

- 38 A Surgical Case of Multiple Gastric Cancers on the Background of Nodular Gastritis in a Twelve-Year-Old Child. *Japanese Journal of Gastroenterological Surgery*, **2020**, 53, 693-700 0.1
- 37 Clinical implication of nutrition for neoadjuvant therapy and impact of nutritional support in pancreatic cancer.. *Journal of Clinical Oncology*, **2018**, 36, 416-416 2.2
- 36 Phase I study of chemoradiotherapy using gemcitabine plus nab-paclitaxel for unresectable locally advanced pancreatic cancer.. *Journal of Clinical Oncology*, **2018**, 36, 523-523 2.2
- 35 Prognostic significance of nutritional and inflammatory markers in patients with unresectable pancreatic ductal adenocarcinoma treated with chemotherapy.. *Journal of Clinical Oncology*, **2019**, 37, 219-219 2.2
- 34 Predictive factors for major complications after pancreaticoduodenectomy in patients aged 80 years or older.. *Journal of Clinical Oncology*, **2019**, 37, 199-199 2.2
- 33 Pneumatosis Cystoides Intestinalis Treated under Conservative Treatment after Pancreaticoduodenectomy. *Japanese Journal of Gastroenterological Surgery*, **2019**, 52, 665-671 0.1
- 32 A Case of Splenic Vein Reconstruction Combined with Portal Vein Resection in Pancreatoduodenectomy. *Nihon Gekakei Rengo Gakkaishi (Journal of Japanese College of Surgeons)*, **2020**, 45, 146-153 0
- 31 ASO Author Reflections: Real Prevalence of Microorganisms in Bile in Patients Undergoing Pancreatoduodenectomy. *Annals of Surgical Oncology*, **2020**, 27, 761-762 3.1
- 30 Alteration of recurrence patterns and prognostic factors by adjuvant S-1 monotherapy in patients with stage II/III gastric cancer.. *Journal of Clinical Oncology*, **2016**, 34, 90-90 2.2
- 29 Inverse probability of treatment weighting analysis of upfront surgery versus neoadjuvant chemoradiotherapy followed by surgery for pancreatic adenocarcinoma with arterial abutment.. *Journal of Clinical Oncology*, **2017**, 35, 440-440 2.2
- 28 Clinical impact of sarcopenia on prognosis in pancreatic ductal adenocarcinoma.. *Journal of Clinical Oncology*, **2017**, 35, 259-259 2.2
- 27 The Charlson age comorbidity index to predict prognosis in patients with resected pancreatic cancer.. *Journal of Clinical Oncology*, **2017**, 35, 495-495 2.2
- 26 The efficacy and safety of CapeOX plus bevacizumab therapy with a planned oxaliplatin stop-and-go strategy in patients with metastatic colorectal cancer: A multi-center, single-arm, phase II study (CCOG-0902 study).. *Journal of Clinical Oncology*, **2017**, 35, 795-795 2.2
- 25 Tumor infiltrative pattern predicts sites of recurrence after curative gastrectomy for gastric cancer.. *Journal of Clinical Oncology*, **2017**, 35, 38-38 2.2
- 24 Conversion surgery for unresectable gastric cancer following complete response of distant metastasis by systemic chemotherapy.. *Journal of Clinical Oncology*, **2017**, 35, 152-152 2.2
- 23 Impact of relative dose intensity on the outcome of metastatic colorectal cancer.. *Journal of Clinical Oncology*, **2013**, 31, 508-508 2.2
- 22 Overexpression of melanoma-associated antigen D4 as an independent prognostic factor in squamous cell carcinoma of the esophagus.. *Journal of Clinical Oncology*, **2014**, 32, 71-71 2.2
- 21 Risk factors that affect continuation of S-1 chemotherapy as an adjuvant setting after radical gastrectomy for gastric cancer.. *Journal of Clinical Oncology*, **2014**, 32, 151-151 2.2

20	Response to the first-line FOLFOX plus bevacizumab (BEV) therapy to predict responses to the subsequent therapies and survival in the BEV beyond progression (BBP) strategy for metastatic colorectal cancer: A retrospective analysis of CCOG-0801 study.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 428-428	2.2
19	Reduced expression of DENND2D through promoter hypermethylation as an adverse prognostic factor in squamous cell carcinoma of the esophagus.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 58-58	2.2
18	The impact of dose reduction and time delay in irinotecan- and oxaliplatin-based chemotherapies on outcomes in metastatic colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 631-631	2.2
17	ASO Author Reflections: Real Prevalence of Occult Cancer Cells in Peritoneal Lavage in Patients with Pancreatic Ductal Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2020 , 27, 893-894	3.1
16	No Significant Effect of Daikenchuto (TJ-100) on Peritoneal IL-9 and IFN- γ Levels After Pancreaticoduodenectomy. <i>Clinical and Experimental Gastroenterology</i> , 2020 , 13, 461-466	3.1
15	Author@ reply: Phase I/II study of adding intraperitoneal paclitaxel in patients with pancreatic cancer and peritoneal metastasis (Br J Surg 2020; 107: 1811-1817). <i>British Journal of Surgery</i> , 2021 , 108, e212	5.3
14	Revision Surgery for Delayed Gastric Conduit Emptying after Subtotal Esophagectomy with Retrosternal Reconstruction. <i>Japanese Journal of Gastroenterological Surgery</i> , 2021 , 54, 166-172	0.1
13	Intramural cyst originating from Luschka@ duct in the gall bladder: A case report. <i>International Journal of Surgery Case Reports</i> , 2021 , 81, 105794	0.8
12	Immediate one-stage breast reconstruction for an 85-year-old breast cancer patient using deep inferior epigastric perforator flap surgery. <i>Journal of Surgical Case Reports</i> , 2021 , 2021, rjab241	0.6
11	Age-Related Differences in the Prognosis of Pancreatic Cancer According to Perioperative Systemic Therapy. <i>Pancreas</i> , 2021 , 50, 37-46	2.6
10	Important points for the standard treatment of resectable pancreatic cancer. <i>Suizo</i> , 2021 , 36, 57-63	0.1
9	Intensive surveillance endoscopy for multiple gastrointestinal tumors in a patient with constitutional mismatch repair deficiency: case report. <i>BMC Gastroenterology</i> , 2021 , 21, 326	3
8	Learning From Technical Details With Effect on Postoperative Pancreatic Fistula-Reply. <i>JAMA Surgery</i> , 2021 , 156, 1183-1184	5.4
7	Paratracheal air cyst and bronchogenic cyst in patients with esophageal cancer who received thoracoscopic esophagectomy: A case series of three patients. <i>International Journal of Surgery Case Reports</i> , 2021 , 85, 106243	0.8
6	A Case of Ischemic Colitis Due to Venous Stasis Occurring Half a Year after Laparoscopic Sigmoidectomy. <i>Japanese Journal of Gastroenterological Surgery</i> , 2021 , 54, 548-555	0.1
5	Should the Supraclavicular Lymph Nodes be Considered Regional Lymph Nodes in Cervical Esophageal Cancer?. <i>Annals of Surgical Oncology</i> , 2021 , 1	3.1
4	ASO Visual Abstract: Should the Supraclavicular Lymph Nodes be Considered Regional Lymph Nodes in Cervical Esophageal Cancer?. <i>Annals of Surgical Oncology</i> , 2021 , 28, 694-695	3.1
3	A Case of Medically Refractory Cronkhite-Canada Syndrome That Was Improved by Surgical Resection of the Main Lesion. <i>Japanese Journal of Gastroenterological Surgery</i> , 2022 , 55, 132-139	0.1

- 2 Gallbladder Cancer with Acute Cholecystitis Diagnosed by Cholecystoscopy via Percutaneous Transhepatic Gallbladder Drainage. *Japanese Journal of Gastroenterological Surgery*, **2022**, 55, 182-190 o.1
- 1 Distal partial gastrectomy for gastric tube cancer with intraoperative blood flow evaluation using indocyanine green fluorescence.. *Journal of Surgical Case Reports*, **2021**, 2021, rjab574 o.6