

Tsutomu Fujii,, Facs

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7480138/tsutomu-fujii-facs-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

217
papers

4,171
citations

35
h-index

56
g-index

258
ext. papers

5,018
ext. citations

3.4
avg, IF

4.99
L-index

#	Paper	IF	Citations
217	ASO Visual Abstract: SLC7A9 as a Potential Biomarker for Lymph Node Metastasis of Esophageal Squamous Cell Carcinoma.. <i>Annals of Surgical Oncology</i> , 2022 , 29, 2710	3.1	
216	Surgical results of non-ampullary duodenal cancer: a nationwide survey in Japan.. <i>Journal of Gastroenterology</i> , 2022 , 57, 70	6.9	1
215	Matrix remodeling-associated protein 8 is a marker of a subset of cancer-associated fibroblasts in pancreatic cancer.. <i>Pathology International</i> , 2022 ,	1.8	3
214	Optimal preoperative multidisciplinary treatment in borderline resectable pancreatic cancer: Results of a dual-center study.. <i>Journal of Clinical Oncology</i> , 2022 , 40, 530-530	2.2	
213	Efficacy of active hexose correlated compound on survival of patients with resectable/borderline resectable pancreatic cancer: a study protocol for a double-blind randomized phase II study.. <i>Trials</i> , 2022 , 23, 135	2.8	
212	Randomized phase III trial of intravenous and intraperitoneal paclitaxel with S-1 versus gemcitabine plus nab-paclitaxel for pancreatic ductal adenocarcinoma with peritoneal metastasis (SP study).. <i>Trials</i> , 2022 , 23, 119	2.8	1
211	A Case of Medically Refractory Cronkhite-Canada Syndrome That Was Improved by Surgical Resection of the Main Lesion. <i>Japanese Journal of Gastroenterological Surgery</i> , 2022 , 55, 132-139	0.1	
210	Gallbladder Cancer with Acute Cholecystitis Diagnosed by Cholecystoscopy via Percutaneous Transhepatic Gallbladder Drainage. <i>Japanese Journal of Gastroenterological Surgery</i> , 2022 , 55, 182-190	0.1	
209	Abietane diterpenes from <i>Abies spectabilis</i> and their anti-pancreatic cancer activity against the MIA PaCa-2 cell line.. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2022 , 66, 128723	2.9	0
208	SLC7A9 as a Potential Biomarker for Lymph Node Metastasis of Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2021 , 1	3.1	0
207	Clinical study of modulated electro-hyperthermia for advanced metastatic breast cancer. <i>Molecular and Clinical Oncology</i> , 2021 , 14, 103	1.6	1
206	Author@ reply: Phase I/II study of adding intraperitoneal paclitaxel in patients with pancreatic cancer and peritoneal metastasis (Br J Surg 2020; 107: 1811-1817). <i>British Journal of Surgery</i> , 2021 , 108, e212	5.3	
205	Revision Surgery for Delayed Gastric Conduit Emptying after Subtotal Esophagectomy with Retrosternal Reconstruction. <i>Japanese Journal of Gastroenterological Surgery</i> , 2021 , 54, 166-172	0.1	
204	Intramural cyst originating from Luschka@ duct in the gall bladder: A case report. <i>International Journal of Surgery Case Reports</i> , 2021 , 81, 105794	0.8	
203	Conversion surgery in patients with pancreatic cancer and peritoneal metastasis. <i>Journal of Gastrointestinal Oncology</i> , 2021 , 12, S110-S117	2.8	1
202	Safety of Combined Division vs Separate Division of the Splenic Vein in Patients Undergoing Distal Pancreatectomy: A Noninferiority Randomized Clinical Trial. <i>JAMA Surgery</i> , 2021 , 156, 418-428	5.4	3
201	Survival of detached cancer cells is regulated by movement of intracellular Na,K-ATPase. <i>IScience</i> , 2021 , 24, 102412	6.1	3

200	Immediate one-stage breast reconstruction for an 85-year-old breast cancer patient using deep inferior epigastric perforator flap surgery. <i>Journal of Surgical Case Reports</i> , 2021 , 2021, rjab241	0.6	
199	Left-sided Portal Hypertension After Pancreaticoduodenectomy With Resection of the Portal Vein/Superior Mesenteric Vein Confluence in Patients With Pancreatic Cancer: A Project Study by the Japanese Society of Hepato-Biliary-Pancreatic Surgery. <i>Annals of Surgery</i> , 2021 , 274, e36-e44	7.8	15
198	Impact of Qualitative and Quantitative Biliary Contamination Status on the Incidence of Postoperative Infection Complications in Patients Undergoing Pancreatoduodenectomy. <i>Annals of Surgical Oncology</i> , 2021 , 28, 560-569	3.1	3
197	A case of pancreatic arteriovenous malformation caused acute pancreatitis. <i>Clinical Journal of Gastroenterology</i> , 2021 , 14, 364-369	1.1	2
196	Multicenter randomized phase II trial of prophylactic right-half dissection of superior mesenteric artery nerve plexus in pancreatoduodenectomy for pancreatic head cancer. <i>Annals of Gastroenterological Surgery</i> , 2021 , 5, 111-118	4.3	3
195	Expression of laminin-5 gamma 2 chain predicts invasion of extramammary Paget disease cell. <i>Apmis</i> , 2021 , 129, 3-8	3.4	0
194	Impact of Preoperative Occult-Bacterial Translocation on Surgical Site Infection in Patients Undergoing Pancreatoduodenectomy. <i>Journal of the American College of Surgeons</i> , 2021 , 232, 298-306	4.4	8
193	Peritoneal Lavage Tumor DNA as a Novel Biomarker for Predicting Peritoneal Recurrence in Pancreatic Ductal Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2021 , 28, 2277-2286	3.1	4
192	Prognosis of Immune-related Adverse Events in Patients With Advanced Gastric Cancer Treated With Nivolumab or Pembrolizumab: A Multicenter Retrospective Analysis. <i>In Vivo</i> , 2021 , 35, 475-482	2.3	7
191	Age-Related Differences in the Prognosis of Pancreatic Cancer According to Perioperative Systemic Therapy. <i>Pancreas</i> , 2021 , 50, 37-46	2.6	
190	Important points for the standard treatment of resectable pancreatic cancer. <i>Suizo</i> , 2021 , 36, 57-63	0.1	
189	TCR function analysis using a novel system reveals the multiple unconventional tumor-reactive T cells in human breast cancer-infiltrating lymphocytes. <i>European Journal of Immunology</i> , 2021 , 51, 2306-2316	6.1	1
188	Intensive surveillance endoscopy for multiple gastrointestinal tumors in a patient with constitutional mismatch repair deficiency: case report. <i>BMC Gastroenterology</i> , 2021 , 21, 326	3	
187	Learning From Technical Details With Effect on Postoperative Pancreatic Fistula-Reply. <i>JAMA Surgery</i> , 2021 , 156, 1183-1184	5.4	
186	Paratracheal air cyst and bronchogenic cyst in patients with esophageal cancer who received thoracoscopic esophagectomy: A case series of three patients. <i>International Journal of Surgery Case Reports</i> , 2021 , 85, 106243	0.8	
185	A Case of Ischemic Colitis Due to Venous Stasis Occurring Half a Year after Laparoscopic Sigmoidectomy. <i>Japanese Journal of Gastroenterological Surgery</i> , 2021 , 54, 548-555	0.1	
184	Should the Supraclavicular Lymph Nodes be Considered Regional Lymph Nodes in Cervical Esophageal Cancer?. <i>Annals of Surgical Oncology</i> , 2021 , 1	3.1	
183	ASO Visual Abstract: Should the Supraclavicular Lymph Nodes be Considered Regional Lymph Nodes in Cervical Esophageal Cancer?. <i>Annals of Surgical Oncology</i> , 2021 , 28, 694-695	3.1	

182	Limited resection vs. pancreaticoduodenectomy for primary duodenal adenocarcinoma: a systematic review and meta-analysis. <i>International Journal of Clinical Oncology</i> , 2021 , 26, 450-460	4.2	3
181	The impact of early tumor shrinkage on conversion surgery and the survival in patients with unresectable locally advanced pancreatic cancer. <i>Surgery Today</i> , 2021 , 51, 1099-1107	3	0
180	Distal partial gastrectomy for gastric tube cancer with intraoperative blood flow evaluation using indocyanine green fluorescence.. <i>Journal of Surgical Case Reports</i> , 2021 , 2021, rjab574	0.6	
179	Tumor marker recovery rather than major pathological response is a preferable prognostic factor in patients with pancreatic ductal adenocarcinoma with preoperative therapy. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020 , 27, 487-495	2.8	3
178	An outcome analysis of predictive factors for portal or splenic vein thrombosis after distal pancreatectomy. <i>Surgery Today</i> , 2020 , 50, 1282-1289	3	2
177	Characteristics of Lung Metastasis as an Initial Recurrence Pattern After Curative Resection of Pancreatic Cancer. <i>Pancreas</i> , 2020 , 49, 699-705	2.6	3
176	Chromobox 2 Expression Predicts Prognosis After Curative Resection of Oesophageal Squamous Cell Carcinoma. <i>Cancer Genomics and Proteomics</i> , 2020 , 17, 391-400	3.3	4
175	Optimal Treatment for Octogenarians With Resectable and Borderline Resectable Pancreatic Ductal Adenocarcinoma: A Multicenter Retrospective Study. <i>Pancreas</i> , 2020 , 49, 837-844	2.6	3
174	Pathophysiological properties of CLIC3 chloride channel in human gastric cancer cells. <i>Journal of Physiological Sciences</i> , 2020 , 70, 15	2.3	2
173	Expression and Malignant Potential of B4GALNT4 in Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2020 , 27, 3247-3256	3.1	3
172	ASO Author Reflections: Expression and Malignant Potential of B4GALNT4 in Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2020 , 27, 3257-3258	3.1	
171	A Case of Paget Disease Developed after Nipple-sparing Mastectomy and Implant Breast Reconstruction. <i>Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association)</i> , 2020 , 81, 1471-1475		
170	Metachronous rupture of a residual pancreaticoduodenal aneurysm after release of the median arcuate ligament: a case report. <i>Surgical Case Reports</i> , 2020 , 6, 34	0.8	2
169	A Surgical Case of Multiple Gastric Cancers on the Background of Nodular Gastritis in a Twelve-Year-Old Child. <i>Japanese Journal of Gastroenterological Surgery</i> , 2020 , 53, 693-700	0.1	
168	Optimal Preoperative Multidisciplinary Treatment in Borderline Resectable Pancreatic Cancer. <i>Cancers</i> , 2020 , 13,	6.6	4
167	Intraoperative Treatment by Expandable Metallic Stent for the Torsion of the Portal Vein after Right Hepatectomy. <i>Japanese Journal of Gastroenterological Surgery</i> , 2020 , 53, 504-511	0.1	1
166	A Case of Splenic Vein Reconstruction Combined with Portal Vein Resection in Pancreatoduodenectomy. <i>Nihon Gekakei Rengo Gakkaishi (Journal of Japanese College of Surgeons)</i> , 2020 , 45, 146-153	0	
165	ASO Author Reflections: Real Prevalence of Microorganisms in Bile in Patients Undergoing Pancreatoduodenectomy. <i>Annals of Surgical Oncology</i> , 2020 , 27, 761-762	3.1	

164	Preoperative Risk Assessment of Emergency Gastrointestinal Surgeries in Elderly Patients over 90 Years of Age. <i>Japanese Journal of Gastroenterological Surgery</i> , 2020 , 53, 549-557	0.1	1
163	Risk factors for postoperative pneumonia after general and digestive surgery: a retrospective single-center study. <i>Surgery Today</i> , 2020 , 50, 460-468	3	7
162	Novel Prognostic Implications of DUPAN-2 in the Era of Initial Systemic Therapy for Pancreatic Cancer. <i>Annals of Surgical Oncology</i> , 2020 , 27, 2081-2089	3.1	3
161	PRAME as a Potential Biomarker for Liver Metastasis of Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2020 , 27, 2071-2080	3.1	6
160	Clinical impact of additional therapy for residual pancreatic cancer. <i>Surgery Today</i> , 2020 , 50, 440-448	3	0
159	ASO Author Reflections: Real Prevalence of Occult Cancer Cells in Peritoneal Lavage in Patients with Pancreatic Ductal Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2020 , 27, 893-894	3.1	
158	Early ambulation after general and digestive surgery: a retrospective single-center study. <i>Langenbeck's Archives of Surgery</i> , 2020 , 405, 613-622	3.4	1
157	Risk prediction for malignant intraductal papillary mucinous neoplasm of the pancreas: logistic regression versus machine learning. <i>Scientific Reports</i> , 2020 , 10, 20140	4.9	5
156	No Significant Effect of Daikenchuto (TJ-100) on Peritoneal IL-9 and IFN- γ Levels After Pancreaticoduodenectomy. <i>Clinical and Experimental Gastroenterology</i> , 2020 , 13, 461-466	3.1	
155	Relationship between T cell receptor clonotype and PD-1 expression of tumor-infiltrating lymphocytes in colorectal cancer. <i>European Journal of Immunology</i> , 2020 , 50, 1580-1590	6.1	1
154	Prognostic importance of peritoneal washing cytology in patients with otherwise resectable pancreatic ductal adenocarcinoma who underwent pancreatectomy: A nationwide, cancer registry-based study from the Japan Pancreas Society. <i>Surgery</i> , 2019 , 166, 997-1003	3.6	16
153	Novel implications of combined arterial resection for locally advanced pancreatic cancer in the era of newer chemo-regimens. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 1895-1900	3.6	8
152	A double-blind randomized comparative clinical trial to evaluate the safety and efficacy of dendritic cell vaccine loaded with WT1 peptides (TLP0-001) in combination with S-1 in patients with advanced pancreatic cancer refractory to standard chemotherapy. <i>Trials</i> , 2019 , 20, 242	2.8	10
151	Effects of duration of initial treatment on postoperative complications in pancreatic cancer. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2019 , 26, 235-241	2.8	4
150	The efficacy of polyglycolic acid felt reinforcement in preventing postoperative pancreatic fistula after pancreaticojejunostomy in patients with main pancreatic duct less than 3 mm in diameter and soft pancreas undergoing pancreaticoduodenectomy (PLANET-PJ trial): study protocol for a multicentre randomized phase III trial in Japan and Korea. <i>Trials</i> , 2019 , 20, 490	2.8	3
149	Meflin-Positive Cancer-Associated Fibroblasts Inhibit Pancreatic Carcinogenesis. <i>Cancer Research</i> , 2019 , 79, 5367-5381	10.1	85
148	Expression as a Potential Biomarker for Hematogenous Recurrence of Esophageal Squamous Cell Carcinoma. <i>Anticancer Research</i> , 2019 , 39, 5943-5951	2.3	4
147	The effect of neoadjuvant chemotherapy with gemcitabine and S-1 for resectable pancreatic cancer (randomized phase II/III trial; Prep-02/JSAP-05).. <i>Journal of Clinical Oncology</i> , 2019 , 37, 4126-4126	2.2	14

146	Randomized phase II/III trial of neoadjuvant chemotherapy with gemcitabine and S-1 versus upfront surgery for resectable pancreatic cancer (Prep-02/JSAP-05).. <i>Journal of Clinical Oncology</i> , 2019 , 37, 189-189	2.3	115
145	Phase II study of chemoradiotherapy combined with gemcitabine plus nab-paclitaxel for unresectable locally advanced pancreatic ductal adenocarcinoma (NUPAT 05 Trial): study protocol for a single arm phase II study. <i>Nagoya Journal of Medical Science</i> , 2019 , 81, 233-239	0.7	3
144	Prognostic significance of nutritional and inflammatory markers in patients with unresectable pancreatic ductal adenocarcinoma treated with chemotherapy.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 219-219	2.2	
143	Predictive factors for major complications after pancreaticoduodenectomy in patients aged 80 years or older.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 199-199	2.2	
142	Pneumatosis Cystoides Intestinalis Treated under Conservative Treatment after Pancreaticoduodenectomy. <i>Japanese Journal of Gastroenterological Surgery</i> , 2019 , 52, 665-671	0.1	
141	Mediastinoscopic salvage esophagectomy for recurrent esophageal squamous cell carcinoma after definitive chemoradiotherapy in a previously pneumonectomized patient. <i>Asian Journal of Endoscopic Surgery</i> , 2019 , 12, 452-456	1.4	3
140	Clinical Impact of Neoadjuvant Chemotherapy and Chemoradiotherapy in Borderline Resectable Pancreatic Cancer: Analysis of 884 Patients at Facilities Specializing in Pancreatic Surgery. <i>Annals of Surgical Oncology</i> , 2019 , 26, 1629-1636	3.1	46
139	Phase I study of chemoradiotherapy using gemcitabine plus nab-paclitaxel for unresectable locally advanced pancreatic cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2018 , 81, 815-821	3.5	15
138	Spontaneous mesenteric hematoma of the sigmoid colon associated with rivaroxaban: A case report. <i>International Journal of Surgery Case Reports</i> , 2018 , 44, 33-37	0.8	11
137	Significance of SYT8 For the Detection, Prediction, and Treatment of Peritoneal Metastasis From Gastric Cancer. <i>Annals of Surgery</i> , 2018 , 267, 495-503	7.8	52
136	Perioperative Serum Carcinoembryonic Antigen Levels Predict Recurrence and Survival of Patients with Pathological T2-4 Gastric Cancer Treated with Curative Gastrectomy. <i>Digestive Surgery</i> , 2018 , 35, 55-63	2.5	10
135	Clinical Implications of Lysyl Oxidase-Like Protein 2 Expression in Pancreatic Cancer. <i>Scientific Reports</i> , 2018 , 8, 9846	4.9	19
134	Splenic vein resection together with the pancreatic parenchyma versus separated resection after isolation of the parenchyma during distal pancreatectomy (COSMOS-DP trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2018 , 19, 369	2.8	6
133	Resection for recurrent pancreatic cancer in the remnant pancreas after pancreatectomy is clinically promising: Results of a project study for pancreatic surgery by the Japanese Society of Hepato-Biliary-Pancreatic Surgery. <i>Surgery</i> , 2018 , 164, 1049-1056	3.6	21
132	Clinical Impact of Neoadjuvant Therapy on Nutritional Status in Pancreatic Cancer. <i>Annals of Surgical Oncology</i> , 2018 , 25, 3365-3371	3.1	19
131	Randomized Phase II Trial of CapOX plus Bevacizumab and CapIRI plus Bevacizumab as First-Line Treatment for Japanese Patients with Metastatic Colorectal Cancer (CCOG-1201 Study). <i>Oncologist</i> , 2018 , 23, 919-927	5.7	5
130	Clinical implication of nutrition for neoadjuvant therapy and impact of nutritional support in pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 416-416	2.2	
129	Phase I study of chemoradiotherapy using gemcitabine plus nab-paclitaxel for unresectable locally advanced pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 523-523	2.2	

128	Gastric venous congestion and bleeding in association with total pancreatectomy. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2018 , 25, 150-154	2.8	14
127	Preoperative Albumin-Bilirubin Grade Predicts Recurrences After Radical Gastrectomy in Patients with pT2-4 Gastric Cancer. <i>World Journal of Surgery</i> , 2018 , 42, 773-781	3.3	21
126	MAPLE-PD trial (Mesenteric Approach vs. Conventional Approach for Pancreatic Cancer during Pancreaticoduodenectomy): study protocol for a multicenter randomized controlled trial of 354 patients with pancreatic ductal adenocarcinoma. <i>Trials</i> , 2018 , 19, 613	2.8	23
125	Dual-center randomized clinical trial exploring the optimal duration of antimicrobial prophylaxis in patients undergoing pancreaticoduodenectomy following biliary drainage. <i>Annals of Gastroenterological Surgery</i> , 2018 , 2, 442-450	4.3	7
124	Prognostic Impact of Portal System Invasion in Pancreatic Cancer Based on Image Classification. <i>Pancreas</i> , 2018 , 47, 1350-1356	2.6	6
123	Significance of Lysyl oxidase-like α gene expression on the epithelial-mesenchymal status of hepatocellular carcinoma. <i>Oncology Reports</i> , 2018 , 39, 2664-2672	3.5	10
122	Transition of serum cytokines following pancreaticoduodenectomy: A subsidiary study of JAPAN-PD. <i>Oncology Letters</i> , 2018 , 16, 6847-6853	2.6	1
121	Comparison of the Survival Outcomes of Pancreatic Cancer and Intraductal Papillary Mucinous Neoplasms. <i>Pancreas</i> , 2018 , 47, 974-979	2.6	13
120	Clinical benefits of neoadjuvant chemoradiotherapy for adenocarcinoma of the pancreatic head: an observational study using inverse probability of treatment weighting. <i>Journal of Gastroenterology</i> , 2017 , 52, 81-93	6.9	34
119	Multicenter Phase II Study of Intravenous and Intraperitoneal Paclitaxel With S-1 for Pancreatic Ductal Adenocarcinoma Patients With Peritoneal Metastasis. <i>Annals of Surgery</i> , 2017 , 265, 397-401	7.8	60
118	The protein arginine methyltransferase 5 promotes malignant phenotype of hepatocellular carcinoma cells and is associated with adverse patient outcomes after curative hepatectomy. <i>International Journal of Oncology</i> , 2017 , 50, 381-386	4.4	16
117	Clinical impact of sarcopenia on prognosis in pancreatic ductal adenocarcinoma: A retrospective cohort study. <i>International Journal of Surgery</i> , 2017 , 39, 45-51	7.5	44
116	Intraperitoneal Administration of Plasma-Activated Medium: Proposal of a Novel Treatment Option for Peritoneal Metastasis From Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2017 , 24, 1188-1194	3.1	56
115	Stapling an extracorporeal Billroth-I anastomosis by the complete double stapling technique after laparoscopy-assisted distal gastrectomy. <i>Asian Journal of Endoscopic Surgery</i> , 2017 , 10, 137-142	1.4	1
114	The Charlson age comorbidity index predicts prognosis in patients with resected pancreatic cancer. <i>International Journal of Surgery</i> , 2017 , 39, 169-175	7.5	22
113	GPR155 Serves as a Predictive Biomarker for Hematogenous Metastasis in Patients with Gastric Cancer. <i>Scientific Reports</i> , 2017 , 7, 42089	4.9	19
112	Proposed Nomogram Predicting the Individual Risk of Malignancy in the Patients With Branch Duct Type Intraductal Papillary Mucinous Neoplasms of the Pancreas. <i>Annals of Surgery</i> , 2017 , 266, 1062-1068	7.8	71
111	The efficacy of steroids for postoperative persistent inflammatory reaction in a patient with barium peritonitis: A case report. <i>International Journal of Surgery Case Reports</i> , 2017 , 36, 38-41	0.8	2

110	Downregulation of GPR155 as a prognostic factor after curative resection of hepatocellular carcinoma. <i>BMC Cancer</i> , 2017 , 17, 610	4.8	8
109	Prognostic Value of Long Non-Coding RNA HULC and MALAT1 Following the Curative Resection of Hepatocellular Carcinoma. <i>Scientific Reports</i> , 2017 , 7, 16142	4.9	20
108	FBXO50 Enhances the Malignant Behavior of Gastric Cancer Cells. <i>Annals of Surgical Oncology</i> , 2017 , 24, 3771-3779	3.1	16
107	Clinical implication of Frizzled 2 expression and its association with epithelial-to-mesenchymal transition in hepatocellular carcinoma. <i>International Journal of Oncology</i> , 2017 , 50, 1647-1654	4.4	14
106	Developing better practices at the institutional level leads to better outcomes after pancreaticoduodenectomy in 3,378 patients: domestic audit of the Japanese Society of Pancreatic Surgery. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2017 , 24, 501-510	2.8	11
105	Usefulness of endoscopic ultrasonography-elastography as a predictive tool for the occurrence of pancreatic fistula after pancreatoduodenectomy. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2017 , 24, 649-656	2.8	14
104	PAX5 gene as a novel methylation marker that predicts both clinical outcome and cisplatin sensitivity in esophageal squamous cell carcinoma. <i>Epigenetics</i> , 2017 , 12, 865-874	5.7	12
103	Reinforced staplers for distal pancreatectomy. <i>Langenbeck's Archives of Surgery</i> , 2017 , 402, 1197-1204	3.4	18
102	The efficacy and safety of CapeOX plus bevacizumab therapy followed by capecitabine plus bevacizumab maintenance therapy in patients with metastatic colorectal cancer: a multi-center, single-arm, phase II study (CCOG-0902). <i>BMC Cancer</i> , 2017 , 17, 243	4.8	11
101	Evaluation and proposal of novel resectability criteria for pancreatic cancer established by the Japan Pancreas Society. <i>Surgery</i> , 2017 , 162, 784-791	3.6	22
100	Usefulness of preoperative estimated glomerular filtration rate to predict complications after curative gastrectomy in patients with clinical T2-4 gastric cancer. <i>Gastric Cancer</i> , 2017 , 20, 736-743	7.6	14
99	FAM46C Serves as a Predictor of Hepatic Recurrence in Patients with Resectable Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2017 , 24, 3438-3445	3.1	19
98	Proposal of the Coagulation Score as a Predictor for Short-Term and Long-Term Outcomes of Patients with Resectable Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2017 , 24, 502-509	3.1	40
97	Identification of as an epigenetically regulated tumor suppressor and biomarker for malignant phenotypes of squamous cell carcinoma of the esophagus. <i>Oncology Letters</i> , 2017 , 14, 4822-4828	2.6	8
96	Clinical implication of inflammation-based prognostic score and perioperative nutrition control in pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 390-390	2.2	1
95	Association of Inflammasome Components in Background Liver with Poor Prognosis After Curatively-resected Hepatocellular Carcinoma. <i>Anticancer Research</i> , 2017 , 37, 293-300	2.3	12
94	Clinical utility of the platelet-lymphocyte ratio as a predictor of postoperative complications after radical gastrectomy for clinical T2-4 gastric cancer. <i>World Journal of Gastroenterology</i> , 2017 , 23, 2519-2526	5.6	30
93	Inverse probability of treatment weighting analysis of upfront surgery versus neoadjuvant chemoradiotherapy followed by surgery for pancreatic adenocarcinoma with arterial abutment.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 440-440	2.2	

92	Clinical impact of sarcopenia on prognosis in pancreatic ductal adenocarcinoma.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 259-259	2.2	
91	The Charlson age comorbidity index to predict prognosis in patients with resected pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 495-495	2.2	
90	The efficacy and safety of CapeOX plus bevacizumab therapy with a planned oxaliplatin stop-and-go strategy in patients with metastatic colorectal cancer: A multi-center, single-arm, phase II study (CCOG-0902 study).. <i>Journal of Clinical Oncology</i> , 2017 , 35, 795-795	2.2	
89	Tumor infiltrative pattern predicts sites of recurrence after curative gastrectomy for gastric cancer.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 38-38	2.2	
88	Conversion surgery for unresectable gastric cancer following complete response of distant metastasis by systemic chemotherapy.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 152-152	2.2	
87	The Prognostic Relevance of Subcarinal Lymph Node Dissection in Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2016 , 23, 611-8	3.1	15
86	Combination of continuous paravertebral block and epidural anesthesia in postoperative pain control after esophagectomy. <i>Esophagus</i> , 2016 , 13, 42-47	5.4	10
85	The Expression of Melanoma-Associated Antigen D2 Both in Surgically Resected and Serum Samples Serves as Clinically Relevant Biomarker of Gastric Cancer Progression. <i>Annals of Surgical Oncology</i> , 2016 , 23 Suppl 2, S214-21	3.1	33
84	Epigenetic suppression of the immunoregulator MZB1 is associated with the malignant phenotype of gastric cancer. <i>International Journal of Cancer</i> , 2016 , 139, 2290-8	7.5	33
83	Protein arginine methyltransferase 5 is associated with malignant phenotype and peritoneal metastasis in gastric cancer. <i>International Journal of Oncology</i> , 2016 , 49, 1195-202	4.4	32
82	Clinicopathological Characteristics of Young Patients With Pancreatic Cancer: An Analysis of Data From Pancreatic Cancer Registry of Japan Pancreas Society. <i>Pancreas</i> , 2016 , 45, 1411-1417	2.6	13
81	Clinical Implication of Inflammation-Based Prognostic Score in Pancreatic Cancer: Glasgow Prognostic Score Is the Most Reliable Parameter. <i>Medicine (United States)</i> , 2016 , 95, e3582	1.8	70
80	The significance of relative dose intensity in adjuvant chemotherapy of pancreatic ductal adenocarcinoma-including the analysis of clinicopathological factors influencing relative dose intensity. <i>Medicine (United States)</i> , 2016 , 95, e4282	1.8	15
79	Prognostic significance of AKR1B10 gene expression in hepatocellular carcinoma and surrounding non-tumorous liver tissue. <i>Oncology Letters</i> , 2016 , 12, 4821-4828	2.6	12
78	Predictive value of drain amylase content for peripancreatic inflammatory fluid collections after laparoscopic (assisted) distal gastrectomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016 , 30, 4353-62	5.2	16
77	Function and diagnostic value of Anosmin-1 in gastric cancer progression. <i>International Journal of Cancer</i> , 2016 , 138, 721-30	7.5	45
76	Evaluation of the efficacy of daikenchuto (TJ -100) for the prevention of paralytic ileus after pancreaticoduodenectomy: A multicenter, double-blind, randomized, placebo-controlled trial. <i>Surgery</i> , 2016 , 159, 1333-41	3.6	17
75	Tumor Infiltrative Pattern Predicts Sites of Recurrence After Curative Gastrectomy for Stages 2 and 3 Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2016 , 23, 1934-40	3.1	34

74	Adverse Effects of Intraoperative Blood Loss on Long-Term Outcomes after Curative Gastrectomy of Patients with Stage II/III Gastric Cancer. <i>Digestive Surgery</i> , 2016 , 33, 121-8	2.5	32
73	Modified Blumgart Suturing Technique for Remnant Closure After Distal Pancreatectomy: a Propensity Score-Matched Analysis. <i>Journal of Gastrointestinal Surgery</i> , 2016 , 20, 374-84	3.3	14
72	Comparison of the international consensus guidelines for predicting malignancy in intraductal papillary mucinous neoplasms. <i>Surgery</i> , 2016 , 159, 878-84	3.6	40
71	Metastatic pathway-specific transcriptome analysis identifies MFSD4 as a putative tumor suppressor and biomarker for hepatic metastasis in patients with gastric cancer. <i>Oncotarget</i> , 2016 , 7, 13667-79	3.3	40
70	Alteration of recurrence patterns and prognostic factors by adjuvant S-1 monotherapy in patients with stage II/III gastric cancer.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 90-90	2.2	
69	S-1 plus nab-paclitaxel is a promising regimen for pancreatic cancer in a preclinical model. <i>Journal of Surgical Oncology</i> , 2016 , 113, 413-9	2.8	13
68	Modified two-dimensional response as surrogate marker of overall survival in patients with metastatic colorectal cancer. <i>Cancer Science</i> , 2016 , 107, 1492-1498	6.9	5
67	Nutritional predictors for postoperative short-term and long-term outcomes of patients with gastric cancer. <i>Medicine (United States)</i> , 2016 , 95, e3781	1.8	75
66	Prognostic relevance of expression in gastric cancer. <i>Oncology Letters</i> , 2016 , 12, 4708-4716	2.6	13
65	Preoperative Identification of a Prognostic Factor for Pancreatic Neuroendocrine Tumors Using Multiphase Contrast-Enhanced Computed Tomography. <i>Pancreas</i> , 2016 , 45, 198-203	2.6	22
64	NRAGE promotes the malignant phenotype of hepatocellular carcinoma. <i>Oncology Letters</i> , 2016 , 11, 1847-1854	2.6	18
63	Lymph node ratio as parameter of regional lymph node involvement in pancreatic cancer. <i>Langenbeck's Archives of Surgery</i> , 2016 , 401, 1143-1152	3.4	22
62	Adverse impact of low skeletal muscle index on the prognosis of hepatocellular carcinoma after hepatic resection. <i>International Journal of Surgery</i> , 2016 , 30, 136-42	7.5	31
61	Neurotrophin Receptor-Interacting Melanoma Antigen-Encoding Gene Homolog is Associated with Malignant Phenotype of Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2016 , 23, 532-539	3.1	16
60	Reduced Expression of Adherens Junctions Associated Protein 1 Predicts Recurrence of Hepatocellular Carcinoma After Curative Hepatectomy. <i>Annals of Surgical Oncology</i> , 2015 , 22 Suppl 3, S1499-507	3.1	22
59	Aberrant expression of melanoma-associated antigen-D2 serves as a prognostic indicator of hepatocellular carcinoma outcome following curative hepatectomy. <i>Oncology Letters</i> , 2015 , 9, 1201-1206	2.6	15
58	Vein resections >3 cm during pancreatectomy are associated with poor 1-year patency rates. <i>Surgery</i> , 2015 , 157, 708-15	3.6	39
57	Influence of Food Intake on the Healing Process of Postoperative Pancreatic Fistula After Pancreatoduodenectomy: A Multi-institutional Randomized Controlled Trial. <i>Annals of Surgical Oncology</i> , 2015 , 22, 3905-12	3.1	23

56	Suppression of SAMS1 Expression is Associated with the Malignant Phenotype of Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2015 , 22 Suppl 3, S1453-60	3.1	13
55	Prognostic impact of expression and methylation status of DENN/MADD domain-containing protein 2D in gastric cancer. <i>Gastric Cancer</i> , 2015 , 18, 288-96	7.6	40
54	Combination therapy of oncolytic herpes simplex virus HF10 and bevacizumab against experimental model of human breast carcinoma xenograft. <i>International Journal of Cancer</i> , 2015 , 136, 1718-30	7.5	32
53	Multicenter comparative study of laparoscopic and open distal pancreatectomy using propensity score-matching. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2015 , 22, 731-6	2.8	76
52	FOLFIRINOX-induced reversible dysarthria: A case report and review of previous cases. <i>Oncology Letters</i> , 2015 , 10, 2662-2664	2.6	6
51	CD44 single nucleotide polymorphism and isoform switching may predict gastric cancer recurrence. <i>Journal of Surgical Oncology</i> , 2015 , 112, 622-8	2.8	13
50	A vascular endothelial growth factor gene polymorphism predicts malignant potential in intraductal papillary mucinous neoplasm. <i>Pancreas</i> , 2015 , 44, 608-14	2.6	1
49	Factors related to occurrence and aggravation of pancreatic fistula after radical gastrectomy for gastric cancer. <i>Journal of Surgical Oncology</i> , 2015 , 112, 381-6	2.8	19
48	Oral Food Intake Versus Fasting on Postoperative Pancreatic Fistula After Distal Pancreatectomy: A Multi-Institutional Randomized Controlled Trial. <i>Medicine (United States)</i> , 2015 , 94, e2398	1.8	8
47	Inverse Probability of Treatment Weighting Analysis of Upfront Surgery Versus Neoadjuvant Chemoradiotherapy Followed by Surgery for Pancreatic Adenocarcinoma with Arterial Abutment. <i>Medicine (United States)</i> , 2015 , 94, e1647	1.8	40
46	Translational implication of Kallmann syndrome-1 gene expression in hepatocellular carcinoma. <i>International Journal of Oncology</i> , 2015 , 46, 2546-54	4.4	10
45	Significance of the Splenic Vein and Its Branches in Pancreatoduodenectomy with Resection of the Portal Vein System. <i>Digestive Surgery</i> , 2015 , 32, 382-8	2.5	21
44	The impact of dose/time modification in irinotecan- and oxaliplatin-based chemotherapies on outcomes in metastatic colorectal cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2014 , 73, 847-55	3.5	31
43	Clinical implication of morphological subtypes in management of intraductal papillary mucinous neoplasm. <i>Annals of Surgical Oncology</i> , 2014 , 21, 2444-52	3.1	35
42	Overexpression of L1CAM is associated with tumor progression and prognosis via ERK signaling in gastric cancer. <i>Annals of Surgical Oncology</i> , 2014 , 21, 560-8	3.1	20
41	Combination treatment of human pancreatic cancer xenograft models with the epidermal growth factor receptor tyrosine kinase inhibitor erlotinib and oncolytic herpes simplex virus HF10. <i>Annals of Surgical Oncology</i> , 2014 , 21, 691-8	3.1	17
40	Preservation of the pyloric ring confers little benefit in patients undergoing total pancreatectomy. <i>World Journal of Surgery</i> , 2014 , 38, 1807-13	3.3	8
39	Modified Blumgart anastomosis for pancreaticojejunostomy: technical improvement in matched historical control study. <i>Journal of Gastrointestinal Surgery</i> , 2014 , 18, 1108-15	3.3	108

38	Epidermal growth factor receptor inhibition attenuates liver fibrosis and development of hepatocellular carcinoma. <i>Hepatology</i> , 2014 , 59, 1577-90	11.2	216
37	Epithelial to mesenchymal transition correlates with tumor budding and predicts prognosis in esophageal squamous cell carcinoma. <i>Journal of Surgical Oncology</i> , 2014 , 110, 764-9	2.8	42
36	Epithelial to mesenchymal transition might be induced via CD44 isoform switching in colorectal cancer. <i>Journal of Surgical Oncology</i> , 2014 , 110, 745-51	2.8	23
35	Dihydropyrimidinase-like 3 facilitates malignant behavior of gastric cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2014 , 33, 66	12.8	39
34	Combination of the serum carbohydrate antigen 19-9 and carcinoembryonic antigen is a simple and accurate predictor of mortality in pancreatic cancer patients. <i>Surgery Today</i> , 2014 , 44, 1692-701	3	39
33	Expression analysis of THOP1 in background liver, a prognostic predictive factor in hepatocellular carcinoma, extracted by multiarray analysis. <i>Annals of Surgical Oncology</i> , 2014 , 21 Suppl 3, S443-50	3.1	9
32	Identification of intragenic methylation in the TUSC1 gene as a novel prognostic marker of hepatocellular carcinoma. <i>Oncology Reports</i> , 2014 , 31, 1305-13	3.5	19
31	Estimated pancreatic parenchymal remnant volume accurately predicts clinically relevant pancreatic fistula after pancreatoduodenectomy. <i>Surgery</i> , 2014 , 156, 601-10	3.6	28
30	Decreased expression of prenyl diphosphate synthase subunit 2 correlates with reduced survival of patients with gastric cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , 2014 , 33, 88	12.8	25
29	Reduced expression of DENND2D through promoter hypermethylation is an adverse prognostic factor in squamous cell carcinoma of the esophagus. <i>Oncology Reports</i> , 2014 , 31, 693-700	3.5	20
28	Epithelial-to-mesenchymal transition predicts prognosis in clinical gastric cancer. <i>Journal of Surgical Oncology</i> , 2014 , 109, 684-9	2.8	48
27	Clinical significance of expression and epigenetic profiling of TUSC1 in gastric cancer. <i>Journal of Surgical Oncology</i> , 2014 , 110, 136-44	2.8	28
26	Identification of the collagen type 1 α 1 gene (COL1A1) as a candidate survival-related factor associated with hepatocellular carcinoma. <i>BMC Cancer</i> , 2014 , 14, 108	4.8	56
25	Neoadjuvant chemoradiotherapy with S-1 in patients with borderline resectable pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 302-302	2.2	3
24	Overexpression of melanoma-associated antigen D4 as an independent prognostic factor in squamous cell carcinoma of the esophagus.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 71-71	2.2	
23	Risk factors that affect continuation of S-1 chemotherapy as an adjuvant setting after radical gastrectomy for gastric cancer.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 151-151	2.2	
22	Response to the first-line FOLFOX plus bevacizumab (BEV) therapy to predict responses to the subsequent therapies and survival in the BEV beyond progression (BBP) strategy for metastatic colorectal cancer: A retrospective analysis of CCOG-0801 study.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 428-428	2.2	
21	Reduced expression of DENND2D through promoter hypermethylation as an adverse prognostic factor in squamous cell carcinoma of the esophagus.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 58-58	2.2	

20	The impact of dose reduction and time delay in irinotecan- and oxaliplatin-based chemotherapies on outcomes in metastatic colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 631-631	2.2	
19	Extended lymphadenectomy in pancreatic cancer is crucial. <i>World Journal of Surgery</i> , 2013 , 37, 1778-81	3.3	11
18	Detection of doublecortin domain-containing 2 (DCDC2), a new candidate tumor suppressor gene of hepatocellular carcinoma, by triple combination array analysis. <i>Journal of Experimental and Clinical Cancer Research</i> , 2013 , 32, 65	12.8	13
17	Evaluation of MAGE-D4 expression in hepatocellular carcinoma in Japanese patients. <i>Journal of Surgical Oncology</i> , 2013 , 108, 557-62	2.8	19
16	A functional polymorphism in the epidermal growth factor gene predicts hepatocellular carcinoma risk in Japanese hepatitis C patients. <i>OncoTargets and Therapy</i> , 2013 , 6, 1805-12	4.4	13
15	Dynamin 3: a new candidate tumor suppressor gene in hepatocellular carcinoma detected by triple combination array analysis. <i>OncoTargets and Therapy</i> , 2013 , 6, 1417-24	4.4	25
14	Impact of relative dose intensity on the outcome of metastatic colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 508-508	2.2	
13	Classification of the celiac axis stenosis owing to median arcuate ligament compression, based on severity of the stenosis with subsequent proposals for management during pancreatoduodenectomy. <i>Surgery</i> , 2012 , 151, 543-9	3.6	48
12	Preservation of the pyloric ring has little value in surgery for pancreatic head cancer: a comparative study comparing three surgical procedures. <i>Annals of Surgical Oncology</i> , 2012 , 19, 176-83	3.1	50
11	The efficacy and safety of bevacizumab beyond first progression in patients treated with first-line mFOLFOX6 followed by second-line FOLFIRI in advanced colorectal cancer: a multicenter, single-arm, phase II trial (CCOG-0801). <i>Cancer Chemotherapy and Pharmacology</i> , 2012 , 70, 575-81	3.5	11
10	Identification of the bleomycin hydrolase gene as a methylated tumor suppressor gene in hepatocellular carcinoma using a novel triple-combination array method. <i>Cancer Letters</i> , 2011 , 312, 150-9	9.9	22
9	Reduced expression of reelin (RELN) gene is associated with high recurrence rate of hepatocellular carcinoma. <i>Annals of Surgical Oncology</i> , 2011 , 18, 572-9	3.1	43
8	Invasion of the splenic artery is a crucial prognostic factor in carcinoma of the body and tail of the pancreas. <i>Annals of Surgery</i> , 2010 , 251, 483-7	7.8	50
7	Epidermal growth factor-containing fibulin-like extracellular matrix protein 1, EFEMP1, a novel tumor-suppressor gene detected in hepatocellular carcinoma using double combination array analysis. <i>Annals of Surgical Oncology</i> , 2010 , 17, 923-32	3.1	62
6	Mouse model of carbon tetrachloride induced liver fibrosis: Histopathological changes and expression of CD133 and epidermal growth factor. <i>BMC Gastroenterology</i> , 2010 , 10, 79	3	121
5	Epithelial-to-mesenchymal transition and integrin-linked kinase mediate sensitivity to epidermal growth factor receptor inhibition in human hepatoma cells. <i>Cancer Research</i> , 2008 , 68, 2391-9	10.1	268
4	Clinical implications of peritoneal cytology in potentially resectable pancreatic cancer: positive peritoneal cytology may not confer an adverse prognosis. <i>Annals of Surgery</i> , 2007 , 246, 254-8	7.8	41
3	Indications and techniques of extended resection for pancreatic cancer. <i>World Journal of Surgery</i> , 2006 , 30, 976-82; discussion 983-4	3.3	146

- 2 Overexpression of pituitary tumor transforming gene 1 in HCC is associated with angiogenesis and poor prognosis. *Hepatology*, **2006**, 43, 1267-75 11.2 66
- 1 Is pancreaticogastrostomy safer than pancreaticojejunostomy?. *Journal of Hepato-Biliary-Pancreatic Surgery*, **2006**, 13, 202-6 12