

Guosong Wu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7480611/publications.pdf>

Version: 2024-02-01

102
papers

4,296
citations

81743

39
h-index

118652

62
g-index

102
all docs

102
docs citations

102
times ranked

3513
citing authors

#	ARTICLE	IF	CITATIONS
1	Surface design of biodegradable magnesium alloys – A review. <i>Surface and Coatings Technology</i> , 2013, 233, 2-12.	2.2	309
2	Enhanced antimicrobial properties, cytocompatibility, and corrosion resistance of plasma-modified biodegradable magnesium alloys. <i>Acta Biomaterialia</i> , 2014, 10, 544-556.	4.1	194
3	Electrochemical corrosion behavior of biodegradable Mg–Y–RE and Mg–Zn–Zr alloys in Ringer’s solution and simulated body fluid. <i>Corrosion Science</i> , 2015, 91, 160-184.	3.0	162
4	Improvement of corrosion resistance and biocompatibility of rare-earth WE43 magnesium alloy by neodymium self-ion implantation. <i>Corrosion Science</i> , 2015, 94, 142-155.	3.0	161
5	Engineering and functionalization of biomaterials via surface modification. <i>Journal of Materials Chemistry B</i> , 2015, 3, 2024-2042.	2.9	138
6	Effects of zirconium and oxygen plasma ion implantation on the corrosion behavior of ZK60 Mg alloy in simulated body fluids. <i>Corrosion Science</i> , 2014, 82, 7-26.	3.0	106
7	Simultaneously improving corrosion resistance and mechanical properties of a magnesium alloy via equal-channel angular pressing and post water annealing. <i>Materials and Design</i> , 2019, 166, 107621.	3.3	97
8	Effect of bias voltage on growth property of Cr-DLC film prepared by linear ion beam deposition technique. <i>Vacuum</i> , 2010, 85, 231-235.	1.6	94
9	Preparation, characterization and properties of Cr-incorporated DLC films on magnesium alloy. <i>Diamond and Related Materials</i> , 2010, 19, 1307-1315.	1.8	89
10	Improving wear resistance and corrosion resistance of AZ31 magnesium alloy by DLC/AlN/Al coating. <i>Surface and Coatings Technology</i> , 2010, 205, 2067-2073.	2.2	85
11	In situ synthesis of Ni(OH) ₂ /TiO ₂ composite film on NiTi alloy for non-enzymatic glucose sensing. <i>Sensors and Actuators B: Chemical</i> , 2016, 232, 150-157.	4.0	80
12	Growth and corrosion of aluminum PVD-coating on AZ31 magnesium alloy. <i>Materials Letters</i> , 2008, 62, 4325-4327.	1.3	79
13	Corrosion behavior of SS316L in simulated and accelerated PEMFC environments. <i>International Journal of Hydrogen Energy</i> , 2011, 36, 13032-13042.	3.8	79
14	Systematic Study of Inherent Antibacterial Properties of Magnesium-based Biomaterials. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 9662-9673.	4.0	79
15	Early oxidation behaviors of Mg–Y alloys at high temperatures. <i>Journal of Alloys and Compounds</i> , 2008, 460, 368-374.	2.8	74
16	Plasma modified Mg–Nd–Zn–Zr alloy with enhanced surface corrosion resistance. <i>Corrosion Science</i> , 2014, 78, 121-129.	3.0	73
17	Effects of tantalum ion implantation on the corrosion behavior of AZ31 magnesium alloys. <i>Journal of Alloys and Compounds</i> , 2007, 437, 87-92.	2.8	70
18	Influence of interlayers on corrosion resistance of diamond-like carbon coating on magnesium alloy. <i>Surface and Coatings Technology</i> , 2010, 204, 2193-2196.	2.2	65

#	ARTICLE	IF	CITATIONS
19	Effects of silicon plasma ion implantation on electrochemical corrosion behavior of biodegradable Mg–RE Alloy. <i>Corrosion Science</i> , 2013, 69, 158-163.	3.0	65
20	Electrochemical properties and corrosion resistance of carbon-ion-implanted magnesium. <i>Corrosion Science</i> , 2014, 82, 173-179.	3.0	65
21	Plasma Surface Functionalized Polyetheretherketone for Enhanced Osseo-Integration at Bone-Implant Interface. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 3901-3911.	4.0	64
22	Improved corrosion resistance and cytocompatibility of magnesium alloy by two-stage cooling in thermal treatment. <i>Corrosion Science</i> , 2012, 59, 360-365.	3.0	63
23	Extracellular Electron Transfer from Aerobic Bacteria to Au-Loaded TiO ₂ Semiconductor without Light: A New Bacteria-Killing Mechanism Other than Localized Surface Plasmon Resonance or Microbial Fuel Cells. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 24509-24516.	4.0	62
24	Plasma-Modified Biomaterials for Self-Antimicrobial Applications. <i>ACS Applied Materials & Interfaces</i> , 2011, 3, 2851-2860.	4.0	61
25	Achieving an acid resistant surface on magnesium alloy via bio-inspired design. <i>Applied Surface Science</i> , 2019, 478, 150-161.	3.1	60
26	Retardation of surface corrosion of biodegradable magnesium-based materials by aluminum ion implantation. <i>Applied Surface Science</i> , 2012, 258, 7651-7657.	3.1	59
27	Mitigation of Corrosion on Magnesium Alloy by Predesigned Surface Corrosion. <i>Scientific Reports</i> , 2015, 5, 17399.	1.6	59
28	Improved surface corrosion resistance of WE43 magnesium alloy by dual titanium and oxygen ion implantation. <i>Thin Solid Films</i> , 2013, 529, 407-411.	0.8	58
29	Self-protection against corrosion of aged magnesium alloy in simulated physiological environment. <i>Corrosion Science</i> , 2013, 68, 279-285.	3.0	56
30	Characterization of ceramic PVD thin films on AZ31 magnesium alloys. <i>Applied Surface Science</i> , 2006, 252, 7422-7429.	3.1	55
31	Effects of zirconium and nitrogen plasma immersion ion implantation on the electrochemical corrosion behavior of Mg–RE alloy in simulated body fluid and cell culture medium. <i>Corrosion Science</i> , 2014, 86, 239-251.	3.0	53
32	Excellent corrosion resistance of P and Fe modified micro-arc oxidation coating on Al alloy. <i>Journal of Alloys and Compounds</i> , 2017, 710, 452-459.	2.8	53
33	Improving corrosion resistance of titanium-coated magnesium alloy by modifying surface characteristics of magnesium alloy prior to titanium coating deposition. <i>Scripta Materialia</i> , 2009, 61, 269-272.	2.6	52
34	Controllable degradation of biomedical magnesium by chromium and oxygen dual ion implantation. <i>Materials Letters</i> , 2011, 65, 2171-2173.	1.3	49
35	Rapid degradation of biomedical magnesium induced by zinc ion implantation. <i>Materials Letters</i> , 2011, 65, 661-663.	1.3	47
36	Effects of surface alloying on electrochemical corrosion behavior of oxygen-plasma-modified biomedical magnesium alloy. <i>Surface and Coatings Technology</i> , 2012, 206, 3186-3195.	2.2	47

#	ARTICLE	IF	CITATIONS
37	Fabrication of Al and Al/Ti coatings on magnesium alloy by sputtering. <i>Materials Letters</i> , 2007, 61, 3815-3817.	1.3	44
38	The corrosion behavior of Ce-implanted magnesium alloys. <i>Materials Characterization</i> , 2008, 59, 618-623.	1.9	42
39	Preparation and characterization of ceramic/metal duplex coatings deposited on AZ31 magnesium alloy by multi-magnetron sputtering. <i>Materials Letters</i> , 2006, 60, 674-678.	1.3	41
40	Formation and electrochemical behavior of Al and O plasma-implanted biodegradable Mg-Y-RE alloy. <i>Materials Chemistry and Physics</i> , 2012, 132, 187-191.	2.0	41
41	The effect of interlayer on corrosion resistance of ceramic coating/Mg alloy substrate in simulated physiological environment. <i>Surface and Coatings Technology</i> , 2012, 206, 4892-4898.	2.2	39
42	Tension-compression asymmetry of the AZ91 magnesium alloy with multi-heterogenous microstructure. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 759, 703-707.	2.6	39
43	Nonleaching Antibacterial Concept Demonstrated by In Situ Construction of 2D Nanoflakes on Magnesium. <i>Advanced Science</i> , 2020, 7, 1902089.	5.6	39
44	Improved corrosion resistance on biodegradable magnesium by zinc and aluminum ion implantation. <i>Applied Surface Science</i> , 2012, 263, 608-612.	3.1	37
45	Surface oxidation behavior of MgNd alloys. <i>Applied Surface Science</i> , 2007, 253, 9017-9023.	3.1	36
46	Achieving controllable degradation of a biomedical magnesium alloy by anodizing in molten ammonium bifluoride. <i>Surface and Coatings Technology</i> , 2017, 313, 282-287.	2.2	35
47	Corrosion behavior of Ti-Al-N/Ti-Al duplex coating on AZ31 magnesium alloy in NaCl aqueous solution. <i>Materials Characterization</i> , 2009, 60, 803-807.	1.9	33
48	The effect of Y-ion implantation on the oxidation of AZ31 magnesium alloy. <i>Materials Letters</i> , 2007, 61, 968-970.	1.3	31
49	Nickel plasma modification of graphene for high-performance non-enzymatic glucose sensing. <i>Sensors and Actuators B: Chemical</i> , 2017, 251, 842-850.	4.0	31
50	Improved corrosion and wear resistance of micro-arc oxidation coatings on the 2024 aluminum alloy by incorporation of quasi-two-dimensional sericite microplates. <i>Applied Surface Science</i> , 2022, 585, 152693.	3.1	29
51	Yttrium ion implantation on the surface properties of magnesium. <i>Applied Surface Science</i> , 2006, 253, 2437-2442.	3.1	28
52	Effects of cerium ion implantation on the corrosion behavior of magnesium in different biological media. <i>Surface and Coatings Technology</i> , 2016, 306, 6-10.	2.2	28
53	The effects of cerium implantation on the oxidation behavior of AZ31 magnesium alloys. <i>Journal of Alloys and Compounds</i> , 2008, 456, 384-389.	2.8	27
54	Effect of hierarchical precipitates on corrosion behavior of fine-grain magnesium-gadolinium-silver alloy. <i>Corrosion Science</i> , 2022, 194, 109924.	3.0	27

#	ARTICLE	IF	CITATIONS
55	Surface analysis and oxidation behavior of Y-ion implanted AZ31 magnesium alloys. <i>Applied Surface Science</i> , 2007, 253, 3574-3580.	3.1	25
56	Persistent photoconductivity in ZnO nanostructures induced by surface oxygen vacancy. <i>Physica Status Solidi - Rapid Research Letters</i> , 2012, 6, 117-119.	1.2	24
57	Formation by reactive magnetron sputtering of TiN coating on Ti-implanted magnesium alloy. <i>Materials Letters</i> , 2006, 60, 2252-2255.	1.3	23
58	Structure and elastic recovery of Cr ⁺ C:H films deposited by a reactive magnetron sputtering technique. <i>Applied Surface Science</i> , 2010, 257, 244-248.	3.1	22
59	Wear mechanism and tribological characteristics of porous NiTi shape memory alloy for bone scaffold. <i>Journal of Biomedical Materials Research - Part A</i> , 2013, 101A, 2586-2601.	2.1	22
60	Supercapacitor Electrodes Based on Hierarchical Mesoporous MnO _x /Nitrided TiO ₂ Nanorod Arrays on Carbon Fiber Paper. <i>Advanced Materials Interfaces</i> , 2015, 2, 1400446.	1.9	22
61	Effects of silver plasma immersion ion implantation on the surface characteristics and cytocompatibility of titanium nitride films. <i>Surface and Coatings Technology</i> , 2015, 279, 166-170.	2.2	22
62	Magnetron-sputtered fluorocarbon polymeric film on magnesium for corrosion protection. <i>Surface and Coatings Technology</i> , 2018, 352, 437-444.	2.2	22
63	Formation of self-layered hydrothermal coating on magnesium aided by titanium ion implantation: Synergistic control of corrosion resistance and cytocompatibility. <i>Surface and Coatings Technology</i> , 2020, 401, 126251.	2.2	21
64	Achieving gradient heterogeneous structure in Mg alloy for excellent strength-ductility synergy. <i>Journal of Magnesium and Alloys</i> , 2023, 11, 2392-2403.	5.5	20
65	Corrosion behavior of chromium and oxygen plasma-modified magnesium in sulfate solution and simulated body fluid. <i>Applied Surface Science</i> , 2012, 258, 8273-8278.	3.1	19
66	Revealing anti-corrosion behavior of magnesium alloy in simulated concrete pore solution. <i>Materials Letters</i> , 2021, 285, 129047.	1.3	19
67	Developing a high-performance Mg-5.7Gd-1.9Ag wrought alloy via hot rolling and aging. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 803, 140707.	2.6	19
68	Fabrication of Cr coating on AZ31 magnesium alloy by magnetron sputtering. <i>Transactions of Nonferrous Metals Society of China</i> , 2008, 18, s329-s333.	1.7	18
69	Effects of carbon dioxide plasma immersion ion implantation on the electrochemical properties of AZ31 magnesium alloy in physiological environment. <i>Applied Surface Science</i> , 2013, 286, 257-260.	3.1	18
70	Plasma and ion-beam modification of metallic biomaterials for improved anti-bacterial properties. <i>Surface and Coatings Technology</i> , 2016, 306, 140-146.	2.2	18
71	Hafnium-implanted WE43 magnesium alloy for enhanced corrosion protection and biocompatibility. <i>Surface and Coatings Technology</i> , 2016, 306, 11-15.	2.2	18
72	Improved corrosion resistance of Mg-Y-RE alloy coated with niobium nitride. <i>Thin Solid Films</i> , 2014, 572, 85-90.	0.8	17

#	ARTICLE	IF	CITATIONS
73	Dual Ti and C ion-implanted stainless steel bipolar plates in polymer electrolyte membrane fuel cells. <i>Surface and Coatings Technology</i> , 2012, 206, 2914-2921.	2.2	16
74	Robust Electrodes Based on Coaxial TiC/C-MnO ₂ Core/Shell Nanofiber Arrays with Excellent Cycling Stability for High-Performance Supercapacitors. <i>Small</i> , 2015, 11, 1847-1856.	5.2	15
75	Corrosion behavior of Mg-5.7Gd-1.9Ag Mg alloy sheet. <i>Journal of Alloys and Compounds</i> , 2022, 915, 165241.	2.8	14
76	Surface microstructurization of a sputtered magnesium thin film via a solution immersion route. <i>Materials Letters</i> , 2010, 64, 475-478.	1.3	13
77	In vitro corrosion inhibition on biomedical shape memory alloy by plasma-polymerized allylamine film. <i>Materials Letters</i> , 2012, 89, 51-54.	1.3	13
78	Unusual anti-bacterial behavior and corrosion resistance of magnesium alloy coated with diamond-like carbon. <i>RSC Advances</i> , 2016, 6, 14756-14762.	1.7	13
79	Effects of diamond-like carbon film on the corrosion behavior of NdFeB permanent magnet. <i>Surface and Coatings Technology</i> , 2017, 312, 66-74.	2.2	13
80	Improving Corrosion Resistance of Magnesium Alloy in Cl- Containing Simulated Concrete Pore Solution by Ultrasound-Assisted Chemical Deposition. <i>Scanning</i> , 2021, 2021, 1-8.	0.7	13
81	Effects of chromium ion implantation voltage on the corrosion resistance and cytocompatibility of dual chromium and oxygen plasma-ion-implanted biodegradable magnesium. <i>Surface and Coatings Technology</i> , 2013, 235, 875-880.	2.2	12
82	Improved Corrosion Resistance of Magnesium Alloy in Simulated Concrete Pore Solution by Hydrothermal Treatment. <i>Scanning</i> , 2020, 2020, 1-7.	0.7	12
83	Formation of a novel nanocrystalline coating on AZ31 magnesium alloy by bias sputtering. <i>Materials Letters</i> , 2007, 61, 4019-4022.	1.3	11
84	Rare-earth-incorporated polymeric vector for enhanced gene delivery. <i>Biomaterials</i> , 2014, 35, 479-488.	5.7	11
85	Praseodymium-surface-modified magnesium alloy: Retardation of corrosion in artificial hand sweat. <i>Materials Letters</i> , 2016, 163, 85-89.	1.3	11
86	Investigation of Indenter-Size-Dependent Nanoplasticity of Silicon by Molecular Dynamics Simulation. <i>ACS Applied Electronic Materials</i> , 2020, 2, 3039-3047.	2.0	10
87	Cyclic oxidation behaviour of cerium implanted AZ31 magnesium alloys. <i>Materials Letters</i> , 2007, 61, 1429-1432.	1.3	9
88	Enhancing corrosion resistance of hydrothermally-treated magnesium-aluminum alloys by preprocessed metallurgical microstructure. <i>Thin Solid Films</i> , 2022, 752, 139247.	0.8	9
89	Tuning strength-ductility combination on selective laser melted 316L stainless steel through gradient heterogeneous structure. <i>Additive Manufacturing</i> , 2021, 48, 102373.	1.7	8
90	Mediating the strength, ductility and corrosion resistance of high aluminum containing magnesium alloy by engineering hierarchical precipitates. <i>Journal of Alloys and Compounds</i> , 2021, 857, 158277.	2.8	7

#	ARTICLE	IF	CITATIONS
91	Plasma-target surface interaction during non-equilibrium plasma irradiation at atmospheric pressure: Generation of dusty plasma. <i>Laser and Particle Beams</i> , 2014, 32, 69-78.	0.4	6
92	Oxidation kinetics of magnesium alloys treated by tantalum ions implantation. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2007, 263, 401-406.	0.6	5
93	Electrochemical degradation and extraction capability of magnesium wastes in sewage treatment. <i>Materials and Design</i> , 2016, 111, 537-540.	3.3	4
94	Antibacterial Biomaterials: Nonleaching Antibacterial Concept Demonstrated by In Situ Construction of 2D Nanoflakes on Magnesium (<i>Adv. Sci.</i> 1/2020). <i>Advanced Science</i> , 2020, 7, 2070006.	5.6	3
95	Recent Applications of Scanning Microscopy in Surface Engineering. <i>Scanning</i> , 2018, 2018, 1-2.	0.7	2
96	Influence of gradient interlayer thickness on corrosion and tribological behavior of Ti-containing multilayer graphite-like carbon films. <i>Wear</i> , 2022, 488-489, 204177.	1.5	2
97	Enhanced corrosion resistance of magnesium-neodymium alloy in simulated concrete pore solution by predesigned corrosion product. <i>Materials Today Communications</i> , 2022, 32, 104027.	0.9	2
98	Impact responses of a multi-element quartz shock gauge. <i>Sensors and Actuators A: Physical</i> , 2008, 141, 353-358.	2.0	1
99	Improving the degradation behavior of magnesium alloy by plasma surface modification for biomedical application. , 2012, , .		1
100	Improving the corrosion resistance of biodegradable magnesium alloy by plasma dual ion implantation. , 2012, , .		1
101	Shrinking tension-compression asymmetry of Au nanowires by designed nanotwin boundaries. <i>Materials Chemistry and Physics</i> , 2020, 252, 123267.	2.0	1
102	Retardation of degradation of biomedical magnesium alloy by plasma-based deposition technique. , 2012, , .		0