## Joseph P Cravero

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7482223/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Should I irradiate with computed tomography or sedate for magnetic resonance imaging?. Pediatric Radiology, 2022, 52, 340-344.	1.1	12
2	Assessing and conveying risks and benefits of imaging in neonates using ionizing radiation and sedation/anesthesia. Pediatric Radiology, 2022, 52, 616-621.	1.1	4
3	Standardizing Opioid Prescribing in a Pediatric Hospital: A Quality Improvement Effort. Hospital Pediatrics, 2022, 12, 164-173.	0.6	1
4	A Single Center Case Series of Gender-Affirming Surgeries and the Evolution of a Specialty Anesthesia Team. Journal of Clinical Medicine, 2022, 11, 1943.	1.0	5
5	Bilateral Erector Spinae Blocks Decrease Perioperative Opioid Use After Pediatric Cardiac Surgery. Journal of Cardiothoracic and Vascular Anesthesia, 2021, 35, 2082-2087.	0.6	24
6	Aerosol barriers in pediatric anesthesiology: Clinical data supports FDA caution. Paediatric Anaesthesia, 2021, 31, 461-464.	0.6	7
7	Risk of Hypoxemia by Induction Technique Among Infants and Neonates Undergoing Pyloromyotomy. Anesthesia and Analgesia, 2021, 132, 367-373.	1.1	15
8	Food allergy history and reaction to propofol administration in a large pediatric population. Paediatric Anaesthesia, 2021, 31, 570-577.	0.6	3
9	Free-breathing radial stack-of-stars three-dimensional Dixon gradient echo sequence in abdominal magnetic resonance imaging in sedated pediatric patients. Pediatric Radiology, 2021, 51, 1645-1653.	1.1	7
10	A survey of the global impact of COVIDâ€19 on the practice of pediatric anesthesia: A study from the pediatric anesthesia COVIDâ€19 Collaborative Group. Paediatric Anaesthesia, 2021, 31, 720-729.	0.6	6
11	Trends in Pediatric MRI sedation/anesthesia at a tertiary medical center over time. Paediatric Anaesthesia, 2021, 31, 953-961.	0.6	13
12	Performing Multiple Posterior Spinal Fusions in 1 Day. Journal of Pediatric Orthopaedics, 2021, Publish Ahead of Print, e722-e726.	0.6	0
13	Role of outpatient pediatric natural airway sedation during the COVIDâ€19 pandemic. Paediatric Anaesthesia, 2020, 30, 841-842.	0.6	1
14	A systematic review of outcomes reported in pediatric perioperative research: A report from the Pediatric Perioperative Outcomes Group. Paediatric Anaesthesia, 2020, 30, 1166-1182.	0.6	20
15	Comparison of regional analgesia techniques for pleurodesis pain in pediatric patients. Paediatric Anaesthesia, 2020, 30, 1102-1108.	0.6	4
16	Postoperative pain and psychological outcomes following minimally invasive pectus excavatum repair: A report from the Society for Pediatric Anesthesia Improvement Network. Paediatric Anaesthesia, 2020, 30, 1006-1012.	0.6	7
17	If the watch fits—Wear it. Paediatric Anaesthesia, 2020, 30, 518-519.	0.6	1
18	Trends in Outpatient Procedural Sedation: 2007–2018. Pediatrics, 2020, 145, .	1.0	34

#	Article	IF	CITATIONS
19	Anesthesia Outside the Operating Room. , 2019, , 1077-1094.e4.		о
20	Measuring behavioral and emotional changes in children following hospitalization: Limitations and future directions. Paediatric Anaesthesia, 2019, 29, 1083-1085.	0.6	4
21	Reply to Austin, Thomas; Gilbertson, Laura; Lam, Humphrey, regarding their comment 'Redefining the primary dependent variable. Paediatric Anaesthesia, 2019, 29, 1073-1074.	0.6	Ο
22	The association between highâ€volume intraoperative fluid administration and outcomes among pediatric patients undergoing large bowel resection. Paediatric Anaesthesia, 2019, 29, 315-321.	0.6	8
23	The Effect of Suprainguinal Fascia Iliaca Block on the Recovery of Patients after Arthroscopic Hip Surgery. Paediatric Anaesthesia, 2019, 29, 829-834.	0.6	9
24	The effect of pediatric patient temperament on postoperative outcomes. Paediatric Anaesthesia, 2019, 29, 721-729.	0.6	4
25	The Society for Pediatric Anesthesia recommendations for the use of opioids in children during the perioperative period. Paediatric Anaesthesia, 2019, 29, 547-571.	0.6	102
26	Airway management in patients with mucopolysaccharidoses: The progression toward difficult intubation. Paediatric Anaesthesia, 2019, 29, 620-627.	0.6	9
27	Neurodevelopmental outcome at 5 years of age after general anaesthesia or awake-regional anaesthesia in infancy (GAS): an international, multicentre, randomised, controlled equivalence trial. Lancet, The, 2019, 393, 664-677.	6.3	526
28	Perioperative Management and In-Hospital Outcomes After Minimally Invasive Repair of Pectus Excavatum: A Multicenter Registry Report From the Society for Pediatric Anesthesia Improvement Network. Anesthesia and Analgesia, 2019, 128, 315-327.	1.1	26
29	The Anesthesia Perioperative "Call for Helpâ€â€"Experience at a Quaternary Pediatric Medical Center. Anesthesia and Analgesia, 2018, 127, 126-133.	1.1	15
30	Erector spinae plane block for inguinal hernia repair in preterm infants. Paediatric Anaesthesia, 2018, 28, 298-299.	0.6	27
31	Efficacy Outcome Measures for Pediatric Procedural Sedation Clinical Trials: An ACTTION Systematic Review. Anesthesia and Analgesia, 2018, 126, 956-967.	1.1	14
32	lonizing radiation from computed tomography versus anesthesia for magnetic resonance imaging in infants and children: patient safety considerations. Pediatric Radiology, 2018, 48, 21-30.	1.1	80
33	Population analysis of predictors of difficult intubation with direct laryngoscopy in pediatric patients with and without thyroid disease. Journal of Anesthesia, 2018, 32, 54-61.	0.7	4
34	Evaluating Patient-Centered Outcomes in Clinical Trials of Procedural Sedation, Part 2 Safety: Sedation Consortium on Endpoints and Procedures for Treatment, Education, and Research Recommendations. Anesthesia and Analgesia, 2018, 127, 1146-1154.	1.1	16
35	Validation of the Pediatric Sedation State Scale. Pediatrics, 2017, 139, .	1.0	42
36	Comment on Growth in an Anesthesiologist and Nurse Anesthetist-Supervised Sedation Nurse Program Using Propofol and Dexmedetomidine. A & A Case Reports, 2017, 8, 337.	0.7	1

#	Article	IF	CITATIONS
37	The radiological home: Pediatric anesthesiologist's role in risk assessment for imaging procedures. Paediatric Anaesthesia, 2017, 27, 878-879.	0.6	10
38	The Evaluation of a Noninvasive Respiratory Volume Monitor in Pediatric Patients Undergoing General Anesthesia. Anesthesia and Analgesia, 2017, 125, 1913-1919.	1.1	10
39	Pediatric Procedural Sedation Using the Combination of Ketamine and Propofol Outside of the Emergency Department: A Report From the Pediatric Sedation Research Consortium. Pediatric Critical Care Medicine, 2017, 18, e356-e363.	0.2	36
40	Upper Respiratory Infections and Airway Adverse Events in Pediatric Procedural Sedation. Pediatrics, 2017, 140, .	1.0	37
41	Evaluating Patient-Centered Outcomes in Clinical Trials of Procedural Sedation, Part 1 Efficacy: Sedation Consortium on Endpoints and Procedures for Treatment, Education, and Research Recommendations. Anesthesia and Analgesia, 2017, 124, 821-830.	1.1	32
42	Major Adverse Events and Relationship to <i>Nil per Os</i> Status in Pediatric Sedation/Anesthesia Outside the Operating Room. Anesthesiology, 2016, 124, 80-88.	1.3	114
43	Pediatric emergence delirium: Canadian Pediatric Anesthesiologists' experience. Paediatric Anaesthesia, 2016, 26, 207-212.	0.6	30
44	The pretracheal stethoscope useful, but not a necessity. Paediatric Anaesthesia, 2016, 26, 256-258.	0.6	1
45	Practice Patterns and Adverse Events of Nitrous Oxide Sedation and Analgesia: A Report from the Pediatric Sedation Research Consortium. Journal of Pediatrics, 2016, 169, 260-265.e2.	0.9	32
46	Safety and cost-effectiveness of port removal outside of the operating room among pediatric patients. Journal of Pediatric Surgery, 2016, 51, 1891-1895.	0.8	2
47	Creation of an integrated outcome database for pediatric anesthesia. Paediatric Anaesthesia, 2016, 26, 345-355.	0.6	17
48	Pediatric Procedural Sedation Using Dexmedetomidine: A Report From the Pediatric Sedation Research Consortium. Hospital Pediatrics, 2016, 6, 536-544.	0.6	69
49	Outcomes following implementation of a pediatric procedural sedation guide for referral to general anesthesia for magnetic resonance imaging studies. Paediatric Anaesthesia, 2016, 26, 628-636.	0.6	19
50	Preterm Versus Term Children: Analysis of Sedation/Anesthesia Adverse Events and Longitudinal Risk. Pediatrics, 2016, 137, e20150463.	1.0	66
51	Prevalence and Predictors of Adverse Events during Procedural Sedation Anesthesia-Outside the Operating Room for Esophagogastroduodenoscopy and Colonoscopy in Children. Pediatric Critical Care Medicine, 2015, 16, e251-e259.	0.2	49
52	Whither dexmedetomidine?. Paediatric Anaesthesia, 2015, 25, 868-870.	0.6	12
53	A Phase 1, Dose-escalation, Double-blind, Block-randomized, Controlled Trial of Safety and Efficacy of Neosaxitoxin Alone and in Combination with 0.2% Bupivacaine, with and without Epinephrine, for Cutaneous Anesthesia. Anesthesiology, 2015, 123, 873-885.	1.3	51
54	The impact of obesity on pediatric procedural sedationâ€related outcomes: results from the Pediatric Sedation Research Consortium, Paediatric Anaesthesia, 2015, 25, 689-697	0.6	58

#	Article	IF	CITATIONS
55	Pediatric Critical Care Physician-Administered Procedural Sedation Using Propofol. Pediatric Critical Care Medicine, 2015, 16, 11-20.	0.2	96
56	Raising the bar for pediatric sedation studies and trials. Paediatric Anaesthesia, 2015, 25, 2-4.	0.6	9
57	The Pediatrician's Role in the Evaluation and Preparation of Pediatric Patients Undergoing Anesthesia. Pediatrics, 2014, 134, 634-641.	1.0	27
58	Paravertebral Block for Analgesia After Pediatric Thoracic Surgery. Regional Anesthesia and Pain Medicine, 2014, 39, 179-180.	1.1	4
59	Sedation in children outside the operating room: The rules of the road. Trends in Anaesthesia and Critical Care, 2014, 4, 141-146.	0.4	1
60	Development, Implementation, and Initial Participant Feedback of a Pediatric Sedation Provider Course. Teaching and Learning in Medicine, 2013, 25, 249-257.	1.3	15
61	Analysis of procedural sedation provided by pediatricians. Pediatrics International, 2013, 55, 17-23.	0.2	40
62	The validity of the Computer Face Scale for measuring pediatric pain and mood. Paediatric Anaesthesia, 2013, 23, 156-161.	0.6	10
63	Relief of Pain and Anxiety in Pediatric Patients in Emergency Medical Systems. Pediatrics, 2012, 130, e1391-e1405.	1.0	273
64	Case presentation: abdominal compartment syndrome complicating posterior spinal fusion. Paediatric Anaesthesia, 2012, 22, 278-280.	0.6	5
65	Pediatric Sedation with Propofol—Continuing Evolution of Procedural Sedation Practice. Journal of Pediatrics, 2012, 160, 714-716.	0.9	16
66	Pediatric sedation $\hat{a} \in $ evolution and revolution. Paediatric Anaesthesia, 2011, 21, 800-809.	0.6	43
67	Brave New World: do we need it, do we want it, can we afford it?. Paediatric Anaesthesia, 2011, 21, 919-923.	0.6	6
68	Emergency Physician–Administered Propofol Sedation: A Report on 25,433 Sedations From the Pediatric Sedation Research Consortium. Annals of Emergency Medicine, 2011, 57, 462-468.e1.	0.3	109
69	Impact of Provider Specialty on Pediatric Procedural Sedation Complication Rates. Pediatrics, 2011, 127, e1154-e1160.	1.0	138
70	The Incidence and Nature of Adverse Events During Pediatric Sedation/Anesthesia With Propofol for Procedures Outside the Operating Room: A Report From the Pediatric Sedation Research Consortium. Anesthesia and Analgesia, 2009, 108, 795-804.	1.1	477
71	Use of Regional Blockade to Facilitate Inpatient Rehabilitation of Recalcitrant Complex Regional Pain Syndrome. PM and R, 2009, 1, 194-198.	0.9	5
72	Computer Face Scale for Measuring Pediatric Pain and Mood. Journal of Pain, 2009, 10, 173-179.	0.7	22

#	Article	IF	CITATIONS
73	Risk and safety of pediatric sedation/anesthesia for procedures outside the operating room. Current Opinion in Anaesthesiology, 2009, 22, 509-513.	0.9	74
74	Etomidate Versus Pentobarbital for Computed Tomography Sedations. Pediatric Emergency Care, 2007, 23, 690-695.	0.5	38
75	Incidence and Nature of Adverse Events During Pediatric Sedation/Anesthesia for Procedures Outside the Operating Room: Report From the Pediatric Sedation Research Consortium. Pediatrics, 2006, 118, 1087-1096.	1.0	414
76	Development and Validation of the Dartmouth Operative Conditions Scale. Anesthesia and Analgesia, 2005, 100, 1614-1621.	1.1	34
77	A Method for Measuring System Safety and Latent Errors Associated with Pediatric Procedural Sedation. Anesthesia and Analgesia, 2005, 101, 48-58.	1.1	71
78	Replacing the Outmoded Term ???Nonanesthesiologist???. Anesthesia and Analgesia, 2005, 100, 1862.	1.1	5
79	General Anesthesia in Infants and Children for Pediatric Dermatologic Procedures. Archives of Dermatology, 2005, 141, 629-30.	1.7	6
80	Sedation in the Emergency Department. Pediatric Annals, 2005, 34, 617-622.	0.3	5
81	Relief of Pain and Anxiety in Pediatric Patients in Emergency Medical Systems. Pediatrics, 2004, 114, 1348-1356.	1.0	199
82	Clinical policy: Evidence-based approach to pharmacologic agents used in pediatric sedation and analgesia in the emergency departmenta~†a~†a~†a~…a~…a~…a~…a ™¢. Annals of Emergency Medicine, 2004, 44, 342-3	37 <del>9</del> . <sup>3</sup>	107
83	The continuing conundrum of sedation for painful and nonpainful procedures. Journal of Pediatrics, 2004, 145, 10-12.	0.9	16
84	Mucositis and Airway Obstruction in a Pediatric Patient. Anesthesia and Analgesia, 2004, 99, 59-61.	1.1	11
85	Review of Pediatric Sedation. Anesthesia and Analgesia, 2004, 99, 1355-1364.	1.1	121
86	Pediatric sedation. Current Opinion in Anaesthesiology, 2004, 17, 247-251.	0.9	13
87	Single-dose caudal anaesthesia for two infants undergoing diagnostic brain magnetic resonance imaging: high risk and nonhigh risk. Paediatric Anaesthesia, 2003, 13, 171-174.	0.6	5
88	Adverse effects of sedatives in children. Expert Opinion on Drug Safety, 2003, 2, 167-194.	1.0	14
89	The Effect of Small Dose Fentanyl on the Emergence Characteristics of Pediatric Patients After Sevoflurane Anesthesia Without Surgery. Anesthesia and Analgesia, 2003, 97, 364-367.	1.1	138
90	Emergence agitation in paediatric patients after sevoflurane anaesthesia and no surgery: a comparison with halothane. Paediatric Anaesthesia, 2000, 10, 419-424.	0.6	269

#	Article	IF	CITATIONS
91	Emergence characteristics of sevoflurane compared to halothane in pediatric patients undergoing bilateral pressure equalization tube insertion. Journal of Clinical Anesthesia, 2000, 12, 397-401.	0.7	78