

# Jason L Johnson

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7482828/jason-l-johnson-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105  
papers

5,423  
citations

42  
h-index

72  
g-index

115  
ext. papers

5,938  
ext. citations

6.3  
avg, IF

5.86  
L-index

#	Paper	IF	Citations
105	Monitoring Cellular Proliferation and Apoptosis in Atherosclerosis Plaques and Intimal Thickenings.. <i>Methods in Molecular Biology</i> , <b>2022</b> , 2419, 507-519	1.4	
104	Investigation of Atherosclerotic Plaque Vulnerability.. <i>Methods in Molecular Biology</i> , <b>2022</b> , 2419, 521-535	1.4	
103	Monitoring Cellular Proliferation, Migration, and Apoptosis Associated with Atherosclerosis Plaques In Vitro.. <i>Methods in Molecular Biology</i> , <b>2022</b> , 2419, 133-167	1.4	1
102	Use of Mouse Carotid Artery Ligation Model of Intimal Thickening to Probe Vascular Smooth Muscle Cell Remodeling and Function in Atherosclerosis.. <i>Methods in Molecular Biology</i> , <b>2022</b> , 2419, 537-560	1.4	
101	Disparate effects of MMP and TIMP modulation on coronary atherosclerosis and associated myocardial fibrosis. <i>Scientific Reports</i> , <b>2021</b> , 11, 23081	4.9	3
100	Aneurysm severity is suppressed by deletion of CCN4. <i>Journal of Cell Communication and Signaling</i> , <b>2021</b> , 15, 421-432	5.2	2
99	Effective decellularisation of human saphenous veins for biocompatible arterial tissue engineering applications: Bench optimisation and feasibility in vivo testing. <i>Journal of Tissue Engineering</i> , <b>2021</b> , 12, 2041731420987529	7.5	1
98	A Protocol for a Novel Human Model of Aneurysm. <i>STAR Protocols</i> , <b>2020</b> , 1, 100108	1.4	
97	NF-B inhibition prevents acute shear stress-induced inflammation in the saphenous vein graft endothelium. <i>Scientific Reports</i> , <b>2020</b> , 10, 15133	4.9	9
96	Galectin-3 Identifies a Subset of Macrophages With a Potential Beneficial Role in Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2020</b> , 40, 1491-1509	9.4	19
95	Non-coding RNAs in cardiovascular cell biology and atherosclerosis. <i>Cardiovascular Research</i> , <b>2019</b> , 115, 1732-1756	9.9	60
94	Elucidating the contributory role of microRNA to cardiovascular diseases (a review). <i>Vascular Pharmacology</i> , <b>2019</b> , 114, 31-48	5.9	23
93	Ageing differentially modulates the Wnt pro-survival signalling pathways in vascular smooth muscle cells. <i>Aging Cell</i> , <b>2019</b> , 18, e12844	9.9	12
92	Carotid artery ligation induced intimal thickening and proliferation is unaffected by ageing. <i>Journal of Cell Communication and Signaling</i> , <b>2018</b> , 12, 529-537	5.2	6
91	Smoking alters hydroxyprostaglandin dehydrogenase expression in fetal membranes. <i>Reproductive Toxicology</i> , <b>2018</b> , 82, 18-24	3.4	1
90	P33 NRF2-MEDIATED UPREGULATION OF OSGIN1 AND OSGIN2 TRIGGERS CELL DETACHMENT THROUGH DYSREGULATED AUTOPHAGY DA POTENTIAL MECHANISM FOR ENDOTHELIAL EROSION OVERLYING STENOTIC PLAQUES. <i>Cardiovascular Research</i> , <b>2018</b> , 114, S10-S10	9.9	
89	Functional and cardioprotective effects of simultaneous and individual activation of protein kinase A and Epac. <i>British Journal of Pharmacology</i> , <b>2017</b> , 174, 438-453	8.6	18

88	Metalloproteinases in atherosclerosis. <i>European Journal of Pharmacology</i> , <b>2017</b> , 816, 93-106	5.3	103
87	Aneurysm Severity is Increased by Combined Mmp-7 Deletion and N-cadherin Mimetic (EC4-Fc) Over-Expression. <i>Scientific Reports</i> , <b>2017</b> , 7, 17342	4.9	10
86	MicroRNA-181b Controls Atherosclerosis and Aneurysms Through Regulation of TIMP-3 and Elastin. <i>Circulation Research</i> , <b>2017</b> , 120, 49-65	15.7	98
85	Role of Matrix Metalloproteinases in the Development and Progression of Atherosclerosis <b>2017</b> , 425-446		2
84	Cathepsin K Deficiency Prevents the Aggravated Vascular Remodeling Response to Flow Cessation in ApoE <sup>-/-</sup> Mice. <i>PLoS ONE</i> , <b>2016</b> , 11, e0162595	3.7	5
83	Near Infrared Fluorescence (NIRF) Molecular Imaging of Oxidized LDL with an Autoantibody in Experimental Atherosclerosis. <i>Scientific Reports</i> , <b>2016</b> , 6, 21785	4.9	27
82	Wnt2 and WISP-1/CCN4 Induce Intimal Thickening via Promotion of Smooth Muscle Cell Migration. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2016</b> , 36, 1417-24	9.4	37
81	Differential effects of tissue inhibitor of metalloproteinase (TIMP)-1 and TIMP-2 on atherosclerosis and monocyte/macrophage invasion. <i>Cardiovascular Research</i> , <b>2016</b> , 109, 318-30	9.9	29
80	cAMP-induced actin cytoskeleton remodelling inhibits MKL1-dependent expression of the chemotactic and pro-proliferative factor, CCN1. <i>Journal of Molecular and Cellular Cardiology</i> , <b>2015</b> , 79, 157-68	5.8	10
79	Platelet-Associated Matrix Metalloproteinases Regulate Thrombus Formation and Exert Local Collagenolytic Activity. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2015</b> , 35, 2554-61	9.4	27
78	Emerging regulators of vascular smooth muscle cell function in the development and progression of atherosclerosis. <i>Cardiovascular Research</i> , <b>2014</b> , 103, 452-60	9.9	100
77	Wnt5a-induced Wnt1-inducible secreted protein-1 suppresses vascular smooth muscle cell apoptosis induced by oxidative stress. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2014</b> , 34, 2449-56	9.4	26
76	MicroRNA-24 regulates macrophage behavior and retards atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2014</b> , 34, 1990-2000	9.4	85
75	C Development of Whole Body and Intravascular Near-infrared Optical Molecular Imaging of Markers of Plaque Vulnerability in Atherosclerosis. <i>Heart</i> , <b>2014</b> , 100, A128.1-A128	5.1	1
74	The anti-atherogenic cytokine interleukin-33 inhibits the expression of a disintegrin and metalloproteinase with thrombospondin motifs-1, -4 and -5 in human macrophages: Requirement of extracellular signal-regulated kinase, c-Jun N-terminal kinase and phosphoinositide 3-kinase signaling pathways. <i>International Journal of Biochemistry and Cell Biology</i> , <b>2014</b> , 46, 113-23	5.6	12
73	Magnetic resonance imaging visualization of vulnerable atherosclerotic plaques at the brachiocephalic artery of apolipoprotein E knockout mice by the blood-pool contrast agent B22956/1. <i>Molecular Imaging</i> , <b>2014</b> , 13,	3.7	14
72	EC4, a truncation of soluble N-cadherin, reduces vascular smooth muscle cell apoptosis and markers of atherosclerotic plaque instability. <i>Molecular Therapy - Methods and Clinical Development</i> , <b>2014</b> , 1, 14004	6.4	4
71	Matrix metalloproteinases and their inhibitors in cardiovascular pathologies: current knowledge and clinical potential. <i>Metalloproteinases in Medicine</i> , <b>2014</b> , 21	0.7	7

70	Classical and Alternative Activation and Metalloproteinase Expression Occurs in Foam Cell Macrophages in Male and Female ApoE Null Mice in the Absence of T and B Lymphocytes. <i>Frontiers in Immunology</i> , <b>2014</b> , 5, 537	8.4	24
69	Relationship of MMP-14 and TIMP-3 expression with macrophage activation and human atherosclerotic plaque vulnerability. <i>Mediators of Inflammation</i> , <b>2014</b> , 2014, 276457	4.3	47
68	Role of Matrix Metalloproteinases in Atherosclerosis <b>2014</b> , 247-262		
67	Interruption of the OX40-OX40 ligand pathway in LDL receptor-deficient mice causes regression of atherosclerosis. <i>Journal of Immunology</i> , <b>2013</b> , 191, 4573-80	5.3	42
66	Hematopoietic sphingosine 1-phosphate lyase deficiency decreases atherosclerotic lesion development in LDL-receptor deficient mice. <i>PLoS ONE</i> , <b>2013</b> , 8, e63360	3.7	19
65	Field-emission properties of individual GaN nanowires grown by chemical vapor deposition. <i>Journal of Applied Physics</i> , <b>2012</b> , 111, 044308	2.5	13
64	Localized Growth of Carbon Nanotubes on CMOS Substrate at Room Temperature Using Maskless Post-CMOS Processing. <i>IEEE Nanotechnology Magazine</i> , <b>2012</b> , 11, 16-20	2.6	8
63	Emboic protection device utilization during stenting of native coronary artery lesions with large lipid core plaques as detected by near-infrared spectroscopy. <i>Catheterization and Cardiovascular Interventions</i> , <b>2012</b> , 80, 1157-62	2.7	32
62	Carotid atherosclerotic plaque matrix metalloproteinase-12-positive macrophage subpopulation predicts adverse outcome after endarterectomy. <i>Journal of the American Heart Association</i> , <b>2012</b> , 1, e001040	6.0	41
61	Genetic inactivation of IL-1 signaling enhances atherosclerotic plaque instability and reduces outward vessel remodeling in advanced atherosclerosis in mice. <i>Journal of Clinical Investigation</i> , <b>2012</b> , 122, 70-9	15.9	142
60	Role of colony-stimulating factors in atherosclerosis. <i>Current Opinion in Lipidology</i> , <b>2012</b> , 23, 412-21	4.4	37
59	Genetic inactivation of IL-1 signaling enhances atherosclerotic plaque instability and reduces outward vessel remodeling in advanced atherosclerosis in mice. <i>Journal of Clinical Investigation</i> , <b>2012</b> , 122, 783-783	15.9	3
58	Classical macrophage activation up-regulates several matrix metalloproteinases through mitogen activated protein kinases and nuclear factor- $\kappa$ B. <i>PLoS ONE</i> , <b>2012</b> , 7, e42507	3.7	117
57	Experimental study of graphitic nanoribbon films for ammonia sensing. <i>Journal of Applied Physics</i> , <b>2011</b> , 109, 124301	2.5	39
56	A selective matrix metalloproteinase-12 inhibitor retards atherosclerotic plaque development in apolipoprotein E-knockout mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2011</b> , 31, 528-35	9.4	124
55	Wnt4/Eatenin signaling induces VSMC proliferation and is associated with intimal thickening. <i>Circulation Research</i> , <b>2011</b> , 108, 427-36	15.7	114
54	Matrix metalloproteinase (MMP)-3 activates MMP-9 mediated vascular smooth muscle cell migration and neointima formation in mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2011</b> , 31, e35-44	9.4	109
53	Sustained reduction of vein graft neointima formation by ex vivo TIMP-3 gene therapy. <i>Circulation</i> , <b>2011</b> , 124, S135-42	16.7	52

52	Nitride and oxide semiconductor nanostructured hydrogen gas sensors. <i>Semiconductor Science and Technology</i> , <b>2010</b> , 25, 024002	1.8	59
51	MMP-7 mediates cleavage of N-cadherin and promotes smooth muscle cell apoptosis. <i>Cardiovascular Research</i> , <b>2010</b> , 87, 137-46	9.9	74
50	Increased expression of Wnt5A in unstable atherosclerotic plaques is associated with increased MMP expression and may contribute to instability. <i>Atherosclerosis</i> , <b>2010</b> , 213, e12	3.1	3
49	Hydrogen sensing using pd-functionalized multi-layer graphene nanoribbon networks. <i>Advanced Materials</i> , <b>2010</b> , 22, 4877-80	24	280
48	TGF-beta activity protects against inflammatory aortic aneurysm progression and complications in angiotensin II-infused mice. <i>Journal of Clinical Investigation</i> , <b>2010</b> , 120, 422-32	15.9	286
47	In situ zymography. <i>Methods in Molecular Biology</i> , <b>2010</b> , 622, 271-7	1.4	15
46	Vulnerable atherosclerotic plaque metalloproteinases and foam cell phenotypes. <i>Thrombosis and Haemostasis</i> , <b>2009</b> , 101, 1006-1011	7	106
45	Ion Implanted SiO <sub>2</sub> Substrates for Nucleating Silicon Oxide Nanowire Growth. <i>Materials Research Society Symposia Proceedings</i> , <b>2009</b> , 1181, 90		
44	Soluble N-cadherin overexpression reduces features of atherosclerotic plaque instability. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2009</b> , 29, 195-201	9.4	43
43	Growth and Characterization of GaN Nanowires for Hydrogen Sensors. <i>Journal of Electronic Materials</i> , <b>2009</b> , 38, 490-494	1.9	37
42	Hydrogen sensing with Pt-functionalized GaN nanowires. <i>Sensors and Actuators B: Chemical</i> , <b>2009</b> , 140, 196-199	8.5	77
41	Statin pleiotropism and atherosclerotic plaque rupture. <i>Atherosclerosis</i> , <b>2009</b> , 206, 353-354	3.1	3
40	Macrophage heterogeneity in atherosclerotic plaques. <i>Current Opinion in Lipidology</i> , <b>2009</b> , 20, 370-8	4.4	134
39	Vulnerable atherosclerotic plaque metalloproteinases and foam cell phenotypes. <i>Thrombosis and Haemostasis</i> , <b>2009</b> , 101, 1006-11	7	49
38	In vitro and in vivo analysis of expression cassettes designed for vascular gene transfer. <i>Gene Therapy</i> , <b>2008</b> , 15, 340-6	4	9
37	Experimental characterization of single-walled carbon nanotube film-Si Schottky contacts using metal-semiconductor-metal structures. <i>Applied Physics Letters</i> , <b>2008</b> , 92, 243116	3.4	48
36	GaN nanowire and Ga <sub>2</sub> O <sub>3</sub> nanowire and nanoribbon growth from ion implanted iron catalyst. <i>Journal of Vacuum Science &amp; Technology B</i> , <b>2008</b> , 26, 1841-1847		20
35	Low tissue inhibitor of metalloproteinases 3 and high matrix metalloproteinase 14 levels defines a subpopulation of highly invasive foam-cell macrophages. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2008</b> , 28, 1647-53	9.4	62

34	Room temperature hydrogen detection using Pd-coated GaN nanowires. <i>Applied Physics Letters</i> , <b>2008</b> , 93, 072109	3.4	84
33	Metal-semiconductor-metal photodetectors based on single-walled carbon nanotube film-GaAs Schottky contacts. <i>Journal of Applied Physics</i> , <b>2008</b> , 103, 114315	2.5	34
32	Matrix metalloproteinases: influence on smooth muscle cells and atherosclerotic plaque stability. <i>Expert Review of Cardiovascular Therapy</i> , <b>2007</b> , 5, 265-82	2.5	118
31	Orally administered penicillamine is a potent inhibitor of neointimal and medial thickening in porcine saphenous vein-carotid artery interposition grafts. <i>Journal of Thoracic and Cardiovascular Surgery</i> , <b>2007</b> , 133, 494-500	1.5	9
30	Nitric oxide-donating aspirin (NCX 4016) inhibits neointimal thickening in a pig model of saphenous vein-carotid artery interposition grafting: a comparison with aspirin and morpholinonydonimine (SIN-1). <i>Journal of Thoracic and Cardiovascular Surgery</i> , <b>2007</b> , 134, 1033-9	1.5	15
29	Assessment of unstable atherosclerosis in mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2007</b> , 27, 714-20	9.4	97
28	Metal-Semiconductor-Metal (MSM) Photodetectors Based on Single-walled Carbon Nanotube Film-GaAs Schottky Contacts. <i>Materials Research Society Symposia Proceedings</i> , <b>2007</b> , 1057, 1		
27	Genomics of foam cells and nonfoamy macrophages from rabbits identifies arginase-I as a differential regulator of nitric oxide production. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2007</b> , 27, 571-7	9.4	57
26	Effect of broad-spectrum matrix metalloproteinase inhibition on atherosclerotic plaque stability. <i>Cardiovascular Research</i> , <b>2006</b> , 71, 586-95	9.9	53
25	Suppression of atherosclerotic plaque progression and instability by tissue inhibitor of metalloproteinase-2: involvement of macrophage migration and apoptosis. <i>Circulation</i> , <b>2006</b> , 113, 2435-44	16.7	120
24	Micromachined Silicon Grids for Direct TEM Characterization of Carbon Nanotubes Grown by CVD. <i>Materials Research Society Symposia Proceedings</i> , <b>2006</b> , 963, 1		
23	A dose-finding and pharmacokinetic study of the matrix metalloproteinase inhibitor MMI270 (previously termed CGS27023A) with 5-FU and folinic acid. <i>Cancer Chemotherapy and Pharmacology</i> , <b>2005</b> , 55, 39-46	3.5	24
22	Plaque rupture after short periods of fat feeding in the apolipoprotein E-knockout mouse: model characterization and effects of pravastatin treatment. <i>Circulation</i> , <b>2005</b> , 111, 1422-30	16.7	218
21	Genetic strategies to elucidate the roles of matrix metalloproteinases in atherosclerotic plaque growth and stability. <i>Circulation Research</i> , <b>2005</b> , 97, 958-60	15.7	26
20	Divergent effects of matrix metalloproteinases 3, 7, 9, and 12 on atherosclerotic plaque stability in mouse brachiocephalic arteries. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2005</b> , 102, 15575-80	11.5	272
19	Transforming growth factor-beta is activated by plasmin and inhibits smooth muscle cell death in human saphenous vein. <i>Journal of Vascular Research</i> , <b>2005</b> , 42, 247-54	1.9	22
18	The endothelin 1A receptor antagonist BSF 302146 is a potent inhibitor of neointimal and medial thickening in porcine saphenous vein-carotid artery interposition grafts. <i>Journal of Thoracic and Cardiovascular Surgery</i> , <b>2004</b> , 127, 1317-22	1.5	46
17	A bioabsorbable (polyglactin), nonrestrictive, external sheath inhibits porcine saphenous vein graft thickening. <i>Journal of Thoracic and Cardiovascular Surgery</i> , <b>2004</b> , 127, 1766-72	1.5	50

16	Long-term reduction of medial and intimal thickening in porcine saphenous vein grafts with a polyglactin biodegradable external sheath. <i>Journal of Vascular Surgery</i> , <b>2004</b> , 40, 1011-9	3.5	66
15	Animal Models of Vulnerable Plaque <b>2004</b> , 35-52		
14	Relationship between type IV collagen degradation, metalloproteinase activity and smooth muscle cell migration and proliferation in cultured human saphenous vein. <i>Cardiovascular Research</i> , <b>2003</b> , 58, 679-88	9.9	41
13	An external, oversized, porous polyester stent reduces vein graft neointima formation, cholesterol concentration, and vascular cell adhesion molecule 1 expression in cholesterol-fed pigs. <i>Journal of Thoracic and Cardiovascular Surgery</i> , <b>2002</b> , 124, 950-6	1.5	51
12	Animal models of spontaneous plaque rupture: the holy grail of experimental atherosclerosis research. <i>Current Atherosclerosis Reports</i> , <b>2002</b> , 4, 238-42	6	33
11	Characteristics of intact and ruptured atherosclerotic plaques in brachiocephalic arteries of apolipoprotein E knockout mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2002</b> , 22, 788-92	9.4	185
10	Plasmin-mediated fibroblast growth factor-2 mobilisation supports smooth muscle cell proliferation in human saphenous vein. <i>Journal of Vascular Research</i> , <b>2001</b> , 38, 492-501	1.9	30
9	Injury induces dedifferentiation of smooth muscle cells and increased matrix-degrading metalloproteinase activity in human saphenous vein. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2001</b> , 21, 1146-51	9.4	79
8	In situ zymography. <i>Methods in Molecular Biology</i> , <b>2001</b> , 151, 411-5	1.4	5
7	Atherosclerotic plaque rupture in the apolipoprotein E knockout mouse. <i>Atherosclerosis</i> , <b>2001</b> , 154, 399-406	3.0	190
6	Macro-porosity is necessary for the reduction of neointimal and medial thickening by external stenting of porcine saphenous vein bypass grafts. <i>Atherosclerosis</i> , <b>2001</b> , 155, 329-36	3.1	48
5	The association of platelet-derived growth factor receptor expression, plaque morphology and histological features with symptoms in carotid atherosclerosis. <i>Vascular</i> , <b>2000</b> , 8, 121-9		11
4	Adenovirus-mediated gene transfer of the human TIMP-1 gene inhibits smooth muscle cell migration and neointimal formation in human saphenous vein. <i>Human Gene Therapy</i> , <b>1998</b> , 9, 867-77	4.8	185
3	Activation of matrix-degrading metalloproteinases by mast cell proteases in atherosclerotic plaques. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>1998</b> , 18, 1707-15	9.4	208
2	Short-term exposure to thapsigargin inhibits neointima formation in human saphenous vein. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>1997</b> , 17, 2500-6	9.4	24
1	Modulators of Monocyte and Macrophage Phenotypes in Atherosclerosis 365-386		