

Murat S; Murat Sema; murat,s

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7483608/publications.pdf>

Version: 2024-02-01

15
papers

431
citations

1170033

9
h-index

1181555

14
g-index

15
all docs

15
docs citations

15
times ranked

568
citing authors

#	ARTICLE	IF	CITATIONS
1	Measurement of activity concentrations of 238U, 226Ra, 232Th and 40K in different dental ceramic materials and assessment of dose given to oral mucosa. Radiation Physics and Chemistry, 2020, 168, 108598.	1.4	2
2	In Vitro Evaluation of Adhesion of <i>Candida albicans</i> on CAD/CAM PMMA-Based Polymers. Journal of Prosthodontics, 2019, 28, e873-e879.	1.7	69
3	Comparison of Flexural Strength of Different CAD/CAM PMMA-Based Polymers. Journal of Prosthodontics, 2019, 28, e491-e495.	1.7	64
4	Assessment of the Accuracy of Obturator Bulbs that are Produced by Using Cone Beam Computed Tomography and Stereolithography in Maxilloctemy Defects: An Ex Vivo Study. Journal of Academic Research in Medicine, 2018, 8, 186-190.	0.1	1
5	Nerve Damage Assessment Following Implant Placement in Human Cadaver Jaws: An Ex Vivo Comparative Study. Journal of Oral Implantology, 2014, 40, 76-82.	0.4	11
6	Radiofrequency heating and magnetic field interactions of fixed partial dentures during 3-tesla magnetic resonance imaging. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2013, 116, 640-647.	0.2	9
7	Visibility of Artificial Buccal Recurrent Caries Under Restorations Using Different Radiographic Techniques. Operative Dentistry, 2013, 38, 197-207.	0.6	23
8	Radiographic detection of artificially created horizontal root fracture using different cone beam CT units with small fields of view. Dentomaxillofacial Radiology, 2013, 42, 20120261.	1.3	25
9	Rehabilitation of a Patient With Mandibular Resection Using Osteointegrated Implants: A Case Report. Journal of Oral Implantology, 2013, 39, 609-614.	0.4	2
10	Proximal caries detection accuracy using intraoral bitewing radiography, extraoral bitewing radiography and panoramic radiography. Dentomaxillofacial Radiology, 2012, 41, 450-459.	1.3	69
11	Accuracy of a Newly Developed Cone-Beam Computerized Tomography-Aided Surgical Guidance System for Dental Implant Placement: An Ex Vivo Study. Journal of Oral Implantology, 2012, 38, 706-712.	0.4	7
12	Prosthetic Rehabilitation of a Patient with Bilateral Cleft Lip and Palate Using Osseointegrated Implants and Extracoronary Resilient Attachments: A Case Report. Cleft Palate-Craniofacial Journal, 2011, 48, 342-347.	0.5	4
13	The effects of digital image enhancement on the detection of vertical root fracture. Dental Traumatology, 2010, 26, 47-51.	0.8	30
14	Detection of vertical root fracture using cone-beam computerized tomography: an in vitro assessment. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2010, 109, e74-e81.	1.6	73
15	Occlusal caries detection by using a cone-beam CT with different voxel resolutions and a digital intraoral sensor. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2010, 109, e63-e69.	1.6	42