## Yin Lu

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7484198/yin-lu-publications-by-year.pdf

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| 100         | 1,775          | 25      | 36      |
|-------------|----------------|---------|---------|
| papers      | citations      | h-index | g-index |
| 111         | 2,417          | 5.4     | 4.8     |
| ext. papers | ext. citations | avg, IF | L-index |

| #   | Paper  | IF  | Citations |
|-----|--|-----|-----------|
| 100 | Tanshinone IIA attenuates the stemness of breast cancer cells via targeting the miR-125b/STARD13 axis <i>Experimental Hematology and Oncology</i> , <b>2022</b> , 11, 2  | 7.8 | 2         |
| 99  | Ipriflavone as a non-steroidal glucocorticoid receptor antagonist ameliorates diabetic cognitive impairment in mice <i>Aging Cell</i> , <b>2022</b> , e13572   | 9.9 | 1         |
| 98  | Multi-material basis and multi-mechanisms of the Dahuang Zhechong pill for regulating Treg/Th1 balance in hepatocellular carcinoma <i>Phytomedicine</i> , <b>2022</b> , 100, 154055  | 6.5 | O         |
| 97  | Antiallergic drug desloratadine as a selective antagonist of 5HT receptor ameliorates pathology of Alzheimer disease model mice by improving microglial dysfunction. <i>Aging Cell</i> , <b>2021</b> , 20, e13286                            | 9.9 | 7         |
| 96  | The effect of menthol supplement diet on colitis-induced colon tumorigenesis and intestinal microbiota. <i>American Journal of Translational Research (discontinued)</i> , <b>2021</b> , 13, 38-56   | 3   | 1         |
| 95  | Targeting the Ang2/Tie2 Axis with Tanshinone IIA Elicits Vascular Normalization in Ischemic Injury and Colon Cancer. <i>Oxidative Medicine and Cellular Longevity</i> , <b>2021</b> , 2021, 7037786  | 6.7 | 2         |
| 94  | The killing effect of Tanshinol on breast cancer cells: insight into the reversion of TGF-11-mediated suppression of NK cell functions. <i>Frontiers in Bioscience</i> , <b>2021</b> , 26, 1106-1118   |     | 1         |
| 93  | Critical role of mTOR in regulating aerobic glycolysis in carcinogenesis (Review). <i>International Journal of Oncology</i> , <b>2021</b> , 58, 9-19   | 4.4 | 6         |
| 92  | Microbiome Crosstalk in Immunotherapy and Antiangiogenesis Therapy. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 747914  | 8.4 | 3         |
| 91  | Cryptotanshinone Inhibits EREDependent and -Independent BCRP Oligomer Formation to Reverse Multidrug Resistance in Breast Cancer. <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 624811  | 5.3 | 2         |
| 90  | A fluorescence-based microplate assay for high-throughput screening and evaluation of human UGT inhibitors. <i>Analytica Chimica Acta</i> , <b>2021</b> , 1153, 338305   | 6.6 | 3         |
| 89  | Derivation of four iPSC lines from a male ASD patient carrying a deletion in the middle coding region of NRXN1[gene (NUIGi039-A and NUIGi039-B) and a male sibling control (NUIGi040-A and NUIGi040-B). Stem Cell Research, 2021, 53, 102254 | 1.6 |           |
| 88  | Discovery of the natural product 3Ţ4Ţ7,8-tetrahydroxyflavone as a novel and potent selective BRD4 bromodomain 2 inhibitor. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , <b>2021</b> , 36, 903-913                           | 5.6 | 1         |
| 87  | NRXN1[]s associated with increased excitability in ASD iPSC-derived neurons. <i>BMC Neuroscience</i> , <b>2021</b> , 22, 56  | 3.2 | 2         |
| 86  | Gut Microbiota-Mediated Modulation of Cancer Progression and Therapy Efficacy. <i>Frontiers in Cell and Developmental Biology</i> , <b>2021</b> , 9, 626045  | 5.7 | 2         |
| 85  | Fuxin Granules ameliorate diabetic nephropathy in db/db mice through TGF-II/Smad and VEGF/VEGFR2 signaling pathways. <i>Biomedicine and Pharmacotherapy</i> , <b>2021</b> , 141, 111806  | 7.5 | 4         |
| 84  | Synthetic lethality theory approaches to effective substance discovery and functional mechanisms elucidation of anti-cancer phytomedicine. <i>Phytomedicine</i> , <b>2021</b> , 91, 153718   | 6.5 | 1         |

### (2019-2020)

| 83 | Derivation of iPSC lines from three young healthy donors of Caucasian origin (NUIGi035-A; NUIGi036-A; NUIGi037-A). <i>Stem Cell Research</i> , <b>2020</b> , 49, 102101   | 1.6  |    |  |
|----|---|------|----|--|
| 82 | An ultra-sensitive and easy-to-use assay for sensing human UGT1A1 activities in biological systems.<br>Journal of Pharmaceutical Analysis, <b>2020</b> , 10, 263-270  | 14   | 6  |  |
| 81 | Relieving Sore Throat Formula Exerts a Therapeutic Effect on Pharyngitis through Immunoregulation and NF-B Pathway. <i>Mediators of Inflammation</i> , <b>2020</b> , 2020, 2929163  | 4.3  | 2  |  |
| 80 | Exploring the Told/hotTproperties of traditional Chinese medicine by cell temperature measurement. <i>Pharmaceutical Biology</i> , <b>2020</b> , 58, 208-218  | 3.8  | 9  |  |
| 79 | DW14006 as a Direct AMPK[Activator Ameliorates Diabetic Peripheral Neuropathy in Mice. <i>Diabetes</i> , <b>2020</b> , 69, 1974-1988  | 0.9  | 2  |  |
| 78 | Derivation of two iPSC lines from a sporadic ASD patient (NUIGi033-A) and a paternal control (NUIGi034-A). Stem Cell Research, <b>2020</b> , 44, 101722   | 1.6  |    |  |
| 77 | Daphnetin Ameliorates Experimental Autoimmune Encephalomyelitis Through Regulating Heme Oxygenase-1. <i>Neurochemical Research</i> , <b>2020</b> , 45, 872-881  | 4.6  | 8  |  |
| 76 | Lycopene prevents carcinogen-induced cutaneous tumor by enhancing activation of the Nrf2 pathway through p62-triggered autophagic Keap1 degradation. <i>Aging</i> , <b>2020</b> , 12, 8167-8190                                   | 5.6  | 14 |  |
| 75 | MicroRNA-9 and breast cancer. Biomedicine and Pharmacotherapy, 2020, 122, 109687  | 7.5  | 38 |  |
| 74 | MicroRNA-127 Promotes Anti-microbial Host Defense through Restricting A20-Mediated De-ubiquitination of STAT3. <i>IScience</i> , <b>2020</b> , 23, 100763   | 6.1  | 5  |  |
| 73 | Antispasmodic Drug Drofenine as an Inhibitor of Kv2.1 Channel Ameliorates Peripheral Neuropathy in Diabetic Mice. <i>IScience</i> , <b>2020</b> , 23, 101617  | 6.1  | 2  |  |
| 72 | Gut Bacteria Selectively Altered by Sennoside A Alleviate Type 2 Diabetes and Obesity Traits. <i>Oxidative Medicine and Cellular Longevity</i> , <b>2020</b> , 2020, 2375676  | 6.7  | 10 |  |
| 71 | Paeonol Suppresses Proliferation and Motility of Non-Small-Cell Lung Cancer Cells by Disrupting STAT3/NF- <b>B</b> Signaling. <i>Frontiers in Pharmacology</i> , <b>2020</b> , 11, 572616   | 5.6  | 9  |  |
| 70 | SP6616 as a Kv2.1 inhibitor efficiently ameliorates peripheral neuropathy in diabetic mice. <i>EBioMedicine</i> , <b>2020</b> , 61, 103061  | 8.8  | 3  |  |
| 69 | Rhein modulates host purine metabolism in intestine through gut microbiota and ameliorates experimental colitis. <i>Theranostics</i> , <b>2020</b> , 10, 10665-10679  | 12.1 | 46 |  |
| 68 | Radix et Rhizoma Ginseng chemoprevents both initiation and promotion of cutaneous carcinoma by enhancing cell-mediated immunity and maintaining redox homeostasis. <i>Journal of Ginseng Research</i> , <b>2020</b> , 44, 580-592 | 5.8  | 3  |  |
| 67 | The metabolic regulator Lamtor5 suppresses inflammatory signaling via regulating mTOR-mediated TLR4 degradation. <i>Cellular and Molecular Immunology</i> , <b>2020</b> , 17, 1063-1076   | 15.4 | 13 |  |
| 66 | Zhile Capsule Exerts Antidepressant-Like Effects through Upregulation of the BDNF Signaling Pathway and Neuroprotection. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,                                   | 6.3  | 3  |  |
|    |   |      |    |  |

| 65 | Transient receptor potential ion-channel subfamily V member 4: a potential target for cancer treatment. <i>Cell Death and Disease</i> , <b>2019</b> , 10, 497  | 9.8  | 18 |
|----|--|------|----|
| 64 | Breaking Glucose Transporter 1/Pyruvate Kinase M2 Glycolytic Loop Is Required for Cantharidin Inhibition of Metastasis in Highly Metastatic Breast Cancer. <i>Frontiers in Pharmacology</i> , <b>2019</b> , 10, 590  | 5.6  | 14 |
| 63 | FEster resonance energy transfer (FRET)-based biosensors for biological applications. <i>Biosensors and Bioelectronics</i> , <b>2019</b> , 138, 111314   | 11.8 | 82 |
| 62 | Daphnetin prevents methicillin-resistant Staphylococcus aureus infection by inducing autophagic response. <i>International Immunopharmacology</i> , <b>2019</b> , 72, 195-203  | 5.8  | 10 |
| 61 | CuDDI: A CUDA-Based Application for Extracting Drug-Drug Interaction Related Substance Terms from PubMed Literature. <i>Molecules</i> , <b>2019</b> , 24,  | 4.8  | 1  |
| 60 | Protective Effects of Magnesium Glycyrrhizinate on Methotrexate-Induced Hepatotoxicity and Intestinal Toxicity May Be by Reducing COX-2. <i>Frontiers in Pharmacology</i> , <b>2019</b> , 10, 119  | 5.6  | 15 |
| 59 | Beta-elemene inhibits breast cancer metastasis through blocking pyruvate kinase M2 dimerization and nuclear translocation. <i>Journal of Cellular and Molecular Medicine</i> , <b>2019</b> , 23, 6846-6858   | 5.6  | 27 |
| 58 | A Complex Role for Calcium Signaling in Colorectal Cancer Development and Progression. <i>Molecular Cancer Research</i> , <b>2019</b> , 17, 2145-2153  | 6.6  | 14 |
| 57 | Probiotics in preventing and treating chemotherapy-induced diarrhea: a meta-analysis. <i>Asia Pacific Journal of Clinical Nutrition</i> , <b>2019</b> , 28, 701-710  | 1    | 5  |
| 56 | Derivation of familial iPSC lines from three ASD patients carrying NRXN1[and two controls (NUIGi022-A, NUIGi022-B; NUIGi023-A, NUIGi023-B; NUIGi025-A, NUIGi024-A, NUIGi024-B; NUIGi026-A, NUIGi026-B). <i>Stem Cell Research</i> , <b>2019</b> , 41, 101653           | 1.6  | 1  |
| 55 | Innate Lymphoid Cells: Regulators of Gut Barrier Function and Immune Homeostasis. <i>Journal of Immunology Research</i> , <b>2019</b> , 2019, 2525984  | 4.5  | 13 |
| 54 | SHP2 inhibition triggers anti-tumor immunity and synergizes with PD-1 blockade. <i>Acta Pharmaceutica Sinica B</i> , <b>2019</b> , 9, 304-315  | 15.5 | 79 |
| 53 | A spontaneous metastatic mathematical model in mice for screening anti-metastatic agents.<br>Journal of Pharmacological and Toxicological Methods, <b>2018</b> , 92, 57-66   | 1.7  | 1  |
| 52 | Emerging findings into molecular mechanism of brain metastasis. <i>Cancer Medicine</i> , <b>2018</b> , 7, 3820-3833  | 4.8  | 24 |
| 51 | Synthesis and Assessment of Novel Anti-chlamydial Benzylidene Acylhydrazides Derivatives. <i>Letters in Drug Design and Discovery</i> , <b>2018</b> , 15, 31-36  | 0.8  | 7  |
| 50 | Beta-elemene inhibits glycolysis leading to suppression of breast cancer metastasis dependent on blocking nuclear import of PKM2 and GLUT1 expression. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , <b>2018</b> , WCP2018, PO3-7-21 | Ο    |    |
| 49 | The protective mechanism of magnesium isoglycyrrhizinate on FOLFOX induced hepatotoxicity in xenografted tumor-bearing mice. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , <b>2018</b> , WCP2018, PO4-9-17                           | O    |    |
| 48 | Targeting Thioredoxin System with an Organosulfur Compound, Diallyl Trisulfide (DATS), Attenuates Progression and Metastasis of Triple-Negative Breast Cancer (TNBC). <i>Cellular Physiology and Biochemistry</i> , <b>2018</b> , 50, 1945-1963                        | 3.9  | 26 |

### (2016-2017)

| 47 | Cryptotanshinone inhibition of mammalian target of rapamycin pathway is dependent on oestrogen receptor alpha in breast cancer. <i>Journal of Cellular and Molecular Medicine</i> , <b>2017</b> , 21, 2129-21                               | 1396                             | 17 |
|----|---|----------------------------------|----|
| 46 | Diet phytochemicals and cutaneous carcinoma chemoprevention: A review. <i>Pharmacological Research</i> , <b>2017</b> , 119, 327-346   | 10.2                             | 23 |
| 45 | Diallyl trisulfides, a natural histone deacetylase inhibitor, attenuate HIF-1 hynthesis, and decreases breast cancer metastasis. <i>Molecular Carcinogenesis</i> , <b>2017</b> , 56, 2317-2331  | 5                                | 49 |
| 44 | Xanthatin triggers Chk1-mediated DNA damage response and destabilizes Cdc25C via lysosomal degradation in lung cancer cells. <i>Toxicology and Applied Pharmacology</i> , <b>2017</b> , 337, 85-94  | 4.6                              | 14 |
| 43 | NiaoDuQing granules relieve chronic kidney disease symptoms by decreasing renal fibrosis and anemia. <i>Oncotarget</i> , <b>2017</b> , 8, 55920-55937   | 3.3                              | 22 |
| 42 | Characterization of the mechanism of drug-drug interactions from PubMed using MeSH terms. <i>PLoS ONE</i> , <b>2017</b> , 12, e0173548  | 3.7                              | 16 |
| 41 | Suppressive role of diallyl trisulde in the activated platelet-mediated hematogenous metastasis of MDA-MB-231 human breast cancer cells. <i>International Journal of Molecular Medicine</i> , <b>2017</b> , 39, 1516-7                      | 1 <del>\$</del> 2 <sup>1</sup> 4 | 6  |
| 40 | Tianfoshen oral liquid: a CFDA approved clinical traditional Chinese medicine, normalizes major cellular pathways disordered during colorectal carcinogenesis. <i>Oncotarget</i> , <b>2017</b> , 8, 14549-14569                             | 3.3                              | 45 |
| 39 | Cryptotanshinone activates AMPK-TSC2 axis leading to inhibition of mTORC1 signaling in cancer cells. <i>BMC Cancer</i> , <b>2017</b> , 17, 34   | 4.8                              | 19 |
| 38 | Xanthatin anti-tumor cytotoxicity is mediated via glycogen synthase kinase-3land Etatenin. <i>Biochemical Pharmacology</i> , <b>2016</b> , 115, 18-27   | 6                                | 20 |
| 37 | Prophylaxis of Diallyl Disulfide on Skin Carcinogenic Model via p21-dependent Nrf2 stabilization. <i>Scientific Reports</i> , <b>2016</b> , 6, 35676  | 4.9                              | 28 |
| 36 | Activation of Fas death receptor pathway and Bid in hepatocytes is involved in saikosaponin D induction of hepatotoxicity. <i>Environmental Toxicology and Pharmacology</i> , <b>2016</b> , 41, 8-13  | 5.8                              | 22 |
| 35 | TRPM8: a potential target for cancer treatment. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2016</b> , 142, 1871-81  | 4.9                              | 43 |
| 34 | Ligustrazine disrupts lipopolysaccharide-activated NLRP3 inflammasome pathway associated with inhibition of Toll-like receptor 4 in hepatocytes. <i>Biomedicine and Pharmacotherapy</i> , <b>2016</b> , 78, 204-209                         | 7.5                              | 15 |
| 33 | Curcumin raises lipid content by Wnt pathway in hepatic stellate cell. <i>Journal of Surgical Research</i> , <b>2016</b> , 200, 460-6   | 2.5                              | 13 |
| 32 | Cryptotanshinone, a novel tumor angiogenesis inhibitor, destabilizes tumor necrosis factor-I mRNA via decreasing nuclear-cytoplasmic translocation of RNA-binding protein HuR. <i>Molecular Carcinogenesis</i> , <b>2016</b> , 55, 1399-410 | 5                                | 27 |
| 31 | Pleiotropic effects of herbs characterized with blood-activating and stasis-resolving functions on angiogenesis. <i>Chinese Journal of Integrative Medicine</i> , <b>2016</b> , 22, 795-800   | 2.9                              | 6  |
| 30 | Curcumin inhibits aerobic glycolysis in hepatic stellate cells associated with activation of adenosine monophosphate-activated protein kinase. <i>IUBMB Life</i> , <b>2016</b> , 68, 589-96   | 4.7                              | 25 |

| 29 | The genome-wide role of HSF-1 in the regulation of gene expression in Caenorhabditis elegans. <i>BMC Genomics</i> , <b>2016</b> , 17, 559   | 4.5 | 78 |
|----|---|-----|----|
| 28 | Nuclear PKM2 expression, an independent risk factor for ER after curative resection of hepatocellular carcinoma. <i>Biomedicine and Pharmacotherapy</i> , <b>2016</b> , 84, 1858-1864   | 7.5 | 8  |
| 27 | Candesartan attenuates angiogenesis in hepatocellular carcinoma via downregulating AT1R/VEGF pathway. <i>Biomedicine and Pharmacotherapy</i> , <b>2016</b> , 83, 704-711  | 7.5 | 18 |
| 26 | The update on transcriptional regulation of autophagy in normal and pathologic cells: A novel therapeutic target. <i>Biomedicine and Pharmacotherapy</i> , <b>2015</b> , 74, 17-29  | 7.5 | 16 |
| 25 | Curcumin regulates cell fate and metabolism by inhibiting hedgehog signaling in hepatic stellate cells. <i>Laboratory Investigation</i> , <b>2015</b> , 95, 790-803   | 5.9 | 34 |
| 24 | Cancer-promoting effect of capsaicin on DMBA/TPA-induced skin tumorigenesis by modulating inflammation, Erk and p38 in mice. <i>Food and Chemical Toxicology</i> , <b>2015</b> , 81, 1-8  | 4.7 | 30 |
| 23 | Ligustrazine prevents alcohol-induced liver injury by attenuating hepatic steatosis and oxidative stress. <i>International Immunopharmacology</i> , <b>2015</b> , 29, 613-621   | 5.8 | 29 |
| 22 | Curcumin inhibits cobalt chloride-induced epithelial-to-mesenchymal transition associated with interference with TGF- Smad signaling in hepatocytes. <i>Laboratory Investigation</i> , <b>2015</b> , 95, 1234-45  | 5.9 | 36 |
| 21 | Tetramethylpyrazine prevents ethanol-induced hepatocyte injury via activation of nuclear factor erythroid 2-related factor 2. <i>Life Sciences</i> , <b>2015</b> , 141, 119-27  | 6.8 | 24 |
| 20 | Holothurian glycosaminoglycan inhibits metastasis via inhibition of P-selectin in B16F10 melanoma cells. <i>Molecular and Cellular Biochemistry</i> , <b>2015</b> , 410, 143-54   | 4.2 | 13 |
| 19 | A novel algorithm for analyzing drug-drug interactions from MEDLINE literature. <i>Scientific Reports</i> , <b>2015</b> , 5, 17357  | 4.9 | 11 |
| 18 | Tetramethylpyrazine reduces inflammation in liver fibrosis and inhibits inflammatory cytokine expression in hepatic stellate cells by modulating NLRP3 inflammasome pathway. <i>IUBMB Life</i> , <b>2015</b> , 67, 312-21   | 4.7 | 59 |
| 17 | Paeonol inhibits B16F10 melanoma metastasis in vitro and in vivo via disrupting proinflammatory cytokines-mediated NF- <b>B</b> and STAT3 pathways. <i>IUBMB Life</i> , <b>2015</b> , 67, 778-88  | 4.7 | 40 |
| 16 | The angiogenic responses induced by release of angiogenic proteins from tumor cell-activated platelets are regulated by distinct molecular pathways. <i>IUBMB Life</i> , <b>2015</b> , 67, 626-33   | 4.7 | 12 |
| 15 | Curcumin attenuates ethanol-induced hepatic steatosis through modulating Nrf2/FXR signaling in hepatocytes. <i>IUBMB Life</i> , <b>2015</b> , 67, 645-58  | 4.7 | 61 |
| 14 | Antimetastatic Therapies of the Polysulfide Diallyl Trisulfide against Triple-Negative Breast Cancer (TNBC) via Suppressing MMP2/9 by Blocking NF-B and ERK/MAPK Signaling Pathways. <i>PLoS ONE</i> , <b>2015</b> , 10, e0123781   | 3.7 | 60 |
| 13 | Chemopreventive efficacy of menthol on carcinogen-induced cutaneous carcinoma through inhibition of inflammation and oxidative stress in mice. <i>Food and Chemical Toxicology</i> , <b>2015</b> , 82, 12-8   | 4.7 | 31 |
| 12 | Downregulation of Integrins in Cancer Cells and Anti-Platelet Properties Are Involved in Holothurian Glycosaminoglycan-Mediated Disruption of the Interaction of Cancer Cells and Platelets in Hematogenous Metastasis. <i>Journal of Vascular Research</i> , <b>2015</b> , 52, 197-209 | 1.9 | 12 |

#### LIST OF PUBLICATIONS

| 11 | SEGEL: A Web Server for Visualization of Smoking Effects on Human Lung Gene Expression. <i>PLoS ONE</i> , <b>2015</b> , 10, e0128326   | 3.7 | 2  |
|----|--|-----|----|
| 10 | Tetramethylpyrazine reduces glucose and insulin-induced activation of hepatic stellate cells by inhibiting insulin receptor-mediated PI3K/AKT and ERK pathways. <i>Molecular and Cellular Endocrinology</i> , <b>2014</b> , 382, 197-204 | 4.4 | 38 |
| 9  | TIBS: a web database to browse gene expression in irritable bowel syndrome. <i>Journal of Theoretical Biology</i> , <b>2014</b> , 354, 48-53   | 2.3 | 1  |
| 8  | The forecast of anticancer targets of cryptotanshinone based on reverse pharmacophore-based screening technology. <i>Chinese Journal of Natural Medicines</i> , <b>2014</b> , 12, 443-8  | 2.8 | 11 |
| 7  | Phenolcarboxylic acids from medicinal herbs exert anticancer effects through disruption of COX-2 activity. <i>Phytomedicine</i> , <b>2014</b> , 21, 1473-82  | 6.5 | 34 |
| 6  | Characterization of xanthatin: anticancer properties and mechanisms of inhibited murine melanoma in vitro and in vivo. <i>Phytomedicine</i> , <b>2013</b> , 20, 865-73   | 6.5 | 21 |
| 5  | Concerted suppression of STAT3 and GSK3lls involved in growth inhibition of non-small cell lung cancer by Xanthatin. <i>PLoS ONE</i> , <b>2013</b> , 8, e81945   | 3.7 | 22 |
| 4  | Xanthatin induces G2/M cell cycle arrest and apoptosis in human gastric carcinoma MKN-45 cells. <i>Planta Medica</i> , <b>2012</b> , 78, 890-5   | 3.1 | 25 |
| 3  | Xanthatin induces cell cycle arrest at G2/M checkpoint and apoptosis via disrupting NF- <b>B</b> pathway in A549 non-small-cell lung cancer cells. <i>Molecules</i> , <b>2012</b> , 17, 3736-50  | 4.8 | 42 |
| 2  | Acidic mucopolysaccharide from Holothuria leucospilota has antitumor effect by inhibiting angiogenesis and tumor cell invasion in vivo and in vitro. <i>Cancer Biology and Therapy</i> , <b>2009</b> , 8, 1489-99                        | 4.6 | 24 |
| 1  | Procyanidins from grape seeds protect against phorbol ester-induced oxidative cellular and genotoxic damage. <i>Acta Pharmacologica Sinica</i> , <b>2004</b> , 25, 1083-9  | 8   | 19 |